Roles of fibronectin isoforms in neonatal vascular development and matrix integrity

Heena Kumra, ^a Laetitia Sabatier, ^a Amani Hassan, ^a Takao Sakai, ^b

Deane F. Mosher, ^c Jürgen Brinckmann, ^d Dieter P. Reinhardt ^{a,e,1}

- ^a Faculty of Medicine, Department of Anatomy and Cell Biology, McGill University, Montreal, QC, Canada H3A 0C7
- ^b Department of Molecular and Clinical Pharmacology, Institute of Translational Medicine, University of Liverpool, Liverpool, United Kingdom L69 3GE
- ^c Departments of Biomolecular Chemistry and Medicine, University of Wisconsin, Madison, WI, USA 53706
- d Department of Dermatology and Institute of Virology and Cell Biology, University of Lübeck, Lübeck, Germany 23562
- ^e Faculty of Dentistry, McGill University, Montreal, QC, Canada H3A 0C7

Short title

Fibronectin in postnatal vascular stability

1 Corresponding author: Dr. Dieter P. Reinhardt, Department of Anatomy and Cell Biology, McGill University, 3640 University Street, Montreal, Quebec, H3A 0C7, Canada. Phone: +1 514.398.4243.
E-mail: dieter.reinhardt@mcgill.ca

Keywords: fibronectin, aorta, smooth muscle cells, extracellular matrix, fibrillin-1, elastin, LTBP-4, fibulin-4

Author Summary

Fibronectin is a protein that exists in vertebrates in two distinct forms, one present in the blood and the other in blood vessel walls. In mammals, fibronectin is important for the development of blood vessels before birth, but the vascular function is not known from birth to adulthood. We present important results from three genetically modified mouse models, showing that at least one of the two fibronectin forms is required for the proper function and integrity of blood vessels during this period. We show that fibronectin can transfer from the blood into the vessel wall and can rescue the integrity of blood vessels in the absence of the vessel form. This represents an important biological mechanism to maintain the health of blood vessels. Our data also highlight the importance of both fibronectin forms in producing and organizing the cell microenvironment, with a higher contribution from the fibronectin form residing in the blood vessel walls. Together, our findings show that fibronectin from the blood acts as a safeguard to maintain the health of blood vessels, and both fibronectin forms play crucial roles in development and support of the blood vessel microenvironment.

Abstract

Fibronectin (FN) exists in two forms - plasma FN (pFN) and cellular FN (cFN). Although the role of FN in embryonic blood vessel development is well established, its function and the contribution of individual isoforms in early postnatal vascular development are poorly understood. Here we employed a tamoxifeninducible cFN knockout (cFN iKO) mouse model to study the consequences of postnatal cFN deletion in smooth muscle cells (SMC), the major cell type in the vascular wall. Deletion of cFN influences collagen deposition, but does not affect life span. Unexpectedly, pFN translocated to the aortic wall in the cFN iKO and in control mice, possibly rescuing the loss of cFN. Postnatal pFN deletion did not show a histological aortic phenotype. Double knockout (dKO) mice lacking both, cFN in SMCs and pFN, resulted in postnatal lethality. These data demonstrate a safeguard role of pFN in vascular stability and the dispensability of the individual FN isoforms in postnatal vascular development. Complete absence of FNs in the dKOs resulted in a disorganized tunica media of the aortic wall. Matrix analysis revealed common and differential roles of the FN isoforms in guiding the assembly/deposition of elastogenic extracellular matrix proteins in the aortic wall. In addition, we determined with two cell culture models that that the two FN isoforms acted similarly in supporting matrix formation with a greater contribution from cFN. Together, these data show that pFN exerts a critical role in safeguarding vascular organization and health, and that the two FN isoforms function in an overlapping as well as distinct manner to maintain postnatal vascular matrix integrity.

Abbreviations: cFN-cellular fibronectin; cFN iKO-cellular fibronectin inducible knockout; dKO-double knockout; ECM-extracellular matrix; EDA-extra domain-A; EDB-extra domain-B; FN-Fibronectin; KO-knockout; pFN-plasma fibronectin; SMA-smooth muscle α-actin; SMC-smooth muscle cell.

Introduction

Fibronectin (FN) is an abundant and ubiquitously expressed protein in the extracellular matrix (ECM) of various connective tissues as well as in blood of vertebrates [1,2]. Even though coded by a single gene [3], it exists in multiple isoforms as a result of alternate splicing [4]. Each monomer of FN consists of three types of repeating units, FNI, FNII and FNIII domains (Fig 1A) [5]. Alternative splicing occurs within the central array of FNIII repeats, leading to either inclusion or exclusion of the FNIII EDA and EDB domains (Fig 1A). Another region of alternative splicing occurs towards the C-terminus of this array, the V region [6]. FNs occur in two principal forms, the soluble plasma FN (pFN) circulating in the blood, and the cellular FN (cFN), which polymerizes into insoluble fibers in the ECM of tissues including blood vessels [7]. pFN is synthesized exclusively in the liver by hepatocytes [8,9], and shows a relatively simple splicing pattern lacking the EDA and EDB domains, although forms with and without the V region exist [10]. The soluble pFN circulates in blood at a high concentration of ~0.6 mg/ml in mice and ~0.3 mg/ml in humans [11,12]. The cFN consists of a much larger and more heterogeneous group of isoforms, with either EDA or EDB or both domains present [4,13].

FN is broadly expressed in embryos and in adult tissue. It generally regulates a wide spectrum of cellular and matrix related functions which play crucial roles during development, including cell adhesion, migration, growth, differentiation and tissue repair [5,14]. The pivotal role of FN as a master organizer of ECM assembly is well documented by cell culture studies. The list of ECM proteins that depend on FN for incorporation into the ECM is growing and includes collagen I and III [15-19], fibrillin-1 (FBN-1) [20,21], fibulin (FBLN)-1 [22,23], Latent TGF-β Binding Protein (LTBP)-1 [24], LTBP-4 [25,26], fibrinogen [27], thrombospondin-1 [16], and tenascin-C [28]. FN is not only required for the initiation of these ECM

assemblies, but also for the stabilization of some of them [16,24,29]. However, whether this holds true *in vivo* is not established.

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

24

25

The functional relevance of FN in critical physiological and pathological developmental processes is validated by severe defects in mice globally lacking the FN gene (Fn) [30], including vascular, mesodermal, and neural tube defects leading to death around embryonic day 9.5. Deletion of both EDA and EDB exons (present only in cFN) from Fn in mice also results in embryonic lethality with incomplete penetrance, displaying multiple embryonic cardiovascular defects [31]. Although pFN knockout mice have a normal life expectancy [32], it is a critical player in various pathologies. pFN supports neuronal survival and reduces infarct size following cerebral ischemia [32]. It is also important in thrombosis regulating thrombus stability and growth [33,34]. pFN worsens the course of atherosclerosis but promotes the formation of protective fibrous cap which prevents plaque rupture [35]. In humans, dysregulation of FN levels have been identified in various pathologies with cardiovascular manifestations, including atherosclerosis [36], myocardial infarction [37], Sturge-Weber Syndrome [38], and Ehlers-Danlos syndrome Type X [39]. Altered circulating pFN levels have been reported in patients with coronary heart disease [40,41], and ischemic heart disease [42]. These studies highlight the importance of FN during embryonic vascular development and in postnatal diseases associated with the cardiovascular system. The aim of this study was to elucidate the role of FN isoforms during postnatal vascular development with a focus on the elastic fiber-rich tunica media. To specifically delete cFN in smooth muscle cells (SMCs), the most prevalent cells in the tunica media, we employed tamoxifen-dependent Cre recombinase under a smooth muscle specific promoter. To discern the role of pFN in vascular development, a liver specific Cre mouse was used. Our study demonstrates the importance and function of FN isoforms during the development of the aorta in the early postnatal period.

Results

It is well documented that FN is crucial in the development of blood vessels during embryogenesis [30,43,44]. The vascular wall further undergoes extensive development during the early postnatal period, including an expansion in total wall volume and wall thickness accompanied with a doubling of SMC number and an increase in matrix volume [45]. The role of FNs during this phase is not known, and thus we addressed it in this study with a focus on cellular and matrix integrity of the aortic vascular media.

Efficacy and specificity of the inducible cellular fibronectin deletion in the aortic media

We have generated a conditional knockout mouse model (cFN iKO) that allows postnatal, tamoxifen-inducible deletion of cFN in SMC, the major cell type in the aortic media. Mice containing Fn flanked by loxP sites (Fn(fl/fl)) were crossed with an established transgenic mouse line (Sma-Cre-ER^{T2}/+), in which the expression of the tamoxifen-dependent Cre-ER^{T2} recombinase is under the control of the mouse α -SMA promoter. After several breeding rounds, the cFN iKO genotype (Fn(fl/fl); Sma-Cre-ER^{T2}/+) was produced (**Fig 1B**; **top panel**) [32,46]. The deletion of Fn, induced by intragastric tamoxifen injection (every day from P1-P3), was confirmed at P8 by a Fn specific RT-PCR of RNA isolated from the aortic media of the cFN iKO compared to control mice (**Fig 1B**; **bottom panel**). To further validate the efficiency and specificity of Cre recombinase expression in the Sma-Cre-ER^{T2}/+ mice following early postnatal tamoxifen injection (P1-P3), a Reporter-Cre mouse strain (R26(fl/fl)); Sma-Cre-ER^{T2}/+) was generated. (**Fig 1C**; **top panel**). In this mouse, the lacZ reporter gene coding for β -galactosidase, is only transcribed in cells and tissues where Cre recombinase is expressed. Intense β -galactosidase staining of the aortic media harvested from tamoxifen-induced Reporter-Cre mice, but not of the tamoxifen-induced Cre negative Reporter-Control (R26(fl/fl))

- 71 mice confirmed an efficient and specific expression of the Cre recombinase in the tunica media, identified
- α -SMA staining (Fig 1C; middle and bottom panel).

Fig 1: Fibronectin and its deletion in the aortic media.

A) Schematic diagram of FN isoforms, generated from the single Fn gene. pFN is synthesized and secreted by hepatocytes in the liver, and cFN is synthesized by vascular SMCs, among other mesenchymal cells. Alternatively spliced forms in mouse are indicated. B) Genotype of the inducible, smooth muscle specific cFN iKO mouse model (top panel). RT-PCR of Fn from total RNA isolated from the aortic media layer, confirming deletion of Fn in the cFN iKO post tamoxifen injection (bottom panel). Gapdh was used as a control. (n = 3) C) Genotype of the LacZ Reporter-Cre mouse strain (top panel). θ -galactosidase (θ -gal) staining of aortae from tamoxifen injected Reporter-control (R26(fl/fl)) and Reporter-Cre (R26(fl/fl); Sma-Cre-ER^{T2}/+) mice (middle panel) (n=3). Note positive blue staining in the Reporter-Cre (white arrowheads) and the absence of staining in the Reporter-control (black arrowheads) aortae. Immunostaining for α -SMA in control and in cFN iKO mice (bottom panel). Note that the expression of α -SMA in the tunica media is at the same topological location than the θ -galactosidase staining in the Reporter-Cre, confirming that the induced Cre recombinase is specifically active in aortic SMCs (n=5). Scale bar represents 50 μ m and asterisk (*) denotes aortic lumen in (C).

Postnatal deletion of cellular fibronectin in aortic media leads to a mild phenotype

73

74

75

76

77

Unexpectedly, tamoxifen-injected cFN iKO mice demonstrated a normal life span in the absence of any gross phenotype. To evaluate aortic tissue integrity of these mice, we performed histological analyses of the aortic wall (Fig 2A-2H). FN guides assembly of several ECM proteins in cell culture models, but whether

FN plays a similar role in vivo and what are the contributions of the individual FN isoforms has not been determined. Therefore, one major focus of this study was to analyze the contributions of FN to ECM assembly in the postnatal mouse aorta. FN acts as a scaffold for the assembly of collagen in cell culture [15-19]. However, deleting Fn in the tunica media of the cFN iKO mice led to an unexpected increase of collagen deposition at 3 months of age as compared to the control (Fig 2A-2C). Collagen deposition reverted back to control levels at 8 months of age (Fig 2E-2G). Despite the fact that cFN was deleted only in the tunica media, we observed differences in the adventitial collagen organization based on Masson's Trichrome staining and quantification of picrosirius red staining. Up to 3 months of age the tamoxifentreated cFN iKO showed a loose collagen deposition in the adventitia (Fig 2B; triangles and 2D), whereas at 8 months the pattern reverted to a denser collagen matrix as compared to the control (Fig 2F; triangles and 2H). FN also promotes the assembly of fibrillin-1 containing microfibrils in cell culture [20,21]. Immunostaining of aortic sections for fibrillin-1 showed no changes in the aorta of cFN iKO as compared to the control (S1A and S1B Fig). Next, we investigated if postnatal deletion of cFN affects the formation of elastic lamellae in the aortic wall. The elastic lamellae were relatively normal, although they appeared to have more disruptions than the control mice (S1C and S1D Fig). However, quantification of breaks and forks normalized to the area did not show statistically significant differences (S1E and S1F Fig). Overall, postnatal deletion of cFN in medial SMCs led only to minor changes in the matrix organization that did not affect the overall health of the mice.

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

Fig 2: Histological phenotypes in the smooth muscle specific inducible cFN iKO mice.

Control mice and cFN iKO mice were treated with tamoxifen from P1-P3. **A and B)** Masson's trichrome stained cross-sections of descending aorta at 3 months of age demonstrate higher amounts of collagen deposition in the media and loose collagen deposition in adventitia of cFN iKO mice (turquoise stain) (**B**) as compared to controls (**A**) (n=3). **C and D)** Quantification of collagen in the tunica media (**C**) and the

tunica adventitia (D) of picrosirius red stained aorta sections from 3 months old cFN iKO and control mice (n=4-8). Underlying data are provided in **S1 Data**. **E and F)** Masson's trichrome stained cross-sections of descending aorta demonstrate dense collagen deposition in the adventitia of cFN iKO mice at 8 months (F; triangles) as compared to controls (E; triangles) (n=3). M and A indicates tunica media and tunica adventitia respectively and the scale bar represents 50µm in A-B and E-F. G-H) Quantification of collagen in the tunica media (G) and tunica adventitia (H) of picrosirius red stained sections of aorta of 8 months old cFN iKO and control mice (n=4-8). Parameters quantified are total collagen intensity (Total), mean collagen pixel intensity (Mean), and area of collagen distribution in μm^2 (Area) in the tunica media/adventitia. Note that the changes in collagen deposition observed at 3 months (A-D) revert back at 8 months (E-H). Underlying data are provided in S1 Data. I and J) Immunofluorescence staining of the aortic wall with anti-EDA FN antibody (specific for cFN) shows an effective deletion and reduction of cFN in cFN iKO mice (I) as compared to control mice (J) (arrowheads) (n=3). K) Quantification of immunofluorescence staining shown in (I) and (J). L and M) Immunofluorescence staining of aortae from control and cFN iKO mice with an antibody against total FN (pFN and cFN). Note there is no reduction of total FN staining in the media of cFN iKO mice (L) as compared to the control mice (M) (n=4). N) Quantification of immunofluorescence staining shown in (L) and (M). Underlying data for (K) and (N) are provided in S1 Data. Scale represents 50µm in Fig 21, J, L, M. Lumen is indicated with an asterisk in A-B, E-F, I-J and L-M. For all statistical analyses ns denotes not significant, * denotes p≤0.05, ** denotes p≤0.01 and *** denotes p≤0.001.

Specific uptake of plasma fibronectin in the vessel wall

Since FN is crucial for vascular development during embryogenesis [30], a much stronger phenotype was expected for the deletion of FN in the aortic wall during early postnatal development. To exclude the possibility that these minor phenotypes in cFN iKO mice were potentially a consequence of incomplete deletion of cFN in the aortic media layer, we immunostained aortic sections using a cFN specific antibody that recognizes the alternatively spliced EDA domain, which is absent in pFN. This analysis clearly demonstrated that the EDA-containing cFN levels were very low as expected from an effective *Fn* deletion (see Fig 1B bottom panel) for the cFN iKO, as compared to the controls (Fig 2I-2K). However, staining with an anti-mouse FN antiserum that recognizes total FN (pFN and cFN), surprisingly revealed the presence of FN in the aortic media of the tamoxifen-induced cFN iKO, similar to the control (Fig 2L-N). This data led to the hypothesis that pFN from blood can transfer to the aortic wall, which in turn rescues a potential severe phenotype upon cFN deletion in the cFN iKO mice.

To test this hypothesis, exogenous pFN labeled with a fluorophore (Oyster-680), was injected intraperitoneally daily from P8-P10 into tamoxifen-treated (P1-P3) control and cFN iKO mice, and mice were sacrificed and analyzed at P11. A strong fluorescent red signal in the ascending as well as in the descending aorta of both the control (Fig 3A and 3C) and cFN iKO mice (Fig 3B and 3D) demonstrated an efficient transfer of Oyster-680 labeled pFN into the vessel wall. Within the vessel wall, the Oyster-680 labelled pFN localized to the elastic fibers (merged images in Fig 3A-3D), which were visualized label-free by detection of the elastin autofluorescence. To test if the transfer of intraperitoneally injected pFN to the vessel wall is specific for pFN, an Oyster-680 labelled 250kDa polysaccharide dextran (similar molecular mass as a pFN monomer) was injected in an identical regimen as used for the fluorophore-labeled pFN. Contrary to the findings with injected pFN, no labeled dextran was observed in the aortic

media of ascending and descending aortae of control (Fig 3E and 3G) and cFN iKO (Fig 3F and 3H) mice. As an additional control to exclude the possibility of vascular leakiness, injected Oyster-680 alone did also not transfer into the vessel wall (Fig 3I-3L), despite a much smaller molecular mass (~2 kDa) compared to pFN. These results clearly show that pFN efficiently translocates to the aortic wall in the absence of vascular leakiness.

Fig 3: Specific uptake of plasma fibronectin in the aortic vascular wall.

pFN or mass-matched dextran was labelled with Oyster-680 (2-3 fluorescent molecules per molecule of pFN or dextran) and injected intraperitoneally from P8-P10 into tamoxifen-injected (P1-3) control mice and cFN iKO mice. Oyster-680 alone was used as a control. All mice were dissected on P11. Ascending and descending aortic walls were analyzed by immunofluorescence for elastic lamellae autofluorescence (green signal) and for Oyster-680 fluorescence (red signal). Representative analyses of aortic cross-sections from mice injected with fluorescently labelled pFN (A-D), dextran (E-H), and Oyster-680 (I-L) are shown. Note that Oyster-680 fluorescence can be detected only in the media of control and cFN iKO mice injected with fluorescent pFN, but not in the media of mice injected with fluorescent dextran, or Oyster-680 alone. The Oyster-680 labeled pFN colocalized with the elastic lamellae (see Merged in Fig 3A-D) (n=3-7 for A-L). Lumen is indicated with an asterisk in A-L.

Deletion of plasma fibronectin does not affect the vascular wall

To assess if pFN then plays a more important role in maintaining the cellular and matrix integrity of the vasculature, we generated pFN KO mice by crossing the *Fn*(fl/fl) mice with transgenic mice expressing the Cre recombinase under the control of the albumin promoter (Alb-Cre) active in hepatocytes [32,47], the

exclusive site for pFN synthesis (Fig 4A). The Alb-Cre/+ strain has been used successfully by others to generate liver-specific knockout mice [32,47,48]. The resulting Fn(fl/fl); Alb-Cre/+ strain lacks expression of pFN from P3 onwards [49], and the absence was confirmed by immunoblotting of plasma obtained from pFN KO and control mice at P30 (Fig 4B). No gross or histological phenotypes were observed in the aorta of pFN KO mice which would affect cellular or matrix integrity of the vessel wall (S2 Fig). These results together with the observation of pFN transfer into the vascular wall suggested that pFN has an important role in safeguarding the vasculature in the absence of cFN, however pFN is not needed for vascular integrity and function in the presence of cFN.

Fig 4: Generation and analysis of pFN KO and dKO mice.

A) pFN KO were generated by breeding Fn(fl/fl) mice with Alb-Cre/+ transgenic mice in several breeding rounds. B) Immunoblot for FN using mouse plasma isolated from control and pFN KO mice confirmed the absence of pFN in pFN KO mice (arrow). All mice were 30 d old at the time of blood collection (n=10). C) Generation of dKO mice by breeding Fn(fl/fl); Sma-Cre-ER^{T2}/+ with Fn(fl/fl); Alb-Cre/+ mice. After injection with tamoxifen from P1-P3, the dKO mice lack total pFN and cFN secreted by SMCs. D) Hemorrhages in the thoracic cavity of dead dKO mice (P3 and P5), suggest a vascular cause of lethality (left and middle panel). The age-matched control pFN KO mice (found dead) do not show this phenotype (right panel). Animals of each group are shown in the top panel at 3× and in the botom panel at 4.5× magnification. Scale bars represent 1 mm. E and F) Representative immunostained images of aortic walls from P1-P3 tamoxifeninjected control mice and dKO mice at P8 with antibodies against total FN (pFN and cFN) (E) and against EDA FN (specific for cFN) n=4 (F). Blue staining represents nuclei counter staining with DAPI. Quantification of the red FN signals is shown at the bottom of each figure and the underlying data are provided in S1 Data. Note the significantly reduced levels of both, total FN and EDA FN in the media (arrowheads). Lumen is indicated with an asterisk and scale bar represents 50 μm in (E) and (F).

Double knockout of cFN in SMC and pFN causes postnatal lethality

138

154

155

156

157

158

139 140 To further study the role of pFN and its functional interaction with cFN in the vasculature, we produced dKO mice deficient in pFN and cFN with the Fn(fl/fl); Sma-Cre-ER^{T2}/+; Alb-Cre/+ genotype (Fig 4C). These 141 142 mice lack pFN from P3 onwards and is additionally inducible by tamoxifen to delete cFN in α-SMA 143 expressing tissues. When both, pFN and cFN, are deleted in the tamoxifen-injected dKO (P1-P3 tamoxifen 144 injection), the mice die postnatally between P3 and P20 (median age of death P11.5). The Mendelian ratio 145 was significantly reduced from the expected 25% to 4.23% by P30 (Table 1). Necropsy of dead dKO mice 146 showed hemorrhages in the thoracic cavity (Fig 4D), indicating a severe phenotype in the vasculature due 147 to combined loss of pFN and cFN in SMCs. Absence of any phenotypes in non-tamoxifen injected Fn(fl/fl); Sma-Cre-ER^{T2}/+; Alb-Cre/+ mice eliminated the possibility of Cre toxicity. These mice had a normal life 148 149 150 151 152 153

<u>Table 1</u> Genotype and survival analysis of Fn knockout mice.

Genotype	Control ^a	dKO ^a	cFN iKO ^a	pFN KO ^a
	Fn(fl/fl)	Fn(fl/fl); Sma-Cre- ER ^{T2} /+; Alb-Cre/+	Fn(fl/fl); Sma-Cre- ER ^{T2} /+	Fn(fl/fl); Alb-Cre/+
Calculated number and percentage of mice expected at P30	17.75 (25%)	17.75 (25%)	17.75 (25%)	17.75 (25%)
Mice alive at P30 (Number and percentage)	17 (23.94%)	3 (4.23%)	18 (25.35%)	15 (21.13%)
P-values for the difference observed from Mendelian ratios ^b	P>0.9	P<0.001 ^c	P>0.9	P>0.5

^a All mice (control, dKO, cFN iKO, and pFN KO) were injected with 0.1mg of tamoxifen/day from P1-P3.

Total mice analyzed = 71

Total number of mice found dead before P30 = 18

^b Statistical analysis using the chi-square test (see Materials and Methods)

^c indicates a significant p-value

Fibronectin isoforms are important for maintaining cellular and matrix integrity of the vasculature

We further investigated the dKO mice for the consequences of complete FN deficiency on aortic wall development in the early postnatal period. We choose P8 for this analysis, because most dKO mice survive until this time point (median age of death P11.5). To determine cell integrity, we stained aortic cross sections from all four tamoxifen-injected mouse strains with hematoxylin and eosin. SMCs in the aortic walls from dKO mice appeared to be disorganized as compared to circumferentially aligned cells in the control aortic sections (Fig 5A; triangles). Frequently, but not always, we observed thinning of the aortic wall in the dKOs as compared to the other strains analyzed. For a more detailed analysis, we performed transmission electron microscopy on aortic sections. The tunica media of dKO mice appeared disorganized with curled and irregular elastic lamellae (Fig 5B; S3 Fig; yellow triangles) and irregular shaped cell nuclei (Fig 5B; S3 Fig; red triangles) compared to control and single KO mice.

Fig 5: Histological analysis of dKO by bright-field and transmission electron microscopy

All mice were treated with tamoxifen from P1-P3 and the analysis was performed at P8. **A)** Hematoxylin and eosin stained cross sections of descending aorta prepared from control, dKO, cFN iKO and pFN KO mice as indicated. Note the disorganized cells (purple nuclei; black triangles) in the dKO as compared to the control. **B)** Transmission electron microscopic analysis of cross sections of descending aorta from control, dKO, cFN iKO and pFN KO mice. Note that the dKO aorta showed a disorganized tunica media as compared to the other strains analyzed. Curly disorganized elastic lamellae (yellow triangles) and irregular shaped SMC nuclei (red triangles) are discernible. Scale bar represents 10µm and asterisk (*) denotes aortic lumen.

The affected elastic lamellae in the dKO led us to further investigate the consequences of *Fn* deletion on matrix integrity of the vascular wall, with a focus on ECM proteins important for elastogenesis. We

analyzed FBN-1 in the vessel walls of the KO mice, because it constitutes the backbone of microfibrils [50], which serve as a scaffold for elastin deposition and it is dependent on FN in cell culture studies [20,21]. Immunostaining clearly showed a reduction of FBN-1 in both the single KOs (cFN iKO and the pFN KO) and the dKO, as compared to the control, demonstrating that both pFN and cFN contribute to the deposition/assembly of FBN-1 in vivo (Fig 6A). Quantitative analysis revealed that the levels of deposited/assembled FBN-1 are lowest in the dKO and that cFN supports more FBN-1 deposition/assembly than pFN (Fig 6E). pFN and cFN were similarly important for the deposition/assembly of FBLN-4, albeit it was reduced to the same level in all strains. (Fig 6B and 6E). For LTBP-4, which is also known to be dependent on FN for its assembly and is important in elastogenesis [25,51], cFN was important for its deposition/assembly but not pFN (Fig 6C and 6E). To determine if loss of FN affects tropoelastin deposition, either directly or indirectly by affecting other ECM proteins, sections were immunostained with a tropoelastin antibody and mature elastic lamellae were visualized by autofluorescence in aortic sections of all mouse strains analyzed. Even though the mature elastic lamellae appeared relatively normal at this magnification (whereas electron microscopy shows disorganized elastic lamellae in Fig 5B and S3 Fig), immunostaining with tropoelastin antibody was much reduced in sections from cFN iKO and dKO mice, compared to the control and the pFN KO mice (Fig 6D and 6E). Altogether these data suggest a role of cFN in new tropoelastin deposition and in elastin assembly in vivo. To analyze if this tropoelastin reduction affects the total elastin deposited in the aorta, we biochemically determined the elastin content and cross-links after NaOH extraction of P8 aortae. Surprisingly, the elastin per total protein was significantly reduced in dKO mice, whereas no significant changes occurred in the cFN iKO and pFN KO mice as compared to the control (Fig 6F). The crosslinks desmosine and isodesmosine per total elastin content and their ratio were not altered between the mouse strains (Fig 6F). mRNA expression analysis of the analyzed ECM components using qPCR demonstrated elevated Fbn1 mRNA levels in pFN KO aortae, which might represent a mechanism of the tissue to rescue reduced FBN-1

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

deposition/assembly **(S4 Fig)**. mRNA expression of *Fbln4*, *Ltbp4* and *Eln* was not altered, demonstrating that FN isoforms exclusively impact the deposition/assembly of these proteins **(S4 Fig)**. In summary, these data show that the complete loss of FN impacts early postnatal vascular development by affecting both cellular and matrix integrity of the vessel wall. The results also demonstrate for the first time that FN is important for the deposition of various elastogenic proteins *in vivo* and its isoforms have both common and distinct roles in the organization of elastogenic proteins in the aortic media.

Fig 6: Role of FNs in aortic vessel wall ECM organization.

Descending aortic wall sections of tamoxifen-injected control, dKO, single cFN iKO, and single pFN KO mice were analyzed at P8 by indirect immunofluorescence. Shown are representative images stained with antibodies against (A) FBN-1, (B) FBLN-4, (C) LTBP-4 and (D) Tropoelastin either alone (left panels) or merged with elastic fibers (visualized through autofluorescence) (right panels). E) Quantification of the relative mean intensity of the red signals in immunostained sections shown in A-D. Note that FBN-1 and FBLN-4 is reduced in the dKO as well as in the single cFN iKO and pFN KO as compared to the control, but only FBN-1 is significantly lower in the dKO as compared to the single KOs (A, B, E). LTBP-4 and tropoelastin immunostaining is reduced in the dKO and cFN iKO but not in pFN KO (C, D, E). Scale bar represents 20 μ m in Fig 6 A-D (n=3). Underlying data are provided in S1 Data. F) Biochemical analysis was performed after NaOH extraction of aortae of all four mouse strains dissected at P8 (n=6). Note the decrease in elastin content without changes in elastin crosslinks in the dKO. Underlying data are provided in S1 Data. Isodes, isodesmosine; Des, desmosine. * represents a p-value of ≤ 0.05 , ** a p-value of ≤ 0.01 and *** a p-value of ≤ 0.001 in Fig 6E (two sample t-test) and F (one way ANOVA).

Similar roles of FN isoforms in ECM assembly

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

203

The in vivo data indicated a functional relationship between pFN and cFN in matrix organization. To further study how the two isoforms interact with each other and contribute to its own assembly and deposition of other ECM proteins, a cellular model was developed. Vascular SMCs from Fn(fl/fl); Sma-Cre-ER^{T2}/+ mouse aortae were treated with 4-hydroxytamoxifen for 3 days to induce cFN deletion. As controls, the cells were treated with ethanol (solvent of 4-hydroxytamoxifen). RT-PCR showed an effective deletion of Fn upon treatment with 4-hydroxytamoxifen as compared to the ethanol-treated control (Fig 7A). Immunoblotting of the serum-free conditioned medium collected from these cells, using specific FN antibodies showed an effective reduction of cFN in tamoxifen treated cells, compared to the ethanoltreated cells (Fig 7B). Indirect immunofluorescence of SMCs cultivated in FN-depleted medium additionally demonstrated the absence of a FN network in 4-hydroxytamoxifen-treated cells versus a fully developed network in the ethanol-treated cells (Fig 7C). This result was further confirmed by the absence of fibronectin in deoxycholate (DOC) soluble and insoluble fractions extracted from 4-hydroxytamoxifentreated cells (S5 Fig). Deletion of Fn prevented the assembly of FBN-1 (Fig 7D), and of FBLN-4 (Fig 7E). This experimental model was then expanded, by combining it with plasma obtained from control and pFN KO mice, to test the functional relationship between pFN and cFN in matrix organization. The cells were tested under the following conditions: 1) cFN+/pFN+; 2) cFN+/pFN-; 3) cFN-/pFN+; and 4) cFN-/pFN- (for details see Materials and Methods). Indirect immunofluorescence under these conditions and fiber length quantification showed that either cFN or pFN alone (Fig 7F; arrowheads) can form fibers, corroborating the functional in vivo data which showed that either one of the individual FN isoforms is sufficient for maintaining the vascular integrity. FN assembly is also enhanced in the presence of both isoforms (Fig 7F; arrows and S1 Table), suggesting that the two isoforms can assemble together to form matrix fibers. Similarly, each of the two FN isoforms supported the formation of FBN-1 fibers (Fig 7G; arrowheads), as

well as the deposition of FBLN-4 (Fig 7H; arrowheads). cFN contributed more than pFN in supporting FBN-1 fibers but equal for FBLN-4 deposition, corresponding with the *in vivo* data (Fig 6A, B and E). The results for LTBP-4 (Fig 7I; arrowheads) also correlated with the *in vivo* role of cFN in promoting LTBP-4 assembly and showed very little contribution, of pFN. But it is important to note that because of the selected sources of FN isoforms (mouse plasma for pFN and SMCs for cFN) to closely mimic the *in vivo* situation, the actual amounts of individual isoforms could be different. This could contribute to the differences observed between cFN containing condition (cFN+/pFN-) and the condition with pFN only (cFN-/pFN+). Tropoelastin and elastic fibers could not be detected in this cell system. For all proteins tested, the presence of both, pFN and cFN mediated longer total fiber lengths and more junctions compared to the presence of only one FN isoform, suggesting the two isoforms of FN can contribute together in self-assembly and in guiding the assembly/deposition of other matrix proteins (Fig 7, right panel; S1 Table).

Fig 7: Similar role of FN isoforms in the assembly of elastic fiber related proteins.

Vascular SMCs were isolated from Fn(fl/fl); Sma-Cre-ER^{T2}/+ mouse aortae and grown in medium depleted of pFN. Cells were treated with 4-hydroxytamoxifen (4-OH Tamox) for 3d to induce the deletion of cFN, and compared to ethanol-treated controls (EtOH). A) RT-PCR demonstrates at mRNA level an effective deletion of Fn upon treatment with 4-hydroxytamoxifen compared to the ethanol control (219 bp). Gapdh was used as a control (202 bp) (n=3). B) Immunoblot of FN using conditioned cell culture medium (24h) showed effective FN deletion on the protein level when cells were treated with 4-hydroxytamoxifen (n=4). R indicates reducing conditions with 20mM Dithiothreitol and NR represents non-reducing conditions. The three arrows indicate monomer, dimer and higher molecular weight species of FN precipitates from the conditioned medium. C-E) 4-hydroxytamoxifen and ethanol-treated SMC were stained after 7d in culture by indirect immunofluorescence against (C) FN, (D) FBN-1, and (E) FBLN-4. Note the absence of FBN-1 and FBLN-4 networks when FN is deleted. Scale bar for C-E is 100 µm (n=3). Underlying data are provided in S1

Data. F-I) To test the role of pFN and cFN in facilitating self-assembly and that of FBN-1, FBLN-4, and LTBP-4 in conditions replicating the mouse models, four cell culture conditions were generated (see Materials and Methods for details): 1) cFN+/pFN+; 2) cFN+/pFN-; 3) cFN-/pFN+; and 4) cFN-/pFN-. Indirect immunofluorescence analyses were performed after 5d of cell growth with antibodies against **(F)** FN, **(G)** FBN-1, **(H)** FBLN-4, and **(I)** LTBP-4. Note that in the presence of pFN and cFN individually short immature fibers develop (arrowheads), whereas the presence of both FN isoforms support enhanced FN self-assembly as well as the assembly and/or deposition of FBN-1, FBLN-4 and LTBP-4 (arrows). The graphs show a histogram distribution of branch lengths for the cFN+/pFN+, cFN+/pFN-, and cFN-/pFN+ samples. No measureable fibers were present in the cFN-/pFN- samples. Underlying data are provided in **S1 Data**.

Total fiber lengths and junction numbers are listed in **S1 Table**. The scale bar for **F-I** indicates 50µm (n=4).

Distinct roles of FN isoforms in ECM assembly

To analyze if they are actually differences between pFN and cFN in fiber formation and in guiding the assembly of other ECM proteins, another cell model was developed which could assess the effects of equal amounts of purified cFN and pFN, unlike the SMC cell culture model where cFN was produced by the cells and pFN was present in the mouse plasma added.

Mouse embryonic fibroblasts from *Fn* null embryos are well known to assemble exogenously provided FN [16]. In a culture medium devoid of pFN, these cells grow under FN-free conditions. The absence of any FN fibers in this cell system was validated by indirect immunofluorescence (Fig 8A; TBS control). Equal amounts (25 µg/ml) of soluble purified pFN or cFN was added into the medium and the quality and quantity of fibers were analyzed. The fibers formed were clearly different between the two FN isoforms (Fig 8A). cFN formed more mature and elongated fibers (Fig 8A; arrows), whereas pFN formed less fibers

and the fibers were shorter in length (Fig 8A; arrowheads). Similar consequences were observed for both FN isoforms in guiding FBN-1 (Fig 8B), and FBLN-4 (Fig 8C). For LTBP-4, cFN supported assembly/deposition, but pFN could barely support any fiber formation, corresponding well with the *in vivo* data (Fig 8D). For all proteins tested, cFN mediated longer total fiber lengths and more fiber junctions (Fig 8, right panel; S2 Table). These results demonstrate that pFN and cFN assemble differently, and translate these differences onto dependent downstream ECM formation and deposition. Taken together, the data from the two cell culture models and the *in vivo* results suggest that there are some similar functions but other different role that cFN and pFN play in self-assembling and in supporting the assembly of other ECM proteins.

Fig 8: Distinct roles of FN isoforms in guiding ECM assembly.

Mouse embryonic fibroblasts from Fn null embryos were grown in a pFN-depleted cell culture medium. Equal amounts of purified human cFN (25µg/ml) or human pFN (25µg/ml), or a TBS control was added to the medium at the time of cell seeding. Indirect immunofluorescence was performed after 8d cell growth with antibodies against (A) FN, (B) FBN-1, (C) FBLN-4, and (D) LTBP-4. Note the differences in the quality and the quantity of the analyzed fiber systems. cFN supports assembly of longer and more mature fibers (arrows), while pFN forms and supports short and thin fibers (arrowheads). The graphs show a histogram distribution of branch lengths for the cFN added and pFN added samples. No measureable fibers were present in the TBS samples. Underlying data are provided in S1 Data. Total fiber lengths and junction numbers are listed in S2 Table. The scale bar indicates 50µm for all images (n=3).

Discussion

FN is a critical player in vascular biology with essential roles in embryonic development, in various cardiovascular diseases and in pathologies where vascular development is a key process such as in tumor progression. However, virtually nothing is known about the role of FN and its isoforms during physiological postnatal vascular development. Here, we report that deficiency of both, hepatocyte-derived pFN and SMC-derived cFN, arrests early postnatal aortic development, whereas either one FN isoform is sufficient to support vascular maturation at this developmental stage. We have identified a novel function of pFN in which it represents a safeguard in maintaining blood vessel wall integrity by translocating into the vessel wall. This is also the first report to show, *in vivo*, the role of FN as a "master organizer" for ECM assembly and to establish that both pFN and cFN have a critical function in vascular wall protein assembly/deposition.

From the initial global knockout, it became clear that FN has a critical role in the development and homeostasis of the major blood vessels, as the mice die during embryogenesis around E9.5 with a variety of phenotypes including defects in blood vessel development [30]. Deletion of both alternatively spliced EDA and EDB exons (present only in cFN) from the *Fn* gene led to embryonic lethality by E10.5, displaying also multiple cardiovascular defects, including vascular hemorrhage, failure of remodeling embryonic and yolk sac vasculature, and defective placental angiogenesis [31]. While cFN is essential for cardiovascular development during embryogenesis, we established from our study that postnatal conditional deletion of cFN in SMCs induced at P1-P3, only results in minor aortic phenotypes not affecting the life span of the mice as pFN is able to rescue the functions. Similarly, postnatal deletion of pFN around P3 in our study, did not result in any obvious aortic phenotype, because SMC-derived cFN is sufficient to maintain the vascular integrity. Therefore, both SMC-derived cFN and pFN are thus individually dispensable for the

postnatal development and homeostasis of the thoracic aorta. However, the deletion of both FNs around P3 resulted in death of most (>80%) dKO mice until P30. These data demonstrate that at least one of the FNs is required for the continued postnatal development and stability of the thoracic aorta, and that pFN can compensate for the loss of SMC-derived cFN. However, Murphy *et al.* reported that when FN was deleted globally (absence of both, cFN and pFN) in adult mice, no vascular phenotype was observed, except when the mice were challenged by disturbed blood flow in the carotid arteries resulting in enlargement of the aorta and hemorrhage [52]. The dependency on at least one, SMC-derived cFN or pFN, during early postnatal aortic development is likely due to the requirement of deposition of new ECM as the aorta grows and matures within the first 4 postnatal weeks [53]. It is known that new elastin deposition during this phase occurs at the fenestrations in the elastic lamellae [54]. As the dKO mice die during this expansion phase, it is possible that FNs support a role in the deposition of new elastin at these fenestrations. This assumption is further supported by i) ultrastructural tissue analysis which showed irregular elastic lamellae, and ii) biochemical data that showed reduced newly deposited elastin at P8 in the dKO mice. Taken together, these ECM deficiencies in the aortic media of the dKO mice are likely the cause for the postnatal lethality of these mice.

cFN iKO mice showed similar matrix defects in the tunica media compared to dKO mice at P8 when analyzed by immunofluorescence (Fig 6). However, at later time points (8 months) no deficiencies in matrix components were observed in the cFN iKO as compared to control mice (S1 Fig). This indicates that it takes likely somewhat longer than P8 (5 days after tamoxifen injection) for pFN to fully rescue the functions of the deleted SMC-derived cFN, so that the cFN iKO mice develop and survive normally. Our cell culture data also support this hypothesis as pFN can take over the functions of cFN but only partially when analyzed at the same time point (Fig 8).

It was shown in cell culture studies that pFN and cFN have similar, but not identical cellular and biochemical functions. For example the FN isoforms were equally effective in promoting cell spreading and mediating cell attachment to collagen and gelatin substrates [55,56]. On the other hand, EDA/EDB containing cFN incorporated more efficiently into existing fibers compared to pFN [57]. We have identified qualitative and quantitative differences in the FN and FN-dependent fiber systems between the two FN isoforms. cFN formed and supported extended fibers, while pFN formed and guided shorter fibers. This is potentially the result of differential crosslinking of the two isoforms by transglutaminases, where cFN forms a very high molecular weight complex but does not form the intermediate multimers observed in pFN crosslinking [58]. In addition, different transglutaminases act on the two FN isoforms [59].

Our *in vivo* and cell culture data also provide new insights into the functional relationship of pFN and cFN where the two isoforms interact to self-assemble and support the deposition of elastogenic ECM proteins. We and others have previously shown in cell culture that the assembly of fibrillins are strictly dependent on FN fibers [20,21]. It is thought that small units of fibrillin-containing microfibrils are transferred to FN fibers for further elongation and maturation [60]. Here, we demonstrate in cell culture and *in vivo* that both, pFN and cFN, support the assembly of FBN-1 and/or the deposition of microfibrils onto the elastic laminae, with greater contribution from cFN. We also identified a FN dependency for FBLN-4 assembly/deposition in cell culture and *in vivo*, which extends the list of FN-depending ECM fiber systems. It is currently not known, however, whether FBLN-4 interacts directly with FN or through other mediators, potentially including FBN-1. Two other critical elastogenic proteins, LTBP-4 and tropoelastin, showed a differential pattern, both requiring cFN for their assembly/deposition *in vivo* (and in cell culture for LTBP-4), whereas pFN was not required. The common aspect for both proteins, is that their assembly is hierarchically dependent on the presence of FBN-1 and microfibrils [26,61], and thus only indirectly on the presence of FN fibers. One interpretation of these data is that cFN has additional functional or

stabilizing consequences (not shared by pFN) on microfibrils that enable them to promote LTBP-4 and tropoelastin assembly. The data for FBN-1 and LTBP-4 are in contrast to what was found in tumors where nearly complete FN deletion did not affect the assembly/deposition of these proteins [62]. However, in that study, FN deletion was induced much later (5–6 weeks) than in our study followed by tumor analysis at 12-13 weeks. It is possible that the dependency of FBN-1 and LTBP-4 on FN is primarily required in the early postnatal phase when blood vessels still undergo intensive remodelling and growth, or, alternatively, it is possible that this dependency is tissue specific (aorta versus tumor).

The concept of translocation of pFN from blood into tissues is known for several organs including liver, spleen, brain, and bone [48,63-65]. Here, we provide novel data showing the function of the translocated pFN in the vascular wall of the aorta. Translocation and accumulation of pFN in the tunica media is not required for normal postnatal development and homeostasis of the aorta evidenced by the absence of a phenotype in the pFN KO. However, in the absence of SMC-derived cFN in the tunica media, the translocated pFN is able to completely rescue a fetal phenotype (obvious in the dKO), leading to the concept of a critical safeguard function of pFN in maintaining vascular stability and health. This may help explain vascular manifestations in a variety of disorders associated with defective cFN expression including atherosclerosis [36], myocardial infarction [37], Sturge-Weber Syndrome [38], and Ehlers-Danlos syndrome Type X [39], or altered circulating pFN levels such as coronary heart disease [40,41], and ischemic heart disease [42].

For the translocation of pFN to the vascular wall, we have excluded a passive diffusion through potentially leaky endothelial cell layer, as both 250 kDa dextran and the 2 kDa fluorophore do not enter the tunica media. Transcytosis, the transport of molecules across cells through coupled endocytosis and exocytosis transport pathways, is a hallmark of endothelial cells, which is frequently mediated through caveolae [66].

Active transcytosis of albumin through endothelial cells for example has been shown to be dependent on caveolae [67,68]. While it is not known whether FN uses this pathway, FN can be turned over through integrin β 1-mediated (e.g. α 5 β 1) endocytosis regulated by caveolin-1 [69,70]. Thus, it is possible that pFN transcytosis follows a similar transport mechanism.

In summary, this study illuminates the critical role of FN isoforms in postnatal vascular development. It reveals a novel function of pFN where it transfers to the vessel walls to safeguard the role of cFN. The two isoforms play important differential and similar functions in maintaining the integrity and matrix stability of the vasculature.

Materials and Methods

Ethics statement

All animal studies strictly followed the guidelines imposed by the Canadian Council on Animal Care and were approved by the McGill University Animal Care Committee (protocol 2010-5893). Mice were euthanized by an anesthetic overdose using a ketamine/xylazine/acepromazine cocktail followed by cardiac perfusion.

Mouse models

Fn(fl/fl) mice were generated as previously described [32], and were used as controls throughout the study unless mentioned otherwise. Sma-Cre-ER^{T2}/+ mice were a generous gift from Drs. Pierre Chambon and Daniel Metzger and generated as described [46]. Alb-Cre/+ (B6.Cg-Tg(Alb-cre)21Mgn/J; Stock No. 003574) and Rosa26(fl/fl) (B6.129S4-Gt(ROSA)26Sortm1Sor/J; Stock No. 003309) mice were purchased from the Jackson Laboratory. Inducible cFN iKO mice (Fn(fl/fl); Sma-Cre-ER^{T2}/+) were generated by crossing Fn(fl/fl)mice with Sma-Cre-ER^{T2}/+ mice following several breeding rounds. pFN KO (Fn(fl/fl); Alb-Cre/+) mice were obtained by crossing Fn(fl/fl) with Alb-Cre/+ mice after several crossings. Generation of double knockout (dKO) (Fn(fl/fl); Sma-Cre-ER^{T2}/+; Alb-Cre/+) mice was achieved by breeding Fn(fl/fl); Sma-Cre-ER^{T2}/+ with Fn(fl/fl); Alb-Cre/+ mice. Several breeding rounds were used to produce Reporter-Cre mice (Rosa26(fl/fl); Sma-Cre-ER^{T2}/+) from Sma-Cre-ER^{T2}/+ and Rosa26(fl/fl) mice.

Tamoxifen injection

To delete Fn (deleted region encompassing start codon, sequence for signal peptide and exon/intron border of exon 1) in SMCs of cFN iKO and dKO mice, and to induce β -galactosidase expression in the

Reporter-Cre mice, 0.1 mg of tamoxifen (Sigma) was injected intragastrically daily from P1-P3, using a 2mg/mL tamoxifen solution in sunflower oil [71]. The same tamoxifen treatment regimen was followed for all the mouse strains analyzed with cFN iKO, dKO or Reporter-Cre (including control- Fn(fl/fl), pFN KO (Fn(fl/fl);Alb-Cre/+ and Reporter control (Rosa26(fl/fl)).

Validation of cFN deletion

To validate *Fn* deletion, reverse transcriptase polymerase chain reaction (RT-PCR) was performed using total RNA isolated from descending aorta of 8 days old mice using the Trizol method (Life Technologies). cDNA synthesis was achieved using SuperScript III kit (Invitrogen). A 219 bp *Fn* specific PCR product was amplified using *Fn*-sense 5'-CTGAACCAGCCTACAGATGAC-3' and antisense 5'-CATTTTCTCCCTGCCGATCC-3' primers and compared to a 202 bp *Gapdh* specific PCR product, obtained with *Gapdh*-sense 5'-GTTGCCATCAACGACCCTTC-3' and antisense 5'-ACTCCACGACATACTCAGCAC-3' primers.

Tissue staining procedures

For the analysis of Cre recombinase activity, aortae were harvested from tamoxifen-injected Reporter-Cre (Rosa26(fl/fl)); Sma-Cre-ER^{T2}/+) and Reporter-control (Rosa26(fl/fl)) mice and were embedded in OCT (Sakura Finetek). 8µm cryosections were stained using an established β -galactosidase staining protocol [72].

For histological and immunohistological staining procedures, mice were euthanized by an anesthetic overdose using a ketamine/xylazine/acepromazine cocktail. Mice were then cardiac-perfused with 10% neutral-buffered formalin and aortae were harvested. After an overnight incubation in 10% neutral buffered formalin, the tissues were dehydrated through an increasing ethanol gradient, and embedded in paraffin. 4µm sections were deparaffinized in CitriSolv (Decon Labs) and rehydrated with decreasing ethanol concentrations in H₂O. The sections were stained with Hematoxylin and Eosin (general histology

and cell orientation), or Masson's Trichrome Stain (collagen), or picrosirius red (collagen), or Hart's elastin stain using standard procedures. For immunostaining, the sections were treated for antigen retrieval with 10mM citric acid, 0.05% Tween 20 (pH 6) at 98°C followed by treatment with bacterial type XXIV proteinase (10 μg/ml; Sigma #P8038). The sections were then incubated with primary antibody (monoclonal anti-human smooth muscle α -actin (SMA) Clone 1A4 (Dako #M0851) at a 1:100 dilution and polyclonal anti-mouse fibrillin-1 C-terminal half (generated in the lab) at 1:300). The immunostaining procedure was performed using the Dako Envision+ System-HRP (AEC) staining system (Dako #K4004 and #K4008). For immunofluorescence staining procedures, the aortae were perfused as above, but only fixed in formalin for 1-2h. The tissues were then cryoprotected by incubating in a 30% sucrose solution and then embedded in OCT. 8µm cryosections were cut and hydrated in Tris-buffered saline (TBS), and blocked with 2% delipidized bovine serum albumin. Primary antibodies were monoclonal anti-EDA FN (Abcam# AB6328; 1:100), polyclonal rabbit anti-mouse FN (Millipore #AB2033; 1:500 diluted), polyclonal rabbit anti-human FBLN-4 [73], 1:500 diluted, polyclonal rabbit anti-mouse FBN-1 (generated in the lab; 1:3,000 diluted), polyclonal rabbit anti-mouse LTBP-4 (generated in the lab; 1:500 diluted), and polyclonal rabbit antihuman elastin (Elastin Products Company #PR398; 1:500 diluted). Secondary antibodies were used at 1:200 dilutions and included Cy5 AffiniPure Goat anti-Rabbit IgG (H+L) and Cy5 AffiniPure Goat anti-Mouse IgG (H+L) (Jackson Laboratories). Cell nuclei were counter-stained with 4',6-diamidino-2-phenylindole,

430

431

432

433

434

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

pFN and dextran translocation experiments

dihydrochloride (DAPI) at a concentration of 2.5µg/ml.

pFN and dextran translocation experiments were performed with litters injected with tamoxifen (P1-P3) to generate cFN iKOs and controls (*Fn*(fl/fl)). Human pFN (Millipore #FC010) or 250kDa amino dextran (Fina Biosolutions #AD 250 X 100) were covalently coupled to the water soluble activated fluorophore

Oyster-680 N-hydroxysuccinimide ester (Boca Scientific) in 100mM NaHCO₃, 500mM NaCl, pH 8.4. Oyster-680 emits light at 693 nm, which does not overlap with the known autofluorescence of elastic lamellae in the aorta. Unbound fluorophore was removed by dialysis against the coupling buffer, and the degree of labeling was calculated to be 3-4 molecules Oyster-680 per molecule of pFN or dextran. The labeled pFN or dextran was injected in mice intraperitoneally from P8-P10 (0.13mg per mouse per day) using an established protocol [48,74]. TBS-deactivated Oyster-680 alone used at the same molar concentration served as control. 18h after the last injection, the mice were dissected and tissues harvested after euthanasia following anesthetic overdose with a ketamine/xylazine/acepromazine cocktail. 8µm OCT-embedded cryosections were analyzed with a Cy5 filter set. Elastin autofluorescence was analyzed using GFP filter set to visualize label-free the elastic lamellae.

Analysis of pFN in blood

Blood was collected by cardiac puncture from pFN KO and control (Fn(fl/fl)) mice following euthanasia. Plasma preparation was performed using EDTA-coated tubes (Sarstedt). $3\mu l$ aliquots of plasma were analyzed by standard Western blotting under reducing conditions. The polyclonal rabbit anti-mouse FN antiserum (Millipore #AB2033) was used 1:500 diluted as primary antibody with the 1:200 diluted Peroxidase-AffiniPure Goat Anti-Rabbit IgG (H+L) (Jackson Laboratories) as secondary antibody.

Necropsy

To investigate the cause of lethality in dKO mice, litters injected with tamoxifen (P1-P3) were monitored twice every day. Dead pups were found often for dKOs but occasionally we found dead pups from other tamoxifen injected strains, which were used as controls for the necropsy. Dead pups were fixed in 10% neutral buffered formalin (overnight) and washed twice in phosphate buffered saline to prevent postmortem changes. Necropsy was performed to visualize gross anatomy of the dead pups with a focus on

the aorta and thoracic cavity. Images were recorded using an AmScope dissection microscope (ZM-1TZ2-FOR-GT-10M) equipped with a digital camera. All other analyses throughout this study were performed on mice dissected immediately after cardiac perfusion to optimally preserve the tissue structure and avoid any post mortem changes.

Transmission electron microscopy

For transmission electron microscopic analysis, mice were euthanized by an anesthetic overdose with a ketamine/xylazine/acepromazine cocktail, followed by cardiac-perfusion with 3% glutaraldehyde in 0.1 M sodium cacodylate buffer (pH 7.4) (fixative). The aortae were then harvested and incubated in the fixative for overnight. This was followed by a post fixation step with 1% osmium tetraoxide + 1.5% aqueous potassium ferrocyanide. Aortae were then dehydrated with an increasing concentration of acetone followed by embedding in Epon. 90nm sections were transferred onto 200 mesh copper TEM grids and counterstained stained using 4% aqueous uranyl acetate and Reynold's lead before imaging with an FEI Tecnai 12 BioTwin 120 kV transmission electron microscope.

Biochemical protein analysis

Thoracic aortae from all the four mouse strains at P8 (post tamoxifen injection) were extracted by 0.1N NaOH at 95°C for 45min. After centrifugation, the pellets containing insoluble elastin were subjected to hydrolysis and amino acid analysis using a three buffer gradient system and post column ninhydrin derivatization. The content of elastin cross-links (isodesmosine (Isodes) and desmosine (Des)) were analyzed in an aliquot of the NaOH-insoluble fraction containing elastin after CF-11 preclearance by amino acid analysis (leucine equivalence factors IDES: 3.4; DES: 3.4). The amino acid composition of the NaOH-insoluble protein fraction was typical for pure elastin [75].

Quantitative PCR

Descending aortae were harvested from tamoxifen-injected control, dKO, cFN iKO and pFN KO (littermates) at P8. Total RNA was isolated using the Trizol method (Life Technologies). RNA was reverse-transcribed using ProtoScript II First Strand cDNA synthesis kit (New England Biolabs). A QuantStudio 5 Real Time PCR System (Applied Biosystems) was used to perform the quantitative PCR using SYBR Select Master Mix (Applied Biosystems). Specific primers were used for all the genes analyzed. *Gapdh* was used as the control gene. Relative quantification of mRNA levels (fold change) was calculated using the 2-ΔΔCt method. Significance was determined using the two tail t-test.

Analyses of cell cultures

SMCs were isolated from the tunica media of aortae harvested from Fn(fl/fl); Sma-Cre-ER^{T2}/+ mice using an established explant based method [76]. Cells were cultured in DMEM/F12 medium (Gibco) supplemented with 10% heat inactivated fetal bovine serum and 100 μ g/ml penicillin/streptomycin and 2mM glutamine. Cells were treated with 1 μ M of activated 4-OH tamoxifen for 3d to induce the deletion of Fn (deleted region as described above). Ethanol, the solvent for 4-OH tamoxifen, was used as a control at a final concentration of 0.02% (same concentration as used for the 4-OH tamoxifen treatment). For experiments, cells were grown in medium containing fetal bovine serum depleted of pFN by gelatin sepharose chromatography [21]. Deletion of cFN was analyzed by RT-PCR from mRNA isolated from cells using RNeasy mRNA extraction kit (Qiagen). RT-PCR was performed as described above. Deletion was also analyzed at protein level by Western blotting with 15 μ l of conditioned medium (obtained after 24h) using 1:500 diluted anti FN antibody (Millipore #AB2033). Indirect immunofluorescence was performed after 7d with 70% methanol/30% acetone fixed and permeabilized cells. Goat serum diluted in phosphate buffered saline (1:10) was used for blocking. Primary antibodies were prepared in blocking buffer and included polyclonal rabbit anti-mouse FN (Millipore #AB2033 – 1:500 diluted), anti-mouse FBN-1 (1:500

diluted), anti-human FBLN-4 (1:500 diluted). Alexa Fluor 488 goat anti-rabbit IgG (H+L) (1:200 diluted) were used as secondary antibodies. Deoxycholate (DOC) extraction was performed using standard procedures as described in [77]. DOC soluble and insoluble fractions were analyzed by Western blotting using 1:500 diluted anti FN antibody (Millipore #AB2033). Experiments were designed to mimic the three knockout mouse models and the control in cell culture as follows. 4-OH tamoxifen and ethanol-treated cells were cultured in the presence of 10% mouse plasma prepared from either wild-type or from pFN KO mice. The combination used were: 1) cFN+/pFN+, Ethanoltreated cells (cFN present) were grown in medium containing mouse plasma from control mice (pFN present); 2) cFN+/pFN-, Ethanol-treated cells (cFN present) were grown in medium containing mouse plasma from pFN KO mice (pFN absent); 3) cFN-/pFN+, 4-OH tamoxifen treated cells (cFN absent) were grown in medium containing mouse plasma from control mice (pFN present); 4) cFN-/pFN-, 4-OH tamoxifen treated cells (cFN absent) were grown in medium containing mouse plasma from pFN KO mice (pFN absent). After 5d, cells were fixed with 4% paraformaldehyde and immunofluorescence was performed as described above, additionally with primary LTBP-4 antibody (1:500 diluted) and secondary Cy5 AffiniPure Goat anti-Rabbit IgG (H+L) antibody (Jackson Laboratories, 1:200 diluted). No LTBP-4 fibers were observed in this setup. But when instead of using mouse plasma, 40μg/ml of purified soluble pFN was added to the system, LTBP-4 fibers formed. This could be due to factors present in the mouse plasma, which might affect LTBP-4 assembly. Mouse embryonic fibroblasts differentiated from Fn null mouse embryonic stem cells were prepared as described [78]. As for the SMCs, the Fn^{-/-} embryonic fibroblasts (that do not produce cFN) were grown in pFN-depleted cell culture medium, providing an experimental fibroblast system without pFN and cFN. Affinity chromatography on immobilized gelatin was used to purify human pFN from plasma as described in detail [79], and cFN from human fibroblast conditioned medium as previously described [80]. 12.5µg of purified pFN or cFN was added to 500µl of culture medium at the time of cell seeding. Cells were fixed

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

with 4% paraformaldehyde after an 8d culture period and analyzed by indirect immunofluorescence as outlined above.

Light Microscopy Imaging

An epifluorescence microscope (AxioImager M2; Zeiss) was used to capture all bright field and immunofluorescence images with an AxioCam ICc5 color camera or an Orca Flash 4.0 sCMOS gray scale camera, respectively. Gray scale immunofluorescence images were false colored using the Zen Pro software (Zeiss).

Quantification Procedures

Mean pixel intensity analysis of various fluorescent signals (EDA FN, Total FN, FBN-1, FBLN-4, LTBP-4, Tropoelastin) was performed with 8-bit TIFF images using the ImageJ software [81] on regions of the tunica media as described by others [52]. The mean pixel intensity of the background was deducted to produce the values used for plotting the graphs. The error bars in the graphs represent standard deviation. For collagen analysis, picrosirius red stained images of the aorta were obtained through fluorescence microscopy using a Zeiss HQ Texas Red filter set [82]. Mean pixel intensity, total intensity and area of collagen distribution analysis in the tunica media and tunica adventitia was performed using the ImageJ software as described above. Error bars represent standard deviation.

Quantification of total fiber lengths and junction number of extracellular matrix fibers visualized by immunofluorescence was performed using the ImageJ distribution Fiji [83,84]. Color images were converted to 8-bit and threshold was set to best match the fiber appearance in the original image (same threshold for all the images comparing the same protein staining). This was followed by removing the noise using despeckle feature, followed by skeletonizing the image using "Plugins - Skeleton - Skeletonize (2D/3D)" and analyzing the processed image, by clicking "Analyze - Skeleton - Analyze Skeleton (2D/3D)"

[85]. This provides results about number of junctions and branch lengths. Branches which were less than 5µm were excluded to avoid small non-fibrous particles, which can influence the total branch length. All the other branches were added up to get total branch length and junctions were added to get the total number of junctions per condition. Histogram was generated to depict the number of branches in each condition, binned by branch lengths.

Statistics

Two sample t-test was used to determine significance of the difference in protein staining intensities, (tissue and cell immunofluorescence), and mRNA levels (qPCR). One-way ANOVA was used to analyze significance for the difference in elastin content and crosslinks (biochemical analysis). Chi-square test was used to determine the significance of the deviation of mouse strain survival from the Mendelian ratio by comparing the number of observed live mice to that of the expected Mendelian ratio. For all statistical analyses * denotes $p \le 0.05$, ** denotes $p \le 0.01$ and *** denotes $p \le 0.001$.

Acknowledgments

We express our gratitude to Dr. Pierre Chambon and Dr. Daniel Metzger for kindly providing the Sma-Cre-ER^{T2}/+ mice, and Dr. Sarah Dallas for providing the *Fn*(fl/fl) mice. We thank Dr. Elaine Davis for expert help with mouse tissue preparations, Chae Syng Lee for support with immunofluorescence quantification, and Heiko Steenbock for the biochemical elastin analyses. We are grateful to the members of the Histology Facility at the Goodman Cancer Research Centre for providing excellent services. We would like to thank Jeannie Mui and the Facility for Electron Microscopy Research for providing outstanding service in transmission electron microscopy.

References

- 1. Pankov R, Yamada KM (2002) Fibronectin at a glance. J Cell Sci 115: 3861-3863. PMID: 12244123
- Adams JC, Chiquet-Ehrismann R, Tucker RP (2015) The evolution of tenascins and fibronectin. Cell
 Adh Migr 9: 22-33. PMID: 25482621
- 3. Tamkun JW, Schwarzbauer JE, Hynes RO (1984) A single rat fibronectin gene generates three different mRNAs by alternative splicing of a complex exon. Proc Natl Acad Sci U S A 81: 5140-5144.
 PMID: 6089177
- 4. Schwarzbauer JE (1991) Alternative splicing of fibronectin: three variants, three functions.

 Bioessays 13: 527-533. PMID: 1755828
- 5. Hynes RO. Fibronectins. New York: Springer; 1990. 1-544 p.
- 6. Bergijk EC, Baelde HJ, Kootstra CJ, De Heer E, Killen PD, et al. (1996) Cloning of the mouse fibronectin V-region and variation of its splicing pattern in experimental immune complex glomerulonephritis. J Pathol 178: 462-468. PMID: 8691328
- 7. Kuusela P, Ruoslahti E, Vaheri A (1975) Polypeptides of a glycoprotein antigen (SF) present in serum and surface of normal but not of transformed chicken fibroblasts. Biochim Biophys Acta 379: 295-303. PMID: 1090302
- Owens MR, Cimino CD (1982) Synthesis of fibronectin by the isolated perfused rat liver. Blood 59:
 1305-1309. PMID: 6177361
- Tamkun JW, Hynes RO (1983) Plasma fibronectin is synthesized and secreted by hepatocytes. J
 Biol Chem 258: 4641-4647. PMID: 6339502
- 10. Paul JI, Schwarzbauer JE, Tamkun JW, Hynes RO (1986) Cell-type-specific fibronectin subunits generated by alternative splicing. J Biol Chem 261: 12258-12265. PMID: 3528152

- Mosesson MW, Umfleet RA (1970) The cold-insoluble globulin of human plasma. I. Purification, primary characterization, and relationship to fibrinogen and other cold-insoluble fraction components. J Biol Chem 245: 5728-5736. PMID: 4097343
- 12. Zardi L, Cecconi C, Barbieri O, Carnemolla B, Picca M, et al. (1979) Concentration of fibronectin in plasma of tumor-bearing mice and synthesis by Ehrlich ascites tumor cells. Cancer Res 39: 3774-3779. PMID: 383288
- 13. To WS, Midwood KS (2011) Plasma and cellular fibronectin: distinct and independent functions during tissue repair. Fibrogenesis Tissue Repair 4: 21. PMID: 21923916
- 14. Xu J, Mosher D. Fibronectin and other adhesive glycoproteins. In: Mecham RP, editor. Biology of Extracellular Matrix. The Extracellular Matrix: an Overview. New York: Springer; 2011. p. 41-75.
- 15. McDonald JA, Kelley DG, Broekelmann TJ (1982) Role of fibronectin in collagen deposition: Fab' to the gelatin-binding domain of fibronectin inhibits both fibronectin and collagen organization in fibroblast extracellular matrix. J Cell Biol 92: 485-492. PMID: 7061591
- Sottile J, Hocking DC (2002) Fibronectin polymerization regulates the composition and stability of extracellular matrix fibrils and cell-matrix adhesions. Mol Biol Cell 13: 3546-3559. PMID: 12388756
- 17. Velling T, Risteli J, Wennerberg K, Mosher DF, Johansson S (2002) Polymerization of type I and III collagens is dependent on fibronectin and enhanced by integrins alpha11 beta1 and alpha2 beta 1. J Biol Chem 277: 37377-37381. PMID: 12145303
- 18. Li S, Van Den Diepstraten C, D'Souza SJ, Chan BM, Pickering JG (2003) Vascular smooth muscle cells orchestrate the assembly of type I collagen via alpha2beta1 integrin, RhoA, and fibronectin polymerization. Am J Pathol 163: 1045-1056. PMID: 12937145
- Kadler KE, Hill A, Canty-Laird EG (2008) Collagen fibrillogenesis: fibronectin, integrins, and minor collagens as organizers and nucleators. Curr Opin Cell Biol 20: 495-501. PMID: 18640274

- 20. Kinsey R, Williamson MR, Chaudhry S, Mellody KT, McGovern A, et al. (2008) Fibrillin-1 microfibril deposition is dependent on fibronectin assembly. J Cell Sci 121: 2696-2704. PMID: 18653538
- 21. Sabatier L, Chen D, Fagotto-Kaufmann C, Hubmacher D, McKee MD, et al. (2009) Fibrillin assembly requires fibronectin. Mol Biol Cell 20: 846-858. PMID: 19037100
- 22. Godyna S, Mann DM, Argraves WS (1995) A quantitative analysis of the incorporation of fibulin-1 into extracellular matrix indicates that fibronectin assembly is required. Matrix Biol 14: 467-477.
 PMID: 7795885
- 23. Roman J, McDonald JA (1993) Fibulin's organization into the extracellular matrix of fetal lung fibroblasts is dependent on fibronectin matrix assembly. Am J Respir Cell Mol Biol 8: 538-545.

 PMID: 8481235
- 24. Dallas SL, Sivakumar P, Jones CJ, Chen Q, Peters DM, et al. (2005) Fibronectin regulates latent transforming growth factor-beta (TGF beta) by controlling matrix assembly of latent TGF beta-binding protein-1. J Biol Chem 280: 18871-18880. PMID: 15677465
- 25. Kantola AK, Keski-Oja J, Koli K (2008) Fibronectin and heparin binding domains of latent TGF-beta binding protein (LTBP)-4 mediate matrix targeting and cell adhesion. Exp Cell Res 314: 2488-2500.
 PMID: 18585707
- 26. Ono RN, Sengle G, Charbonneau NL, Carlberg V, Bachinger HP, et al. (2009) Latent transforming growth factor beta-binding proteins and fibulins compete for fibrillin-1 and exhibit exquisite specificities in binding sites. J Biol Chem 284: 16872-16881. PMID: 19349279
- 27. Pereira M, Rybarczyk BJ, Odrljin TM, Hocking DC, Sottile J, et al. (2002) The incorporation of fibrinogen into extracellular matrix is dependent on active assembly of a fibronectin matrix. J Cell Sci 115: 609-617. PMID: 11861767
- 28. Chung CY, Erickson HP (1997) Glycosaminoglycans modulate fibronectin matrix assembly and are essential for matrix incorporation of tenascin-C. J Cell Sci 110: 1413-1419. PMID: 9217327

- 29. Sabatier L, Djokic J, Fagotto-Kaufmann C, Chen M, Annis DS, et al. (2013) Complex contributions of fibronectin to initiation and maturation of microfibrils. Biochem J 456: 283-295. PMID: 24070235
- 30. George EL, Georges-Labouesse EN, Patel-King RS, Rayburn H, Hynes RO (1993) Defects in mesoderm, neural tube and vascular development in mouse embryos lacking fibronectin. Development 119: 1079-1091. PMID: 8306876
- 31. Astrof S, Crowley D, Hynes RO (2007) Multiple cardiovascular defects caused by the absence of alternatively spliced segments of fibronectin. Dev Biol 311: 11-24. PMID: 17706958
- 32. Sakai T, Johnson KJ, Murozono M, Sakai K, Magnuson MA, et al. (2001) Plasma fibronectin supports neuronal survival and reduces brain injury following transient focal cerebral ischemia but is not essential for skin-wound healing and hemostasis. Nat Med 7: 324-330. PMID: 11231631
- 33. Ni H, Yuen PS, Papalia JM, Trevithick JE, Sakai T, et al. (2003) Plasma fibronectin promotes thrombus growth and stability in injured arterioles. Proc Natl Acad Sci U S A 100: 2415-2419. PMID: 12606706
- 34. Wang Y, Reheman A, Spring CM, Kalantari J, Marshall AH, et al. (2014) Plasma fibronectin supports hemostasis and regulates thrombosis. J Clin Invest 124: 4281-4293. PMID: 25180602
- 35. Rohwedder I, Montanez E, Beckmann K, Bengtsson E, Duner P, et al. (2012) Plasma fibronectin deficiency impedes atherosclerosis progression and fibrous cap formation. EMBO Mol Med 4: 564-576. doi: 10.1002/emmm.201200237 PMID: 22514136
- 36. Labat-Robert J, Szendroi M, Godeau G, Robert L (1985) Comparative distribution patterns of type I and III collagens and fibronectin in human arteriosclerotic aorta. Pathol Biol (Paris) 33: 261-265.
 PMID: 3892456

- 37. van Dijk A, Niessen HW, Ursem W, Twisk JW, Visser FC, et al. (2008) Accumulation of fibronectin in the heart after myocardial infarction: a putative stimulator of adhesion and proliferation of adipose-derived stem cells. Cell Tissue Res 332: 289-298. PMID: 18305959
- 38. Comi AM, Weisz CJ, Highet BH, Skolasky RL, Pardo CA, et al. (2005) Sturge-Weber syndrome: altered blood vessel fibronectin expression and morphology. J Child Neurol 20: 572-577. PMID: 16159522
- 39. Arneson MA, Hammerschmidt DE, Furcht LT, King RA (1980) A new form of Ehlers-Danlos syndrome. Fibronectin corrects defective platelet function. J Am Med Assoc 244: 144-147. PMID: 7382073
- 40. Zhang Y, Zhou X, Krepinsky JC, Wang C, Segbo J, et al. (2006) Association study between fibronectin and coronary heart disease. Clin Chem Lab Med 44: 37-42. PMID: 16375583
- 41. Orem C, Durmus I, Kilinc K, Baykan M, Gokce M, et al. (2003) Plasma fibronectin level and its association with coronary artery disease and carotid intima-media thickness. Coron Artery Dis 14: 219-224. PMID: 12702925
- 42. Song KS, Kim HK, Shim W, Jee SH (2001) Plasma fibronectin levels in ischemic heart disease.

 Atherosclerosis 154: 449-453. PMID: 11166778
- 43. George EL, Baldwin HS, Hynes RO (1997) Fibronectins are essential for heart and blood vessel morphogenesis but are dispensable for initial specification of precursor cells. Blood 90: 3073-3081. PMID: 9376588
- 44. Astrof S, Hynes RO (2009) Fibronectins in vascular morphogenesis. Angiogenesis 12: 165-175. doi: 10.1007/s10456-009-9136-6 PMID: 19219555
- 45. Olivetti G, Anversa P, Melissari M, Loud AV (1980) Morphometric study of early postnatal development of the thoracic aorta in the rat. Circ Res 47: 417-424. PMID: 7408124

- 46. Wendling O, Bornert JM, Chambon P, Metzger D (2009) Efficient Temporally-Controlled Targeted Mutagenesis in Smooth Muscle Cells of the Adult Mouse. Genesis 47: 14-18. doi: 10.1002/dvg.20448 PMID: 18942088
- 47. Postic C, Shiota M, Niswender KD, Jetton TL, Chen Y, et al. (1999) Dual roles for glucokinase in glucose homeostasis as determined by liver and pancreatic beta cell-specific gene knock-outs using Cre recombinase. J Biol Chem 274: 305-315. PMID: 9867845
- 48. Bentmann A, Kawelke N, Moss D, Zentgraf H, Bala Y, et al. (2010) Circulating fibronectin affects bone matrix, whereas osteoblast fibronectin modulates osteoblast function. J Bone Miner Res 25: 706-715. PMID: 19821765
- 49. Weisend CM, Kundert JA, Suvorova ES, Prigge JR, Schmidt EE (2009) Cre activity in fetal albCre mouse hepatocytes: Utility for developmental studies. Genesis 47: 789-792. PMID: 19830819
- 50. Mecham RP (2018) Elastin in lung development and disease pathogenesis. Matrix Biol in press. doi: 10.1016/j.matbio.2018.01.005 PMID: 29331337
- Noda K, Dabovic B, Takagi K, Inoue T, Horiguchi M, et al. (2013) Latent TGF-beta binding protein 4 promotes elastic fiber assembly by interacting with fibulin-5. Proc Natl Acad Sci U S A 110: 2852-2857. doi: 10.1073/pnas.1215779110 PMID: 23382201
- 52. Murphy PA, Hynes RO (2014) Alternative splicing of endothelial fibronectin is induced by disturbed hemodynamics and protects against hemorrhage of the vessel wall. Arterioscler Thromb Vasc Biol 34: 2042-2050. doi: 10.1161/ATVBAHA.114.303879 PMID: 24903094
- Huang Y, Guo X, Kassab GS (2006) Axial nonuniformity of geometric and mechanical properties of mouse aorta is increased during postnatal growth. Am J Physiol Heart Circ Physiol 290: H657-H664. doi: 10.1152/ajpheart.00803.2005 PMID: 16172154
- 54. Davis EC (1995) Elastic lamina growth in the developing mouse aorta. J Histochem Cytochem 43: 1115-1123. PMID: 7560894

- 55. Yamada KM, Kennedy DW (1979) Fibroblast cellular and plasma fibronectins are similar but not identical. J Cell Biol 80: 492-498. PMID: 457756
- 56. Chiquet M, Puri EC, Turner DC (1979) Fibronectin mediates attachment of chicken myoblasts to a gelatin-coated substratum. J Biol Chem 254: 5475-5482. PMID: 109435
- 57. Guan JL, Trevithick JE, Hynes RO (1990) Retroviral expression of alternatively spliced forms of rat fibronectin. J Cell Biol 110: 833-847. PMID: 2307710
- 58. Mosher DF (1978) Cross-linking of plasma and cellular fibronectin by plasma transglutaminase.

 Ann N Y Acad Sci 312: 38-42. PMID: 40518
- 59. Cui C, Wang S, Myneni VD, Hitomi K, Kaartinen MT (2014) Transglutaminase activity arising from Factor XIIIA is required for stabilization and conversion of plasma fibronectin into matrix in osteoblast cultures. Bone 59: 127-138. doi: 10.1016/j.bone.2013.11.006 PMID: 24246248
- 60. Sabatier L, Djokic J, Hubmacher D, Dzafik D, Nelea V, et al. (2014) Heparin/heparan sulfate controls fibrillin-1, -2 and -3 self-interactions in microfibril assembly. FEBS Lett 588: 2890-2897. PMID: 25034023
- 61. Wagenseil JE, Mecham RP (2007) New insights into elastic fiber assembly. Birth Defects Res C Embryo Today 81: 229-240. PMID: 18228265
- 62. Murphy PA, Begum S, Hynes RO (2015) Tumor angiogenesis in the absence of fibronectin or its cognate integrin receptors. PLoS One 10: e0120872. doi: 10.1371/journal.pone.0120872 PMID: 25807551
- 63. Oh E, Pierschbacher M, Ruoslahti E (1981) Deposition of plasma fibronectin in tissues. Proc Natl Acad Sci U S A 78: 3218-3221. PMID: 6789333
- 64. Deno DC, Saba TM, Lewis EP (1983) Kinetics of endogenously labeled plasma fibronectin: incorporation into tissues. Am J Physiol 245: R564-R575. PMID: 6624952

- 65. Moretti FA, Chauhan AK, Laconcig A, Porro F, Baralle FE, et al. (2007) A major fraction of fibronectin present in the extracellular matrix of tissues is plasma-derived. J Biol Chem 282: 28057-28062. doi: 10.1074/jbc.M611315200 PMID: 17644525
- 66. Simionescu M, Simionescu N (1991) Endothelial transport of macromolecules: transcytosis and endocytosis A look from cell biology. Cell Biol Rev 25: 5-80.
- 67. Ghitescu L, Fixman A, Simionescu M, Simionescu N (1986) Specific binding sites for albumin restricted to plasmalemmal vesicles of continuous capillary endothelium: receptor-mediated transcytosis. J Cell Biol 102: 1304-1311. PMID: 3007533
- 68. Minshall RD, Tiruppathi C, Vogel SM, Malik AB (2002) Vesicle formation and trafficking in endothelial cells and regulation of endothelial barrier function. Histochem Cell Biol 117: 105-112.

 PMID: 11935286
- 69. Sottile J, Chandler J (2005) Fibronectin matrix turnover occurs through a caveolin-1-dependent process. Mol Biol Cell 16: 757-768. doi: 10.1091/mbc.E04-08-0672 PMID: 15563605
- 70. Shi F, Sottile J (2008) Caveolin-1-dependent beta1 integrin endocytosis is a critical regulator of fibronectin turnover. J Cell Sci 121: 2360-2371. doi: 10.1242/jcs.014977 PMID: 18577581
- 71. Pitulescu ME, Schmidt I, Benedito R, Adams RH (2010) Inducible gene targeting in the neonatal vasculature and analysis of retinal angiogenesis in mice. Nat Protoc 5: 1518-1534. doi: 10.1038/nprot.2010.113 PMID: 20725067
- 72. Metzger D, Li M, Chambon P (2005) Targeted somatic mutagenesis in the mouse epidermis.

 Methods Mol Biol 289: 329-340. PMID: 15502196
- 73. Djokic J, Fagotto-Kaufmann C, Bartels R, Nelea V, Reinhardt DP (2013) Fibulin-3, -4, and -5 are highly susceptible to proteolysis, interact with cells and heparin, and form multimers. J Biol Chem 288: 22821-22835. PMID: 23782690

- 74. Kawelke N, Bentmann A, Hackl N, Hager HD, Feick P, et al. (2008) Isoform of fibronectin mediates bone loss in patients with primary biliary cirrhosis by suppressing bone formation. J Bone Miner Res 23: 1278-1286. doi: 10.1359/jbmr.080313 PMID: 18348696
- 75. Nave AH, Mizikova I, Niess G, Steenbock H, Reichenberger F, et al. (2014) Lysyl oxidases play a causal role in vascular remodeling in clinical and experimental pulmonary arterial hypertension.

 Arterioscler Thromb Vasc Biol 34: 1446-1458. doi: 10.1161/ATVBAHA.114.303534 PMID: 24833797
- 76. Metz RP, Patterson JL, Wilson E (2012) Vascular smooth muscle cells: isolation, culture, and characterization. Methods Mol Biol 843: 169-176. doi: 10.1007/978-1-61779-523-7_16 PMID: 22222531
- 77. Wierzbicka-Patynowski I, Mao Y, Schwarzbauer JE (2004) Analysis of fibronectin matrix assembly.

 Current Protocols in Cell Biology 25: 10.12.11-10.12.10. doi: 10.1002/0471143030.cb1012s25

 PMID: 18228438
- 78. Saoncella S, Echtermeyer F, Denhez F, Nowlen JK, Mosher DF, et al. (1999) Syndecan-4 signals cooperatively with integrins in a Rho-dependent manner in the assembly of focal adhesions and actin stress fibers. Proc Natl Acad Sci U S A 96: 2805-2810. PMID: 10077592
- 79. Mosher DF, Schad PE (1979) Cross-linking of fibronectin to collagen by blood coagulation Factor XIIIa. J Clin Invest 64: 781-787. PMID: 38260
- 80. Hubmacher D, Sabatier L, Annis DS, Mosher DF, Reinhardt DP (2011) Homocysteine modifies structural and functional properties of fibronectin and interferes with the fibronectin-fibrillin-1 interaction. Biochemistry 50: 5322-5332. PMID: 21561146
- 81. Schneider CA, Rasband WS, Eliceiri KW (2012) NIH Image to ImageJ: 25 years of image analysis.

 Nat Methods 9: 671-675. doi: 10.1038/nmeth.2089 PMID: 22930834

- 82. Vogel B, Siebert H, Hofmann U, Frantz S (2015) Determination of collagen content within picrosirius red stained paraffin-embedded tissue sections using fluorescence microscopy.

 MethodsX 2: 124-134. doi: 10.1016/j.mex.2015.02.007 PMID: 26150980
- 83. Schindelin J, Arganda-Carreras I, Frise E, Kaynig V, Longair M, et al. (2012) Fiji: an open-source platform for biological-image analysis. Nat Methods 9: 676-682. doi: 10.1038/nmeth.2019 PMID: 22743772
- 84. Schindelin J, Rueden CT, Hiner MC, Eliceiri KW (2015) The ImageJ ecosystem: An open platform for biomedical image analysis. Mol Reprod Dev 82: 518-529. doi: 10.1002/mrd.22489 PMID: 26153368
- 85. Arganda-Carreras I, Fernandez-Gonzalez R, Munoz-Barrutia A, Ortiz-De-Solorzano C (2010) 3D reconstruction of histological sections: Application to mammary gland tissue. Microsc Res Tech 73: 1019-1029. doi: 10.1002/jemt.20829 PMID: 20232465

Supplemental Figure legends:

S1 Fig Analysis of matrix integrity of the aorta in cFN iKO mice at 8 months of age.

A-B) Fibrillin-1 immunostaining of cross sections of descending aorta show no change between cFN iKO and control at 8 months (n=3). **C-D)** Hart's elastin stained cross-sections of descending aorta of tamoxifen injected control and cFN iKO at 8 months. **E-F)** Quantification of breaks (E) and forks (F) in the elastic lamellae normalized to the area (10,000 μm²) of the aortic section analyzed in the cFN iKO and control at 8 months (n=8-10). There was a trend towards more elastin fiber breaks and less forks in the cFN iKO, but it did not reach statistical significance. Underlying data are provided in **S1 Data**. Scale represents 50μm in A-D. Lumen is indicated with an asterisk in A-D.

S2 Fig Analysis of cellular and matrix integrity of the aorta in pFN KO mice at P30

A-B) Hematoxylin and eosin stained cross sections of descending aorta from pFN KO (B) and control (A) mice at P30. Note no difference observed in the organization of SMCs in the tunica media. **C-D)** Masson's trichrome staining of cross sections of descending aorta from control (C) and pFN KO (D) mice at P30 showed no changes in collagen deposition. **E-F)** Immunostaining of cross sections of descending aorta from pFN KO (F) at P30 using fibrillin-1 antibody showed no changes in fibrillin-1 deposition as compared to the control (E). The lumen is indicated with an asterisk in A-F.

S3 Fig Disorganized tunica intima in the aorta of dKO mice using transmission electron microscopy


More examples of defective elastic lamellae (yellow triangles) and irregular shaped nuclei (red triangles) observed in the cross sections of dKO aorta on analyzing with transmission electron microscopy. Scale bar represents 10µm and asterisk (*) denotes aortic lumen.


S4 Fig Quantitative PCR analysis of aortae from FN KO mice.


Quantitative PCR was performed with total RNA isolated from descending aortae of tamoxifen-injected mice as indicated at P8 (n=3). mRNA levels of the proteins analyzed in immunostaining (Fig 6 A-D) did not alter, except for FBN-1, validating the role of FN as a master organizer in ECM protein assembly, but not in mRNA expression. Underlying data are provided in S1 Data.


S5 Fig Analysis of deoxycholate extracted fractions from vSMCs.


Immunoblot of FN using deoxycholate extracted fractions showed complete absence of FN assembly in 4-hydroxytamoxifen treated vSMCs as compared to the ethanol treated cells (n=3). R indicates reducing conditions with 20mM dithiothreitol and NR represents non-reducing conditions. The arrow indicates FN monomers.




















Table S1. Parameters of extracellular matrix fibers shown in Figure 7F quantified using Fiji (see Materials and Methods).

Proteins	Parameters	cFN+/pFN+	cFN+/pFN-	cFN-/pFN+
FN	Fiber length (μM)	4592	2119	1969
	Number of Junctions	809	190	343
FBN-1	Fiber length (μM)	4435	1245	52
	Number of Junctions	883	164	56
FBLN-4	Fiber length (μM)	5468	3633	3656
	Number of Junctions	2583	842	1387
LTBP-4	Fiber length (μM)	1460	903	576
	Number of Junctions	735	589	307

No measurable fibers present in the "cFN-/pFN-" sample. Numbers are presented per 0.1 mm².

Table S2. Parameters of extracellular matrix fibers shown in Figure 8 quantified using Fiji (see Materials and Methods).

Proteins	Parameters	cFN added	pFN added
FN	Fiber length (μM)	3629	2692
	Number of Junctions	301	213
FBN-1	Fiber length (μM)	6251	3512
	Number of Junctions	598	361
FBLN-4	Fiber length (μM)	7070	3745
	Number of Junctions	554	253
LTBP-4	Fiber length (μM)	2107	191
	Number of Junctions	158	8

No measurable fibers present in the "TBS added" sample. Numbers are presented per 0.1 mm².

