

1
2 Version of January 28 2014
3

4 **Volcanic hazard vulnerability on São Miguel Island, Azores**
5

6 Wallenstein, Nicolau

7 Centro de Vulcanologia e Avaliação de Riscos Geológicos, Universidade dos Açores, Rua Mãe de
8 Deus, 9501-801, Ponta Delgada, Portugal. E-mail: Nicolau.MB.Wallenstein@azores.gov.pt
9

10
11 *Chester, David

12 School of Environmental Sciences (Geography), University of Liverpool, Liverpool, L69 3BX, U.K.
13 E-mail: jg54@liv.ac.uk
14

15 Coutinho, Rui

16 Centro de Vulcanologia e Avaliação de Riscos Geológicos, Universidade dos Açores, Rua Mãe de
17 Deus, 9501-801, Ponta Delgada, Portugal. E-mail: Rui.MS.Coutinho@azores.gov.pt
18

19 Duncan, Angus

20 Research Institute for Applied Natural Sciences, University of Bedfordshire, Park Square, Luton,
21 LU1 3JU. E-mail: Angus.Duncan@beds.ac.uk
22

23 Dibben, Christopher

24 School of Geography and Geosciences, University of St. Andrews, Fife, KY16 9AL, UK: E-mail:
25 cjld@st-andrews.ac.uk
26

27
28 *Corresponding author (e-mail: jg54@liv.ac.uk)
29

30 Number of Words 6619

31 Number of References 93

32 Number of Table 4

33 Number of Figures 6
34

35 **Abbreviated title:** Hazard vulnerability
36

37 **Abstract**
38

39 In recent years much progress has been made in researching a wide variety of extreme events on
40 São Miguel. In addition there are a number of volcano-related risks which impact upon the people
41 of São Miguel. Some of these may occur both before and during volcanic emergencies (e.g.
42 earthquakes), whilst others render São Miguel dangerous even when its volcanoes are not erupting
43 (e.g. flooding, landslides, tsunamis and health impacts, especially the effects of CO₂ seepage into
44 dwellings). In this chapter we first define what vulnerability means to the people of São Miguel, and

45 relate this to the cultural and economic characteristics of the island. The following
46 aspects of vulnerability are discussed: a. physical (i.e. housing, settlement and the characteristics of
47 evacuation routes and plans); b. demographic and economic;
48 c. social and cultural and perceptual (i.e. do people have an accurate cognition of risk). Particular
49 areas of concern relate to housing; the identification of isolated dwellings which would be difficult to
50 evacuate; the vulnerability/resilience of evacuation routes following recent infrastructure
51 improvements; characteristics of the island's transient population; management of livestock under
52 emergency conditions; local leadership roles and educational outreach.

53
54

55

56 Volcanic hazard may be defined as the probabilities of occurrence of eruptions and volcano-
57 related phenomena. Risk is the interaction between the probability of an extreme physical event
58 and its impact on a vulnerable human population (Susman et al. 1983, p. 264, see also Bankoff
59 2001, p. 24-27; Wisner *et al.* 2004, p. 3-16). In recent years considerable progress has been made
60 in researching a wide variety of extreme events on São Miguel. Particular attention has been paid
61 to reconstructing past eruptions, drawing up future eruption scenarios and assessing the probable
62 effects of such eruptions on people living on the island. These are discussed on other chapter in
63 this volume (Ferreira *et al.* 2014; Gaspar *et al.* 2014 - Eruptive frequency and volcanic hazard
64 zonation; Gaspar *et al.* - Earthquakes and volcanic eruptions in the Azores region; Queiroz *et al.*
65 2014; Wallenstein et al. 2014). Future eruption scenarios for the three active central volcanoes of
66 São Miguel (i.e. Sete Cidades, Fogo and Furnas - Fig. 1) are summarised in Table 1 and, in
67 addition to the direct effects of future volcanic eruptions, there are a number of volcano-related risks
68 which impact upon the people of São Miguel. Some of these, such as earthquakes generated by
69 magma movement (Silveira *et al.* 2003; Wallenstein *et al.* 2005, 2007; Gomes *et al.* 2006), may

70 occur both before and during volcanic emergencies, whilst others render São Miguel
71 dangerous even when its volcanoes are not erupting (Malheiro 2006; Wallenstein *et al.* 2007). Such
72 phenomena have been studied by a number of authors and include:
73 a. climatic and geomorphological hazards, particularly flooding and landslides, triggered by both
74 rainfall and seismic activity (Louvat & Alleger 1998; Chester *et al.* 1999; Duncan *et al.* 1999;
75 Valadão *et al.* 2002; Gomes *et al.* 2005; Marques *et al.* 2005, 2006, 2007, 2008; Wallenstein *et al.*
76 2005, 2007);
77 b. the exposure of coastal areas to tsunamis generated by either near or distant earthquakes and/or
78 collapses into the Atlantic ocean from its many islands (Andrade *et al.* 2006); and
79 c. the health impacts on the population, especially the effects of CO₂ seepage into dwellings (Baxter
80 *et al.* 1999, 2005; Hansell *et al.* 2006; Viveiros *et al.* 2009, 2010).
81 CO₂ acts as a carrier for radon and Baxter (2005, p. 280-282) argues that smokers are particularly
82 at risk of developing lung cancer.

83 Human vulnerability has also been studied and research has concentrated not only on
84 detailing the threats faced by the population of São Miguel, but also on how people would cope in
85 the event of a future eruption or volcano-related emergency. *Vulnerability*, or the susceptibility to
86 damage, is defined as "the characteristics of a person or group that influence their capacity to
87 anticipate, cope with, resist and recover from the impact of a natural hazard... . It involves a
88 combination of factors that determine the degree to which someone's life, livelihood, property and
89 other assets are put at risk" (Wisner *et al.* 2004 p.11). Whereas hazard assessment focuses on the
90 physical processes that produce extreme and potentially damaging occurrences, *vulnerability*
91 analysis concerns the ways in which these - often in combination with pre-existing social and
92 economic circumstances - produce unsafe conditions for groups within a population. Traditionally
93 hazard analysis has stressed the physical processes that produce disasters, but more recently a
94 number of authors have emphasised that hazards may act as 'triggers' that bring to the surface

95 more deep-seated economic, political and cultural issues that are already present within a
96 society (Hewitt 1997; Pelling 2001), a disaster being viewed as a "highlighter or amplifier of daily
97 hardship and everyday emergencies rather than as an extreme and rare phenonema" (Gaillard &
98 Texier 2008, p. 347). In order to reduce disaster susceptibility and increase what is termed,
99 *resilience* or *capacity*, these deep-rooted causes of vulnerability have also to be addressed (Degg &
100 Homan 2005; Gaillard 2007).

101 Over the past decades several scholars have devised typologies, whereby the
102 characteristics that produce human vulnerability in different societies may be classified (e.g.
103 Alexander 1997; Zaman, 1999; Degg and Homan, 2005). We propose a similar scheme that is
104 tailored to the situation in the Azores and which we will use to study human vulnerability on São
105 Miguel (Table 2).

106 **Physical vulnerability**

107 On São Miguel physical vulnerability is expressed in its housing stock; the distribution of its
108 population and settlement and the characteristics of its evacuation plans.
109

110 **Housing**

111 The housing stock of São Miguel is highly vulnerable to losses in the event of seismic
112 events and tephra-fall. During historic times the island has been affected by ten major earthquakes
113 (1522, 1638, 1713, 1810, 1811, 1848, 1852, 1932, 1935 and 1952), together with several episodes
114 of seismic swarms associated with volcanic activity. In a study of the *freguesias* (i.e. parishes)
115 within the *concelho* (i.e. county or municipality) of Ponta Delgada, that lie either on the flanks of
116 Sete Cidades volcano or within its caldera (Fig. 2), Gomes *et al.* (2006) have classified housing
117 according to its vulnerability using a scheme developed in connection with the European
118 Macroseismic Scale 1998 (Grünthal 1998). In this classification the buildings most at risk from
119 earthquakes (Classes A and B) are constructed from *rubble-stone* and *simple-stone*. *Rubble-stone*

120 is defined as traditional construction "in which undressed stones are used as the basic
121 building material, usually with poor quality mortar, leading to buildings which are heavy and
122 have little resistance to lateral stress. Floors are typically of wood, and provide no horizontal
123 stiffening. *Simple-stone* differs from *rubble-stone* construction "in that the building stones have
124 undergone some dressing prior to use. These hewn stones are arranged in the construction of
125 the building according to some techniques to improve the strength of the structure, e.g. using
126 larger stones to tie in the walls at the corners. In the normal case, such buildings are treated as
127 vulnerability class B, and only as class A when in poor condition or put together with particularly
128 poor workmanship" (Grünthall 1998, p. 34-5).

129
130 Before the 1970s most dwellings were up to two storeys in height and of *rubble-stone*
131 construction, though some have subsequently been improved by the addition of reinforced slabs
132 and columns. From the 1970s buildings have usually been constructed using reinforced concrete
133 frames and/or un-reinforced concrete blocks. Official data show that in Povoação and Lagoa
134 *concelhos*, 41% of houses were built before 1971 and ca.40% in Ponta Delgada *concelho* (INEP
135 2002, p.18). In their field area Gomes *et al.* (2006) concluded that some 76% and 17% of houses
136 belonged, respectively, to vulnerability Classes A and B. On Faial some 508 rubble-stone buildings
137 were damaged and 273 destroyed in the two-day volcano-tectonic swarm in May 1958 which was
138 associated with the Capelinhos volcanic eruption (Coutinho *et al.* 2008, 2010), while on July 9 1998
139 an earthquake, with an epicentre located off the coast of the island and having a Mercalli
140 Magnitude of 5-6, killed 8 people, injured 150, rendered 1,500 people homeless and damaged
141 many buildings (Coutinho *et al.* 2008). Using the *European Macroseismic Scale (EMS)*, Gomes *et*
142 *al.* (2006) demonstrate that the maximum historic intensity reached on Sete Cidades volcano on
143 São Miguel was IX and that this took place during the seismic crisis associated with the offshore
144 volcanic eruptions of 1713 and 1811. Traditional housing is so vulnerable that an earthquake with

145 an *EMS* intensity of IX would cause between 57% and 77% of dwellings in Sete Cidades area
146 (Fig. 2) to be either destroyed or badly damaged, representing between 2,480 and 3,350 homes.

147 An estimated 80% of buildings on Furnas volcano are constructed from rubble-stone and, in
148 a survey that also covered part of Fogo volcano, Pomonis *et al.* (1999) identified an additional
149 feature of physical vulnerability. Even a small eruption would produce extensive tephra deposition
150 and could affect towns and villages downwind of eruption sites especially if hydromagmatism
151 featured in such an event (Table 1). Higher magnitude eruptions would cause more extensive
152 damage. In the villages examined by Pomonis and his colleagues (i.e. Furnas, Ribeira Quente,
153 Povoação and Ponta Garça - see Fig. 2), they found that ca.18% of buildings had roofs that were in
154 poor condition and, hence, highly vulnerable to collapse. More recently important research has
155 been published on strengthening traditional Portuguese buildings generally (Oliveira 2003; Murphy-
156 Corella 2009, see also Spence 2007, page 187, Table 7) and Azorean housing in particular (Costa
157 2002). Costa and Arede (2006) point out that resilience could be greatly improved by relatively
158 simple measures including, *inter alia*: reinforcing walls and roofs by connecting structural
159 elements together so as to improve rigidity; and ensuring that roofs are not only in good
160 condition but also firmly connected to walls.

161

162 Distribution of population and settlement

163 In 2001, the date of the most recently published census, the resident population of São
164 Miguel was recorded as 131,530 (INEP 2002) and by early 2011 had risen to an estimated 134,000
165 (INEP 2011b). The most recent census was held in March 2011. At the time of writing no results
166 are available. The *Serviço Regional de Estatística dos Açores*, provide estimates of the population
167 resident in each *concelho*, for various years since 2001, the latest data being for December 2008
168 (SREA 2011).

169 About 9% of the population lives in the *Sete Cidades area*, 43% in the *Fogo area* and 19%

170 in the *Furnas area*, some 71% of the total (Fig. 2). The overall distribution shows two general
171 characteristics:-
172 i. The interior of São Miguel is mountainous and population is concentrated near to the coast, with
173 Sete Cidades, Covoada, Arrifes, Fajã de Cima, Fajã de Baixo, Pico da Pedra (Ribeira Grande
174 *concelho*), Cabouco, Santa Bárbara (Ribeira Grande *concelho*), Furnas and Nossa Senhora dos
175 Remédios, being the only inland settlements of importance, though it should be noted that Covoada,
176 , Fajã de Cima and Fajã de Baixo are suburbs of Ponta Delgada (Fig. 2).
177 ii. A marked population focus around Ponta Delgada, the island's capital and principal settlement,
178 which contains 15% of the island's inhabitants in the four *freguesias* which comprise the capital in
179 official statistics, double this figure if adjacent commuter settlements are included and some 48% if
180 the whole *concelho* is taken into account (INEP 2002; SREA 2008).

181 In one respect the overall distribution of settlement is highly fortuitous because much of the
182 land in the three volcanic *areas* is rural and many *freguesias* show low population densities; figures
183 of less than 100 people per km², for example, are commonplace in the northeast and east of Furnas
184 and Fogo *areas*. In the Sete Cidades *area* (Fig. 2) figures are only slightly higher and range from
185 ca.72 to ca.171 people per km². Although in many volcanic regions low population densities
186 represent a major impediment to successful evacuation, since it is may be difficult to locate people,
187 in the case of São Miguel this is not a serious problem because population is highly concentrated
188 within the principal settlement (*povoação sede de freguesia*) of each parish. Study of detailed maps
189 (1: 25,000 scale) and aerial photographs, together with information collected in the field, shows
190 some isolated farms and houses that would require special attention in the event of a planned
191 evacuation. Another issue concerns people who live in settlements with poor communications, a
192 factor that is reviewed in section 2.3.

193 Eruptions on São Miguel are rare (Table 1), yet certain villages are at considerable risk of
194 being damaged each year by volcano-related events. As a result of its volcanic character the island

195 has considerable relief amplitude and plentiful, often intense, rainfall has produced a high
196 drainage density. Storms are particularly prevalent between September and April and in April 1996
197 slope failure occurred on the inner slopes of Furnas caldera and a landslide reached the western
198 margin of Furnas village. On October 31 1997 and following a long period of heavy rainfall, around
199 1000 small landslides occurred in Povoação *concelho* and two of these were responsible for 29
200 fatalities, 114 residents being left homeless mainly in the village of Ribeira Quente (Fig. 2 - Gaspar
201 *et al.* 1997; Cole *et al.* 1999; Wallenstein *et al.* 2005; Marques *et al.* 2008). Ribeira Quente was cut
202 off from the rest of the island for more than 12 hours and total economic losses were estimated at
203 more than €20 million (Cunha 2003). Research in Povoação *concelho* by Marques *et al.* (2008, p.
204 486), involved historical records of rainfall intensity (mm/day) being plotted against rainfall
205 duration (D days) and showed that intensity increases exponentially as duration decreases,
206 according to the regression equation $I = 144.06 D^{-0.5551}$. As Figure 3 shows, the regression curve
207 may be used to define thresholds above which landslides may occur. Historical data indicate
208 that landslides are related to both: short duration (1-3 days) precipitation events, with high mean
209 intensities of 78 - 144 mm/day; and longer (1-5 month) rainfall episodes, with lower mean
210 intensities of between 9 and 22 mm/days. On São Miguel rainfall regimes with these
211 characteristics are common between October and March and landslides occur in São Miguel
212 during most winters. Mean rainfall of 911 mm at Ponta Delgada is enhanced by topographic
213 effects (Moreira 1987), rising to 1992 mm at Furnas (height 290 m), being characterised by both
214 high inter-annual and inter-seasonal variations. In Povoação *concelho* some 85% of historic
215 landslides have occurred between October and March and, between 1918 and 2002, some 40
216 instances of landslides were recorded with only 1/4 being classified as 'minor' (Marques *et al.*
217 2008, p. 484).

218 Landslides may also be triggered by seismic activity. For example more than 46,000
219 earthquakes occurred in the Fogo area between May and December 2005, some 180 being felt

220 by residents in near to the epicentre. The strongest shocks occurred on September 20
221 and 21 and had magnitudes (M_L) 4.1 and 4.3, respectively, and caused extensive slope failure
222 in the central part of the island. During this episode more than 250 landslides were triggered
223 (Marques *et al.* 2007).

224

225 Evacuation plans

226 Most settlements on São Miguel are linked by roads located near to the coast (Fig. 4), but
227 this does not apply either to the, albeit few, inland settlements or other villages that are linked to
228 coastal routes by highly vulnerable subsidiary roads. Furnas and Sete Cidades villages are, for
229 instance, located within active calderas and would require early evacuation if an eruption were
230 threatened, whereas an isolated coastal settlement – such as Ribeira Quente (Fig. 2 and Table 3) -
231 is particularly at risk. The road linking the village to the island's network utilizes the valley of the
232 Ribeira Amarela, which drains Furnas crater lake before passing through Furnas village and
233 reaching Ribeira Quente by means of a very steep-sided and narrow valley. Any flooding, produced
234 by draining of the crater lake and/or temporary damming of the valley, would destroy the road,
235 making early evacuation essential if major loss of life were to be avoided (Chester *et al.* 1995).
236 Similar comments apply to the small village of Praia, located 1 km to the west of Água de Alto (Fig.
237 2), where the draining of the Lagoa do Fogo through the south flowing Ribeira da Praia would
238 produce similar widespread destruction.

239 In research carried out on Furnas volcano (Chester *et al.* 1995; 1999; Duncan *et al.* 1999),
240 detailed studies were made of roads that could be used should an evacuation of the *area* be
241 required, later this approach was extended to Fogo (Wallenstein 1999; Wallenstein *et al.* 2005,
242 2007; Table 3 and Fig. 4) and these studies highlighted three further areas of human vulnerability
243 many of which also apply to Sete Cidades.

244 First many roads that could be used as evacuation routes are highly exposed to landslides

245 and debris flows. At their most extreme these phenomena could destroy whole stretches of
246 road, while less serious events would seriously restrict capacity. On Fogo there are particular
247 problems with the northern and southern coast roads (EN1-1^a) and at certain points on EN2-1^a,
248 which links Furnas village to the north coast (Fig. 4). A second feature of vulnerability concerns
249 masonry bridges that are present on many roads, together with the occurrence of rubble-stone
250 buildings in virtually every town, both of which are highly susceptible to earthquake damage. Such
251 damage would block roads and seriously impede evacuation. A third issue is strategic. Fogo is
252 located in the centre of São Miguel (Fig. 1) and both the northern and southern coastal routes
253 would be cut by even a small eruption, a landslide, an episode of heavy rainfall or an earthquake,
254 so isolating the population living in much of the *Fogo area* (in excess of 45,000 people), together
255 with those to the east in the *concelhos* of Povoação and Nordeste (ca.10, 000 people). In order to
256 avoid this eventuality, evacuation would have to begin before the main phase of eruption. As will be
257 discussed later when social/cultural and perceptual/informational vulnerability are reviewed,
258 persuading people to evacuate before there are any clear signs of eruption would be problematic.
259 Similar problems may also be encountered in trying to encourage people to leave Sete Cidades
260 and Furnas villages, because both settlements would be devastated by even small scale intra-
261 caldera eruptions and roads linking these settlements to the main coastal roads could easily be
262 damaged and rendered unusable. In the *Furnas* and *Sete Cidades areas*, any disruption of the
263 northern and southern coastal roads would isolated many communities. On Sete Cidades, the
264 *freguesias* of Bretanha, Mosteiros and Ginetes are particularly vulnerable and involve a possible ca.
265 4000 people, whereas in the *Furnas area* and to its east affected *freguesias* could include Salga,
266 Achadinha, Achada, Santana, Nordestinho, Lomba da Fazenda, Nordeste, Água Retorta, Faial da
267 Terra, Nossa Senhora dos Remédios and Povoação and ca. 9, 600 people would be affected (Figs.
268 2 and 4).

269 Announced in 2002 (Anon 2002), in 2007 work began on a new programme of high speed

270 roads on São Miguel (Fig. 4). Put Known by the acronym SCUTS (*Estradas sem custos*
271 *para utilizador*, or roads without charge to the user), this programme involves private finance of
272 325 million Euros and is be funded from general taxation over a 30 year period. The new roads
273 were all fully open by the end of 2011. Although promoted primarily for reasons of economic
274 development, especially of the eastern extremities of the island, the impacts on Civil Protection
275 and evacuation planning in the *Fogo* and *Furnas areas* are likely to be both profound and in
276 some respects uncertain. As Figure 4 shows, the new roads do not impact upon the *Sete*
277 *Cidades area*.

278 The principal positive impact on the vulnerability of the *Fogo* and *Furnas areas* is that
279 the towns of *Água de Pau*, *Água de Alto*, *Vila Franca do Campo*, are now bypassed as was
280 *Ribeira Grande* a few years earlier. With regards to the latter, this has removed a major 'bottle
281 neck' which could have inhibited evacuation, while the stream flowing through the town - the
282 dangers of which are discussed in Table 3 - has been more effectively bridged. The *Ribeira*
283 *Grande* to *São Brás* and the *São Brás* to *Lomba da Fazenda* roads on the north of the island,
284 and the *Lagoa* to *Vila Franca do Campo* road in the south only opened towards the close of the
285 construction period and it is only with time that major changes in the balance between
286 vulnerability and resilience of communities in the event of an eruption and a planned evacuation
287 will be able to be assessed. On the one hand the new roads are, not only of a higher standard
288 and much faster - travel times from *Ribeira Grande* to *Nordeste* being cut by some 45 minutes -
289 but they are also constructed further inland, at a greater height and, consequently bridge many
290 rivers and streams in a far more satisfactory manner than was the case hitherto using existing
291 roads (Fig. 5). Indeed severe flooding, landsliding and even laharic activity could be
292 accommodated without severely damaging these new bridges. On the other hand the new
293 roads, that from *São Brás* to *Nordeste* (Fig. 5), do not replace but rather supplement existing
294 routes with their many vulnerable sites (Table 3). New features of vulnerability could be created

295 and may include:-

296 a. Poor weather, particularly fog, higher rainfall and strong winds at high altitudes particularly in
297 winter.

298 b. The new routes are closer to the Furnas and Fogo calderas and during eruption could carry a
299 higher ash loading than may be the case with existing roads.

300 c. The vulnerability of access points from the existing road system to the new roads is not clear.

301 In time a new road survey will be required and revised evacuation plans will have to be
302 published.

303

304 **Demographic and economic vulnerability**

305 Demographic vulnerability

306 Over the past fifty years the principal demographic characteristics of São Miguel have been
307 out-migration to mainland Portugal and abroad, together with internal migration and commuting to
308 the principal settlements of the island, particularly Ponta Delgada (Trindade 1976; Williams 1982;
309 Silva 1988/9; Fortuna 1988; Rocha 1988/9, 1990). In recent years out-migration has been less
310 significant and the island's population increased by ca.4% between 1991 and 2001 (INEP 2002)
311 and ca. 2% between 2001 and 2011, showing an annual rate of natural increase of 0.33% in 2009
312 compared to an average for the Azores of 0.24% (SREA 2007, 2010, 2011b). Long-term features
313 of out-migration and an historic lack of full employment are still present within the island's
314 demographic profile while internal migration and commuting continue apace. In recent years
315 employment opportunities in the Azores have been better than in Portugal as a whole. Data for
316 2009 show 9.5 % unemployment in Portugal and 6.7% in the islands (SREA 2010b). For the third
317 quarter of 2011 figures were 12.4% for Portugal and 11.6% for the Azores (SREA 2010d). This
318 means that in the late 1990s (Chester *et al.* 1999) *dependency ratios* (i.e. % of the population
319 under 15, plus % over 65) across the *Furnas area* ranged from 38-46%, and the proportion of the

320 population classified as economically active was never greater than 36% in any *freguesia*. In
321 addition many older people were illiterate and rates exceeding 15% of the population occurred in 11
322 of the 15 *freguesias* that comprise the *Furnas area*. As mentioned in the introduction, the study of
323 natural hazards often highlights deep-seated issues that normally lie dormant within a society. It
324 was concluded by Chester *et al.* (1995) that, as a result of these long-standing demographic
325 characteristics, a high proportion of the population would require assistance, especially in following
326 instructions should an eruption-related emergency be declared. More recent data show that high
327 dependency, low levels of economic activity and poor educational attainment remain features of the
328 island's demography. For instance in 2001 *dependency ratios* for the *concelhos* that comprise São
329 Miguel ranged from 33% in Ponta Delgada to 43% in Ribeira Grande, the economically active
330 population varied from 36% in Povoação to 44% in Ponta Delgada, while illiteracy was still 16% in
331 Vila Franca do Campo and 7% in Ponta Delgada (INEP 2002).

332 One feature of the population statistics for the Azores is that data at the most detailed level
333 of sub-division (i.e. the *freguesia*) and which are so important in assessing demographic
334 vulnerability are derived from the census, the latest figures available being from 2001. Figures from
335 the 2011 census have not yet been published (SREA 2011b). Although the Regional Statistical
336 Service (*Serviço Regional de Estatística dos Açores*) has a policy of updating some sets of data
337 and estimating others between censuses (see SREA 2006b, 2007, 2010, 2011a, 2011b), statistics
338 are only available for *concelhos* and in some cases for whole of São Miguel. Another feature of
339 demographic vulnerability, which is not captured by official statistics, is the transient nature of much
340 of São Miguel's population. A census can only give a snapshot of population on a specific date,
341 traditionally in Portugal in March or April in the first year of the decade and, as field surveys have
342 shown in rural areas especially, many houses are often only occupied at weekends and/or in
343 summer. The number of people who would have to be evacuated on, say, a Saturday in August
344 would be far greater than on a weekday in January. Tourist numbers also vary over the year and

345 recently the number arriving in São Miguel has shown a rapid increase. The numbers of nights
346 spent on the island by tourists more than tripled between 1993 and 2003 and reached a figure of
347 over 700,000 in 2010 of whom ca.40% were ordinarily resident of other areas of Portugal, with
348 some 39% visiting in July, August and September (SREA 2005a, 2005b, 2007, 2010, 2011c). In
349 2009 just over 5,200 people could be accommodated in hotels and other lodgings on any given
350 night suggesting a total annual capacity of ca. nearly 2 million rooms, assuming each visitor only
351 stayed one night. The average stay was, however, 3.5 nights and average occupancy only 37.5%,
352 implying that there are many visitors to the island who are effectively 'lost' from the official record
353 (SREA 2010a). From a hazards management perspective it is important to know:

- 354 a. where the excess population is accommodated; and
355 b. how many visitors are true tourists and, conversely, how many are expatriates returning to family
356 homes that are either vacant or under-occupied for most of the year.

357 If civil protection and evacuation planning are to be effective, then a detailed study of this transient
358 population is required.

359

360 Economic vulnerability

361 Some hazards, such as landslides, flooding and even low intensity seismic activity, will have
362 economic impacts that are spatially limited to a small number of *freguesias*. It is widely recognised,
363 however, that if any of the future eruption scenarios listed in Table 1 were to occur then the effects
364 on the economy of São Miguel would be severe, necessitating the closure of many enterprises and
365 a period of widespread unemployment. Outside assistance from the Portuguese government and/or
366 the European Union would be required. There is one major change, nevertheless, that has
367 occurred in the economy of São Miguel in recent decades which has produced an important new
368 area of vulnerability.

369 In the late 1970s agriculture and fishing accounted for nearly 40% of total employment, but

370 by 2009 this had fallen to just under 13% (SREA 2010b). Over the past few decades the
371 major economic changes have been declines in both subsistence agriculture and the production of
372 export crops and a rapid increase in cattle rearing. In 1980 there were just over 36,000 cattle in the
373 whole of São Miguel (Langworthy 1987), whereas in the 1999 agricultural census this figure had
374 risen to over 108,000 around 45% of the total for the Azores (INEP 2001). Although cattle numbers
375 have declined slightly in the Azores in recent years, assuming a similar proportion to 1999, this still
376 implies that just over 110,000 cattle were reared on São Miguel in 2009 (SREA 2010b). All three
377 volcanic *areas* have large numbers of cattle, mostly located above heights of 300 m in summer and
378 at lower altitudes in winter, and with some *freguesias* providing a home for more cattle than people.
379 Such large numbers of livestock have major implications for contingency planning. In a volcanic
380 emergency, animals - both living and dead - could block many of the roads that would have to be
381 used for evacuation, and this is an issue that needs to be addressed by Civil Defence planners.

382

383 **Social and cultural vulnerability**

384 In studies of hazard exposure on Furnas and Fogo volcanoes (Chester *et al.* 1995, 1999,
385 2002; Wallenstein *et al.* 2005), aspects of social and cultural vulnerability are highlighted which
386 apply with equal measure, not only to the Sete Cidades, but also more generally to São Miguel as a
387 whole. Through processes of mobility, especially as a result of more comprehensive programmes of
388 education that have been put in place since the 1974 revolution and inter-marriage, social
389 stratification is not so prominent a feature of island life as it was a few decades ago, but is still
390 recognisable. According to pioneer sociological research carried out in the 1980s by Francis Chapin
391 (Chapin 1989), the people of São Miguel usually belong to one of five social groups (Table 4), but
392 since Chapin carried out his research several changes have occurred and Table 4 has been up-
393 dated to reflect more recent conditions.

394 As far as planning for a hazard-based emergency is concerned, two points emerge. First,

395 the social structure shown in Table 4 has important implications for the management of
396 any emergency. Within rural villages *proprietários* and members of the *established educated*
397 groups (especially government officials, local doctors and school teachers) already possess
398 established leadership roles within their communities. It is upon these two groups, plus local political
399 leaders who are also usually drawn from these cohorts, that civil defence planners would have to
400 rely in the event of a volcano-related crisis. A second issue concerns the high concentrations of
401 *trabalhadores* found within rural areas of which the three volcanic *areas* are typical. Illiteracy
402 although falling as older people die is an issue, but more important is strong attachments to land,
403 community and livestock which could mean that orders to evacuate would at best ignored and at
404 worst resisted. This feature, which is perceptual as well as social and cultural, is more fully
405 discussed below and re-enforces an issue already aired regarding the problems caused by the
406 presence of large populations of livestock, particularly cattle.

407

408 **Perceptual and informational vulnerability**

409 An individual's susceptibility to risk depends on many factors. Location of a person's home
410 and the characteristics of his or her livelihood, activities and resources have already been
411 discussed. Susceptibility is also determined by a person's ability for self-protection (Cannon 1994)
412 and their physiological resilience, which itself may depend on factors such as age, psychological
413 make-up and the accuracy with which a person may perceive the threat of being affected by a
414 natural calamity (Dibben & Chester 1999). In order to investigate these factors in the context of
415 Furnas volcano, an in-depth interview-based study of 50 respondents within the village of Furnas
416 was carried out by one of us (Dibben 1999). In addition interviews were conducted with the Civil
417 Defence authorities, local government officials and people affected by previous earthquakes. Five
418 themes were covered by the interviews:

419 1. length of residence and reasons for moving to the village;

- 420 2. the respondent's attitude to the social and physical character of the village;
421 3. perceptions of volcanic and others hazards;
422 4. disaster preparation and
423 5. attitudes to measures for the mitigation of risks.

424 As far as vulnerability between eruptions is concerned and despite the fact that a number of
425 people (e.g. civil defence workers and medical staff) in Furnas village knew of the risk of CO₂
426 seepage into buildings, not one interviewee at that time realised that gases posed a hazard to
427 health. This suggests that at the time of the survey comprehensive information on civil protection
428 had not been diffused throughout the village. There is a significant lung cancer risk to those who
429 live in CO₂ exposed buildings, or whose employment involves working in hollows or cellars and this
430 is a serious omission.

431 Responses to the interviews illustrated further aspects of vulnerability. Of the residents
432 surveyed by Dibben (1999), none had prepared themselves for a future eruption, either mentally or
433 physically, even though they generally knew that the volcano was active. Indeed Dibben & Chester
434 (1999, p.10) record that respondents were shocked by the question, adding that either they did not
435 know what they would do, or else they would simply run away. Even more worrying was that many
436 people felt they would have no warning and did not know to whom to turn for advice, often citing
437 television or scientists from the University of the Açores as their only sources of information. Some
438 interviewees even thought that the presence of fumaroles in the village meant that eruptions were
439 less likely and that earthquakes would be weaker. At a deeper psychological level, 28% of
440 respondents believed they had little control over future events, some being very fatalistic and others
441 placing their fate in the hands of God. Responses to the questions asked in the interviews,
442 however, did not reveal any evidence of economic or social marginalisation (Susman *et al.* 1983),
443 with all socio/economic groups being equally ill-informed. Surprisingly since felt earthquakes on São
444 Miguel occur frequently, interviewees had little idea about how to respond to seismic events.

445 Behaviours amongst the respondents ranged from 'staying in bed' to 'curling up in a corner';
446 with not one interviewee indicating that he or she had tried to remove him or herself from their home
447 and/or village.

448 Attachment to place, mentioned when economic, social and cultural vulnerabilities were
449 being discussed, comes out very strongly in the interviews. Attachment often reflects stable long-
450 term bonds between, people their homes and communities (Rivlin 1987; Dibben and Chester
451 1999), with a majority of respondents being very positive about their home village, but showing
452 some negativity towards outsiders. Accepting two mutually incompatible explanations, or holding
453 one view but acting in opposition to it is often termed *parallel practice* (Coutinho *et al.* 2010) and at
454 Furnas people recognised that the village was both a fine place to live and a potentially very
455 dangerous one. It should be noted that *parallel practice* is sometimes termed *cognitive*
456 *dissonance* in hazard studies. However in psychology where the term was first used it has a
457 more restrictive definition (Carroll 1990, p. 123-4) and, hence, the term *parallel practice* is used
458 in the present paper.

459 The Furnas attitude survey was carried out more than a decade ago and ideally needs, not
460 only to be repeated, but also undertaken in other villages representative of the situation of the Fogo
461 and Sete Cidades *areas*. The present authors see no reason to believe, however, that its findings
462 are atypical of the attitudes of rural dwellers in other areas of São Miguel. Providing clear
463 leadership, reliable information and instilling confidence amongst the people living on the three
464 volcanoes is clearly an educational and policy priority. In recent years an important start has been
465 made. For instance: the *Centro de Vulcanologia e Avaliação de Riscos Geológicos (CVARG)*
466 and its seismic network in particular is viewed by hundred of school children every year in pre-
467 arranged visits; information provided by the Civil Protection Authorities (*Serviço Regional de*
468 *Protecção Civil e Bombeiros dos Açores - SRPCBA*) for *concelhos* and *freguesias* has been
469 greatly improved; and the *CVARG* has enhanced its capacity to provide dynamic hazard

470 scenarios and scientific support for the SRPCBA.

471
472 **Conclusion: Moving Forward**

473
474 The 1990s were designated by the United Nations the *International Decade for Natural*
475 *Disaster Reduction (IDNDR)*, being superseded from the end of the millennium by the
476 *International Strategy for Disaster Reduction (ISDR)*. In recent years research carried out under
477 the influence of these initiatives has increasingly stressed the uniqueness of human vulnerability
478 in volcanic regions and the need to construct plans for hazard reduction, which are more fully
479 aware of the complexities of local society and culture (United Nations 1999, 2002, 2005). As
480 argued elsewhere (Chester 2005, p.427-428), an approach to hazard reduction has developed
481 that draws heavily on the methodology used in *Environmental Impact Analysis (EIA)* (Fig. 6),
482 *EIA* being developed from the 1960s to evaluate the impact of large, potentially environmentally
483 damaging, projects. In terms of their impacts on society, volcanoes are similar to such projects
484 and there are close parallels between the methodology used in *EIA* and approaches currently
485 being developed to study volcanoes, society and culture in many volcanic regions including the
486 Azores. As in *EIA*, so in recent more 'incultured' approaches to hazard assessment, the large
487 number of social and physical factors which need to be studied may be expressed as *checklists*,
488 whilst the *overlay* approach may be used to compare spatial (i.e. geo-referenced) data.

489 On São Miguel a start has been made in introducing such an approach with the
490 development of AZORIS by CVARG, a spatial data-base for risk analysis which has the aim of
491 improving land-use planning and emergency responses to hazardous events (Gaspar *et al.*,
492 2004). Using a *Geographical Information System (GIS)*, AZORIS, an acronym for AZOes RiSk,
493 employs nine geo-referenced sets of data which range, on the one hand, from those concerned
494 with volcanological and geophysical factors producing hazard exposure, to geographical and
495 socio-economic aspects of risk and vulnerability on the other. In 2004 the data sets used in

496 AZORIS comprised information on the following factors: geographical and socio-
497 economic; civil protection; geological and geomorphological; landslides; volcanological;
498 seismological; geodetic; fluid geochemistry and meteorological.

499 Whilst recognizing that some important sets of data cannot be expressed in geo-
500 referenced formats, AZORIS provides a facility for such documents to be viewed alongside
501 spatial data so maximizing the advantages of *checklist* and *overlay* methodologies. Research
502 on improving the database is ongoing and information acquired by geophysical field monitoring
503 is, for instance, routinely transmitted to CVARG and CIVISA (*Centro de Informação de*
504 *Vigilância Sismovulcânica dos Açores* or Centre for Information and Seismovolcanic
505 Surveillance of the Azores) for storage in AZORIS (Gaspar *et al.* 2011). Once published and
506 analysed, relevant information from the 2011 census will be entered.

507 Another example is exemplified by a recent study of seismic risk and vulnerability at the
508 village scale (Martins *et al.*, 2012). Detailed data on geo-referenced features of the demography,
509 socio-economic conditions and the building characteristics of Vila Franco do Campo (Fig. 1) were
510 first weighted and then modelled by means of a quantitative multi-criteria analysis (MCA). Results
511 show how the historic core of the village is particularly at risk because of strong spatial correlation
512 between seismically 'unfit' buildings buildings and vulnerable economically and socially
513 disadvantaged people. This approach could be applied to other settlements in São Miguel.

514 The vulnerability of buildings on São Miguel to seismic activity and volcanic ash fall is
515 now known in some detail. In order to mark the 200th anniversary of the Lisbon earthquake a
516 symposium was held in 1955 and found that Portuguese buildings were highly vulnerable to
517 earthquake losses and that a more comprehensive building code was urgently needed (Ordem
518 dos Engenheiros, 1955). A code was published in 1958, the impact of which was generally
519 viewed to have been ineffective (Azevedo *et. al.* 2009, p.561-562) and a new code was
520 introduced in 1983 (RSA 1983). Only time and another earthquake will allow the effectiveness of

521 the 1983 code to be tested. As argued above, in the Azores the principal cause for concern
 522 is not relatively newly constructed structures, but houses and other heritage buildings which
 523 were erected before there were effective codes.

524 Other aspects of vulnerability require further research so that emergency planning may
 525 be improved and the AZORIS methodology made more comprehensive. In particular these
 526 areas relate to: identifying isolated housing; the more detailed investigation of the degree to
 527 which evacuation routes would be robust in the event of an eruption; the annual variability in the
 528 island's transient population and its location at different times of the year; the location of São
 529 Miguel's livestock; issues of local leadership; devising policies of educational outreach to the
 530 community so that risk perception more accurately reflects the actual risk.

531
 532
 533
 534

535 **References**

- 536
 537 Alexander, D. 1997. The study of natural disasters, 1977-1997: Some reflections on a changing
 538 field of knowledge. *Disasters* **21(4)**, 284-304.
 539
 540 Andrade, C., Borges, P. & Freitas, M.C. 2006. Historical tsunamis in the Azores archipelago
 541 (Portugal). *Journal of Volcanology and Geothermal Research* **156**, 172-185.
 542
 543 Anon 2002 Governo avança com novas estradas en São Miguel. Azores Digital. World Wide
 544 Web Address: <http://www.azoresdigital.com/ler.php?id=1491>
 545
 546 Azevedo, J., Serrano, S. & Oliveira, C.S. 2009. The next 1755 – myth and reality; Priorities and
 547 actions to develop in case of an earthquake in the Lisbon Metropolitan area. *In: Mendes-Victor,*
 548 *L.A., Oliveira, C.S., Azevedo, J. & Ribeiro, J.A. (eds) The 1755 Lisbon Earthquake revisited.*
 549 *Springer, Berlin (Geotechnical, Geological and Earthquake Engineering vol. 7), 559-579.*
 550
 551 Bankoff, G. 2001. Rendering the world unsafe: 'Vulnerability' as western discourse. *Disasters* **25(1)**,
 552 19-35.
 553
 554 Baxter, P.J. 2005. Human impacts of volcanoes. *In: Marti, J. & Ernst, G. J. (eds) Volcanoes and the*
 555 *Environment.* Cambridge University Press, Cambridge, 273-303.
 556
 557 Baxter, P.J. , Baubron, J.C. and Coutinho, R. 1999. Health hazards and disaster potential of ground

- 558 gas emission at Furnas Volcano, São Miguel, Azores. *Journal of Volcanology and Geothermal*
559 *Research* **92 (1-2)**, 95-106.
- 560
- 561 Cannon, T. 1994. Vulnerability analysis and the explanation of natural disaster. *In: Varley, A (ed)*
562 *Disasters, Development and Environment*. John Wiley, Chichester, 13-30.
- 563
- 564 Carroll, R. P. 1990. Cognitive dissonance. *In: Coggins, R. J. & Houlden J. L. (eds) A Dictionary*
565 *of Biblical Interpretation*. SCM, London, 123-124.
- 566
- 567 Chapin, F.W. 1989. *Tides of migration: A study of migration decision making and social*
568 *progress in São Miguel*. AMS Press, New York.
- 569
- 570 Chester, D. K. 2005. Volcanoes, Society and Culture. *In: Marti, J. & Ernst, G. J. (eds), Volcanoes*
571 *and the Environment*. Cambridge University Press, Cambridge, 404-439.
- 572
- 573 Chester, D.K., Dibben, C. & Coutinho, R. 1995. *Report on the Evacuation of the Furnas District,*
574 *São Miguel, Azores*. CEC Environment/ESP Laboratory Volcano Furnas Azores. Image Centre
575 University College, University of London, Open File Report.
- 576
- 577 Chester, D.K., Dibben, C., Coutinho, R., Duncan, A.M., Cole, P.D., Guest, J.E. & Baxter, P.J. 1999.
578 Human adjustments and social vulnerability to volcanic hazards: The case of Furnas Volcano, São
579 Miguel, Açores. *In: Firth, C.R. & Mc Guire, W.J. (eds) Volcanoes in the Quaternary*. Geological
580 Society, London , Special Publication **161**, 189-207.
- 581
- 582 Chester, D.K., Dibben, C.J.L. & Duncan, A.M. 2002. Volcanic hazard assessment in western
583 Europe. *Journal of Volcanology and Geothermal Research* **115**, 411-435.
- 584
- 585 Cole, P.D., Guest, J.E., Queiroz, G., Wallenstein, N., Pacheco, J.M., Gaspar, J. L., Ferreira, T. &
586 Duncan, A.M. 1999. Styles of volcanism and volcanic hazards on Furnas volcano, São Miguel,
587 Azores. *Journal of Volcanology and Geothermal Research* **92 (1-2)**, 39-53.
- 588
- 589 Cole, P.D., Pacheco, J.M., Gunasekera, R., Quiroz, G., Conçalves, P. & Gaspar, J.L., 2008.
590 Contrasting styles of explosive eruption at Sete Cidades, São Miguel, Azores, in the last 5000
591 years: Hazard implications from modelling. *Journal of Volcanology and Geothermal Research* **178**,
592 574-591.
- 593
- 594 Costa, A. 2002. Determination of mechanical properties of traditional masonry walls in dwellings of
595 Faial Island, Azores. *Earthquake Engineering and Structural Dynamics* **31**, 1361-1382.
- 596
- 597 Costa, A. & Arêde, A., 2006. Strengthening of structure damaged by the Azores earthquake of
598 1998. *Construction and Building Materials* , 252-368.
- 599
- 600 Coutinho, R., Pimentel, A. & Pacheco, J.M. 2008. *Na Rota dos Vulcões – Guia Geológico da*
601 *Ilha do Faial*. Secretaria Regional do Ambiente e do Mar, ADELIAÇOR, Horta.
- 602
- 603 Coutinho, R., Chester, D.K., Wallenstein, N. & Duncan, A.M. 2010. Responses to, and the short
604 and long-term impacts of the 1957/1958 Capelinhos volcanic eruption and associated earthquake
605 activity on Faial, Azores. *Journal of Volcanology and Geothermal Research* **196**, 265-280.

- 606
607 Cunha, A., 2003. The October 1997 landslides in São Miguel Island, Azores. *In: Javier, H. (ed)*
608 *Lessons learnt from landslide disasters in Europe*. European Commission Joint Research Centre,
609 ISPRA, Doc. 20558EN.
- 610
611 Degg, M. & Homan, J. 2005. Earthquake vulnerability in the Middle East. *Geography* **90** (1) , 54-66.
612
- 613 Dibben, C.J.L. 1999. *Looking beyond eruptions for an explanation of volcanic disasters:*
614 *Vulnerability in volcanic environments*. PhD Thesis, University of Luton.
615
- 616 Dibben, C. & Chester, D.K. 1999. Human vulnerability in volcanic environments: The case of
617 Furnas Volcano, São Miguel, Azores. *Journal of Volcanology and Geothermal Research* **92**, 133-
618 150.
619
- 620 Duncan, A.M., Gaspar, J., Guest, J. & Wilson, L. 1999. Introduction: Special Issue Furnas Volcano,
621 São Miguel, Azores. *Journal of Volcanology and Geothermal Research* **92**, vii-ix.
622
- 623 Fortuna, M.J.A. 1988. A população activa dos Açores e a sua distribuição sectorial. *Arquipélago*
624 *(Revista da Universidade dos Açores, Economia)* **1**, 41-59.
625
- 626 Gaillard, J-C. 2007. Resilience of traditional societies in facing natural hazards. *Disaster*
627 *Prevention and Management* **16** (4), 522-544.
628
- 629 Gaillard, J-C. & Texier, P. 2007. Natural hazards and disasters in Southeast Asia: Guest
630 editorial. *Disaster Prevention and Management* **17** (3), 346-349.
631
- 632 Gaspar, J.L., Wallenstein, N., Coutinho, R., Ferreira, T., Queiroz, G., Pacheco, J., Guest, J.,
633 Tryggvason, E. & Malheiro, A., 1997. *Considerações sobre a ocorrência dos movimentos de*
634 *massa registados na madrugada de 31 de Outubro de 1997 na ilha de S. Miguel, Açores.*,
635 Centro de Vulcanologia, Relatório Técnico-Científico, Universidade dos Açores 14/DGUA/97.
636
- 637 Gaspar, J.L., Goulart, C., Queiroz, G., Silveira, D., Gomes, A. 2004. Dynamic structure and data
638 sets of a GIS database for geological risk analysis in the Azores volcanic islands. *Natural*
639 *Hazards and Earth System Sciences* **4**, 233-242.
640
- 641 Gomes, A., Gaspar, J.L., Goulart, C. & Queiroz, G. 2005. Evaluation of landslide susceptibility of
642 Sete Cidades Volcano (S. Miguel Island, Azores). *Natural Hazard and Earth System Sciences* **5**,
643 251-257.
644
- 645 Gaspar, J.L., Queiroz, G., Ferreira, T., Amaral, P., Viveiros, F., Marques, R., Silva, C. &
646 Wallenstein, N. 2011. Geological hazards and monitoring at the Azores (Portugal). *Earthzine -*
647 *Fostering Earth Observation and Global Awareness*. World Wide Web Address
648 <http://www.earthzine.org/2011/04/12/geological-hazards-and-monitoring-at-the-azores-portugal/>
649
- 650 Gomes, A., Gaspar, J.L. & Queiroz, G. 2006. Seismic vulnerability of dwellings at Sete Cidades
651 Volcano (S. Miguel Island, Azores). *Natural Hazards and Earth System Sciences* **6**, 41-48.
652
- 653 Grünthal, G. 1998. *European Macroseismic Scale 1998*. Luxembourg, Conseil de L'Europe

- 654 Cahiers du Centre Européen de Géodynamique et de Séismologie **15**.
655
- 656 Guest, J.E., Gaspar, J.L., Cole, P.D., Queiroz, G, Duncan, A.M., Wallenstein, N., Ferreira, T. &
657 Pacheco, J. M. 1999. Volcanic geology of Furnas Volcano, São Miguel, Azores. *Journal of*
658 *Volcanology and Geothermal Research* **92** (1-2), 1-29.
659
- 660 Hansell, C., Horwell, C.J. & Oppenheimer, C. 2006. The health hazards of volcanoes and
661 geothermal areas. *Occupational Environmental Medicine* **63**, 149-156.
662
- 663 Hewitt, K.1997. *Regions of Risk: A geographical introduction to disasters*. Wesley Longman,
664 Harlow.
665
- 666 INEP 2001. *Recenseamento geral da Agricultura Açores 1999*. Instituto Nacional de Estatística,
667 Lisboa.
668
- 669 INEP 2002. *Censos 2001: XIV Recenseamento Geral da População, IV Recenseamento Geral da*
670 *Habituação*. Instituto Nacional de Estatística, Lisboa.
671
- 672 Langworthy, M. 1987. Dairying in the Azores. *In*: Pearson, S.R., Avillez, F., Bentley, J.W., Finan,
673 T.J., Fox, R., Josling, T., Langworthy, M., Monke, E. & Tangermann, S. (eds.) *Portuguese*
674 *agriculture in transition*. Cornell University Press, Ithaca, 124-140.
675
- 676 Louvat, P. & Allègre, C.J. 1998. Riverine erosion rates on São Miguel volcanic island, Azores
677 archipelago. *Chemical Geology* **148**, 177-200.
678
- 679 Malheiro, A. 2006. Geological hazards in the Azores archipelago: Volcanic terrain instability and
680 human vulnerability. *Journal of Volcanology and Geothermal Research* **156**, 158-171.
681
- 682 Marques, R., Coutinho, R. & Queiroz, G. 2005. *Considerações sobre a ocorrência dos movimentos*
683 *de vertente desencadeados pelos sismos de 20 e 21 de Setembro de 2005 no Fogo-Congro (Ilha*
684 *de São Miguel)*. *Caracterização e análise de cenários*. Centro de Vulcanologia e avaliação de
685 Riscos Geológicos, Universidade dos Açores,. Relatório Técnico-Ciêntifico, **27/CVARG/05**. 36p.
686
- 687 Marques, R., Coutinho, R. & Queiroz, G. 2006. Landslides and erosion induced by the 2005 Fogo-
688 Congro seismic crisis (S. Miguel, Azores). *European Geosciences Union, Geophysical Research*
689 *Abstracts* **8**, **ECU06-A-06925**, **SRef-ID**, 1029-7006.
690
- 691 Marques, R., Queiroz, G., Coutinho, R. & Zêzere, J.L. 2007. Actividade geomorfológica
692 desencadeada pela crise sísmica de 2005 no Vulcão do Fogo (S. Miguel, Açores): avaliação da
693 susceptibilidade com recurso a regressão logística. *Publicações da Associação Portuguesa de*
694 *Geomorfólogos* **5**, 47-61.
695
- 696 Marques, R., Zêzere, J., Trigo, R., Gaspar, J. & Trigo, I. 2008. Rainfall patterns and critical values
697 associated with landslides in Povoação County (São Miguel Island, Azores): relationships with the
698 North Atlantic Oscillation. *Hydrological Processes* **22(4)** , 478-494.
699
- 700 Martins, V.N., Sousa e Silva, D. & Cabral, P. 2012. Social vulnerability to seismic risk using
701 multicriteria analysis: the case of Vila Franca do Campo (São Miguel Island, Azores, Portugal).

- 702 *Natural Hazards* **62**, 385-404.
703
- 704 Moore, R.B. 1990. Volcanic geology and eruption frequency, São Miguel, Azores. *Bulletin of*
705 *Volcanology* **52**, 602-614.
706
- 707 Moreira, J.M. 1987. *Alguns aspectos de intervenção humana evolução da paisagem da Ilha de*
708 *S. Miguel, Açores*. Serviço Nacional de Parques, Reservas e Conservação da Natureza, Lisboa.
709
- 710 Murphy-Corella, P. 2009. Building performance during recent earthquakes in the Iberian
711 peninsula and surrounding regions. *In: Mendes-Victor, L.A., Oliveira, C.S., Azevedo, J. &*
712 *Ribeiro, A. (eds) The 1755 Lisbon Earthquake revisited*. Springer, Berlin (Geotechnical,
713 Geographical and Earthquake Engineering **7**), 377-393.
714
- 715 Oliveira, C.S. 2003. Seismic vulnerability of historical constructions: a contribution. *Bulletin of*
716 *Earthquake Engineering* **1**, 27-82.
717
- 718 Ordem dos Engenheiros 1955. *Actas do Simpósio sobre a acção dos sismos*. Ordem dos
719 Engenheiros Lisboa, Lisboa.
720
- 721 Pelling, M. 2001. Natural disaster? *In: Castree, N. & Braun, B. (eds) Social Nature: Theory,*
722 *practice and politics*. Blackwell, Oxford, 170-188.
723
- 724 Pomonis, A., Spence, R. & Baxter, P. 1999. Risk assessment of residential buildings for an eruption
725 of Furnas Volcano, São Miguel the Azores. *Journal of Volcanology and Geothermal Research* **92**,
726 107-131.
727
- 728 Queiroz, G., Pacheco, J.M., Gaspar, J.L., Aspinall, W.P., Guest, J.E. & Ferreira, T. 2008. The last
729 5000 years of activity at Sete Cidades volcano (São Miguel Island, Azores): implications for hazard
730 assessment. *Journal of Volcanology and Geothermal Research* **178**, 562-573.
731
- 732 Rivlin, L.G., 1987. The neighborhood, personal identity and group affiliation. *In: Altman, I. &*
733 *Wandersman, A. (eds) Neighborhood and community environment*. Hillsdale, Erlbaum, 441-448.
734
- 735 Rocha, G.P.N. 1988/89. Emigração e população Açoriana. *Arquipélago (Revista da*
736 *Universidade dos Açores, Ciências Sociais)* **3/4**, 29-43.
737
- 738 Rocha, G.P.N. 1990. A transição demográfica nos Açores. *Arquipélago (Revista da*
739 *Universidade dos Açores, Ciências Sociais)* **5**, 125-168.
740
- 741 RSA 1983. *Regulamento de Segurança e Acções para Estruturas de Edifícios e Pontes*. Casa da
742 Moeda, Imprensa Nacional, Dec-Lei 349-C/83 de 30 de Julho.
743
- 744 Silva, J.M.M. 1988/89. Questões Açorianas: A questão demográfica. *Arquipélago (Revista da*
745 *Universidade dos Açores, Ciências Sociais)* **3/4**, 57-75.
746
- 747 Silveira, D., Gaspar, J.L., Ferreira, T. & Queiroz, G. 2003. Reassessment of the historical seismic
748 activity with major impact on S. Miguel Island (Azores). *Natural Hazards and Earth System*
749 *Sciences* **3**, 615-625.

- 750
751 Spence, R. 2007. Saving lives in earthquakes: Successes and failures in seismic protection
752 since 1960. *Bulletin of Earthquake Engineering* **5**, 139-251.
753
- 754 SREA 1993. *XII Recenseamento geral da população. III Recenseamento geral da Habitação*
755 *1991*. Serviço Regional de Estatística dos Açores, Açores.
756
- 757 SREA 2005a. *Anuário Estatístico da Região Autónoma dos Açores, séries estatísticas: 1993-2003,*
758 *Capítulo 9 – turismo*. Serviço Regional de Estatística dos Açores, Açores.
759
- 760 SREA 2005b. *Anuário Estatístico da Região Autónoma dos Açores, séries estatísticas: 1993-2003,*
761 *Capítulo 4I – Emprego*. Serviço Regional de Estatística dos Açores, Açores.
762
- 763 SREA 2006a. *Os Açores em números 2005*. Serviço Regional de Estatística dos Açores, Açores.
764
- 765 SREA 2006b. *Séries Estatísticas 1995-2005*. Serviço Regional de Estatística dos Açores Açores.
766
- 767 SREA 2007. *Os Açores em números 2006*. Serviço Regional de Estatística dos Açores, Açores.
768
- 769 SREA 2010a. *Os Açores em números 2009*. Serviço Regional de Estatística dos Açores, Açores.
770
- 771 SREA 2010b. *Anuário Estatístico da Região Autónoma dos Açores 2009. Açores, Serviço Regional*
772 *de Estatística SREA, 1993. XII Recenseamento geral da população. III Recenseamento geral da*
773 *Habitação 1991*. Serviço Regional de Estatística dos Açores, Açores.
774
- 775 SREA, 2011a. *Estimativas da População Residente. Açores. Serviço Regional de Estatística dos*
776 *Açores*. World Wide Web Address:
777 [http://estatistica.azores.gov.pt:81/ReportServer/Pages/ReportViewer.aspx?%2fDemografia%2fEsti](http://estatistica.azores.gov.pt:81/ReportServer/Pages/ReportViewer.aspx?%2fDemografia%2fEstimativas+da+Popula%2c3%a7%2c3%a3o+Residente&rs:Command=Render)
778 [mativas+da+Popula%2c3%a7%2c3%a3o+Residente&rs:Command=Render](http://estatistica.azores.gov.pt:81/ReportServer/Pages/ReportViewer.aspx?%2fDemografia%2fEstimativas+da+Popula%2c3%a7%2c3%a3o+Residente&rs:Command=Render)
779
- 780 SREA 2011b. *Censos 2011: Resultados Preliminares*. Serviço Regional de Estatística dos Açores,
781 Açores.
782
- 783 SREA 2011c. *Dormidas segundo os Países de Residência, na Hotelaria Tradicional: São Miguel*.
784 World Wide Web Address: [http://estatistica.azores.gov.pt/upl/%7Bd5e77025-d0a8-439c-ad30-](http://estatistica.azores.gov.pt/upl/%7Bd5e77025-d0a8-439c-ad30-325b06b71e3a%7D.htm)
785 [325b06b71e3a%7D.htm](http://estatistica.azores.gov.pt/upl/%7Bd5e77025-d0a8-439c-ad30-325b06b71e3a%7D.htm)
786
- 787 SREA, 2011d. *Destaque. Estatísticas do Emprego 3º Trimestre de 2011*. Serviço Regional de
788 Estatística dos Açores. Açores.
789
- 790 Susman, P., O'Keefe, P. & Wisner, B. 1983. Global disasters, a radical interpretation. *In*: Hewitt, K.
791 (ed) *Interpretations of Calamity*. Allen and Unwin, Boston, 263-283.
792
- 793 Trindade, M.J.L. 1976. Portuguese emigration from the Azores to the United States during the
794 nineteenth century. *In: Studies in honor of the Bicentennial of American Independence*. Luso-
795 American Educational Commission and the Calouste Gulbenkian Foundation, Lisboa, 237-295.
796
- 797 United Nations 1999. *International Decade for Natural Disaster Reduction: Successor Arrangement*.

- 798 United Nations, New York.
799
- 800 United Nations 2002. *Living with Risk*. United Nations, Geneva.
801
- 802 United Nations 2005. *Report on the World Conference on Disaster Reduction, Kobe, Hyogo, Japan,*
803 *18-22 January 2005*. United Nations, Geneva GE.05-61029.
804
- 805 Valadão, P., Gaspar, J.L., Queiroz, G. & Ferreira, T., 2002. Landslide density map of S. Miguel
806 Island, Azores archipelago. *Natural Hazards and earth System Sciences* **2**, 51-56.
807
- 808 Viveiros, F., Ferreira, T., Silva, C. & Gaspar, J.L., 2009. Meteorological factors controlling soil gases
809 and indoor CO₂ concentration: A permanent risk in degassing area. *Science of the Total*
810 *Environment* **407**, 1362-1372.
811
- 812 Viveiros, F., Cardellini, C., Ferreira, T., Caliro, S., Chiodini & G. Silva, C., 2010. Soil CO₂ emissions
813 at Furnas volcano, São Miguel Island, Azores archipelago: Volcano monitoring perspectives,
814 geomorphologic studies, and land use planning application. *Journal of Geophysical Research* **115**
815 B 512208, doi: 10.1029/2010JB007555.
816
- 817 Wadge, G. (ed) 1994. *Natural Hazards and Remote Sensing*. London, The Royal Society and
818 The Royal Society of Engineering, London.
819
- 820 Wallenstein, N. 1999. *Estudo da história recente e do comportamento eruptivo do Vulcão do Fogo*
821 *(S.Miguel, Açores). Avaliação preliminary do hazard*. Tese de doutoramento no ramo de Geologia,
822 especialidade de Vulcanologia. Departamento de Geociências, Universidade dos Açores.
823
- 824 Wallenstein, N., Chester, D.K. & Duncan, A.M. 2005. Methodological implications of volcanic
825 hazard evaluation and risk assessment: Fogo Volcano, São Miguel, Azores. *Zeitschrift für*
826 *Geomorphologie Supplementband* **140**, 129-149.
827
- 828 Wallenstein, N., Duncan, A., Chester, D. & Marques, R. 2007. Fogo Volcano (São Miguel,
829 Azores): a hazardous edifice Le volcan Fogo, un édifice générateur d'aléas indirects.
830 *Géomorphologie: relief, processus, environnement* **3**, 259-270.
831
- 832 Wallenstein, N., Silva, R., Riedel, C., Lopes, C., Ibáñwz, J., Silveria, D & Montalvo, A. 2009.
833 Recent developments in seismic studies in the Fogo-Congro area, São Miguel Island (Azores).
834 *In: Bean, C.J., Braiden, A.K., Lokmer, I., Martini, F. & O'Brian, G.S. I (eds) The VOLUME*
835 *Project: Volcanoes: Understanding subsurface mass movement*. School of Geosciences,
836 University of Dublin, 207-216.
837
- 838 Williams, J.R. 1982. *And Yet They Come: Portuguese immigration from the Azores to the United*
839 *States*. Center for Migration Studies, New York.
840
- 841 Wright, T.L. & Pierson, T.C. 1992. *Living with Volcanoes: The US Geological Survey's Volcano*
842 *Hazards Program*. United States Geological Survey, Washington DC, Circular 1073.
843
- 844 Wisner, B., Blaikie, P., Cannon, T. & Davis, I. 2004. *At Risk: Natural hazards, people's vulnerability*
845 *and disasters*. Routledge, London.

846
 847 Zaman, M. Q. 1999. Vulnerability, disaster and survival in Bangladesh: three case studies. *In:*
 848 Oliver-Smith, A & Hoffman, S. (eds) *The angry earth: Disaster in anthropological perspective.*
 849 Routledge, London, 192-212.

850
 851
 852
 853
 854
 855
 856
 857
 858
 859
 860
 861
 862
 863
 864
 865
 866
 867
 868
 869
 870
 871

872 **Figures caption**

873
 874 Figure 1. Map showing the location of the Azores and the island of São Miguel.

875
 876 Figure 2 The limits of the Sete Cidades, Fogo and Furnas *Areas*. The figures also show population
 877 numbers for each *freguesia*. *Areas* comprise those locales likely to be affected by the most
 878 probable future volcanic eruptions/volcano-related events occurring at the three volcanoes. The
 879 three maps are based on: Gomes *et al.*, 2006 - Sete Cidades; Wallenstein *et al.*, 2005 – Fogo and
 880 Chester *et al.*, 1999 - Furnas. It should be noted that in July 2002 Bretanha *freguesia* was sub-
 881 divided into two new parishes: Ajuda da Bratanha and Pilar da Bretanha. Because most statistical
 882 data relate to the pre-2002 boundaries, the sub-division is not recognised in this figure. The
 883 population total for Ponta Delgada includes the four *freguesias* (i.e. Matriz, São José, São Pedro
 884 and Santa Clara) which are recognised in official statistics (INEP 2002), together with adjacent
 885 commuter settlements.

886
 887 Figure 3 Regression line of rainfall intensity (mm/day) and event duration (days) for Povoação
 888 *concelho*, 1918-2002. The line defines thresholds between land stability and instability. The inset
 889 maps shows the same plot using a log-log scale. Triangles are used to denote disastrous
 890 landslides, squares severe landslides and circles minor landslides (Based on Marques et al. 2008,
 891 p. 491, figure 11, and used with the permission of the author).

892
 893

894 Figure 4 The principal roads of São Miguel: A. Before the improvements carried out under the

895 SCUTS Programme 2007-12; and B. Roads constructed under the SCUTS Programme.

896

897 Figure 5 Photograph of high level bridge on the new road between São Brás to Lomba da Fazenda
898 (Photograph Nicolau Wallenstein).

899

900 Figure 6. An evolving framework for the study of volcanoes and human vulnerability. Parallels
901 with *Environmental Impact Assessment (EIA)* should be noted. Modified from Chester 2005, .
902 428, fig. 14.8.

903

904

905

906

907

908

909

910

911

912

913

914

915

916

917

918

919

920

921

922 **Table 1. Scenarios of future eruption. Based on: Moore, 1990; Cole et al., 1999, 2008; Guest et al.,**
923 **1999; Queiroz et al., 2008 and Wallenstein et al., 2005, 2009.**

Sete Cidades	Fogo	Furnas
At least three major caldera forming events have occurred in the last c. 36,000 years. Around 5,000 ago, intra-caldera volcanic activity changed from magmatic to predominantly hydromagmatic. At least 17 intra-caldera eruptions are recognised. Offshore vents have also erupted in 1638, 1682, 1713, 1811 and 1880.	Trachytic plinian and sub-plinian explosive eruptions have occurred on Fogo, together with less violent basaltic events. The most recent event occurred in 1536, was sub-plinian and comprised pronounced seismic activity, deposition of extensive ash-fall (partially generated hydromagmatically) and the production of debris flows.	The most recent eruption took place in 1630. Damaging precursory earthquakes caused considerable damage to settlements, and this was followed by explosive sub-plinian activity that produced widespread air-fall, pyroclastic flows/surges, floods and landslides. The intra-caldera area was devastated, as were several valleys draining the volcano.
In terms of hazard, a future intra-caldera event will probably have a hydromagmatic element and	A plinian event is considered the most extreme future scenario, the most likely being	A 1630 type event is considered to be the most likely future eruption scenario.

affect both the caldera and volcano's flanks. a sub-plinian event such that which occurred as 1536.

924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948

Table 2. *Typology of human vulnerability to volcano and volcano-related hazards on São Miguel (based on: Alexander, 1997; Zaman, 1999; Degg and Homan, 2005).*

Type of Vulnerability	Characteristics on São Miguel
Physical	Housing quality, population distribution/ settlement and the characteristics of evacuation plans
Demographic and economic	Detailed demographic characteristics of the population at risk: their economic status; demographic structure and dependent cohorts within the population. Implication for emergency planning and leadership.
Social and cultural	The social structure and cultural <i>milieu</i> of the people at risk
Perceptual and informational	Accurate and inaccurate perceptions of risk. The lack of accurate information

949
950

951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973

Table 3. *Site characteristics of the principal settlements of the Fogo Area, and issues raised by the survey of roads (after Wallenstein et al., 2005 and updated by data collected in the field). Areas are defined by freguesia (see Fig. 2) and population data are taken from the 2001 census (INEP 2002), updated where possible by the estimates provided by Serviço Regional de Estatística dos Açores (SREA 2011a).*

Major Constraints by Area

Area 1. South Flank (Lagoa, Água de Pau, Ribeira Chã, Água de Alto, Vila Franca do Campo and Ribeira das Taíñas). Nearly 22,000 people (~39% of the population of the Fogo Areas) live immediately to the south of the volcano within an 8km radius of the centre of the Lagoa do Fogo. Parts of the villages of Água de Pau and Ribeira Chã are less than 5km distant. People in this sector are highly vulnerable, not only because of their proximity to the summit, but also because the main coast road (route En 1-1a) would be blocked by tephra fall in even a small eruption. Further constraints include:-

- a. River valleys that drain the summit region, would be flooded if the walls of the Lagoa do Fogo were breached. Valleys would also be routes for *lahars* and *pyroclastic flows*.
- b. Landslides would choke valleys with sediment and up-rooted trees would create temporary dams, so exacerbating the risk of flooding.

It is because of the dangers faced by people living in this sector and the fact that communications are far from secure, that pre-eruption evacuation is essential. Early evacuation of Ribeira das Taíñas and Ribeira Chã *freguesias* is particularly important

because some of their population can only be reached by minor roads.

Area 2. North Flank (Ribeira Seca, Ribeira Grande, Ribeirinha, Porto Formoso, São Brás and Maia) and Inland (Santa Bárbara), Over 15,000 people (~27% of the *Fogo Area*) live in these *freguesia*. Although not so close to the summit as the towns to the south and possessing much better road access to Ponta Delgada and the west (roads En 1-1^a and En 3-1^a), a sub-plinian or even a basaltic eruption would cause major difficulties. Specific concerns include:-

- a. The main road passes near to Ribeira Grande and the stream with the same name has a large catchment reaching almost to the caldera rim. In an eruption it would be filled with volcanic products.
- b. The settlement of Caldeiras da Ribeira Grande (Fig. 2), just over 3km from the caldera, is an isolated and highly exposed settlement.

Early evacuation of this area of the north coast is essential.

Area 3. North Coast (Calhetas and Rabo de Peixe) and Inland (Pico da Pedra) These settlements would only be affected by tephra, if winds were from the east and/or if an eruption was sub-plinian. Good road links to the west of the island and to Ponta Delgada, suggest that evacuation would be relatively straightforward.

Area 4. North coast (Lomba da Maia, Fenais da Ajuda and Lomba da São Pedro). These villages would only be affected if winds were from the west and/or a sub-plinian event occurred. A major issue is that, if the roads in areas 1 and 2 were closed, then the population in this area would be isolated from Ponta Delgada and the west of the island.

Area 5. South Coast (Ponta Garça and Ribeira Quente) and Inland (Furnas) If Lagoa das Furnas would be affected by an eruption of Fogo, then evacuation would involve removing people quickly from the caldera region. There are major flood risks on the road running by the side of the Lagoa das Furnas (i.e. En 1-1^a). The best overall route for evacuation is the EN2-1^a, which runs to the west and north west of Furnas.

Ribeira Quente is a very dangerous settlement. Not only would floodwaters be concentrated within the valley leading to the village but, the road also has several major constraints on its use during an eruption. These include hazards from: falling trees; landslides; flooding and roadway instability. It is likely that once an eruption started this route would be unusable as was case during the 1997 landslides.

Ponta Garça is located some distance to the south of the main southern road (En1-1a) and early evacuation would be called for.

974
975
976
977
978
979
980
981
982
983
984
985
986
987

988
 989
 990
 991
 992
 993
 994
 995
 996
 997
 998
 999
 1000
 1001
 1002
 1003
 1004
 1005
 1006
 1007
 1008
 1009
 1010
 1011
 1012
 1013
 1014
 1015

Table 4. *The principal social groupings on São Miguel. Based on Chapin (1989) and updated using the references cited.*

SOCIAL GROUPS	CHARACTERISTICS
<i>Trabalhadores</i> (workers)	In 2009, ca.13% of the population is employed in the <i>primary</i> economic sector (i.e. agriculture, fishing and extraction) and ca.24% in the <i>secondary</i> (i.e. manufacturing, energy and construction) sector (SREA 2010b). Many of these were manual workers. Since 1950 many emigrants have been drawn from this group. <i>Trabalhadores</i> work for themselves on small holdings (either family owned or rented) and as labourers for others. Mostly they live in towns and villages, commuting to work. In rural areas - like the <i>Furnas, Fogo and Sete Cidades areas</i> - <i>trabalhadores</i> are predominantly agricultural labourers - raising crops, keeping cattle, and fishing. Illiteracy is common (16% in Vila Franca do Campo and 7% in Ponta Delgada <i>concelhos</i> INEP 2002), but has declined during the past decade as older people die.
<i>Proprietários</i> (proprietors)	<i>Proprietários</i> own property and do not work for others. In rural areas, such as those that comprise the three volcanic <i>areas</i> , <i>proprietários</i> are small-scale village entrepreneurs (e.g. shop keepers, bar owners) and own their own farms. Most members of this group have at least a primary education, but a minority of older people are illiterate. Many

local leaders are drawn from this group. Often younger *proprietários* have left home, gained higher qualifications and live outside the community, or even abroad. There are often known as educated *proprietary*. *Proprietários* have contacts with many social spheres, both external and internal.

Established educated

The educated 'middle class'. With the exception of doctors and local government officials, few members of this group live in rural areas, but some own summer homes.

Heavily concentrated in the Ponta Delgada *area* and surrounding villages from which they commute, relatively few families reside in rural areas like the such as those on the flanks of the three active volcanoes.

A numerically small sub-group is the *Nobreza* (nobility), whose ancestors colonised the island and still own much land.

New entrepreneurs

Heavily concentrated in the Ponta Delgada and relatively few families reside in the three 'volcanic' *areas*.

1016
1017
1018
1019

1020

1021

1022

1023


1024

1025


1026 Fig. 6

<i>Increasing complexity</i>	Technique	Features	Comments on and examples of applications in volcanic regions
	<div style="display: flex; align-items: center; justify-content: center;"> <div style="border-left: 1px solid black; border-right: 1px solid black; width: 100%; height: 100%; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black; height: 1px;"></div> <div style="position: absolute; bottom: 0; left: 0; right: 0; border-top: 1px solid black; height: 1px;"></div> <div style="position: absolute; left: 0; right: 0; top: 50%; transform: translateY(-50%); border-left: 1px solid black; border-right: 1px solid black; height: 100%;"></div> <div style="position: absolute; left: 0; right: 0; top: 0; bottom: 0; text-align: center; font-size: 2em;">↓</div> </div> </div>	<p>Checklist</p>	<p>Lists all the factors - physical, economic, cultural and societal - which need to be considered. Cause/effect relationships are implied but not specified in detail.</p>
	<p>Overlays</p>	<p>Traditionally this has relied on overlay maps showing physical, social, historical aspects of the region. Today Geographical Information Systems (GIS) are increasingly being used.</p>	<p>There is much scope for this approach to be used in volcanic regions, because many of the variables are spatial and capable of being either mapped or incorporated into a GIS. The impact of satellite-based systems, significant at present, is likely to be much more prominent in the future (Wadge 1994). GIS based studies have been used in the Azores (see text)</p>
	<p>Matrices</p>	<p>Matrices are used to identify first-order cause/effect relationships.</p>	<p>At the present time variables are not sufficiently well specified to enable matrices and network based studies to be carried out. There may be much scope in the future.</p>
	<p>Networks</p>	<p>Used to identify 'chains' of complex interactions. Ideally this approach requires mathematical modelling.</p>	


1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039



(a) SETE CIDADES AREA




(b) FOGO AREA





(c) FURNAS AREA






North Atlantic Ocean

- (En-1a) Major road
- Secondary road
- Major town



North Atlantic Ocean

- Airport to Ponte Delgada
- Ponte Delgada to Lagoa
- Lagoa to Ribeira Grande
- Bypass around Ribeira Grande
- Ribeira Grande to São Brás
- São Brás to Lomba da Fazenda
- Lagoa to Vila Franca do Campo
- Older road





	Technique	Features	Comments on and examples of applications in volcanic regions
↑ <i>Increasing complexity</i> ↓	Checklist	Lists all the factors - physical, economic, cultural and societal - which need to be considered. Cause/effect relationships are implied but not specified in detail.	The US Geological Survey's programme, Living with Volcanoes (Wright and Pierson 1992: 6) and many initiatives in other countries involve, either implicitly or explicitly, a checklist approach. It is the evolving norm of the IDNDR/ISDR
	Overlays	Traditionally this has relied on overlay maps showing physical, social, historical aspects of the region. Today Geographical Information Systems (GIS) are increasingly being used.	There is much scope for this approach to be used in volcanic regions, because many of the variables are spatial and capable of being either mapped or incorporated into a GIS. The impact of satellite-based systems, significant at present, is likely to be much more prominent in the future (Wadge 1994). GIS based studies have been used in the Azores (see text)
	Matrices	Matrices are used to identify first-order cause/effect relationships.	At the present time variables are not sufficiently well specified to enable matrices and network based studies to be carried out. There may be much scope in the future.
	Networks	Used to identify 'chains' of complex interactions. Ideally this approach requires mathematical modelling.	