

Dynamic Feature Scaling for Online Learning of Binary Classifiers

Danushka Bollegala

University of Liverpool, Liverpool, United Kingdom

Abstract

Scaling feature values is an important step in numerous machine learning tasks. Different features can have different value ranges and some form of a feature scaling is often required in order to learn an accurate classifier. However, feature scaling is conducted as a preprocessing task prior to learning. This is problematic in an online setting because of two reasons. First, it might not be possible to accurately determine the value range of a feature at the initial stages of learning when we have observed only a handful of training instances. Second, the distribution of data can change over time, which render obsolete any feature scaling that we perform in a pre-processing step. We propose a simple but an effective method to dynamically scale features at train time, thereby quickly adapting to any changes in the data stream. We compare the proposed dynamic feature scaling method against more complex methods for estimating scaling parameters using several benchmark datasets for classification. Our proposed feature scaling method consistently outperforms more complex methods on all of the benchmark datasets and improves classification accuracy of a state-of-the-art online classification algorithm.

Key words: Feature Scaling, Online Learning, Classification

Email address: danushka.bollegala@liverpool.ac.uk
(Danushka Bollegala).

Preprint submitted to Elsevier

1 Introduction

Machine learning algorithms require train and test instances to be represented using a set of features. For example, in supervised document classification [1], a document is often represented as a vector of its words and the value of a feature is set to the number of times the word corresponding to the feature occurs in that document. However, different features occupy different value ranges, and often one must scale the feature values before any supervised classifier is trained. In our example of document classification, there are both highly frequent words (e.g. stop words) as well as extremely rare words. Often, the relative difference of a value of a feature is more informative than its absolute value. Therefore, feature scaling has shown to improve performance in classification algorithms.

Typically, feature values are scaled to a standard range in a preprocessing step before using the scaled features in the subsequent learning task. However, this preprocessing approach to feature value scaling is problematic because of several reasons. First, often feature scaling is done in an unsupervised manner without consulting the labels assigned to the training instances. Although this is the only option in unsupervised learning tasks such as document clustering, for supervised learning tasks such as document classification, where we do have access to the label information, we can use the label information also for feature scaling. Second, it is not possible to perform feature scaling as a preprocessing step in *one-pass* online learning setting. In one-pass online learning we are allowed to traverse through the set of training instances only once. Learning from extremely large datasets such as twitter streams or Web scale learning calls for algorithms that require only a single pass over the set of training instances. In such scenarios it is not possible to scale the feature values beforehand by using statistics from the entire training set. Third, even if we pre-compute scaling parameters for a feature, those values might become obsolete in an online learning setting in which the statistical properties of the training instances vary over the time. For example, a twitter text stream regarding a particular keyword might change overtime and the scaling factors computed using old data might not be appropriate for the new data.

We study the problem of dynamically scaling feature values at run time for online learning. The term *dynamic feature scaling* is used in this paper to refer to the practice of scaling feature values at run time as opposed to performing feature scaling as a pre-processing step that happens prior to learning. We focus on binary classifiers as a specific example. However, we note that the proposed method can be easily extended to multi-class classifiers. As shown later in our experiments, we evaluate the proposed feature scaling methods on both binary and multi-class classification datasets. We propose two main approaches for dynamic feature scaling in this paper: (a) *Unsupervised Dynamic Feature Scaling* (Section 3), in which we do not consider the label information assigned to the training instances for feature scaling, and (b) *Supervised Dynamic Feature Scaling* (Section 4), in which we consider the

label information assigned to the training instances for feature scaling.

All algorithms we propose in this paper can be trained under the one-pass online learning setting, where only a single training instance is provided at a time and only the scale parameters and feature weights are stored in the memory. This enables the proposed method to (a) efficiently adapt to the varying statistics in the data stream, (b) compute the optimal feature scales such that the likelihood of the training data under the trained model is maximised, and (c) train from large datasets where batch learning is impossible because of memory requirements. We evaluate the proposed methods in combination with different online learning algorithms using nine benchmark datasets for binary and multi-class classification. Our experimental results show that, interestingly, the much simpler unsupervised dynamic feature scaling method consistently improves all of the online binary classification algorithms we compare, including the state-of-the-art classifier of [1].

1.1 Potential Applications of OPOL

OPOL algorithms in general, and the supervised/unsupervised feature scaling methods we study in this paper in particular, can be applied for various problems and under different configurations. Next, we describe some of those applications.

Learning from data streams: Data streams are one of the main sources of data in machine learning and data mining. For example, we might have a sensor that continuously monitors a particular variable such as the temperature in a room and transmits the readings to a database. Here, what we have is a continuous stream of (possibly) real numbers flowing in the form of a data stream. Other examples of data streams include the timeline of a twitter user, stock prices, foreign currency exchange rate, etc. We would like to learn to predict a particular event using the given stream. For example, in the case of our temperature sensor this could be predicting whether there is a danger of an explosion in a room that contains highly inflammatory goods. OPOL is particularly relevant in such stream learning settings because we cannot wait until we have collected the entire dataset to perform feature scaling. The data stream flows in continuously without any intermittences. Therefore, we must perform any scaling of features dynamically.

Domain adaptation in data streams: In typical supervised machine learning, we assume that the train and test data are independently and identically (i.i.d.) distributed samples from the same distribution. However, in domain adaptation [2] the test data is assumed to come from a different distribution than the train data. Under such learning conditions, the parameters we learn from the train data might no longer be suitable for the test data. For example, in cross-domain sentiment classification [3], we are required learn a sentiment classifier from the

labelled and unlabelled data from the source domain such as a set of reviews on *books* and apply the trained classification model to classify sentiment on a different target domain such as reviews on *movies*. If we simply apply without any adaptation a model that was trained using data from a source domain that is different from our target domain where we would like to apply our trained model, the performance is usually poor. Feature scaling is useful for domain adaptation setting because we might not have sufficient data before hand from the target domain to perform scaling for features that appears only in the target domain, hence not seen during training.

BigData: If the training dataset is extremely large as in the so called BigDat learning settings, then even if we have the entire dataset stored locally prior to learning, we might not be able to traverse the dataset multiple times because of the time and/or space complexity of the learning algorithm. In such situations, our only option is to use OPOL. We will have to scale the features simultaneous as we perform training because of the size of the dataset we might not be able to run two passed over the dataset, once for scaling features and again for online learning.

Different learning settings: Although we discuss feature scaling in online binary classification settings, the feature scaling methods discussed in the paper can be easily extended to a wide-range of learning settings such as multi-class classification, regression, and learning to rank [4–6]. For example, we show the performance of different feature scaling methods when applied to binary and multi-class classification datasets in our experiments later in Section 5. In particular, unsupervised feature scaling method we describe can be applied with *any* classification algorithm giving a diverse range of combinations.

2 Related Work

Online learning has received much attention lately because of the necessity to learn from large training datasets such as query logs in a web search engine [7], web-scale document classification or clustering [8], and sentiment analysis on social media [9,10]. Online learning toolkits that can efficiently learn from large datasets are made available such as Vowpal Wabbit¹ and OLL² (Online Learning Library). Online learning approaches are attractive than their batch learning counterparts when the training data involved is massive due to two main reasons. First, the entire dataset might not fit into the main memory of a single computer to perform a batch optimization. Although there has been some recent progress in distributed learning algorithms [11–13] that can distribute the batch optimisation process across a se-

¹ https://github.com/JohnLangford/vowpal_wabbit

² <https://code.google.com/p/oll/>

ries of machines, setting up and debugging such a distributed learning environment remains a complex process. On the other hand, online learning algorithms consider only a small batch (often referred to as a *mini batch* in the literature) or in the extreme case a single training instance. Therefore, the need for large memory spaces can be avoided with online learning. Second, a batch learning algorithm requires at least one iteration over the entire dataset to produce a classifier. This can be time consuming for large training datasets. On the other hand, online learning algorithms can produce a relatively accurate classifier even after observing a handful of training instances.

Online learning is a vast and active research field and numerous algorithms have been proposed in prior work to learn classifiers [14–19]. A detailed discussion of online classification algorithms is beyond the scope of this paper. Some notable algorithms are the passive-aggressive (PA) algorithms [1], confidence-weighted linear classifiers [20] and their multi-class variants [14,15]. In passive-aggressive learning, the weight vector for the binary classifier is updated only when a misclassification occurs. If the current training instance can be correctly classified using the current weight vector, then the weight vector is not updated. In this regard, the algorithm is considered *passive*. On the other hand, if a misclassification occurs, then the weight vector is *aggressively* updated such that it can correctly classify the current training instance with a fixed margin. Passive-aggressive algorithm has consistently outperformed numerous other online learning algorithms across a wide-range of tasks. Therefore, it is considered as a state-of-the-art online binary classification algorithm. As we demonstrate later, the unsupervised dynamic feature scaling method proposed in this paper further improves the accuracy of the passive-aggressive algorithm. Moreover, active-learning [21] and transfer learning [22] approaches have also been proposed for online classifier learning.

One-Pass Online Learning (**OPOL**) [10] is a special case of online learning in which *only a single-pass is allowed over the set of train instances* by the learning algorithm. Typically, an online learning algorithm requires multiple passes over a training dataset to reach a convergent point. OPOL is closely related to *stream learning*, in which the training data comes in as a continuous stream. We can apply online learning algorithms in a stream learning setting, processing one instance at a time. However, we might not be able to run our online learning algorithm multiple iterations over the data stream. Another closely-related concept to our is *dynamic data*. Dynamic data is data generated dynamically from a system such as when a user interacts with a search engine or an online shopping system. In this regard, dynamic data is similar to stream data because we cannot collect all training instances prior to learning as in a batch learning setting. However, depending on the volume and the rate at which dynamic data is generated, we might be able to either apply one-pass online learning (OPOL) proposed in the current paper, or store the dynamically generated data in some form such as a database and then run the online learning algorithm multiple rounds on this stored data.

The OPOL setting is more restrictive than the classical online learning setting where a learning algorithm is allowed to traverse multiple times over the training dataset. However, OPOL becomes the only possible alternative in the following scenarios.

- (1) The number of instances in the training dataset is so large that it is impossible to traverse multiple times over the dataset.
- (2) The dataset is in fact a stream where we encounter new instances continuously. For example, consider the situation where we want to train a sentiment classifier from tweets.
- (3) The data stream changes over time. In this case, even if we can store old data instances they might not be much of a help to predict the latest trends in the data stream.

It must be noted that OPOL is not the only solution for the first scenario where we have a large training dataset. One alternative approach is to select a subset of examples from the dataset at each iteration and only use that subset for training in that iteration [23,24]. One promising criterion for selecting examples for training is curriculum learning [25]. In curriculum learning, a learner is presented with easy examples first and gradually with the more difficult examples. However, determining the criteria for selecting easy examples is a difficult problem itself, and the criterion for selecting easy examples might be different from one task to another. Moreover, it is not clear whether we can select easy examples from the training dataset in a sequential manner as required by online learning without consulting the unseen training examples.

The requirement for OPOL ever increases with the large training datasets and data streams we encounter on the Web such as social feeds. Most online learning algorithms require several passes over the training dataset to achieve convergence. For example, Passive-Aggressive algorithms [1] require at least 5 iterations over the training dataset to converge, whereas, for Confidence-Weighted algorithms [20] the number of iterations has shown to be less (ca. 2). Our focus in this paper is not to develop online learning algorithms that can classify instances with high accuracy by traversing only once over the dataset, but to study the effect of feature scaling in the OPOL setting. To this end, we study both an unsupervised dynamic feature scaling method (Section 3) and several variants of a supervised dynamic feature scaling methods (Section 4).

3 Unsupervised Dynamic Feature Scaling

In unsupervised dynamic feature scaling, given a feature x_j , we compute the mean, $\mu(x_j)$ and the standard deviation $\delta(x_j)$ of the feature and perform an affine trans-

formation as follows,

$$x'_j = \frac{x_j - \mu_j}{\delta_j}. \quad (1)$$

This scaling operation corresponds to a linear shift of the feature values by the mean value of the feature, followed up by a scaling by its standard deviation. From a geometric point of view, this transformation will shift the origin to the mean value and then scale axis corresponding to the j -th feature to unit standard deviation. It is used popularly in batch learning setting, in which one can compute the mean and the standard deviation using *all* the training instances in the training dataset. However, this is not possible in OPOL, in which we encounter only one instance at a time. However, even in the OPOL setting, we can compute the mean and the standard deviation on the fly and constantly update our estimates of those values as new training instances (feature vectors) are observed. The update equations for the mean m_j^k and the standard deviation $\sqrt{s_j^k/(k-1)}$ for the j -th feature are as follows [26,27],

$$m_j^k = m_j^{k-1} + \frac{x_j^k - m_j^{k-1}}{k}, \quad (2)$$

$$s^k = s^{k-1} + (x_j^k - m_j^{k-1})(x_j^k - m_j^k). \quad (3)$$

We use these estimates for the mean and the standard deviation to scale features in Equation 1. The mean and standard deviation are updated throughout the training process.

4 Supervised Dynamic Feature Scaling

We define the task of supervised dynamic feature scaling task for binary classification in the OPOL setting as follows. Given a stream of labeled training instances (\mathbf{x}_n, t_n) , in which the class label t_n of the n -th training instance x_n , denoted by a feature vector \mathbf{x}_n , is assumed to be either $+1$ (positive class) or -1 (negative class). Furthermore, let us assume that the feature space is M dimensional and the value of the i -th feature of the n -th instance in the training data stream is denoted by x_i^n . In this paper, we consider only real-valued features (i.e. $x_i^n \in \mathbb{R}$) because feature scaling is particularly important for real-valued features.

We define the feature scaling function $\sigma_i(x_i^n)$ for the i -th feature as a function that maps \mathbb{R} to the range $[0, 1]$ as follows:

$$\sigma_i(x_i^n) = \frac{1}{1 + \exp(-\alpha_i x_i^n + \beta_i)}. \quad (4)$$

Here, α_i and β_i are the scaling parameters for the i -th dimension of the feature space. Several important properties of the feature scaling function defined by Equa-

tion 4 are noted. First, the feature transformation function maps all feature values to the range $[0, 1]$ irrespective of the original range in which each feature value x_i was. For example, one feature might originally be limited to the range $[0, 0.001]$, whereas another feature might have values in the full range of $[0, 10000]$. By scaling each feature into a common range we can concentrate on the relative values of those features without being biased by their absolute values. Second, the scaling parameters α_i and β_i are defined per-feature basis. This enables us to scale different features using scale parameters appropriate for their value ranges. Third, the linear transformation $\alpha_i x_i^n - \beta_i$ within the exponential term of the feature scaling function resembles the typical affine transformations performed in unsupervised feature scaling. For example, assuming the mean and the standard deviation of the i -th feature to be respectively μ_i and δ_i , in supervised classification, features are frequently scaled to $(x_i - \mu_i)/\delta_i$ prior to training and testing. The linear transformation within the exponential term in Equation 4 can be seen as a special case of this approach with values $\alpha_i = 1/\delta_i$ and $\beta_i = \mu_i/\delta_i$.

Then, the posterior probability, $P(t = 1|\mathbf{x}^n, b, \boldsymbol{\alpha}, \boldsymbol{\beta})$ of \mathbf{x}^n belonging to the positive class is given as follows according to the logistic regression model [28]:

$$P(t_n = 1|\mathbf{x}^n, b, \boldsymbol{\alpha}, \boldsymbol{\beta}) = \frac{1}{1 + \exp\left(-\sum_{i=1}^M w_i \sigma_i(x_i^n) - b\right)}, \quad (5)$$

$$P(t_n = 1|\mathbf{x}^n, b, \boldsymbol{\alpha}, \boldsymbol{\beta}) = \frac{1}{1 + \exp\left(-\frac{w_i}{1 + \exp(-\alpha_i x_i^n + \beta_i)} - b\right)}.$$

Here, w_i is the weight associated with the i -th feature and $b \in \mathbb{R}$ is the bias term. We arrange the weights w_i , scaling parameters α_i and β_i respectively using \mathbb{R}^M vectors \mathbf{w} , $\boldsymbol{\alpha}$, and $\boldsymbol{\beta}$.

The cross-entropy loss function per instance including the L2 regularization terms for the weight vector \mathbf{w} and scale vector $\boldsymbol{\beta}$ can be written as follows:

$$L(\mathbf{w}, b, \boldsymbol{\alpha}, \boldsymbol{\beta}) = -t_n \log y_n - (1 - t_n) \log(1 - y_n) \quad (6)$$

Here, we used $y_n = P(t = 1|\mathbf{x}^n, b, \boldsymbol{\alpha}, \boldsymbol{\beta})$ to minimize the cluttering of symbols in Equation 6. To avoid overfitting to training instances and to minimize the distortion of the training instances, we impose L2 regularization on \mathbf{w} , $\boldsymbol{\alpha}$, and $\boldsymbol{\beta}$. Therefore, the final objective function that must be minimized with respect to \mathbf{w} , $\boldsymbol{\alpha}$, $\boldsymbol{\beta}$, and b is give by,

$$E(\mathbf{w}, b, \boldsymbol{\alpha}, \boldsymbol{\beta}) = L(\mathbf{w}, b, \boldsymbol{\alpha}, \boldsymbol{\beta}) + \lambda \|\mathbf{w}\|_2^2 + \mu \|\boldsymbol{\alpha}\|_2^2 + \nu \|\boldsymbol{\beta}\|_2^2 \quad (7)$$

Here, λ , μ and ν respectively are the L2 regularization coefficients correspond-

ing to the weight vector \mathbf{w} and the scale vectors α , β . Because we consider the minimization of Equation 7 per instance basis, in our experiments, we divide the regularization parameters λ , μ , and ν by the total number of training instances N in the dataset such that we can compare the values those parameters across datasets of different sizes.

By setting the partial derivatives $\frac{\partial E}{\partial w_j}$, $\frac{\partial E}{\partial b}$, $\frac{\partial E}{\partial \alpha_j}$, and $\frac{\partial E}{\partial \beta_j}$ to zero and applying Stochastic Gradient Descent (SGD) update rule the following updates can be derived,

$$w_j^{k+1} = w_j^k(1 - 2\lambda\eta_k) + \eta_k(t_n - y_n)\sigma_j(x_j^n), \quad (8)$$

$$b^{k+1} = b^k + \eta_k(t_n - y_n), \quad (9)$$

$$\alpha_j^{k+1} = \alpha_j^k(1 - 2\mu\eta_k) + \eta_k x_j^n w_j \sigma_j(x_j^n)(1 - \sigma_j(x_j^n))(t_n - y_n), \quad (10)$$

$$\beta_j^{k+1} = \beta_j^k(1 - 2\nu\eta_k) - \eta_k(t_n - y_n)w_j \sigma_j(x_j^n)(1 - \sigma_j(x_j^n)). \quad (11)$$

In Equations 8-11, k denotes the k -th update and η_k is the learning rate for the k -th update. We experimented with both linear and exponential decaying and found linear decaying to perform better for the proposed method. The linear decaying function for η_k is defined as follows,

$$\eta_k = \frac{\eta_0}{1 + \frac{k}{T \times N}}. \quad (12)$$

Here, T is the total number of iterations for which the training dataset containing N instances will be traversed. Because we are considering OPOL, we set $T = 1$. The initial learning rate η_0 is set to 0.1 throughout the experiments described in the paper. This value of 0.1 was found to be producing the best results in our preliminary experiments using development data, which we selected randomly from the benchmark datasets described later in Section 5.1.

Several observations are in order. First, note that the scaling factors α_j and β_j distort the original value of the feature x_i . If this distortion is too much, then we might lose the information conveyed by the feature x_i . To minimize the distortion of \mathbf{x} because of scaling, we have imposed regularization on both α and β . This treatment is similar to the slack variables often used in non-separable classification tasks and imposing a penalty on the total slackness. Of course, the regularization on α and β can be removed simply by setting the corresponding regularization coefficients

μ and ν to zero. Therefore, the introduction of regularization on α and β does not harm the generality of the proposed method. The total number of parameters to train in this model is $M + M + M + 1 = 3M + 1$, corresponding to \mathbf{w} , α , β , and b . Note that we must not regularize the bias term b and let it to adjust arbitrarily. This can be seen as a dynamic scaling for the score (i.e. inner-product between \mathbf{w} and \mathbf{x}), although this type of scaling is *not* feature specific. The sigmoid-based feature scaling function given by Equation 4 is by no means the only function that satisfies the requirement for a scaling function (i.e. maps all feature values to the same range such as $[0, 1]$). However, the sigmoid function has been widely used in various fields of machine learning such as neural networks [29], and has desirable properties such as differentiability and continuity.

Next, we introduce several important variants of Equation 4 and present the update equations for each of those variants. In Section 5, we empirically study the effect of the different variants discussed in the paper. For the ease of reference, we name the original formulation given by Equation 4 as **FS** (Supervised Feature Scaling) method. The objective function given by Equation 7 is convex with respect to \mathbf{w} . This can be easily verified by computing the second derivative of the objective function with respect to w_i , which becomes

$$\frac{\partial^2 E}{\partial w_i^2} = \sigma(x_i)^2 y_n (1 - y_n) + 2\lambda. \quad (13)$$

Because $0 < \sigma(x_i) < 1$, $0 < y_n < 1$, and $0 < \lambda$ hold, the second derivative $\frac{\partial^2 E}{\partial w_i^2} > 0$, which proves that the objective function is convex with respect to w_i . Likewise, the objective function can be shown to be convex with respect to the bias term b . It is interesting to note that the convexity holds irrespective of the form of the scaling function σ for both \mathbf{w} and b as long as $\sigma(x_i) \neq 0$ is satisfied. If $\sigma(x_i) = 0$ for some value of x_i , then the convexity of E also depends upon λ not being equal to zero. Although, in the case of sigmoid feature scaling functions $\sigma(x_i) \rightarrow 0$ when $x_i \rightarrow -\infty$ this is irrelevant because feature values are finite in practice. Unfortunately, the objective function is *non-convex* with respect to α and β . Although SGD updates are empirically shown to work well even when the objective function is non-convex, there is no guarantee that the update Equations 8 - 11 will find the global minimum of the objective function.

4.1 FS-1

In this variant we fix the scaling factor $\alpha = 1$, thereby reducing the number of parameters to be tuned. However, this model cannot adjust for the different value ranges of features and can only learn the shiftings required. We name this variant

as **FS-1** and is given by,

$$\sigma_i(x_i^n) = \frac{1}{1 + \exp(-x_i^n + \beta_i)}. \quad (14)$$

The update equations for w_j , b , and β_j are as follows,

$$w_j^{k+1} = w_j^k(1 - 2\lambda\eta_k) + \eta_k(t_n - y_n)\sigma_j(x_j^n), \quad (15)$$

$$b^{k+1} = b^k + \eta_k(t_n - y_n), \quad (16)$$

$$\beta_j^{k+1} = \beta_j^k(1 - 2\nu\eta_k) - \eta_k(t_n - y_n)w_j\sigma_j(x_j^n)(1 - \sigma_j(x_j^n)). \quad (17)$$

Note that although the update Equations 15, 16, and 17 appear to be similar in their form to Equations 8, 9, and 11, the transformation functions in the two sets of equations are different. As discussed earlier under **FS**, **FS-1** is also convex with respect to \mathbf{w} and b , but non-convex with respect to β .

4.2 FS-2

We design a convex form of the objective function with respect to all parameters by replacing the sigmoid feature scaling function with a linear combination as follows,

$$\sigma_i(x_i) = \alpha_i x_i + \beta_i. \quad (18)$$

The class conditional probability is computed using the logistic sigmoid model as,

$$P(t_n = 1 | \mathbf{w}, b, \boldsymbol{\alpha}, \boldsymbol{\beta}) = \frac{1}{1 + \exp(-\sum_{j=1}^M w_j(\alpha_j x_j^n + \beta_j) - b)}. \quad (19)$$

Then the update equations for \mathbf{w} , b , $\boldsymbol{\alpha}$, and $\boldsymbol{\beta}$ are given as follows,

$$w_j^{k+1} = w_j^k(1 - 2\lambda\eta_k) - \eta_k(y_n - t_n)(\alpha_j x_j^n + \beta_j), \quad (20)$$

$$b^{k+1} = b^k - \eta_k(y_n - t_n), \quad (21)$$

$$\alpha_j^{k+1} = \alpha_j^k(1 - 2\mu\eta_k) - \eta_k(y_n - t_n)w_jx_j^n, \quad (22)$$

$$\beta_j^{k+1} = \beta_j^k(1 - 2\nu\eta_k) - \eta_k(y_n - t_n)w_j. \quad (23)$$

Here, we used $y_n = P(t_n = 1|\mathbf{w}, b, \boldsymbol{\alpha}, \boldsymbol{\beta})$ to simplify the equations.

Moreover, the second-order partial derivatives of the objective function E , with respect to \mathbf{w} , b , $\boldsymbol{\alpha}$, and $\boldsymbol{\beta}$ can be computed as follows,

$$\begin{aligned} \frac{\partial^2 E}{\partial w_j^2} &= y_n(1 - y_n)(\alpha_j x_j^n + \beta_j)^2 + 2\lambda, \\ \frac{\partial^2 E}{\partial \alpha_j^2} &= y_n(1 - y_n)w_j^2 x_j^{n^2} + 2\mu, \\ \frac{\partial^2 E}{\partial \beta_j^2} &= y_n(1 - y_n)w_j^2 x_j^{n^2} + 2\mu, \\ \frac{\partial^2 E}{\partial w_j^2} &= y_n(1 - y_n). \end{aligned}$$

From, $0 < y_n < 1$, $\lambda > 0$, $\mu > 0$, and $\nu > 0$ it follows that all of the above-mentioned second-order derivatives are positive, which proves the convexity of the objective function. We name this convex formulation of the feature scaling method as the **FS-2** method.

4.3 FS-3

Although **FS-2** is convex, there is an issue regarding the determinability among \mathbf{w} , $\boldsymbol{\alpha}$, and $\boldsymbol{\beta}$ because the product between \mathbf{w} and $\boldsymbol{\alpha}$, and the product between \mathbf{w} and $\boldsymbol{\beta}$ appear inside the exponential term in Equation 19. This implies that the probability $P(t_n = 1|\mathbf{w}, b, \boldsymbol{\alpha}, \boldsymbol{\beta})$ will be invariant under a constant scaling of \mathbf{w} , $\boldsymbol{\alpha}$, and $\boldsymbol{\beta}$. We can absorb the w_j terms from the objective function into the corresponding α_j and β_j terms thereby effectively both reducing the number of parameters to be trained as well as eliminating the issue regarding the determinability. We name this variant of the feature scaling method as the **FS-3** method.

The class conditional probability for **FS-3** is give by,

$$P(t_n = 1|b, \boldsymbol{\alpha}, \boldsymbol{\beta}) = \frac{1}{1 + \exp(-\sum_{j=1}^M(\alpha_j x_j^n + \beta_j) - b)}. \quad (24)$$

This can be seen as a special case of **FS-2** where we set $\mathbf{w} = \mathbf{1}$ and $\lambda = 0$.

The update equations for **FS-3** can be derived as follows,

$$b^{k+1} = b^k - \eta_k(y_n - t_n), \quad (25)$$

$$\alpha_j^{k+1} = \alpha_j^k(1 - 2\mu\eta_k) - \eta_k(y_n - t_n)x_j^n, \quad (26)$$

$$\beta_j^{k+1} = \beta_j^k(1 - 2\nu\eta_k) - \eta_k(y_n - t_n). \quad (27)$$

Here, we used $y_n = P(t_n = 1|b, \alpha, \beta)$ to simplify the equations. Because **FS-2** is convex and **FS-3** is a special case of **FS-2**, it follows that **FS-3** is also convex.

5 Evaluation

5.1 Datasets

To evaluate the performance of the numerous feature scaling methods introduced in Section 4, we train and test those methods under the one-pass online learning setting. We use nine datasets in our experiments. The heart, liver, diabetes, cancer, skin datasets are popularly used binary classification benchmarks, whereas the 20-Newsgroups dataset contains news articles covering 20 categories and represents a multi-class classification benchmark. The heart, liver, cancer and diabetes datasets can be downloaded from the UCI Machine Learning Repository³, whereas a pre-processed feature vectors for the 20-Newsgroups dataset can be downloaded from the LIBSVM multi-class data repository⁴. skin, spline, adult datasets can be downloaded from LIBSVM binary classification data repository⁵. Details of the datasets are summarised in Table 1. We have chosen these nine datasets to cover a wide-range of problem settings encountered in classification tasks such as types of the attributes, number of the attributes, number of train and test instances etc.

³ <http://archive.ics.uci.edu/ml/>

⁴ <https://www.csie.ntu.edu.tw/~cjlin/libsvmtools/datasets/multiclass.html>

⁵ <https://www.csie.ntu.edu.tw/~cjlin/libsvmtools/datasets/binary.html>

Table 1
 Statistics regarding the datasets used in the experiments.

Dataset	Attributes	Train instances	Test instances
heart	13	216	54
liver	6	276	69
diabetes	8	611	157
20-Newsgroups	62,061	15,935	3,993
Breast cancer	32	210	489
skin	3	171,539	73,518
splice	60	1,000	2,175
adult	123	1,605	30,956
Colon-cancer	2000	43	19

5.2 Methods Compared

To compare the performance of the different dynamic feature scaling methods we proposed in the paper, we use those methods to scale features in the following online learning algorithms. In particular, we focus on online learning algorithms which closely resembles the assumptions in OPOL settings. Because we do not store training instances in OPOL, we cannot use batch learning algorithms such as the Support Vector Machines (SVMs) [30].

SGD (Stochastic Gradient Descent): This method implements logistic regression using stochastic gradient descent. It does not use any feature scaling and uses the original feature values as they are for training a binary classifier. This method demonstrates the lower baseline performance for this task.

SDG+avg (Stochastic Gradient Descent with Model Averaging): This method is the same as **SGD** described above, except that it uses the average weight vector during training and testing. Specifically, it computes the average of the weight vector w over the updates and uses this average vector for prediction. By considering the average weight vector instead of the final weight vector we can avoid any bias toward the last few training instances encountered by the online learner. Moreover, it has been shown both theoretically and empirically that consideration of the average weight vector results in faster convergence in online learning [31].

GN (Unsupervised Dynamic Scaling): This is the unsupervised dynamic feature scaling method described in Section 3. It trains a binary logistic regression model by scaling the features using the unsupervised approach.

GN+avg (Unsupervised Dynamic Scaling with Model Averaging): This is the unsupervised feature scaling method described in Section 3 using the average weight vector for predicting instead of the final weight vector. It trains a binary logistic regression model by scaling the features using the unsupervised approach.

FS (Supervised Dynamic Feature Scaling): This is the supervised dynamic feature scaling method described in Section 4.

FS+avg (Supervised Dynamic Feature Scaling with Model Averaging): This is the FS method, where we use the average values for all parameters: w , b , α , and β .

FS-1 (Supervised Dynamic Feature Scaling variant FS-1): This is the method described in Section 4.1.

FS-1+avg (Supervised Dynamic Feature Scaling variant FS-1 with Model Averaging): This is the method described in Section 4.1 with averaged parameter vectors.

FS-2 (Supervised Dynamic Feature Scaling variant FS-2): This is the method described in Section 4.2.

FS-2+avg (Supervised Dynamic Feature Scaling variant FS-1 with Model Averaging): This is the method described in Section 4.2 with averaged parameter vectors.

FS-3 (Supervised Dynamic Feature Scaling variant FS-3): This is the method described in Section 4.3.

FS-3+avg (Supervised Dynamic Feature Scaling variant FS-1 with Model Averaging): This is the method described in Section 4.3 with averaged parameter vectors.

PA (Passive-Aggressive): This is the Passive-Aggressive binary linear classification algorithm proposed by [1].

PA+avg (Passive-Aggressive with Model Averaging): This is the Passive-Aggressive binary linear classification algorithm proposed by [1] using the averaged weight vector to predict during both training and testing stages.

PA-1 (Passive-Average variant 1): This is the Passive-Aggressive PA-I version of the binary linear classification algorithm proposed by [1].

PA-1+avg (Passive-Aggressive variant 1 with Model Averaging): This is the Passive-Aggressive PA-1 version of the binary linear classification algorithm proposed by [1] using the averaged weight vector to predict during both training and testing stages.

PA-2 (Passive-Aggressive variant 2): This is the Passive-Aggressive PA-2 version of the binary linear classification algorithm proposed by [1].

Table 2
Results on the heart dataset.

Algorithm	Train Accuracy	Test Accuracy	Best Parameters
SGD	0.537037	0.574074	$\lambda = 0.01$
SGD+avg	0.481481	0.435185	$\lambda = 0$
GN	0.87037	0.824074	$\lambda = 0.01$
GN+avg	0.777778	0.768519	$\lambda = 0.1$
FS	0.592593	0.49537	$\lambda = 0.1, \mu = 1.0, \nu = 0$
FS+avg	0.481481	0.435185	$\lambda = 0, \mu = 0, \nu = 0$
FS-1	0.703704	0.564815	$\mu = 100.0, \nu = 0.1$
FS-1+avg	0.759259	0.564815	$\mu = 0.1, \nu = 10.0$
FS-2	0.740741	0.569444	$\lambda = 10.0, \mu = 0, \nu = 10.0$
FS-2+avg	0.574074	0.467593	$\lambda = 0, \mu = 1.0, \nu = 0$
FS-3	0.592593	0.476852	$\mu = 0.1, \nu = 0$
FS-3+avg	0.574074	0.421296	$\mu = 0.1, \nu = 1.0$
PA	0.648148	0.675926	$c = 0.01$
PA+avg	0.611111	0.662037	$c = 0.01$
PA1	0.648148	0.675926	$c = 0.01$
PA1+avg	0.611111	0.662037	$c = 0.01$
PA2	0.648148	0.675926	$c = 0.01$
PA2+avg	0.611111	0.662037	$c = 0.01$

PA-2+avg (Passive-Aggressive variant 2 with Model Averaging): This is the Passive-Aggressive PA-2 version of the binary linear classification algorithm proposed by [1] using the averaged weight vector to predict during both training and testing stages.

5.3 Classification Results

We measure train and test classification accuracy for each of the above-mentioned 18 algorithms in a binary classification setting using the three datasets liver, heart, and diabetes. Binary classification accuracy is defined as follows:

$$\text{Classification Accuracy} = \frac{\text{total no. of correctly classified instances}}{\text{total no. of instances in the dataset}}. \quad (28)$$

Table 3
Results on the liver dataset.

Algorithm	Train Accuracy	Test Accuracy	Best Parameters
SGD	0.608696	0.561594	$\lambda = 0.1$
SGD+avg	0.550725	0.586957	$\lambda = 0$
GN	0.695652	0.637681	$\lambda = 100.0$
GN+avg	0.777778	0.768519	$\lambda = 0.1$
FS	0.637681	0.586957	$\lambda = 10.0, \mu = 0.1, \nu = 0.1$
FS+avg	0.550725	0.586957	$\lambda = 0, \mu = 0, \nu = 0$
FS-1	0.623188	0.413043	$\mu = 1.0, \nu = 0$
FS-1+avg	0.623188	0.413043	$\mu = 0.1, \nu = 0.1$
FS-2	0.681159	0.59058	$\lambda = 0, \mu = 0.01, \nu = 0$
FS-2+avg	0.550725	0.586957	$\lambda = 0, \mu = 0, \nu = 0$
FS-3	0.623188	0.550725	$\mu = 0, \nu = 0$
FS-3+avg	0.550725	0.586957	$\mu = 0, \nu = 0$
PA	0.434783	0.427536	$c = 0.01$
PA+avg	0.565217	0.594203	$c = 0.01$
PA1	0.434783	0.427536	$c = 0.01$
PA1+avg	0.565217	0.594203	$c = 0.01$
PA2	0.434783	0.427536	$c = 0.01$
PA2+avg	0.565217	0.594203	$c = 0.01$

Note that all three binary classification benchmark datasets described in Section 5.1 are balanced (i.e. contains equal numbers of positive and negative train/test instances). Therefore, a method that randomly classifies test instances would obtain an accuracy of 0.5. The experimental results for heart, liver, and diabetes datasets are shown respectively in Tables 2, 3, and 4.

We vary the values for the numerous parameters in a pre-defined set of values for each parameter and experiment with all possible combinations of those values. For the regularisation coefficients λ , μ , and ν we experiment with the values in the set $\{0, 0.01, 0.1, 1, 10, 100\}$. For the c parameter in passive-aggressive algorithms we chose from the set $\{0.01, 0.1, 1, 10, 100\}$. In each dataset, we randomly set aside 1/5-th of all training data for validation purposes. We search for the parameter values for each algorithm that produces the highest accuracy on the validation dataset. Next, we fix those parameter values and evaluate on the test portion of the corre-

Table 4
Results on the diabetes dataset.

Algorithm	Train Accuracy	Test Accuracy	Best Parameters
SGD	0.643312	0.653028	$\lambda = 1.0$
SGD+avg	0.643312	0.653028	$\lambda = 0$
GN	0.656051	0.656301	$\lambda = 0.01$
GN+avg	0.656051	0.671031	$\lambda = 100.0$
FS	0.643312	0.653028	$\lambda = 0, \mu = 0, \nu = 0$
FS+avg	0.643312	0.653028	$\lambda = 0, \mu = 0, \nu = 0$
FS-1	0.643312	0.653028	$\mu = 10, \nu = 0$
FS-1+avg	0.643312	0.653028	$\mu = 0, \nu = 0$
FS-2	0.643312	0.653028	$\lambda = 0, \mu = 0, \nu = 1.0$
FS-2+avg	0.643312	0.653028	$\lambda = 0, \mu = 0, \nu = 0$
FS-3	0.643312	0.653028	$\mu = 0.01, \nu = 100.0$
FS-3+avg	0.643312	0.653028	$\mu = 0, \nu = 0.01$
PA	0.611465	0.656301	$c = 0.01$
PA+avg	0.636943	0.657938	$c = 0.01$
PA1	0.648148	0.675926	$c = 0.01$
PA1+avg	0.636943	0.657938	$c = 0.01$
PA2	0.611465	0.656301	$c = 0.01$
PA2+avg	0.636943	0.657938	$c = 0.01$

spending dataset. The best parameter values found through the search procedure are shown in the fourth column in Tables 2-4. Online learning algorithms have been shown to be sensitive to the order in which training examples are presented to them. Following the suggestions in prior work, we randomise the sequence of training data instances during training [32]. All results shown in the paper are the average of 10 random initialisations.

As can be seen from Tables 2, 3, and 4 the unsupervised dynamic feature scaling methods (**GN** and **GN+avg**) consistently outperform joint supervised feature scaling methods and PA algorithms. Model averaged version of the unsupervised dynamic feature scaling method (**GN+avg**) shows better performance than its counterpart that does not perform model averaging (**GN**) in two out of the tree datasets. Compared to the unsupervised dynamic feature scaling methods (**GN** and **GN+avg**), the supervised dynamic feature scaling methods (**FS**, **FS-1**, **FS-2**, and **FS-3**) report

lower test accuracies. Compared to the unsupervised dynamic feature scaling methods, the number of parameters that must be estimated from labeled data is larger in the supervised dynamic feature scaling methods. Although the unsupervised dynamic feature scaling method requires us to estimate the mean and standard deviation from train data, those parameters can be estimated without using the label information in the training instances. Therefore, the unsupervised dynamic feature scaling is less likely to overfit to the train data, which results in better performance.

Recall that **SGD** and **SGD+avg** do not perform any dynamic feature scaling and demonstrate the level of accuracy that we would obtain if we had not performed feature scaling. In all datasets, the **GN** and **GN+avg** methods significantly outperform (according to a two-tailed paired t-test under 0.05 confidence level) the **SGD** counterparts showing the effectiveness of feature scaling when training binary classifiers.

Among the variants of the proposed **FS** methods, the **FS-2** method reports the best performance. We believe that this can be attributable to the convexity of the objective function. Because we are allowed only a single pass over the training dataset in **OPOL** setting, convergence becomes a critical issue compared to the classical online learning setting where the learning algorithm traverses multiple times over the dataset. Convex functions can be relatively easily optimised using gradient methods compared to non-convex functions. **FS-3** method which constrains the parameters in the **FS-2** method shows poor performance in our experiments. Specifically, **FS-3** absorbs the weight parameters into the scaling parameters in the **FS-2** method. However, the experimental results show that we should keep the two sets of parameters separately. In our future work, we plan to study other possible ways to reduce the number of parameters in the supervised dynamic feature scaling methods in order to reduce the effect of overfitting.

Among the three binary classification datasets, the performance differences of the methods compared are least significant on the diabetes dataset. In fact, 10 of the 18 methods report the same test accuracy on this dataset and learn the same classification model. However, the model averaged version of the unsupervised dynamic feature scaling method (**GN+avg**) outperforms all the methods compared even in the diabetes dataset that shows its ability to perform well even in situations where other methods cannot.

To study the behaviour of the different learning algorithms during train time, we compute the cumulative number of errors. Cumulative number of errors represents the total misclassification errors encountered up to the current train instance. In an one-pass online learning setting, we must continuously both train as well as apply the trained classifier to classify new instances on the fly. Therefore, a method that obtains a lower number of cumulative errors is desirable. To compare the different methods described in the paper, we plot the cumulative number of errors against the total number of training instances encountered as shown in Figures 1 and 2,




Fig. 1. Cumulative training errors on the heart dataset.




Fig. 2. Cumulative training errors on the liver dataset.

respectively for heart and liver datasets. During training, we use the weight vector (or the averaged weight vector for the **+avg** methods) to classify the current training instances and if it is misclassified by the current model, then it is counted as an error. The 45 degree line in each plot corresponds to the situation where all instances encountered during training are misclassified. All algorithms must lie below this line. To avoid cluttering, we only show the cumulative number of error curves for the following six methods: **FS-2**, **FS-2+avg**, **SGD**, **SGD+avg**, **GN**, and **GN+avg**. Overall, we see that the unsupervised dynamic feature scaling methods **GN** and **GN+avg** stand out among the others and report lower numbers of cumulative errors.

As a multi-class classification setting of OPOL, we show the classification accuracy on the 20-Newsgroups dataset in Table 5. A binary classification algorithm can be easily adapted to perform multi-class classification by training k number of one-vs-rest binary classifier, where k is the number of different classes to predict. In

Table 5
Results on the 20-Newsgroups dataset.

Algorithm	Train Accuracy	Test Accuracy	Best Parameters
SGD+avg	0.918915	0.915706	$\lambda = 1.0$
GN+avg	0.958490	0.946246	$\lambda = 100.0$
FS-3+avg	0.875071	0.876031	$\lambda = 0, \mu = 0, \nu = 0$
PA+avg	0.920078	0.920058	$c = 0.01$

Table 6
Results on the breast cancer dataset.

Algorithm	Train Accuracy	Test Accuracy	Best Parameters
SGD+avg	0.648262	0.690476	$\lambda = 1.0$
GN+avg	0.905930	0.854286	$\lambda = 100.0$
FS-3+avg	0.642127	0.685714	$\lambda = 0, \mu = 1.0, \nu = 0.1$
PA+avg	0.865036	0.817142	$c = 0.001$

other words, each binary classifier would predict whether a given instance should be classified to one of the k -classes, or otherwise. It is possible in practice that two or more classifiers might claim a particular instance to be classified to the class corresponding to that classifier. In such cases we select the class that has the maximum classifier confidence, and assign the predicted the label by that classifier.

We report the macro-averaged classification accuracy in Table 5, which is the average of the classification accuracy report by each of the $k = 20$ binary classifiers. Because averaging the weight vector reported better performance than non-averaging, in Table 5, we report results only for the averaged weight vector version of each method. Moreover, for supervised feature scaling, we report the results for the convex approach **FS-3** as it was better than the other versions. From Table 5, we see that the **GN+avg** method returns the best test accuracy in 20-Newsgroups dataset as well. Moreover, Clopper-Pearson confidence intervals computed at $p < 0.01$ level show that the improvement made by **GN+avg** over the **PA+avg** method to be statistically significant. This results shows that unsupervised feature scaling method is effective not only in binary classification settings, but also in multi-class classification settings.

Results on the breast cancer dataset are shown in Table 6. This is a binary classification task where we must learn a classifier to predict whether a particular patient has cancer or not. Here, each instance is represented using 32 inter-valued features. From Table 6 we see that **GN+avg** method obtains the best test accuracies among the methods compared. This result shows that unsupervised feature scaling can be used for datasets where attributes are discrete integer values. Wilcoxon signed-rank

Table 7

Results on the skin dataset.

Algorithm	Train Accuracy	Test Accuracy	Best Parameters
SGD+avg	0.782493	0.792459	$\lambda = 1.0$
GN+avg	0.929468	0.764126	$\lambda = 10.0$
FS-3+avg	0.792461	0.791459	$\lambda = 0.1, \mu = 1.0, \nu = 0.1$
PA+avg	0.808731	0.771171	$c = 0.001$

Table 8

Results on the splice dataset.

Algorithm	Train Accuracy	Test Accuracy	Best Parameters
SGD+avg	0.517000	0.520000	$\lambda = 1.0$
GN+avg	0.682000	0.651494	$\lambda = 1.0$
FS-3+avg	0.517000	0.520000	$\lambda = 1.0, \mu = 1.0, \nu = 0.1$
PA+avg	0.642000	0.645977	$c = 0.1$

test ($p < 0.01$) shows that improvement report by **GN+avg** over the second best **PA+avg** to be statistically significant.

Results on the skin dataset are shown in Table 7. This dataset is an extreme case where we have a large number of train instances (171,539 instances) compared to the extremely small number of attributes (3 attributes). Under these conditions we from Table 7 that performing feature scaling results in overfitting, which is demonstrated by the high train accuracy of **GN+avg** compared to the relatively low test accuracy. By setting the regularisation coefficient λ to larger values such as 10.0 we can partially overcome the overfitting, but increasing the regularisation coefficient beyond this point results in a decrease in performance. **SGD+avg**, which does not perform any feature scaling obtains the best test accuracy on the skin dataset. If the number of features is extremely small compared to the number of training instances, then it is best not to perform feature scaling. Wilcoxon signed-rank test ($p < 0.01$) shows that improvement report by **SGD+avg** over the second best **FS-3+avg** not to be statistically significant.

Results on the splice dataset are shown in Table 8. The task here is to recognise two classes of splice junctions in a DNA sequence. We use the unnormalised version of this dataset, where feature values are not normalised into $[-1, 1]$ range. From Table 8 we see that **GN+avg** reports the best train and test accuracies on this dataset, closely followed by **PA+avg**. Wilcoxon signed-rank test ($p < 0.01$) shows that improvement report by **GN+avg** over the second best **PA+avg** to be statistically significant.

Table 9

Results on the adult dataset.

Algorithm	Train Accuracy	Test Accuracy	Best Parameters
SGD+avg	0.832399	0.827982	$\lambda = 1.0$
GN+avg	0.834301	0.809211	$\lambda = 0.1$
FS-3+avg	0.795016	0.798004	$\lambda = 0, \mu = 1.0, \nu = 0.1$
PA+avg	0.814953	0.819291	$c = 0.01$

Table 10

Results on the colon cancer dataset.

Algorithm	Train Accuracy	Test Accuracy	Best Parameters
SGD+avg	0.953488	0.684211	$\lambda = 100.0$
GN+avg	0.720901	0.789512	$\lambda = 100.0$
FS-3+avg	0.348837	0.368421	$\lambda = 0, \mu = 0, \nu = 0$
PA+avg	0.976744	0.684210	$c = 100$

The adult dataset originally has 14 features including six real-valued continuous features and eight categorical discrete features. Feature scaling is not applicable to categorical features. However, a frequently used pre-processing step is to convert categorical features by assigning binary-valued features to percentiles computed from the distribution of the categories. As an example of such a dataset we used the `a1a` version of the adult dataset released in the LIBSVM binary classification portal⁶. Specifically, each of the quantiles of the six discrete categories are represented by a binary-valued feature giving a feature space containing 123 features. Experimental results on the adult dataset are shown in Table 9. From Table 9 we see that the best train accuracy is reported by **GN+avg**, whereas the best test accuracy is reported by **SGD+avg**. Moreover, all pairwise comparisons between **SGD+avg** against other methods compared in Table 9 show that the results reported by **SGD+avg** to be statistically significant according to Wilcoxon signed-rank test ($p < 0.01$). This result shows that feature scaling is not particularly effective for discretised categorical features.

The colon cancer dataset has the property that the number of the training instances (43) is significantly smaller than the number of features (2000). Typically, in such cases we observe overfitting because we must learn a large number of parameters using a small number of training instances. We see such as overfitting scenario with **PA+avg** and **SGD+avg** in Table 10. However, **GN+avg** overcomes this problem despite using the same level of regularisation. On the other hand, **FTL** introduce

⁶ <https://www.csie.ntu.edu.tw/~cjlin/libsvmtools/datasets/binary.html>

more parameters to the learning problem and it turns out that we cannot learn these additional scaling parameters well resulting in underfitting. Colon cancer dataset is too small to perform any statistically significant differences among the methods compared.

6 Conclusion

We studied the problem of feature scaling in one-pass online learning (OPOL) of binary linear classifiers. In OPOL, a learner is allowed to traverse a dataset only once. We presented both supervised as well as unsupervised approaches to dynamically scale features under the OPOL setting. We evaluated 18 different learning methods using nine popular datasets. Our experimental results show that the unsupervised approach significantly outperforms the supervised approaches and improves the classification accuracy in a state-of-the-art online learning algorithm. Among the several variants of the supervised feature scaling approach we evaluated, the convex formulation performed best. In future, we plan to explore other forms of feature scaling functions and their effectiveness in numerous online learning algorithms proposed for classification.

References

- [1] K. Crammer, O. Dekel, J. Keshet, S. Shalev-Shwartz, Y. Singer, Online passive-aggressive algorithms, *Journal of Machine Learning Research* 7 (2006) 551–585.
- [2] D. Bollegala, D. Weir, J. Carroll, Cross-domain sentiment classification using a sentiment sensitive thesaurus, *IEEE Transactions on Knowledge and Data Engineering* 25 (8) (2013) 1719 – 1731.
- [3] D. Bollegala, T. Mu, Y. Goulermas, Cross-domain sentiment classification using sentiment sensitive embeddings, *IEEE Transactions on Knowledge and Data Engineering (TKDE)* 28 (2) (2015) 398–410.
- [4] D. Bollegala, N. Noman, H. Iba, Rankde: Learning a ranking function for information retrieval using differential evolution, in: *Proc. of GECCO, 2011*, pp. 1771–1778.
- [5] F. L. Wauthier, M. I. Jordan, N. Joic, Efficient ranking from pairwise comparisons, in: *ICML’13, 2013*.
- [6] J.-Y. Yeh, J.-Y. Lin, H.-R. Ke, W.-P. Yang, Learning to rank for information retrieval using genetic programming, in: *SIGIR Workshop on Learning to rank for Information Retrieval (LR4IR), 2007*.
- [7] P. Pantel, T. Lin, M. Gamon, Mining entity types from query logs via user intent modeling, in: *Proceedings of the 50th Annual Meeting of the Association for*

Computational Linguistics (Volume 1: Long Papers), Association for Computational Linguistics, Jeju Island, Korea, 2012, pp. 563–571.

- [8] O. Madani, J. Huang, Large-scale many-class prediction via flat techniques, in: Large-Scale Hierarchical Classification Workshop of ECIR, 2010.
- [9] L. Jiang, M. Yu, M. Zhou, X. Liu, T. Zhao, Target-dependent twitter sentiment classification, in: ACL’11, 2011, pp. 151 – 160.
- [10] M. Dredze, T. Oates, C. Piatko, We’re not in kansas anymore: Detecting domain changes in streams, in: EMNLP’10, 2010, pp. 585 – 595.
- [11] S. Gopal, Y. Yang, Distributed training of large-scale logistic models, in: ICML’13, 2013.
- [12] J. C. Duchi, A. Agrawal, M. J. Wainwright, Distributed dual averaging in networks, in: NIPS’10, 2010.
- [13] C. Liu, H. chih Yang, J. Fan, L. wei He, Y.-M. Wang, Distributed nonnegative matrix factorization for web-scale dyadic data analysis on mapreduce, in: WWW 2010, 2010, pp. 681–690.
- [14] K. Crammer, M. Dredze, A. Kulesza, Multi-class confidence weighted algorithms, in: EMNLP 2009, 2009, pp. 496 – 504.
- [15] K. Crammer, M. Dredze, F. Pereira, Exact convex confidence-weighted learning, in: NIPS’08, 2008.
- [16] A. Mejer, K. Crammer, Confidence in structured-prediction using confidence-weighted models, in: EMNLP’10, 2010, pp. 971 – 981.
- [17] A. Mejer, K. Crammer, Confidence estimation in structured prediction, Tech. Rep. 798, Center for Communication and Information Technologies (2011).
- [18] J. Duchi, E. Hazan, Y. Singer, Adaptive subgradient methods for online learning and stochastic optimization, in: COLT’10, 2010.
- [19] J. Ma, A. Kulesza, M. Dredze, K. Crammer, L. K. Saul, F. Pereira, Exploiting feature covariance in high-dimensional online learning, in: AISTAT’10, 2010.
- [20] M. Dredze, K. Crammer, F. Pereira, Confidence-weighted linear classification, in: ICML’08, 2008, pp. 264 – 271.
- [21] M. Dredze, K. Crammer, Active learning with confidence, in: ACL’08, 2008, pp. 233 – 236.
- [22] P. Zhao, S. C. H. Hoi, Otl: A framework of online transfer learning, in: ICML 2011, 2011.
- [23] K. Yu, W. Ding, X. Wu, Lofs: A library of online streaming feature selection, Knowledge-Based Systems 113 (2016) 1 – 3.
- [24] C. Liu, W. Wang, M. Wang, F. Lv, M. Konan, An efficient instance selection algorithm to reconstruct training set for support vector machine, Knowledge-Based Systems 116 (2017) 58 – 73.

- [25] Y. Bengio, J. Louradour, R. Collobert, J. Weston, Curriculum learning, in: ICML'09, 2009, pp. 41 – 48.
- [26] R. F. Ling, Comparison of several algorithms for computing sample means and variances, *Journal of the American Statistical Association* 69 (348) (1974) 859 – 866.
- [27] T. F. Chan, G. H. Golub, R. J. LeVeque, Algorithms for computing the sample variance: Analysis and recommendations, *The American Statistician* 37 (1983) 242 – 247.
- [28] C. M. Bishop, *Pattern Recognition and Machine Learning*, Springer, 2006.
- [29] G. P. Zhang, Neural networks for classification: A survey, *IEEE Transactions on System, Man and Cybernetics - Part C* 30 (4) (2000) 451 – 462.
- [30] V. Vapnik, *Statistical Learning Theory*, Wiley, Chichester, GB, 1998.
- [31] M. Collins, Discriminative training methods for hidden markov models: theory and experiments with perceptron algorithms, in: *EMNLP'02*, 2002, pp. 1 – 8.
- [32] D. P. Bertsekas, Incremental gradient, subgradient, and proximal methods for convex optimization: A survey, Tech. Rep. LIDS 2848, MIT (2010).