

1 **Optimal intensity measures for the structural assessment of buried**  
2 **steel natural gas pipelines due to seismically-induced axial**  
3 **compression at geotechnical discontinuities**

4  
5  
6 **Grigorios Tsinidis<sup>1</sup>, Luigi Di Sarno<sup>2</sup>, Anastasios Sextos<sup>3</sup>, and Peter Furtner<sup>4</sup>**

7  
8 <sup>1</sup>Vienna Consulting Engineers ZT GmbH, Austria & University of Sannio, Italy

9 <sup>2</sup> University of Liverpool, United Kingdom & University of Sannio, Italy

10 <sup>3</sup>University of Bristol, United Kingdom

11 <sup>4</sup>Vienna Consulting Engineers ZT GmbH, Austria

12  
13 **Corresponding Author:** Dr Grigorios Tsinidis, VCE Vienna Consulting Engineers ZT GmbH,  
14 Untere Viaduktgasse 2, 1030, Vienna, email: [tsinidis.grigorios@gmail.com](mailto:tsinidis.grigorios@gmail.com)

15  
16 **Abstract:** This paper investigates the efficiency and sufficiency of various seismic intensity  
17 measures for the structural assessment of buried steel natural gas (NG) pipelines subjected to  
18 axial compression caused by transient seismic ground deformations. The study focuses on  
19 buried NG pipelines crossing perpendicularly a vertical geotechnical discontinuity with an  
20 abrupt change on the soil properties, where the potential of high compression strain is expected  
21 to be increased under seismic wave propagation. A detailed analytical framework is developed  
22 for this purpose, which includes a 3D finite element model of the pipe-trench system, to  
23 evaluate rigorously the pipe-soil interaction phenomena, and 1D soil response analyses that are  
24 employed to determine critical ground deformation patterns at the geotechnical discontinuity,  
25 caused by seismic wave propagation. A comprehensive numerical parametric study is  
26 conducted by employing the analytical methodology in a number of soil-pipeline  
27 configurations, considering salient parameters that control the axial response of buried steel  
28 NG pipelines, i.e. diameter, wall thickness and internal pressure of the pipeline, wall  
29 imperfections of the pipeline, soil properties and backfill compaction level and friction  
30 characteristics of the backfill-pipe interface. Using the peak compression strain of the pipeline  
31 as engineering demand parameter and a number of regression analyses relative to the examined  
32 seismic intensity measures, it is shown that the peak ground velocity *PGV* at ground surface  
33 constitutes the optimum intensity measure for the structural assessment of the examined  
34 infrastructure.

35  
36 **Keywords:** Natural gas pipelines; intensity measures; efficiency; sufficiency; steel pipelines;  
37 local buckling

## 1. Introduction

Earthquake-induced damage on Natural Gas (NG) pipeline networks may lead to important direct and indirect economic losses. The 1999 Chi-Chi earthquake in Taiwan, for instance, caused noticeable damage on natural gas supply systems, with the associated economic loss for the relative industry exceeding \$ 25 million [1, 2]. More importantly, severe damage may trigger ignitions or explosions with life-treating consequences and significant effects on the environment. As an example, the 1995 Hyogo-Ken Nambu earthquake in Japan, caused gas leakages from buried pipelines at 234 different locations, which subsequently led to more than 530 fires [3, 4]. Based on the above observations, efficient methods for the vulnerability assessment of NG pipeline networks seem to be of great importance.

A critical step towards the development of adequate tools for the vulnerability assessment of NG pipelines is the identification of the expected failures, as well as of the mechanisms that lead to these failures. Post-earthquake observations have demonstrated that seismically-induced ground deformations may induce significant damage on buried pipelines [5-8]. Buried steel NG pipelines were found quite vulnerable to high straining imposed by permanent ground deformations, associated with fault movements, landslides and liquefaction-induced settlements or uplifting and lateral spreading [5]. Seismically-induced transient ground deformations, caused by seismic wave propagation, have also contributed to damage of this infrastructure [9-11]. Permanent ground deformations tend to induce higher straining on buried steel pipelines, compared to transient ground deformations. Hence, most researchers focused their investigations on this seismic hazard [12-23]. However, it is more likely for a buried pipeline to be subjected to transient ground deformations rather than seismically-induced permanent ground deformations. Transient ground deformations may trigger a variety of damage modes on continuous buried steel NG pipelines, such as: shell-mode buckling or local buckling, beam-mode buckling, pure tensile rupture, flexural bending failure or excessive deformation of the section (i.e. ovaling) [5]. Additionally, recent studies have demonstrated that pipelines embedded in heterogeneous sites or subjected to asynchronous seismic motion are more likely to be affected by appreciable strains due to transient ground deformations, which in turn may lead to exceedance of predefined performance limits, reaching even excessive damage on the pipeline [24-25]. Based on the above considerations, the present study focuses on the transient ground deformation effects, as these have not yet been studied in adequate depth.

An important aspect for the integrity assessment of NG pipeline networks is the aleatory and epistemic uncertainty that is associated with their seismic response and vulnerability. In fact, a shift from conventional deterministic analysis procedures to probabilistic analysis and risk assessment concepts is deemed necessary [24]. Critical elements of the latter analysis frameworks are: (i) the definition of a proper Engineering Demand Parameter (*EDP*), which shall be used as a representative metric of the response of the examined element at risk, and (ii) the identification of adequate seismic intensity measures (*IMs*), which shall express the severity of the ground seismic motion [26].

Evidently, the amplitude, frequency characteristics, energy content and duration of seismic ground motions are all expected to have a considerable effect on the seismic vulnerability of

1 any structural element at risk. However, it is not possible for all the above ground motion  
2 characteristics to be described effectively by one parameter, i.e. one seismic intensity measure  
3 (*IM*) [26]. Therefore, the definition of *optimal seismic IMs* for the assessment of any structural  
4 system is of great importance. An *optimal seismic IM* should be *efficient*, in the sense that it  
5 should result in a reduced variability of the *EDP* for a given *IM* value [27]. Additionally, it  
6 should be *sufficient*, so that it renders the computed structural response conditionally  
7 independent of earthquake characteristics, such as the earthquake magnitude (*M*), the epicentral  
8 distance (*R*) or other earthquake characteristics [28]. An efficient seismic *IM* leads to a  
9 reduction of the number of analyses and ground seismic motions that are required to estimate  
10 the probability of exceedance of each value of the *EDP* for a given *IM* value. A sufficient *IM*,  
11 on the other hand, allows for free selection of the, employed in the analysis, seismic ground  
12 motions since the effects of seismological parameters, e.g. the magnitude, epicentral distance  
13 etc., on the prediction of the *EDP* become less important. As discussed in the ensuing, the  
14 efficiency and sufficiency of a seismic *IM* may be both quantified following existing literature  
15 [28-29].

16 Concepts and measures like *proficiency, practicality, effectiveness, robustness* and *hazard*  
17 *computability*, have also been proposed in the literature for identifying optimal seismic *IMs* for  
18 the assessment of buildings and aboveground civil infrastructure [27-36, 86-87]. However, the  
19 investigation of optimal seismic *IMs* for embedded infrastructure, including buried steel NG  
20 pipelines, has received considerably less attention by the scientific community. To the authors'  
21 knowledge, the only relevant study is the one by Shakid & Jahangiri [37], who developed and  
22 employed a numerical framework, in order to examine the efficiency and sufficiency of a  
23 variety of seismic *IMs* in case of NG pipelines subjected to seismic wave propagation. The  
24 study focused on NG pipelines embedded in uniform soils, with the soil-pipe interaction being  
25 considered in a simplified fashion, by employing beam on soil-springs models. The researchers  
26 did not examine a variety of parameters affecting the seismic response and vulnerability of this  
27 infrastructure.


28 Based on the above considerations, the aim of this study is to identify the optimum seismic *IMs*  
29 that shall be adopted for the assessment of buried steel natural gas (NG) pipelines, when these  
30 are subjected to compression axial loading due to transient seismic ground deformations. The  
31 study focuses on NG pipelines crossing perpendicularly a vertical geotechnical discontinuity  
32 with an abrupt change on the soil properties. In such soil sites, the potential of high  
33 compression straining of the pipeline during ground shaking is expected to increase  
34 significantly, compared to the case where the pipeline is embedded in a homogeneous soil site  
35 [24-25]. A de-coupled numerical framework is developed to fulfil our objective, which  
36 includes 1D soil response analyses of selected soil sites and 3D quasi-static analyses of  
37 selected soil-pipe configurations. The former analyses aim at computing critical ground  
38 deformation patterns at the vicinity of the geotechnical discontinuity, caused by seismic wave  
39 propagation. Through the 3D soil-pipe interaction analyses, critical parameters affecting the  
40 seismic response and vulnerability of buried steel pipelines are thoroughly considered. A  
41 comprehensive study is conducted for an ensemble of 40 seismic motions, by employing the  
42 proposed numerical methodology in a number of soil-pipe configurations. Various seismic

1 *IMs*, referring to both outcrop and ground surface conditions, are tested and rated on the basis  
2 of two criteria namely their *efficiency* and *sufficiency* [27-28].

## 3 4 **2. Numerical parametric analysis**

### 5 **2.1 Problem definition and selection of soil-pipe configurations**

6 A continuous buried steel NG pipeline of external diameter  $D$  and wall thickness  $t$  is embedded  
7 in a backfilled trench at a burial depth  $h$  (Fig. 1). The backfill-pipe configuration is located in a  
8 soil deposit of total depth  $H$  and crosses perpendicularly a vertical geotechnical discontinuity.  
9 The latter divides the soil deposit into two subdeposits (i.e. subdeposit 1 and subdeposit 2 in  
10 Fig. 1) with abrupt changes on their physical and mechanical properties. The whole system is  
11 subjected to upward propagated seismic shear waves, which cause a dissimilar ground  
12 movement of the adjacent subdeposits. The dissimilar ground movement of the subdeposits  
13 produces a differential horizontal ground deformation along the pipeline axis near the critical  
14 section of the geotechnical discontinuity. This differential ground deformation is subsequently  
15 transferred through the pipe-soil interface on the pipeline, causing its compressional-tensional  
16 axial straining. A potential high axial compression straining of the pipeline might lead to a  
17 failure of the pipeline in the form of local buckling.



19  
20 **Fig. 1** Schematic view of the examined problem ( $H$ : depth of soil deposit,  $h$ : burial depth of the  
21 pipeline,  $u_r$ : seismic ground movement of the bedrock,  $u_A$ ,  $u_B$  seismic ground movement of subdeposit 1  
22 and 2, at the burial depth of the pipeline).

23  
24 A number of parameters affecting the seismic response of buried steel pipelines namely wall  
25 thickness, diameter, and burial depth of the pipeline, internal pressure of the pipeline, existence  
26 of wall imperfections of the pipeline, backfill compaction level, pipe-backfill interface friction  
27 characteristics and soil properties of the site, are all considered in the present numerical study.  
28 In particular, most analyses were carried out on pipelines with external diameter  $D = 914.4$  mm  
29 and wall thickness  $t = 12.7$  mm, while additional analyses were conducted for pipelines with  
30 external diameters  $D = 406.4$  mm and  $D = 1219.2$  mm and wall thicknesses  $t = 9.5$  mm and  $t =$   
31  $19.1$  mm, respectively. The selected pipelines were designed for a maximum operational  
32 pressure of  $p = 9$  MPa (i.e. 90 bar), following relevant regulations of ALA (2001) [38], while it  
33 was verified that the selected pipeline dimensions are available by the industry. Most of  
34 analyses were conducted for an operational pressure,  $p = 8$  MPa, while sensitivity analyses

were also carried out for an internal pressure  $p = 4$  MPa, as well as for non-pressurized pipelines (i.e.  $p = 0$  MPa). It is worth noticing that the external diameters,  $D$ , and operational pressures,  $p$ , of the investigated pipelines were all selected on the basis of a preliminary investigation of the variation of these characteristics in case of actual transmission NG networks found in several countries of Europe (Table 1). The external diameter, wall thickness and examined internal pressures of the selected pipelines are summarized in Table 2. The pipelines were assumed to be made of API 5L X60, X65 and X70 grades, in an effort to cover a range of steel grades that are commonly used in NG transmission networks. The mechanical properties of the selected grades are tabulated in Table 3.

**Table 1** External diameters and range of operational pressure of transmission NG pipeline networks in Europe (information provided by the website of each operator).

Country	Operator	Nominal diameter range, $D$ (mm, °)	Operational pressure range, $p$ (MPa)
Austria	TAG	914.4 mm to 1066.8 mm (36° to 42°)	7 - 8
Belgium	Fluxys Belgium	914.4 mm, 965.2 mm, 1016.0 mm (36°, 38°, 40°)	4 - 7
Germany	Gascade	> 1066.8 mm (42°) for the supra-regional networks; otherwise > 508 mm to 762 mm (20° to 30°)	<i>n.p.*</i>
Germany	Gasunie	> 1066.8 mm (42°) for the supra-regional networks; otherwise > 508 mm to 762 mm (20° to 30°)	<i>n.p.</i>
Greece	DESFA	254 mm, 508 mm, 609.6 mm, 762 mm, 914.4 mm (10°, 20°, 24°, 30°, 36°)	7
Italy	SNAM	508 mm to 1219.2 mm (20° to 48°)	7 - 8
Spain	Enegas	406.4 mm to 812.8 mm (16° to 32°)	<i>n.p.</i>
Sweden	Swedegas	406.4 mm to 660.4 mm (16° to 26°)	5 - 8
Switzerland	Transitgas	914.4 mm to 1066.8 mm (36° to 48°)	7 - 8

\* *n.p.* = not provided

**Table 2** Summary of examined cases.

External diameter, $D$ (°)	External diameter, $D$ (mm)	Wall thickness, $t$ (mm)	$D/t$	Internal pressure, $p$ (MPa)	Burial depth, $h$ (m)	Depth of soil sites, $H$ (m)	Surficial soil-trench properties
16°	406.4	9.5	42.8	8	1.0	60	TA, TB
36°	914.4	12.7	72.0	0, 4, 8	1.0, 2.0	30,60,120	TA, TB
48°	1219.2	19.1	63.8	8	1.0	60	TA, TB


**Table 3** Mechanical properties of steel grades used in this study.

Steel grade	X60	X65	X70
Yield stress, $\sigma_y$ (MPa)	414	448	483
Ultimate stress, $\sigma_u$ (MPa)	517	531	565
Ultimate tensile strain, $\epsilon_u$ (%)	14.2	13	11.2
Young's modulus, $E$ (GPa)	210	210	210

The study was conducted assuming a soil site depth  $H = 60$  m, while additional analyses were also carried out for soil sites with depths equal to 30 m and 120 m. The burial depth,  $h$ , of the

1 selected pipelines, i.e. distance between the pipeline crown and ground surface, was set equal  
 2 to 1.0 m, which constitutes a common burial depth for this infrastructure. A sensitivity study  
 3 was conducted for  $D = 914.4$  mm pipelines buried at a burial depth  $h = 2.0$  m.  
 4 Both cohesive and cohesionless soil deposits were examined, with the properties of the  
 5 examined pairs of subdeposits varying so that to cover a range of anticipated soil sites. A 3.0 m  
 6 deep surficial layer of cohesionless material was assumed in all examined cases, regardless of  
 7 the adopted underlying subdeposits. Additionally, all examined sites were assumed to rest on  
 8 an elastic bedrock with mass density,  $\rho_b = 2.2$  t/m<sup>3</sup> and shear wave velocity  $V_{s,b} = 1000$  m/s.  
 9 Fig. 2 illustrates the gradients of shear wave propagation velocities, as well as the mass  
 10 densities,  $\rho$ , of the selected soil subdeposits. The variation of the small-strain shear modulus of  
 11 the cohesionless subdeposits was actually estimated as follows [39]:

$$12 \quad G_{\max} = 220K_{2,\max} (\sigma'_m)^{0.5} \quad (1)$$



13  
 14 **Fig. 2** Shear wave velocity gradients of examined (a) cohesionless and (b) cohesive soil sub-deposits.  
 15

16 where  $\sigma'_m$  is the effective confining stress (in kPa) and  $K_{2,\max}$  is a constant depending on the  
 17 relative stiffness  $D_r$  of the subdeposit (Table 4). By employing Eq. 1 for the selected soil mass  
 18 densities and based on basic elasto-dynamics, the gradients of small-strain shear wave velocity  
 19 were defined, as per Fig. 2a. The gradients of the small-strain shear wave velocity of the  
 20 cohesive soil subdeposits were also considered to be increased with depth, as per Fig. 2b. The  
 21 selected soil subdeposits correspond to soil classes B and C according to Eurocode 8 [40]. The  
 22 above profiles were selected in pairs, in order to define the properties of subdeposits 1 and 2  
 23 (Fig. 1). In particular, three pairs were examined, i.e. Soil A - Soil B, Soil A - Soil C and Soil

1 B - Soil C. The nonlinear response of the selected subdeposits during ground seismic shaking  
 2 was described by means of  $G$ - $\gamma$ - $D$  curves, following [41].

3 Two different sets of mechanical and physical properties were examined for the surficial soil  
 4 layer, which actually constitutes the trench backfill material for the examined pipelines and  
 5 therefore is referred as either *trench TA* or *trench TB* in the ensuing, for the sake of simplicity.  
 6 The selected properties, summarized in Table 5, correspond to well or very well-compacted  
 7 conditions. It is worth noting that the shear moduli  $G$ , presented in Table 5, correspond to  
 8 ‘average’ equivalent soil stiffnesses, referring to the ground strain range anticipated for the  
 9 selected seismic ground motions. These values were estimated on the basis of nonlinear 1D soil  
 10 response analyses, discussed in the following.

11 With reference to the selection of the friction coefficient of the backfill-pipe interface,  $\mu$ ; this  
 12 may vary along the axis of a long pipeline and may also change during ground shaking.  
 13 However, for steel pipelines without external coating, it is bounded between  $\mu_{min}= 0.3$  and  
 14  $\mu_{max}= 0.8$ . These limits are resulted from the relation between the interface friction coefficient  
 15  $\mu$  and friction angle of the backfill  $\varphi$ , i.e.  $\mu = (0.5 - 0.9) \times \tan \varphi$  [38, 42], by assuming typical  
 16 values for the backfill soil friction angle, i.e. from  $29^\circ$  to  $44^\circ$ . It is worth noting that the  
 17 existence of external pipe coating may affect the friction coefficient of the interface [38]. This  
 18 effect was disregarded in this study, since the focus was set on more critical cases where higher  
 19 shear stresses are developed along the pipe-soil interface, leading to a higher axial straining on  
 20 the embedded pipeline.

21  
 22 **Table 4** Relationships between density, relative density,  $K_{2,max}$  parameter and cohesionless soil  
 23 characterization (after [39]).  
 24

Density, $\rho$ (t/m <sup>3</sup> )	Relative density, $D_r$ (%)	$K_{2,max}$	Characterization
1.4	30	30	Loose
1.65	52.5	48	Medium
2	90	70	Fine

25  
 26 **Table 5** Physical and mechanical properties of investigated trenches.

	Density, $\rho$ (t/m <sup>3</sup> )	Poisson’s ratio, $\nu$	Shear modulus, $G$ (MPa)	Friction angle, $\varphi$ (°)	Friction coefficient, $\mu$
<b>Trench TA</b>	1.65	0.3	37.1	35	0.45
<b>Trench TB</b>	1.9	0.3	63.1	44	0.78

27  
 28  
 29  
 30  
 31  
 32  
 33  
 34  
 35


## 2.2 Analytical methodology

A 3D full dynamic analysis of the soil-pipe interaction (SPI) phenomena during ground shaking may be seen as computationally prohibitive, when considering the complications in simulating rigorously material or geometrical nonlinearities associated with the problem, as well as the uncertainties in the definition of the characteristics of heterogeneous soil sites and the inherently random varying ground seismic motion [25]. Hence, a simplified, yet efficient, numerical analysis framework should be developed and used, instead.

Generally, the inertial soil-structure interaction (SSI) effects are not important in the dynamic soil-pipe interaction problem [42]. This allows for a decoupling of the problem in successive stages, in an effort to reduce the computational cost compared to the one associated with a 3D SPI dynamic analysis. It also allows for the investigation of the effect of transient ground deformation on the response of the embedded pipeline in a quasi-static form.

Based on the above considerations, a numerical framework was developed within this study. The framework, which is inspired by Psyrras et al. [25], is illustrated schematically in Fig. 3 and consists of three main steps. A 3D trench-pipe numerical model is constructed within the first step to compute the axial compressive response of the buried steel NG pipeline under an increasing level of relative axial ground displacement, caused by the dissimilar ground movement of adjacent soil subdeposits near the geotechnical discontinuity (Step 1 in Fig. 3). In the second step (Step 2 in Fig. 3), the ground response is computed under vertically propagated seismic waves via 1D nonlinear soil response analyses, which are carried out separately for each subdeposit. More specifically, critical relative axial ground deformation patterns,  $\delta_{ue}$ , are computed at the pipeline depth, for the selected pairs of subdeposits, using the numerically predicted horizontal deformations of the adjacent soil subdeposits. Time histories of acceleration, velocity and displacement are also computed at the ground surface, which are then employed in the definition of some of the examined seismic *IMs* in the present study. The outcomes of the 3D SPI analyses and the 1D soil response analyses are combined in the third step of the analytical framework (Step 3 in Fig. 3). In particular, the pipe response, expressed in terms of maximum axial compression strain, is correlated with the ground response, the latter computed for each of the selected pairs of subdeposits and each seismic record. The analytical framework is further analysed in the following sections.





1  
 2 **Fig. 3** Schematic view of the analysis framework: Step 1: 3D numerical model of the trench-pipe  
 3 configuration to evaluate the pipeline response under an increasing level of relative axial ground  
 4 deformations,  $\delta_u$ , accounting for the SPI effects. Step 2: 1D soil response analyses of selected soil  
 5 subdeposits to compute the ground response for selected ground motions, including the seismic IMs at  
 6 ground surface, and define relative axial ground deformations  $\delta_{ue}$ , at the vicinity of the geotechnical  
 7 discontinuity. Step 3: combination of the results of the 3D SPI analyses with the results of the 1D soil  
 8 response analyses.

9

### 2.2.1 Step 1: 3D trench-pipe model to analyse the SPI phenomena

A 3D continuum trench model, encasing a cylindrical shell model of the pipeline, is initially developed in ABAQUS [43], aiming at computing the axial response of the pipeline under an increasing level of relative axial ground displacement, caused by the dissimilar horizontal ground shaking of the adjacent subdeposits near a geotechnical discontinuity (Step 1 in Fig. 3). The utilization of a 3D continuum model allows for a rigorous simulation of pressurization level of the pipeline, as well as of initial geometric imperfections of the wall of the pipeline, which both are expected to affect significantly the axial compressional response of a buried steel pipeline, including potential localized buckling modes [24, 45-48]. Additionally, it allows for a rigorous simulation of potential sliding and/or detachment (i.e. in the normal direction) of the pipeline wall from the surrounding ground, by employing interaction models available in advanced finite element codes, like ABAQUS [43]. Finally, it allows for a proper simulation of the initial stress state and deformation of the trench-pipe system, caused by gravity and the operational pressure of the pipeline, before the application of the seismically-induced ground deformations.

The selection of a surficial block from the semi-infinite 3D ground domain, i.e. a part of the surficial layer-trench TA or TB herein, is made on the ground of absence of significant inertial SSI effects, in addition to the shallow burial depth of the pipeline and the assumption of in-plane ground deformation pattern. In this context, the dimensions of the 3D model are defined as follows; the distance between the pipe invert and the bottom boundary of the trench model is set equal to 1.0 m, while the distance between the side boundaries of the trench model and the pipe edges is set equal to one pipe diameter. The distance between the pipe crown and ground surface is defined according to the adopted burial depth,  $h$ , of the examined pipeline.

An ‘adequately long’ 3D continuum model is generally required to account for the effect of the ‘anchorage’ length of the pipeline by the surrounding ground on the shear stresses that are being developed along the soil-pipe interface during seismic ground deformation. This aspect in addition to the requirement of fine meshes of the pipeline, to adequately resolve its buckling modes (see following), may lead to a significant increase of the relevant computational cost of the analyses, even if these analyses are conducted in a quasi-static fashion. On this basis, generalized nonlinear springs are calculated and introduced at both sides of the pipeline, in an effort to reduce the required length of the 3D SPI model, while considering the effect of the ‘infinite’ pipeline length on the response of the examined pipeline-soil configurations. The springs are acting parallel to the pipeline axis, with the force-displacement relation of the nonlinear springs being given as follows [24]:

$$F = \begin{cases} \lambda EA \delta_x & \text{for } \delta_x \leq \frac{\tau_{\max}}{k_s} \\ \lambda EA \frac{\tau_{\max}}{k_s} + \frac{\pi D \tau_{\max}}{m} \left( \sqrt{\left( \lambda \frac{\tau_{\max}}{k_s} \right)^2 + 2m \left( \delta_x - \frac{\tau_{\max}}{k_s} \right)} - \left( \lambda \frac{\tau_{\max}}{k_s} \right) \right) & \text{for } \delta_x > \frac{\tau_{\max}}{k_s} \end{cases} \quad (2)$$

where:

$$\lambda = \sqrt{\frac{\pi D k_s}{EA}} \quad (3)$$

$$m = \frac{\pi D \tau_{\max}}{EA} \quad (4)$$

$\delta_x$  is the backfill-pipe relative axial movement caused by the relative axial ground deformation  $\delta_u$  of the trench backfill soil, as a result of the dissimilar ground movement of the adjacent sub-deposits,  $k_s$  is the shear stiffness of the backfill-pipe interface,  $\tau_{\max}$  is the maximum shear resistance that develops along the backfill-pipe interface and  $EA$  is the axial stiffness of the pipeline cross section. The maximum shear resistance in case of cohesionless backfills depends on the adopted friction coefficient  $\mu$  of the interface and varies along the perimeter of the pipe. Therefore, mean values of  $\tau_{\max}$  and  $k_s$  should be evaluated via numerical simulations of simple axial pull-out tests of the examined pipe from the trench backfill soil, as per [16]. The proposed simulation of the end-boundaries of the pipeline is inspired from a numerical model that was developed by Vazouras et al. [16] to account for the effect of the infinite length of a buried steel pipeline subjected to seismically-induced strike-slip faulting. Based on the above considerations, the length of the 3D pipe-soil trench model is reduced to  $20 \times D$  ( $D$ : external diameter of the pipeline). This length is selected on the grounds of a sensitivity analysis, by comparing the axial stresses and strains computed at the critical middle section of the pipeline by the 3D SPI model, with relevant predictions of equivalent extended, almost ‘infinite’, 3D continuum models of the soil-pipe configuration, subjected to the same axial ground deformation pattern, as the one used for the hybrid 3D model with the springs at the pipe sides. The boundary at the bottom of the soil model is fixed in the vertical direction, whereas the side-boundaries are fixed in the horizontal direction. The ground surface is set free, while the pipe-ends are connected to the relevant springs by means of rigid constraints, as per Fig. 3a. The backfill-pipe interface is simulated using an advanced ‘hard contact’ interaction model, available in ABAQUS [43], which allows for potential sliding and/or detachment (in the normal direction) between the interacting pipe and backfill soil elements during the horizontal deformation of the ground. The shear behaviour of the interface model is simulated via the classical Coulomb friction model, by introducing a friction coefficient,  $\mu$ . The latter follows the values provided in Table 5. A critical aspect for the efficiency of the 3D numerical model is the discretization of the pipeline and surrounding soil. Linear hexahedral (brick-type) elements are used to model the trench backfill, employing the equivalent soil properties (i.e. degraded soil stiffness) presented in Table 5. The pipeline is simulated by means of inelastic, reduced integration S4R shell elements, having both membrane and bending stiffness. The mesh density of the pipeline at the critical central section of the 3D numerical model, i.e. at the location of the geotechnical discontinuity where the axial strain of the pipeline is expected to maximize, is selected adequately, in order to resolve the inelastic buckling modes of an equivalent axially compressed unconstrained cylindrical steel shell [25]. To select an adequate mesh, the half-wavelength of the examined pipeline sections in the post-elastic range,  $\lambda_{c,p}$ , is initially computed as [49]:

$$\lambda_{c,p} \approx \lambda_{c,el} \times \sqrt{E_p/E} \quad (5)$$


where  $E$  is the Young's modulus of the steel grade of the pipeline,  $E_p$  is the plastic modulus of the steel grade of the pipeline and  $\lambda_{c,el}$  the elastic axial half-wavelength. Considering a Poisson's ratio  $\nu = 0.3$  for the steel grades examined herein, the latter is given as [49]:

$$\lambda_{c,el} \approx 1.72\sqrt{Rt} \quad (6)$$

where  $R$  and  $t$  are the radius and wall thickness of the pipeline, respectively. By setting the plastic modulus  $E_p$  is equal to  $0.1E$ , Eq. 5 yields:  $\lambda_{c,p} \approx 0.5\lambda_{c,e}$  [25]. Element lengths, ranging between 1.0 cm and 2.0 cm, were found capable to reproduce the theoretical axial half-wavelength  $\lambda_{c,p}$  of the examined pipelines. The above mesh seeds are applied in the middle section of the examined pipelines and for a length equal to 2.0 m. The mesh density away from the critical central zone is gradually decreased, with the axial dimension of the shell elements being as high as 0.30 m, to reduce the computation cost of the 3D analyses. This was done on the ground of the small strain amplitudes and radial deflections expected away from the central section of the pipeline. The mesh discretization of the trench soil in the axial direction of the model matches the exact mesh seed of the pipeline, to avoid any initial gaps during the generation of mesh. The mesh seed of the trench in the other two directions is restricted to 0.3 m.

The plastic behaviour of the steel pipelines is modelled through a classical J2-flow plasticity model combined with a von Mises yield criterion. Ramberg-Osgood curves (Eq. 7) are fitted to bilinear isotropic curves that describe the tensile uniaxial behaviour of the selected steel grades (Fig. 4). The curves are characterized by a yield offset equal to 0.5 %, and a hardening exponent  $n$  equal to 15, 19.5 and 21, for grades X60, X65 and X70, respectively.

$$\varepsilon = \frac{\sigma}{E} + a \times \left( \frac{\sigma}{\sigma_y} \right)^n \quad (7)$$




**Fig. 4** Uniaxial tensile stress-strain response of API X60, X65 and X70 steel grades adopted herein ( $n$  = hardening exponent,  $a$  = yield offset  $\times E/\sigma_y$ ).

The axial compression response of thin-walled steel pipelines is known to be highly affected by initial geometric imperfections of the walls [25, 44]. In this context, both 'perfect' pipelines and equivalent pipelines with initial geometric imperfections of their walls are examined. The simulation of imperfections of the pipeline walls is not a straightforward task since the shape of these imperfections might be rather complex. In this study, a 'fictious' imperfection shape is

1 considered, following previous studies [25, 45]. In particular, a stress-free, biased  
 2 axisymmetric imperfection is considered, following a sinusoid function modulated by a second  
 3 sinusoid, which results in a peak amplitude of the imperfection at the middle section of the  
 4 length, where it is applied [25]. The function of radial deflection is defined as per Eq. (8),  
 5 where positive values correspond to outward direction from the mid-surface of the pipeline  
 6 shell wall.

$$\bar{w}(x) = \left[ w_0 + w_1 \cos\left(\frac{\pi x}{N\lambda_c}\right) \right] \cos\left(\frac{\pi x}{\lambda_c}\right), \quad -\frac{L_{crit}}{2} \leq x \leq \frac{L_{crit}}{2}, \quad L_{crit} = 2.0m, \quad 2N\lambda_c = L_{crit} \quad (8)$$



10 **Fig. 5** Detail of the mesh of the central section of a  $D = 914.4$  mm pipeline with a biased axisymmetric  
 11 geometrical imperfection (the radial deformation is exaggerated by a scale factor of  $10, \times 10$ ).  
 12

13  
 14 The peak amplitude of the imperfection is set as a function of the pipe wall thickness:  
 15  $w = w_0 + w_1 = 0.10t$ . This latter selection is made following specifications, of ArcelorMittal  
 16 which provide a manufacturing tolerance for the walls of API-5L X65 pipelines in the range of  
 17  $+ 15\%$  to  $-12.5\%$  [50]. Generally, the location of a pipeline imperfection is not easily  
 18 detectable. In the present study it was decided to select the worst-case scenario, i.e. the  
 19 imperfection is applied over the central critical pipeline zone with length equal to  $L_{crit} = 2.0$  m,  
 20 centered at the exact position of the geotechnical discontinuity. Fig. 5 illustrates a detail of the  
 21 mesh of the central section of an imperfect pipeline. The mesh of the backfill soil, surrounding  
 22 the pipeline, follows the perturbed mesh of the pipeline, in order to prevent any initial gaps  
 23 during the generation of the mesh that might affect the contact phenomena during loading, thus  
 24 decreasing the computational efficiency of the model. Residual stresses due to manufacturing  
 25 process of the pipelines were disregarded by the present study.

26 With reference to the loading pattern of the 3D SPI model; the effects of gravity and internal  
 27 pressure of the pipeline are initially considered within a general static step. The effect of  
 28 transient ground deformation is then simulated in quasi-static manner as follows: the nodes of  
 29 the one half of the trench model and the free node of the relevant nonlinear spring are fixed in  
 30 the axial direction, i.e.  $u = 0$ , in Fig. 3. The nodes of the other half trench model and the free  
 31 node of the relevant nonlinear spring are displaced towards the constraint part of the model in a  
 32 stepwise fashion. This deformation pattern causes a relative axial deformation of the backfill  
 33 model (i.e.  $\delta_u$ ), which is equivalent to the case where both halves of the model, are moving  
 34 differently but in the same axial direction, causing the same differential ground displacement  $\delta_u$   
 35 on the examined system. Since the depth of the trench domain is much smaller than the  
 36 common predominant wavelengths of shear seismic waves, the above-described deformation

1 pattern is kept constant with depth coordinate over the trench backfill domain. The adopted  
2 deformation pattern leads to the development of shear stresses along the pipe-soil interface,  
3 which in addition to the axial loading induced on both ends of the pipeline via the generalized  
4 nonlinear springs, result in an axial compression straining of the pipeline. This axial response  
5 of the pipeline is evaluated for an increasing level of relative axial ground displacement,  $\delta_u$ ,  
6 through a modified Riks solution algorithm. The main outcome of this analysis is a curve that  
7 describes the relation between an increasing relative axial ground displacement,  $\delta_u$ , and the  
8 corresponding maximum compressive axial strain of the critical middle section of the pipeline,  
9 i.e. around the geotechnical discontinuity (see Step 3 in Fig. 3). It is noted that the analysis  
10 focuses on the axial ground displacements, which constitute the dominant loading mechanism  
11 for buried pipelines under seismic wave propagation, while it disregards the vertical ground  
12 displacements. Since the response of the pipeline is computed for an increasing level of relative  
13 axial ground displacement,  $\delta_u$ , the outcome of one 3D SPI analysis may be used to evaluate the  
14 axial straining of the pipe under a variety of selected ground axial relative displacements,  $\delta_{ue}$ ,  
15 caused by diverse seismic motions. This may be possible with the utilization of ‘mean’  
16 equivalent soil properties for the backfill soil, the latter corresponding to the strain-range that is  
17 anticipated for the selected ground seismic motions.

### 18 19 **2.2.2 Step 2: Soil response analyses**

20 In a second step, the seismic response of the selected soil sites is evaluated via 1D nonlinear  
21 soil response analyses, which are carried out separately for each subdeposit of the adopted  
22 pairs, employing DEEPSOIL [51]. Numerical models of the selected subdeposits, presented in  
23 *Section 2.1*, are initially developed, accounting also for the properties of the surficial ground  
24 layers (i.e. backfills) and the elastic bedrock. The models are then employed in a series of  
25 nonlinear time history analyses, using an ensemble of seismic records (see *Section 2.4*). The  
26 hysteretic nonlinear response of the soil during ground shaking is considered by means  $G$ - $\gamma$ - $D$   
27 curves, which are properly selected for the examined deposits, following [41]. An additional  
28 viscous damping of 1 % is also introduced in the form of the frequency-dependent Rayleigh  
29 type [52], in order to avoid the potential amplification of higher frequencies of the ground that  
30 may result in unrealistic oscillations of the acceleration time histories in low ground strains.  
31 The Rayleigh coefficients are properly selected for a frequency interval range, characterizing  
32 the ‘dominant frequencies’ of each soil column. Through the soil response analyses, time  
33 histories of the horizontal deformations of the soil columns are calculated at the burial depths  
34 of the pipelines, which are then employed to compute maximum differential ground  
35 deformation patterns  $\delta_{ue}$  for the selected pairs of adjusted subdeposits (see *Section 2.1*).  
36 Additionally, time histories of the horizontal acceleration, velocity and deformation are  
37 computed at the ground surface, in order to evaluate a variety of seismic *IMs* that are examined  
38 in the framework of this study.


### 39 40 **2.2.3 Step 3: Combination of 3D SPI with 1D soil response analyses**

41 The critical relative axial ground deformation patterns,  $\delta_{ue}$ , which are defined based on the  
42 results of the 1D soil response analyses are finally correlated with the predicted straining of the

1 pipeline, using the  $\delta_u$  - maximum compressive axial strain,  $\varepsilon$ , relations computed through the  
2 3D SPI analyses.  
3 Summarizing, the applying analytical framework accounts for critical parameters affecting the  
4 seismic response of buried steel pipelines. Additionally, the pseudo-static simulation of the  
5 seismically-induced transient ground deformations is computationally more efficient compared  
6 to an analysis conducted in a full-dynamic fashion.  
7 Inevitably, the proposed analysis framework has some limitations. The inertial SPI effects, as  
8 well as effects of the evolution of stresses and deformations due to temperature changes on the  
9 pipeline response are not considered in the present study. Moreover, phenomena related to  
10 fatigue and steel strength and stiffness degradation due to cyclic loading, are neglected. The  
11 effect of soil nonlinearity during ground shaking, on the stiffness of the backfill and therefore  
12 on the confinement level of the pipeline, is considered in an approximate manner through the  
13 introduction of equivalent soil properties (i.e. strain-depended degraded stiffness) on the  
14 backfill. Additionally, the 1D soil response analyses cannot capture the potential 2D wave  
15 phenomena near the geotechnical discontinuity [53]. However, 1D nonlinear soil response  
16 analyses offer computational efficiency compared to 2D or 3D analyses and may be used as a  
17 first approximation for the evaluation of the seismic response of the ground and pipelines at  
18 shallow depths [53]. The computational efficiency of 1D soil response analyses allows for an  
19 extended and thorough parametric analysis, such as the one presented herein.

#### 21 **2.2.4 Verification of the 3D SPI model**


22 As stated already, the length of the adopted 3D trench soil-pipe models was selected by  
23 examining various lengths and comparing the axial stresses and strains, computed at the middle  
24 critical section of the pipeline, with relevant predictions of equivalent ‘infinitely’ long 3D  
25 continuum models of the examined soil-pipe configurations, the latter subjected to the same  
26 axial ground deformation pattern. An example is provided in this section, referring to the  $D =$   
27  $914.4$  mm pipeline, embedded in a burial depth  $h = 1.0$  m. The procedure followed to evaluate  
28 the nonlinear springs for the end-sides of the pipeline model in Fig. 3a, is initially presented in  
29 Fig. 6. More specifically, Fig. 6a illustrates the numerical model used to simulate the axial  
30 pull-out of the pipeline from the surrounding ground. The pull-out analyses were performed  
31 assuming a length for the model equal to 20 m and examining both adopted trench backfills,  
32 i.e. TA and TB (Table 5). The analyses yielded the shear stress-displacement relations  
33 presented in Fig. 6b. These relations were then used to define the maximum shear resistance  
34  $\tau_{max}$  and the shear stiffness  $k_s$  of the backfill soil-pipe interface, which were then employed in  
35 the definition of the nonlinear springs, following Eq (1). The computed force-displacement  
36 relations of the nonlinear springs for the present example are presented in Fig 6c. A higher  
37 friction coefficient for the backfill-pipe interface leads to ‘stiffer’ springs for the end-sides of  
38 the pipeline.



1  
2 **Fig. 6** (a) Numerical simulation of an axial pull-out test of a  $D = 914.4$  mm pipeline, embedded at burial  
3 depth  $h = 1.0$  m, (b) interface shear stress–displacement relationship estimated for the examined system  
4 when the pipeline is embedded in trench TA ( $\mu = 0.45$ ) or in trench TB ( $\mu = 0.78$ ), (c) force-  
5 displacement relations of the nonlinear springs, estimated as per Eq.1, when the examined pipeline is  
6 embedded in trench TA ( $\mu = 0.45$ ) or in trench TB ( $\mu = 0.78$ ).

7  
8 The nonlinear springs were introduced at the end-sides of the examined pipeline and the  
9 numerical model was subjected gradually to a relative axial ground deformation up to  $\delta_u = 20$   
10 cm, as per Fig. 3a. The analyses were carried out for a ‘perfect’ pipeline (i.e.  $w/t=0$ ), as well as  
11 for an equivalent pipeline with an initial geometric imperfection at the middle section (i.e.  
12  $w/t=0.1$ ). In both cases the pipeline was pressurized at an internal pressure  $p = 8$  MPa. Fig. 7  
13 compares representative numerical results of the pipelines responses computed by the proposed  
14 3D SPI model, with relevant numerical predictions of extended 3D trench-pipe models of the  
15 examined pipelines (i.e. models with lengths equal to 500 times and 1000 times the diameter of  
16 the pipeline without springs at pipe edges). In particular, the axial stress (normalized over the  
17 yield Mises stress) and the axial strain computed along the ditch axis of the examined pipelines  
18 at the end of the analysis, i.e. after local buckling occurred, are compared. The extended  
19 models yield in almost identical results; therefore, it may be assumed that they may provide the  
20 response of an ‘infinitely’ long trench-pipeline model and can be used for verification purposes  
21 of the reduced length 3D hybrid model. The reduced length model provides similar results with  
22 the extended length models in terms of stresses and strains for both the perfect and imperfect  
23 pipelines, irrespectively of the adopted trench backfill properties. Evidently the computational  
24 cost of the reduced length model is highly reduced compared to the one of the extended  
25 models. It is worth noticing the significant effects of geometric imperfections of the walls of  
26 the pipeline, as well of the backfill properties and backfill-pipe interface frictional  
27 characteristics, on the axial response of the pipeline. Clearly, a much higher axial response is  
28 reported for the imperfect pipeline, embedded in trench TB (i.e. case of very-well compacted  
29 backfill soil with higher soil-pipe interface friction coefficient). The critical effects of pipeline  
30 wall imperfections or backfill compaction level on the axial response of buried steel pipelines  
31 are further examined in [47-48].






1  
2  
3 **Fig. 7** Comparisons of axial stresses (normalized over yield Mises stresses) and axial strains computed  
4 along the ditch axis of a  $D = 914.4$  mm perfect (i.e.  $w/t=0$ ) and imperfect (i.e.  $w/t=0.1$ ) pipeline,  
5 embedded in trench TA ( $\mu = 0.45$ ) or TB ( $\mu = 0.78$ ) at a burial depth  $h = 1.0$  m, by the 3D SPI model  
6 with the nonlinear springs at end-sides, (i.e.  $L = 20 D$ ) and extended 3D SPI models ( $L = 500 D$  and  $L =$   
7  $1000 D$ ), the latter simulating the ‘infinitely’ long soil-pipeline configuration.

### 8 9 **2.3 Seismic ground motions**

10 An ensemble of 40 real ground motions, recorded on rock outcrop or very stiff soil (soil classes  
11 A and B according to Eurocode 8) [40] were selected in this study. The adopted records (Table  
12 6), which were retrieved from the SHARE database [53], represent ground motions from  
13 earthquakes with moment magnitudes  $M_w$ , varying between 5 and 7.62, recoded at epicentral  
14 distances,  $R$ , between 3.4 and 71.4 km [36]. The shear wave velocity of first 30 m depth,  $V_{s,30}$ ,  
15 of the recordings locations, ranges between 650 m/s and 2020 m/s. The peak ground  
16 acceleration  $PGA$  of the selected records varies between 0.065 g to 0.91 g. The peak ground  
17 velocity  $PGV$  ranges between 0.031 m/s to 0.785 m/s, while the Arias Intensity  $I_a$ , ranges from  
18 0.015 m/s and 10.97 m/s. Scatter plots of the  $M_w$ - $\ln(R)$ ,  $PGA$ - $PGV$  and  $PGA$ - $I_a$  relations for the  
19 selected records are provided in Fig. 8. It is noted that no existing selection techniques that  
20 employ spectra for the selection of ground motions [e.g. as in 55-58] were used herein. This  
21 was done on the ground that the response of the extended buried pipelines is highly distinct  
22 compared to that of above ground structures (e.g. [59-60]), for which the ‘target’ spectra are  
23 actually defined. The selection is further strengthened by the fact that buried pipelines do not  
24 have an individual period of vibration, to which a spectrum could be conditioned.

1 **Table 6.** Selected ground motion records.

Date	Earthquake	Country	Station Name	Mw	R (km)	Preferred FS
25/07/2003	N Miyagi Prefecture	Japan	Oshika	6.1	32.00	Reverse
23/10/2004	Mid Niigata Prefecture	Japan	Tsunan	6.6	36	Reverse
12/06/2005	Anza	USA	Pinyon Flat Observatory	5.2	11.50	Strike-Slip
22/12/2003	San Simeon	USA	Ca: San Luis Obispo; Rec Center	6.4	61.5	Reverse
16/09/1978	Tabas	Iran	Tabas	7.35	57	Oblique
10/06/1987	Kalamata (Aftershock)	Greece	Kyparrisia-Agriculture Bank	5.36	17.00	Oblique
13/05/1995	Kozani	Greece	Kozani	6.61	17	Normal
07/09/1999	Ano Liosia	Greece	Athens 4 (Kipseli District)	6.04	17.00	Normal
15/04/1979	Montenegro	Serbia	Hercegnovi Novi-O.S.D.	6.9	65	Thrust
25/10/1984	Kremidia (Aftershock)	Greece	Pelekanada-Town Hall	5	16	
17/05/1995	Kozani (Aftershock)	Greece	Chromio-Community Building	5.3	16.00	Normal
13/10/1997	Kalamata	Greece	Koroni-Town Hall (Library)	6.4	48	Thrust
06/05/1976	Friuli	Italy	Tolmezzo-Diga Ambiesta	6.4	21.70	Reverse
15/09/1976	Friuli (Aftershock)	Italy	Tarcento	5.9	8.50	Reverse
23/11/1980	Irpinia	Italy	Bisaccia	6.9	28.30	Normal
14/10/1997	Umbria Marche (Aftershock)	Italy	Norcia	5.6	20.00	Normal
09/09/1998	App. Lucano	Italy	Lauria Galdo	5.6	6.60	Normal
06/04/2009	L Aquila Mainshock	Italy	L Aquila - V. Aterno - Colle Grilli	6.3	4.40	Normal
09/02/1971	San Fernando	USA	Lake Hughes #12	6.61	20.04	Reverse
28/11/1974	Hollister-03	USA	Gilroy Array #1	5.14	11.08	Strike-Slip
06/08/1979	Coyote Lake	USA	Gilroy Array #6	5.74	4.37	Strike-Slip
02/05/1983	Coalinga-01	USA	Slack Canyon	6.36	33.52	Reverse
24/04/1984	Morgan Hill	USA	Gilroy Array #6	6.19	36.34	Strike-Slip
23/12/1985	Nahanni, Canada	Greece	Site 1	6.76	6.8	Reverse
14/11/1986	Taiwan Smart1(45)	Taiwan	Smart1 E02	7.3	71.35	Reverse
07/02/1987	Baja California	USA	Cerro Prieto	5.5	3.69	Strike-Slip
18/10/1989	Loma Prieta	USA	Gilroy Array #6	6.93	35.47	Reverse-Oblique
18/10/1989	Loma Prieta	USA	Ucsc Lick Observatory	6.93	16.34	Reverse-Oblique
25/04/1992	Cape Mendocino	USA	Petrolia	7.01	4.51	Reverse
28/06/1992	Landers	USA	Lucerne	7.28	44.02	Strike-Slip
17/01/1994	Northridge-01	USA	La - Griffith Park Observatory	6.69	25.42	Reverse
17/01/1994	Northridge-01	USA	Pacoima Dam (Downstr)	6.69	20.36	Reverse
16/01/1995	Kobe, Japan	Japan	Nishi-Akashi	6.9	8.7	Strike-Slip
20/09/1999	Chi-Chi, Taiwan	Taiwan	Tcu071	7.62	15.42	Reverse-Oblique
28/06/1991	Sierra Madre	USA	Mt Wilson - Cit Seis Sta	5.61	6.46	Reverse
16//10/1999	Hector Mine	USA	Hector	7.13	26.53	Strike-Slip
20/09/1999	Chi-Chi, Taiwan-03	Taiwan	Tcu129	6.2	18.5	Reverse
17/08/1999	Izmit	Turkey	Gebze-Tubitak Marmara	7.6	42.77	Strike-Slip
17/08/1999	Izmit	Turkey	Izmit-Meteoroloji Istasyonu	7.6	3.40	Strike-Slip
12/11/1999	Duzce 1	Turkey	Ldeo Station No. C1058 Bv	7.1	15.60	Strike-Slip



1  
2 **Fig. 8** Distribution of main parameters of selected ground motion records.  
3

### 4 **3. Selection of seismic intensity measures**

5 A variety of seismic *IMs* has been employed in the existing literature to describe seismic  
6 intensity in empirical fragility functions for the structural assessment of buried pipelines [61-  
7 62], including the Modified Mercalli Intensity *MMI* [63-67], the peak ground acceleration *PGA*  
8 [68-70], the peak ground velocity *PGV* [6-7,38,67,71-79], the peak ground strain ( $\epsilon_g$ )  
9 [11,77,79], as well as  $PGV^2/PGA$  [80]. The efficiency of Arias intensity  $I_a$ , spectral  
10 acceleration *SA* and spectral intensity *SI*, in predicting the damage of buried pipelines under  
11 transient ground deformations was also examined in previous studies [67, 81]. The limited  
12 available analytical fragility curves for buried steel NG pipelines make use of *PGA* and *PGV* as  
13 seismic *IMs* [82-83]. From the above seismic *IMs*, *PGV* and  $\epsilon_g$ , are those that are directly  
14 related to the main loading condition, which is responsible for the induced damage on buried  
15 pipelines caused by seismically-induced transient ground deformations.

16 Shakib and Jahangiri [37] examined the efficiency and sufficiency of various seismic *IMs* for  
17 buried steel NG pipelines, employing a numerical parametric study on selected pipe-soil  
18 configurations. In addition to the above seismic *IMs* (e.g. *PGA*, *PGV*,  $PGV^2/PGA$ ,  $I_a$ ), a set of  
19 other measures was also examined, including the peak ground displacement, *PGD*, the root  
20 mean square acceleration, velocity and displacement,  $RMS_a$ ,  $RMS_v$ ,  $RMS_d$ ,  $PGD^2/RMS_d$ , the  
21 cumulative absolute velocity, *CAV*, the sustained maximum acceleration and velocity, *SMA*,  
22 *SMV* and a series of spectral *IMs*. The researchers proposed spectral seismic *IMs* as optimal  
23 ones for some of the examined pipe-soil configurations. However, to the authors' view, the use  
24 of spectral seismic *IMs* for embedded structures, such as buried pipelines, might be highly  
25 debatable, when considering the kinematic loading, which is imposed by the surrounding  
26 ground on the embedded pipeline under ground shaking and is prevailing over the pipeline's  
27 inertial response [5, 59-60]. Actually, buried structures (including pipelines) exhibit a highly  
28 distinct seismic response compared to that of single degree of freedom oscillators (SDOF), for  
29 which the response spectra and the relevant spectral seismic *IMs* are defined. This perspective  
30 comes in line with the poor correlations between spectral seismic *IMs*, i.e. spectral acceleration  
31 and spectrum intensity, and observed damage on water-supply and steel NG pipelines during  
32 past earthquakes [67, 81]. Based on the above observations, no spectral seismic *IMs* were  
33 examined herein.

1 Table 7 summarizes the tested seismic *IMs*. The selected *IMs* have been widely used in  
2 previous studies, e.g. for the development of empirical fragility functions or analytical fragility  
3 relations, while most of them may be evaluated easily. Hazard maps and hazard curves are  
4 readily available in terms of *PGA* or *PGV*, while other seismic *IMs*, such as Arias intensity  $I_a$   
5 require more effort to be evaluated. Along these lines, *PGA* or *PGV* might be more desirable,  
6 particularly in the framework of a rapid post-seismic assessment of an extended NG network  
7 and management of the post-seismic risk [84]. The peak longitudinal ground strain  $\varepsilon_g$  was not  
8 examined herein, due to the nature of the soil response analyses that were carried out within  
9 this study (i.e. 1D soil response analyses). Despite of the direct correlation of longitudinal  
10 ground strain with pipeline axial response, its rigorous computation or even its evaluation in a  
11 simplified fashion via *PGV* and wave propagation velocity  $C$  of the site (i.e.  $\varepsilon_g = PGV/C$ ) may  
12 be cumbersome [61], particularly in the presence of strong soil heterogeneities along the  
13 pipeline axis, like in the cases examined herein. The selected seismic *IMs* refer to either  
14 outcrop conditions or ground surface conditions. For the latter cases, two computation  
15 approaches were examined since multiple values of the seismic *IMs* are available near the  
16 geotechnical discontinuity of the examined soil deposits, i.e. those computed at the ground  
17 surface above subdeposit 1 and those computed at the ground surface above subdeposit 2 (Fig.  
18 1). In particular, the seismic *IMs* at the ground surface refer to either the maximum value of the  
19 peak values computed at the surface adjacent subdeposits, or to the mean value of the peak  
20 values predicted at the adjacent subdeposits (see Table 7).

21  
22

**Table 7** Examined Intensity Measures.

Location	Intensity measure
Outcrop	Peak ground acceleration $PGA_r = \max  a_r(t) $
Outcrop	Peak ground velocity $PGV_r = \max  v_r(t) $
Outcrop	Peak ground velocity $PGD_r = \max  d_r(t) $
Outcrop	Arias intensity $I_{a_r} = \frac{\pi}{2g} \int_0^{\infty} [a_r(t)]^2 dt$
Ground surface	Peak ground acceleration $PGA_1 = \max \{ \max  a_{soil,1}(t) , \max  a_{soil,2}(t)  \}$
Ground surface	Peak ground acceleration $PGA_2 = avg \{ \max  a_{soil,1}(t) , \max  a_{soil,2}(t)  \}$
Ground surface	Peak ground velocity $PGV_1 = \max \{ \max  v_{soil,1}(t) , \max  v_{soil,2}(t)  \}$
Ground surface	Peak ground acceleration $PGV_2 = avg \{ \max  v_{soil,1}(t) , \max  v_{soil,2}(t)  \}$
Ground surface	Peak ground acceleration $PGD_1 = \max \{ \max  d_{soil,1}(t) , \max  d_{soil,2}(t)  \}$
Ground surface	Peak ground acceleration $PGD_2 = avg \{ \max  d_{soil,1}(t) , \max  d_{soil,2}(t)  \}$
Ground surface	$PGV^2/PGA_1 = \max \{ \max PGV^2/PGA_{soil,1}, \max PGV^2/PGA_{soil,2} \}$
Ground surface	$PGV^2/PGA_2 = avg \{ \max PGV^2/PGA_{soil,1}, \max PGV^2/PGA_{soil,2} \}$

23  
24

## 1 4. Intensity measure testing

### 2 4.1 Efficiency of tested seismic $IMs$


3 To test the efficiency of the selected seismic  $IMs$ , regression analyses of the  $EDP$ , i.e. the  
4 numerically predicted maximum compression strain  $\varepsilon$  of the examined pipelines at the critical  
5 middle section, relative to each seismic  $IM$  were carried out. A power model was initially  
6 employed to describe the relationship between the pipe compression strain  $\varepsilon$  and the tested  
7 seismic  $IM$  [85]:

$$8 \quad EDP = a \times (IM)^b \quad (9)$$

9 where  $a$  and  $b$  are coefficients defined by the regression analysis. The above relation may be  
10 rearranged in a linear regression analysis of the natural logarithm of the  $EDP$  relative to the  
11 natural logarithm of the tested seismic  $IM$ , as follows:

$$12 \quad \ln(EDP) = b \times \ln(IM) + a + \varepsilon_{res} \times \sigma \quad (10)$$


13 where  $\varepsilon_{res}$  is the standard normal variant with zero mean and unit standard deviation and  $\sigma$  is a  
14 dispersion parameter, describing the conditional standard deviation of the regression. The latter  
15 is defined in natural logarithm units and constitutes a metric of the *efficiency* of the tested  
16 seismic  $IM$  with respect to the  $EDP$ . Lower  $\sigma$  values mean reduced dispersion around the  
17 estimated median of the results, which in other words means a more efficient seismic  $IM$ . A  
18 representative example of a regression analysis of the  $EDP$  versus  $PGV_I$  is presented in Fig. 9,  
19 referring to a  $D = 914.4$  mm ‘perfect’ pipeline pressurized at  $p = 8$  MPa and embedded in  
20 trench TA. The examined soil-pipe system is assumed to be located over the examined pairs of  
21 soil subdeposits (see *Section 2.1*), while the ground depth  $H$  is equal to 60 m.




22  
23 **Fig. 9** Regression analysis of the natural logarithm of the maximum compression strain  $\varepsilon$  of the pipeline  
24 (computed at the critical middle section) relative to the natural logarithm of the  $PGV_I$  at ground surface  
25 (results for a  $D = 914.4$  mm ‘perfect’ pipeline embedded in trench TA in soil deposits with  $H = 60$  m).

26  
27 Fig. 10 summarizes representative regression analyses of the maximum pipeline compression  
28 strain,  $\varepsilon$ , relative to various seismic  $IMs$  tested herein. The regressions refer to a X60  $D = 914.4$   
29 mm ‘perfect’ pipeline, pressurized at  $p = 8$  MPa and embedded in trench TA in soil deposits  
30 with depth  $H = 30$  m. The seismic  $IMs$ , referring to ground surface conditions, are computed as  
31 the maximum value of the peak values of the measures computed at the adjacent subdeposits,  
32 i.e.  $IMs_I$ , according to Table 7. It is noted that the regressions were conducted in the log-log  
33 space; however, both the compression strains and the seismic  $IMs$  are displayed in their actual  
34 units in Fig. 10. Similar regressions are provided in Fig. 11, referring to the same pipeline,

1 embedded this time in trench TB in soil deposits with depth  $H = 30$  m. In both cases, the lowest  
2 standard deviations  $\sigma$  are reported for the peak ground velocity at the ground surface,  $PGV_l$ ,  
3 (i.e.  $\sigma = 0.52$  and  $0.66$  when the pipeline is embedded in trench TA and TB, respectively),  
4 implying that this seismic *IM* is the most efficient one, compared to other tested measures. This  
5 observation is in line with the theoretically expected superiority of *PGV* over the other seismic  
6 *IMs* tested herein. As stated above, *PGV* is related directly with the ground strains that are  
7 imposed along buried pipelines during ground shaking and constitute the main loading  
8 mechanism of this infrastructure under this loading condition. A reduced standard deviation  
9 (compared to the other seismic *IMs*) is also reported for  $PGV^2/PGA_l$ , i.e.  $\sigma = 0.55$  and  $0.72$  for  
10 pipeline in trench TA and TB, respectively). The most inefficient seismic *IMs* for the examined  
11 soil-pipe configurations are found to be  $PGA_l$  ( $\sigma = 0.64$ ), when the pipeline is embedded in  
12 trench TA and  $PGV_r$  ( $\sigma = 1.07$ ), when the pipeline is embedded in trench TB. Interestingly,  
13 higher standard deviations  $\sigma$  are computed when the pipeline is embedded in the trench TB. It  
14 is recalled that in this case, a denser backfill material and a higher friction coefficient for the  
15 backfill-pipe interface are considered. For a given ground deformation pattern, the above  
16 conditions will lead to higher shear stresses along the perimeter of the pipeline, compared to  
17 the shear stresses developed along the pipeline, when this is embedded in a looser backfill with  
18 reduced friction at soil-pipeline interface (i.e. trench TA). These higher shear stresses along the  
19 perimeter of the pipeline will result in its higher axial loading, thus increasing the potential of  
20 its yielding or buckling failure. The higher nonlinear axial response of the pipeline increases  
21 the scatter of the numerically predicted pipe strain  $\epsilon$  for a given value of the seismic *IMs*,  
22 finally leading to higher  $\sigma$  values, as observed in the regression analyses of Fig. 11.  
23



1  
 2 **Fig. 10** Regression analyses for testing the efficiency of various seismic *IMs*, referring to outcrop  
 3 conditions or ground surface conditions (results for a X60  $D = 914.4$  mm ‘perfect’ pipeline, pressurized  
 4 at  $p = 8$  MPa and embedded in trench TA in soil deposits of depth  $H = 30$  m;  $\epsilon$ : compression axial strain  
 5 computed at the critical middle section of the pipeline).



1  
2 **Fig. 11** Regression analyses for testing the efficiency of various seismic *IMs*, referring to outcrop  
3 conditions or ground surface conditions (results for a X60  $D = 914.4$  mm ‘perfect’ pipeline, pressurized  
4 at  $p = 8$  MPa and embedded in trench TB in soil deposits of depth  $H = 30$  m;  $\epsilon$ : compression axial strain  
5 computed at the critical middle section of the pipeline).

6  
7 Figs. 12-14 compare the standard deviations  $\sigma$  computed for all tested seismic *IMs* in all  
8 examined cases. Through the comparisons, the effects of salient parameters controlling the  
9 axial response of the buried steel pipelines, on the computed  $\sigma$  values are reported.


10 Fig. 12a summarizes standard deviations  $\sigma$  computed for  $D = 914.4$  mm pipelines, embedded  
11 at a burial depth  $h = 1.0$  in trench TA in diverse soil deposits with depth  $H = 30$  m. The  
12 comparisons highlight the effects of steel grade and internal pressure of the pipeline, as well as  
13 of imperfections of the walls of the pipeline on the computed standard deviations  $\sigma$ . In this  
14 context, the standard deviations are plotted for X60, X65, X70 ‘perfect’ (i.e.  $w/t = 0$ ) or  
15 imperfect (i.e.  $w/t = 0.1$ ) pipelines, pressurized at various levels of internal pressure (i.e.  $p = 0$ ,  
16 4 or 8 MPa). The standard deviations computed for all tested seismic *IMs* are generally



1 increasing with decreasing steel grade, i.e. higher  $\sigma$  values are reported for X60-grade  
2 pipelines compared to those calculated for X65- or X70-grade pipelines. Similarly, higher  
3 standard deviations  $\sigma$  are reported for the imperfect pipelines (i.e.  $w/t = 0.1$ ) compared to the  
4 equivalent ‘perfect’ ones (i.e.  $w/t = 0$ ). Moreover, in case of imperfect pipelines (i.e.  $w/t = 0.1$ )  
5 it is found that the increase of the internal pressure of the pipeline leads to an increase of the  
6 standard deviations  $\sigma$ . The latter observation is found to be invalid for perfect pipelines (i.e.  
7  $w/t = 0$ ), as higher standard deviations  $\sigma$  are reported for non-pressurized pipelines ( $p = 0$   
8 MPa) compared to those calculated for pipeline pressurized at  $p = 4$  MPa. The above  
9 observations should be attributed to the effect of the examined parameters (i.e. pressure level,  
10 pipeline wall imperfections and steel grade) on the axial response of the pipeline under  
11 seismically-induced ground deformations. For a given soil-pipeline configuration subjected to  
12 a given seismic ground deformation pattern, the reduction of the steel grade of the pipeline will  
13 lead to an increased nonlinear axial response of the pipeline, which will finally result in the  
14 higher standard deviations  $\sigma$ , reported for lower steel grade pipelines in Fig. 12a. The  
15 existence of wall imperfections on the pipeline is again expected to lead in a higher nonlinear  
16 axial response of the pipeline, compared to that of an equivalent ‘perfect’ pipeline-soil system  
17 subjected to the same ground deformation pattern [44, 47-48]. This may explain the higher  $\sigma$   
18 values reported for imperfect pipelines (i.e.  $w/t = 0.1$ ), compared to those reported for  
19 equivalent ‘perfect’ pipelines (i.e.  $w/t = 0$ ).

20 Previous studies [44-48] have demonstrated that pressurization of steel pipelines leads to initial  
21 circumferential tensile stresses, which interact with the axial straining of the pipeline, caused  
22 by the seismically-induced ground deformation. In particular, the increase of the internal  
23 pressure level of the pipeline tends to lower the axial load-displacement path, leading faster to  
24 yielding or instability phenomena. In other words, for a given soil-pipeline configuration  
25 subjected to a given seismic ground deformation pattern, the increasing pressurization of the  
26 pipeline is expected to lead to an increasing nonlinear axial response of the pipeline under the  
27 induced ground deformation, which subsequently will lead to a higher scatter of the pipeline  
28 strain  $\varepsilon$  against the tested seismic *IMs*. This is confirmed in Fig. 13a since higher  $\sigma$  values are  
29 computed for pipelines pressurized at  $p = 8$  MPa, compared to those predicted for  $p = 0$  or 4  
30 MPa.

31 Regardless of the effects of the above parameters on the computed  $\sigma$  values, the lowest  
32 standard deviations are reported for  $PGV_1$ , followed by  $PGV_2$  and  $PGV_r$ .  $PGV^2/PGA_1$  and  
33  $PGV^2/PGA_2$  are also found to give relatively low  $\sigma$  values. On the contrary the highest standard  
34 deviations are reported for  $PGA_2$  followed by  $PGA_1$  and  $PGA_r$ .  $Ia_r$  and  $PGD_1$ ,  $PGD_2$  and  $PGD_r$   
35 are found to be rather inefficient *IMs* as compared to the *PGV* metrics.




1  
2 **Fig. 12** Comparisons of standard deviations  $\sigma$  computed for  $D = 914.4$  mm pipelines through  
3 regression analyses of the axial compression strain  $\epsilon$  of pipelines relative to tested seismic *IMs*. (a)  
4 Effects of internal pressure  $p$  and pipeline wall imperfections ( $w/t$ ) on  $\sigma$  values. (b) Effect of trench

1 backfill properties and soil-pipe interface characteristics on  $\sigma$  values. (c, d) Effect of soil deposit depth  
2  $H$  on  $\sigma$  values.

3  
4 Fig. 12b elaborates on the effects of backfill properties and backfill-pipeline interface friction  
5 characteristics on the standard deviations  $\sigma$ , estimated for all tested seismic  $IMs$ , by  
6 comparing  $\sigma$  values computed for X60, X65 or X70  $D = 914.4$  mm pipelines, embedded at a  
7 burial depth  $h = 1.0$  in either trench TA or TB. The comparisons are provided for soil deposits  
8 with depth  $H = 30$  m and refer to both ‘perfect’ (i.e.  $w/t = 0$ ) and imperfect pipelines (i.e.  $w/t =$   
9  $0.1$ ), pressurized at a pressure level  $p = 8$  MPa. Higher  $\sigma$  values are clearly observed for the  
10 cases where the pipelines are embedded in trench TB, where a higher compaction level of the  
11 backfill and a higher backfill-pipe interface friction coefficient are considered. These  
12 observations, which are related to the increased axial response of the pipelines when embedded  
13 in trench TB, are in line with the observations made above (i.e. by comparing the regression  
14 analyses in Figs. 10 and 11). Regardless of the trench properties and the soil-pipeline interface  
15 characteristics,  $PGV_1$  exhibits again the lowest standard deviations in all examined cases,  
16 whereas the highest standard deviations are reported for  $PGA_2$ . Similar conclusions are drawn  
17 when the examined pipelines (i.e. X60, X65 or X70  $D = 914.4$  mm ‘perfect’ or imperfect  
18 pipelines) are embedded in soil deposits with higher depths, i.e.  $H = 60$  m (i.e. Fig. 12c) or  $H =$   
19  $120$  m (i.e. Fig. 12d). In both cases  $PGV_1$  exhibits the lowest standard deviations, whereas the  
20 highest standard deviations are reported for  $PGA_2$ . It is worth noticing the increasing  $\sigma$  values  
21 reported for all tested seismic  $IMs$  with increasing depth,  $H$ , of the soil deposits. The latter  
22 observation should be attributed to the higher differential ground response of deeper adjacent  
23 subdeposits, compared to that of shallower deposits under a given seismic excitation at  
24 bedrock. The higher differential ground response of the adjacent subdeposits is expected to  
25 induce a higher axial straining on the pipeline, thus increasing the potential of a more  
26 ‘nonlinear’ response of the pipeline, which results in the higher standard deviation values in the  
27 relevant comparisons.


28 Fig. 13 examines the effect of burial depth of the pipeline on the standard deviations  $\sigma$   
29 estimated for all tested seismic  $IMs$ , by comparing the relevant  $\sigma$  values computed for X60  $D =$   
30  $914.4$  mm pipelines embedded at depths  $h = 1.0$  m or  $2.0$  m in trench TA in soil deposits with  
31 depth  $H = 60$  m. The relevant comparisons refer to both ‘perfect’ (i.e.  $w/t = 0$ ) and ‘imperfect’  
32 (i.e.  $w/t = 0.1$ ) pipelines, pressurized at a pressure level  $p = 8$  MPa. Higher standard deviations  
33 are computed in most cases for the shallow-embedded pipelines (i.e. for  $h = 1.0$  m) compared  
34 to the equivalent pipelines embedded at  $h = 2.0$  m. This observation is due to the increased  
35 ground response of the soil subdeposits towards ground surface, which yields in a higher  
36 relative axial ground deformation along the pipeline axis, therefore triggering a higher  
37 nonlinear axial response of shallower pipelines compared to the equivalent deeper ‘equivalent’  
38 pipelines. In line with the previous results, higher  $\sigma$  values are reported for all tested seismic  
39  $IMs$  in case of imperfect pipelines (i.e.  $w/t = 0.1$ ). Irrespectively of the pipeline’s burial depth,  
40  $PGV_1$  exhibits the lowest  $\sigma$  values, while the highest values are reported for  $PGA_2$  and  $PGA_1$ .



**Fig. 13** Effect of burial depth,  $h$ , of the pipeline on standard deviations  $\sigma$  computed through regression analyses of the axial compression strain  $\varepsilon$  of pipeline, relative to tested seismic  $IMs$ . Results for X60  $D = 914.4$  mm pipelines embedded in trench TA in soil subdeposits with depth  $H = 60$  m.

Fig. 14a summarizes the standard deviations  $\sigma$  computed for all tested seismic  $IMs$  in case of  $D = 406.4$  mm pipelines. More specifically, the presented  $\sigma$  values refer to X60, X65 and X70 perfect ( $w/t = 0$ ) and imperfect ( $w/t = 0.1$ ) pipelines, pressurized at a pressure level  $p = 8$  MPa and embedded in trench TA or TB in diverse soil deposits with depth  $H = 60$  m. Similar to the previous results, higher standard deviations are computed for imperfect pipelines ( $w/t = 0.1$ ) embedded in trench TB. Additionally, higher  $\sigma$  values are reported for lower steel grade pipelines compared to those predicted for equivalent higher steel grade pipelines; however, the differences between the  $\sigma$  values computed for various steel grade pipelines are found reduced as compared to the  $D = 914.4$  mm pipelines. Similar observations and conclusions are made for  $D = 1219.2$  mm pipelines examined in this study (Fig. 14b). Regardless of the geometrical properties of the examined pipelines,  $PGV_1$  reveals the lowest standard deviations  $\sigma$ , for all examined cases.

Summarizing, the lowest standard deviations are reported for  $PGV_1$  for all examined soil-pipe configurations. Hence, this seismic  $IM$  is considered the most efficient from the tested ones. On the contrary,  $PGA$ -based measures at top of ground surface (i.e.  $PGA_1$ ,  $PGA_2$ ) are found to be the most inefficient ones, as they exhibit the highest standard deviations for all examined configurations. The above observations are valid, irrespectively of the diameter and wall thickness of the pipeline. However, lower dispersion values are generally identified for the  $D = 1219.2$  mm pipelines with the thicker walls (i.e.  $R/t = 31.9$ ).




1  
2 **Fig. 14** Comparisons of standard deviations  $\sigma$  computed for  $D = 406.4\text{mm}$  (a) and  $D = 1219.2\text{ mm}$  (b)  
3 pipelines through regression analyses of the axial compression strain  $\varepsilon$  of pipelines relative to tested  
4 seismic  $IMs$ .

## 6 4.2 Sufficiency of tested seismic $IMs$

7 As stated above, a *sufficient* seismic  $IM$  is conditionally independent of the seismological  
8 characteristics, such as the magnitude ( $M$ ) and the epicentral distance ( $R$ ) [28]. To determine  
9 the sufficiency of the tested seismic  $IMs$ , regression analyses were performed on the residuals  
10 of the compression axial strain  $\varepsilon$  of the pipeline (referring at the middle critical section of the  
11 pipeline), relative to the magnitude and the epicentral distance of the selected seismic records  
12 (i.e.  $\varepsilon_{res}|IM$ ). The residuals  $\varepsilon_{res}|IM$  were defined as the differences between the numerically  
13 computed maximum pipeline axial strains (3D SPI results) and the strains computed by the  
14 regression fit line, the latter defined by the regression analysis on the maximum axial strain  $\varepsilon$   
15 relative to the tested seismic  $IM$  (i.e. regression analysis conducted in the framework of  
16 identifying the efficiency of the tested  $IM$ , e.g. Fig. 9). The sufficiency was quantified by  
17 extracting the relevant  $p$ -values from the regressions of  $\varepsilon_{res}|IM$  relative to the seismological  
18 characteristics of the selected ground motions, i.e.  $M$  and  $R$ . Fig. 15 illustrates examples of  
19 such regression analyses, referring to a X60  $D = 914.4\text{ mm}$  ‘perfect’ pipeline embedded at a  
20 burial depth  $h = 1.0\text{ m}$  in trench TA in soil deposits with depth  $H = 30\text{ m}$ . The analyses were

1 conducted for the selected ground motions to examine the sufficiency of  $PGV_1$ . Sufficient  
 2 seismic  $IMs$  generally lead to high  $p$ -values. A cut-off  $p$ -value of 0.05 was set here to  
 3 differentiate between sufficient and insufficient seismic  $IMs$  [28].

4



5

6 **Fig. 15** Representative regression analyses of  $\epsilon_{res}|IM$  relative to magnitudes ( $M$ ) and epicentral  
 7 distances ( $\ln(R)$ ) of selected ground motions, aiming at evaluating the sufficiency of  $PGV_1$ . Results for a  
 8 X60  $D = 914.4$  mm ‘perfect’ pipeline, embedded in trench TA in soil deposits with depth  $H = 30$  m and  
 9 pressurized at  $p = 8$  MPa.

10

11 Figs. 16-18 summarize the  $p$ -values computed for all tested seismic  $IMs$  in all examined cases,  
 12 based on regression analyses of the residuals of the compression axial strain  $\epsilon$  of the pipeline  
 13 ( $\epsilon_{res}|IM$ ) relative to the magnitude of the selected seismic records. In particular, Fig. 16a  
 14 summarizes  $p$ -values computed for  $D = 914.4$  mm pipelines, embedded at a burial depth  $h =$   
 15 1.0 in trench TA in diverse soil deposits with depth  $H = 30$  m. The comparisons aim at  
 16 highlighting the effects of steel grade and internal pressure of the pipeline, as well as of  
 17 imperfections of the walls of the pipeline on the computed  $p$ -values. No clear trends can be  
 18 identified regarding the effects of pipeline internal pressure on the  $p$ -values. However, slightly  
 19 higher  $p$ -values (up to 5%) are computed for most of tested seismic  $IMs$  and examined  
 20 configurations, with decreasing internal pressure of the pipeline. The same trend, i.e. higher  $p$ -  
 21 values, is observed with increasing steel grade of the pipeline, while a slight decrease of  $p$ -  
 22 values is observed for imperfect pipelines (i.e.  $w/t = 0.1$ ) compared to ‘perfect’ equivalent ones  
 23 (i.e.  $w/t = 0$ ). Irrespectively of the steel grade, internal pressure and shape of the walls of the  
 24 pipeline, it can be clearly seen that  $PGV_1$  exhibits the highest  $p$ -values compared to the other  
 25 tested seismic  $IMs$ . Relatively high values are reported for the  $PGV_2$  and  $PGV_r$ , while  $PGD_r$ ,  
 26  $IA_r$ ,  $PGD_1$ ,  $PGD_2$ ,  $PGV^2/PGA_1$  and  $PGV^2/PGA_1$  are found to pass the threshold limit of 0.05 for  
 27 the  $p$ -value, in most of examined cases. On the contrary, the  $p$ -values computed for  $PGA_1$ ,  
 28  $PGA_2$  and  $PGA_r$  are in most of examined cases lower than the threshold (i.e. 0.05), indicating  
 29 that these measures are insufficient  $IMs$  for the examined systems.


30 Fig. 16b-d aim at highlighting the effects of soil deposit depth,  $H$ , backfill properties and  
 31 backfill-pipeline interface friction characteristics on the computed  $p$ -values, the latter estimated  
 32 again via regression analyses of the residuals of the compression axial strain  $\epsilon$  of the pipeline  
 33 ( $\epsilon_{res}|IM$ ) relative to the magnitudes of the selected seismic records. The results refer to X60,

1 X65 or X70  $D = 914.4$  mm ‘perfect’ (i.e.  $w/t = 0$ ) and imperfect pipelines (i.e.  $w/t = 0.1$ )  
2 pipelines, embedded at a burial depth  $h = 1.0$  in either trench TA or TB in soil deposits of  
3 depth  $H = 30$  m (Fig. 16b),  $H = 60$  m (Fig. 16c) and  $H = 120$  m (Fig. 16d). All examined  
4 pipelines are pressurized at a pressure level  $p = 8$  MPa. In most of examined cases, higher  $p$ -  
5 values are reported for ‘perfect’ pipelines (i.e.  $w/t = 0$ ), which generally exhibit a more ‘elastic’  
6 axial response for a given ground deformation compared to the equivalent imperfect pipelines  
7 (i.e.  $w/t = 0.1$ ). Similarly, higher  $p$ -values are reported for pipelines embedded in trench TA,  
8 compared to equivalent pipelines embedded in trench TB. Regardless of the effects of the  
9 above parameters, the highest  $p$ -values are reported for  $PGV_1$  followed by  $PGV_2$ . On the  
10 contrary the lowest values are found for  $PGA_1$  and  $PGA_2$ .

11 Fig. 17 compares  $p$ -values computed for X60  $D = 914.4$  mm ‘perfect’ (i.e.  $w/t = 0$ ) and  
12 ‘imperfect’ (i.e.  $w/t = 0.1$ ) pipelines embedded at diverse burial depths (i.e.  $h = 1.0$  m or  $2.0$  m)  
13 in trench TA in soil deposits with depth  $H = 60$  m. The pipelines are pressurized at a pressure  
14 level  $p = 8$  MPa. The higher embedment of the pipeline seems to lead in higher  $p$ -values for  
15 some of the tested seismic  $IMs$  (i.e.  $PGA_r$ ,  $PGA_1$ ,  $PGA_2$ ), compared to those computed for  
16 equivalent pipelines embedded in shallower depth (i.e.  $h = 1.0$  m). However, for other  
17 measures, a higher embedment lead to either comparable or reduced  $p$ -values, compared to  
18 those referring to shallower equivalent pipelines (e.g.  $PGV_1$ ,  $PGV_2$ ,  $PGD_1$ ,  $PGD_2$  etc).  
19 Regardless of the above deviations,  $PGV_1$  is again found to provide the highest  $p$ -values.

20 Fig. 18a compares  $p$ -values computed for all tested seismic  $IMs$  in case of the  $D = 406.4$  mm  
21 pipelines examined herein. The  $p$ -values refer to perfect ( $w/t = 0$ ) and imperfect ( $w/t = 0.1$ )  
22 pipelines, embedded in trench TA or TB in soil deposits with depth  $H = 60$  m and pressurized  
23 at a pressure level  $p = 8$  MPa. No clear trends may be identified in these cases, regarding the  
24 effects of backfill properties, backfill-pipe interface characteristics, steel grade of the pipeline  
25 and imperfections of the pipeline walls, on the computed  $p$ -values. However, higher  $p$ -values  
26 are reported for  $PGV$ -based  $IMs$  (i.e.  $PGV_1$ ,  $PGV_2$ ,  $PGV_r$ ), while the lowest values are again  
27 reported for  $PGA$ -based  $IMs$  (i.e.  $PGA_1$ ,  $PGA_2$ ). The same observations are made by comparing  
28 the  $p$ -values computed for all tested seismic  $IMs$  in case of the  $D = 1219.2$  mm pipelines,  
29 examined herein (Fig. 18b).


30




1  
 2 **Fig. 16** Comparisons of  $p$ -values computed for all tested seismic  $IM$ s through regression analyses of  
 3  $\varepsilon_{res} | IM$  relative to magnitudes ( $M$ ) of the selected ground motions. (a) Effects of internal pressure  $p$



1 and pipeline wall imperfections ( $w/t$ ) on  $p$ -values. (b) Effects of trench properties and soil-pipe interface  
 2 characteristics on  $p$ -values. (c, d) Effect of soil deposit depth  $H$  on  $p$ -values (results for  $D = 914.4$ mm  
 3 pipelines).




4  
 5 **Fig. 17** Effect of burial depth  $h$  of the pipeline on  $p$ -values computed through regression analyses of  
 6  $\varepsilon_{res} | IM$  relative to magnitudes ( $M$ ) of the selected ground motions. Results for X60  $D = 914.4$  mm  
 7 pipelines embedded in trench TA in soil deposits with depth  $H = 60$  m.




8  
 9 **Fig. 18** Comparisons of  $p$ -values computed for (a)  $D = 406.4$  mm and (b)  $D = 1219.2$  mm pipelines  
 10 through regression analyses of  $\varepsilon_{res} | IM$  relative to magnitudes ( $M$ ) of selected ground motions.

1 Figs. 19-21 summarize comparisons of  $p$ -values computed for all tested seismic  $IMs$  in all  
 2 examined cases, based on regression analyses of the residuals of the compression axial strain  $\varepsilon$   
 3 of the pipeline ( $\varepsilon_{res}|IM$ ) relative to the epicentral distance of the selected seismic records.  
 4 More specifically, Fig. 19a summarizes  $p$ -values referring to X60, X65 or X70  $D = 914.4$  mm  
 5 ‘perfect’ (i.e.  $w/t = 0$ ) or imperfect (i.e.  $w/t = 0.1$ ) pipelines, pressurized at various levels of  
 6 pressure ( $p = 0, 4, 8$  MPa) and embedded at a burial depth  $h = 1.0$  in trench TA in soil deposits  
 7 with depth  $H = 30$  m. Lower  $p$ -values are generally computed here, compared to those  
 8 predicted from regression analyses of the residuals of the compression axial strain  $\varepsilon$  of the  
 9 pipeline ( $\varepsilon_{res}|IM$ ) relative to the magnitudes of the selected seismic records. Additionally, in  
 10 most of examined cases the computed  $p$ -values are found to be lower than the threshold of  
 11 0.05, indicating insufficiency of the tested  $IMs$ . However, the computed  $p$ -values for  $PGV_1$  and  
 12  $PGV_2$  are always slightly higher or higher than 0.05. Similar observations are made by  
 13 comparing the computed  $p$ -values for all tested seismic  $IMs$ , in cases where the examined  
 14 pipelines ( $D = 914.4$  mm ‘perfect’ or imperfect pipelines) are embedded at a burial depth  $h =$   
 15 1.0 in either trench TA or TB in soil deposits of depth  $H = 30$  m (Fig. 19b),  $H = 60$  m (Fig.  
 16 19c) and  $H = 120$  m (Fig. 19d). The highest  $p$ -values are reported for  $PGV_1$  followed by  $PGV_2$ .  
 17 On the contrary the lowest values are found for  $PGA_r$ .  $PGV_1$  reveals the highest  $p$ -value  
 18 compared to other tested seismic  $IMs$ , even when the examined  $D = 914.4$  mm pipeline is  
 19 embedded deeper (i.e. at  $h = 2.0$  m) (Fig. 20).  
 20 Fig. 21a compares  $p$ -values computed for all tested seismic  $IMs$  in case of X60, X65 and X70  
 21  $D = 406.4$  mm pipelines, based on regression analyses of the residuals of the compression axial  
 22 strain  $\varepsilon$  of the pipeline ( $\varepsilon_{res}|IM$ ) relative to the epicentral distance of the selected seismic  
 23 records. The results refer to both ‘perfect’ ( $w/t = 0$ ) and imperfect ( $w/t = 0.1$ ) pipelines,  
 24 pressurized at a pressure level  $p = 8$  MPa and embedded in trench TA or TB in diverse soil  
 25 deposits with depth  $H = 60$  m. The trends regarding the effects of backfill properties, backfill-  
 26 pipe interface characteristics, steel grade of the pipeline and imperfections of the pipeline  
 27 walls, on the computed  $p$ -values are again not clear in these cases. Higher  $p$ -values are reported  
 28 for  $PGV_1$ ,  $PGV_2$  and  $PGV_r$ . On the contrary, the lowest values are again reported for  $PGA$ -  
 29 based measures. The same observations are made by comparing the  $p$ -values computed for all  
 30 tested seismic  $IMs$ , in case of the  $D = 1219.2$  mm pipelines examined herein (Fig. 21b).  
 31 Based on the discussion made above,  $PGV_1$  is found to satisfy the sufficiency criterion in a  
 32 mathematically rigorous way.




1  
2 **Fig. 19** Comparisons of  $p$ -values computed for all tested seismic  $IM$ s through regression analyses of  
3  $\varepsilon_{res} | IM$  relative to epicentral distances ( $\ln(R)$ ) of the selected ground motions. (a) Effects of internal  
4 pressure  $p$  and pipeline wall imperfections ( $w/t$ ) on  $p$ -values. (b) Effects of trench properties and soil-

1 pipe interface characteristics on  $p$ -values, (c, d) Effect of soil deposit depth  $H$  on  $p$ -values (results for  $D$   
 2 = 914.4 mm pipelines).



3  
 4 **Fig. 20** Effect of burial depth,  $h$ , of the pipeline on  $p$ -values computed through regression analyses of  
 5  $\varepsilon_{res}|IM$  relative to epicentral distances ( $\ln(R)$ ) of the selected ground motions. Results for X60  $D =$   
 6 914.4 mm pipelines embedded in trench TA in soil subdeposits with depth  $H = 60$  m.



7  
 8 **Fig. 21** Comparisons of  $p$ -values computed for (a)  $D = 406.4$  mm and (b)  $D = 1219.2$  mm pipelines  
 9 based on regression analyses of  $\varepsilon_{res}|IM$  relative to epicentral distances ( $\ln(R)$ ) of the selected ground  
 10 motions.

11

## 5. Conclusions

This study examined the efficiency and sufficiency of various seismic *IMs* for the structural assessment of buried steel natural gas (NG) pipelines subjected to axial compression strains, the latter developed as a result of seismically-induced differential ground movement near geotechnical discontinuities. A de-coupled numerical framework was developed for this purpose, including a 3D soil-pipe numerical model, to rigorously evaluate the pipeline axial response, accounting for the soil-pipe interaction phenomena, and 1D soil response analyses that were used to determine critical ground deformation patterns at the geotechnical discontinuity, caused by ground shaking. A comprehensive numerical parametric study was performed for an ensemble of seismic records, considering critical parameters that control the axial response of buried steel NG pipelines, such as the dimensions of the pipeline, the pressurization level of the pipeline, potential geometric imperfections of the pipeline walls, the backfill and soil properties and the backfill-pipeline interface characteristics. The peak compression strain of the pipeline,  $\varepsilon$ , computed at the location of the assumed geotechnical discontinuity, was used as *EDP* to quantify the efficiency and sufficiency of the selected seismic *IMs* on the basis of regression analyses of this parameter, relative to the tested *IMs*. The main conclusions of the study are summarized in the following:

- The regression analyses of the peak compression strain of the pipeline,  $\varepsilon$ , relative to the peak ground velocity *PGV*, computed at ground surface as the maximum value of the peak velocities of the adjacent soil subdeposits, i.e.  $PGV_I$ , revealed the lowest standard deviations  $\sigma$ , regardless of the ground characteristics and pipeline dimensions. On the contrary, the regression analyses of the peak compression strain of the pipeline  $\varepsilon$  relative to *PGA-based IMs* revealed the highest standard deviations  $\sigma$ . Additionally, the regression analyses of the peak compression strain of the pipeline,  $\varepsilon$ , relative to *PGD* and  $PGV^2/PGA$  revealed higher standard deviations  $\sigma$  compared to *PGV*. Therefore,  $PGV_I$  found to be the most *efficient* intensity measure for the structural assessment of buried steel NG pipelines, crossing similar sites we those examined herein and subjected to seismically-induced axial ground deformations.
- The regression analyses of the residuals  $\varepsilon_{res}|IM$  relative to the magnitude (*M*) and the epicentral distance ( $\ln(R)$ ) of the selected records, revealed the highest *p-values* for peak ground velocity *PGV* computed at ground surface as the maximum value of the peak velocities of the adjacent soil subdeposits, i.e.  $PGV_I$ . This observation indicates that this *IM* satisfies the sufficiency criterion in a mathematically rigorous way. On the contrary, *PGA-based IMs* were found to be the most inefficient ones.

Summarizing,  $PGV_I$  was found to be the optimum seismic *IM* for the structural assessment of buried steel NG pipelines, crossing geotechnical discontinuities, when subjected to seismically-induced axial ground deformations. This observation is in line with the theoretically expected superiority of *PGV*. Indeed, *PGV*, is directly associated with the longitudinal ground strains, which constitute the main loading mechanism of this infrastructure during ground shaking. This study constitutes a comprehensive numerical effort towards proving superiority of *PGV* as optimal seismic *IM* for the assessment of buried NG pipelines.

## 1 **Acknowledgements**

2 This work was supported by the Horizon 2020 Programme of the European Commission under  
3 the MSCA-RISE-2015-691213-EXCHANGE-Risk grant (Experimental and Computational  
4 Hybrid Assessment of NG Pipelines Exposed to Seismic Hazard, [www.exchange-risk.eu](http://www.exchange-risk.eu)). This  
5 support is gratefully acknowledged.  
6

## 7 **References**

- 8 1. Chen WW, Shih BJ, Wu CW, Chen YC. Natural gas pipeline system damages in the Ji-Ji earthquake (The  
9 City of Nantou). In: Proc of the 6<sup>th</sup> international conf on seismic zonation; 2000.
- 10 2. Lee D-H, Kim BH, Lee H, Kong JS. Seismic behavior of a buried gas pipeline under earthquake excitations.  
11 Eng Struct 2009;31:1011-1023.
- 12 3. EQE summary report. The January 17, 1995 Kobe earthquake. EQE International;1995.
- 13 4. Scawthorn C, Yanev PI. Preliminary report 17 January 1995, Hyogo-ken Nambu, Japan earthquake. Eng  
14 Struct 1995;17(3):146-157.
- 15 5. O'Rourke MJ, Liu X. Response of buried pipelines subjected to earthquake effects. University of Buffalo,  
16 USA;1999.
- 17 6. Lanzano G, Salzano E, Santucci de Magistris F, Fabbrocino G. Seismic vulnerability of natural gas pipelines.  
18 Reliability Eng System Safety 2013;117:73-80.
- 19 7. Lanzano G, Salzano E, Santucci de Magistris F, Fabbrocino G. Seismic vulnerability of gas and liquid buried  
20 pipelines, J Loss Prev Process Ind 2014;28:72-78.
- 21 8. Lanzano G, Santucci de Magistris F, Fabbrocino G, Salzano E. Seismic damage to pipelines in the framework  
22 of Na-Tech risk assessment. J Loss Prevention Process Ind 2015;33:159-172.
- 23 9. Housner GW, Jennings PC. The San Fernando California earthquake. Earthq Eng Struct Dyn 1972;1:5-31.
- 24 10. O'Rourke TD, Palmer MC. The Northridge, California Earthquake of January 17, 1994: Performance of gas  
25 transmission pipelines. Technical Report NCEER-94-0011. National Center for Earthquake Engineering  
26 Research. State University of New York at Buffalo, USA;1998.
- 27 11. O'Rourke MJ. Wave propagation damage to continuous pipe. Technical Council Lifeline Earthquake  
28 Engineering Conference (TCLEE), Oakland, CA, June 28-July 1, Reston, VA, American Society of Civil  
29 Engineers, USA;2009.
- 30 12. Karamitros DK, Bouckovalas GD, Koutretzis GP. Stress analysis of buried steel pipelines at strike-slip fault  
31 crossings. Soil Dyn Earthq Eng 2007;27:200-211.
- 32 13. Karamitros D, Zoupantis C, Bouckovalas GD. Buried pipelines with bends: analytical verification against  
33 permanent ground displacements. Can Geotech J 2013;53(11):1782-1793.
- 34 14. Vazouras P, Karamanos SA, Dakoulas P. Finite element analysis of buried steel pipelines under strike-slip  
35 fault displacements. Soil Dyn Earthq Eng 2010;30:1361-1376.
- 36 15. Vazouras P, Karamanos SA, Dakoulas P. Mechanical behavior of buried steel pipes crossing active strike-slip  
37 faults. Soil Dyn Earthq Eng 2012;41:164-180.
- 38 16. Vazouras P, Dakoulas P, Karamanos SA. Pipe-soil interaction and pipeline performance under strike-slip  
39 fault movements. Soil Dyn Earthq Eng 2015;72: 48-65.
- 40 17. Vazouras P, Karamanos SA. Structural behavior of buried pipe bends and their effect on pipeline response in  
41 fault crossing areas. Bull Earthq Eng 2017;15(11):4999-5024.
- 42 18. Melissianos V, Vamvatsikos D, Gantes C. Performance-based assessment of protection measures for buried  
43 pipes at strike-slip fault crossings. Soil Dyn Earthq Eng 2017a;101:1-11.
- 44 19. Melissianos V, Lignos X, Bachas KK, Gantes C. Experimental investigation of pipes with flexible joints  
45 under fault rupture. J Construct Steel Res 2017b;128:633-648.
- 46 20. Melissianos V, Vamvatsikos D, Gantes C. Performance assessment of buried pipelines at fault crossings.  
47 Earthq Spectra 2017c;33(1):201-218.

- 1 21. Sarvanis G, Karamanos S, Vazouras P, Mecozzi E, Lucci A, Dakoulas P. Permanent earthquake-induced  
2 actions in buried pipelines: Numerical modeling and experimental verification. *Earthq Eng Struct Dyn*  
3 2018;47(4):966-987.
- 4 22. Demirci HE, Bhattacharya S, Karamitros D, Alexander N. Experimental and numerical modelling of buried  
5 pipelines crossing reverse faults. *Soil Dyn Earthq Eng*. 2018;114:198-214.
- 6 23. Tsatsis A, Gelagoti F, Gazetas G. Performance of a buried pipeline along the dip of a slope experiencing  
7 accidental sliding. *Géotechnique* 2018;68(11):968-988.
- 8 24. Psyrras N, Sextos A. Safety of buried steel natural gas pipelines under earthquake-induced ground shaking. A  
9 review. *Soil Dyn Earthq Eng* 2018;106: 254-277.
- 10 25. Psyrras N, Kwon O, Gerasimidis S, Sextos A. Can a buried gas pipeline experience local buckling during  
11 earthquake ground shaking? *Soil Dyn Earthq Eng* 2019;116:511-529.
- 12 26. Baker JW, Cornell CA. A vector-valued ground motion intensity measure consisting of spectral acceleration  
13 and epsilon. *Earthq Eng Struct Dyn* 2005;34:1193-1217.
- 14 27. Shome N, Cornell CA, Bazzurro P, Carballo JE. Earthquakes, records, and nonlinear responses. *Earthq*  
15 *Spectra* 1998;14:469-500.
- 16 28. Luco N, Cornell CA. Structure-specific scalar intensity measures for near-source and ordinary earthquake  
17 ground motions. *Earthq Spectra* 2007;232:357-392.
- 18 29. Cornell CA, Krawinkler H. Progress and challenges in seismic performance assessment. *PEER Center News*.  
19 2000;32:1-4.
- 20 30. Mackie K, Stojadinovic B. Seismic demands for performance-based design of bridges. In: *PEER Report*  
21 2003/16, University of California, Berkeley, CA; 2003.
- 22 31. Vamvatsikos D, Cornell CA. Developing efficient scalar and vector intensity measures for IDA capacity  
23 estimation by incorporating elastic spectral shape information. *Earthq Eng Struct Dyn* 2005;34:1573-1600.
- 24 32. Padgett JE, DesRoches R. Methodology for the development of analytical fragility curves for retrofitted  
25 bridges. *Earthq Eng Struct Dyn* 2008;37:1157-1174.
- 26 33. Padgett JE, Nielson BG, DesRoches R. Selection of optimal intensity measures in probabilistic seismic  
27 demand models of highway bridge portfolios. *Earthq Eng Struct Dyn* 2008;37:711-725.
- 28 34. Yang D, Pan J, Li G. Non-structure-specific intensity measure parameters and characteristic period of near-  
29 fault ground motions. *Earthq Eng Struct Dyn* 2009;38:1257-1280.
- 30 35. Kostinakis K, Athanatopoulou A, Morfidis K. Correlation between ground motion intensity measures and  
31 seismic damage of 3D RC buildings. *Eng Struct* 2015;82:151-167.
- 32 36. Fotopoulou S, Pitilakis K. Predictive relationships for seismically induced slope displacements using  
33 numerical analysis results. *Bull Earthq Eng* 2015;13(11):3207-3238.
- 34 37. Shakib H, Jahangiri V. Intensity measures for the assessment of the seismic response of buried steel pipelines.  
35 *Bull Earthq Eng* 2018;14(4):1265-1284.
- 36 38. American Lifelines Alliance (ALA). Seismic fragility formulations for water systems. Part 1-Guidelines.  
37 ASCE-FEMA, Washington, DC, USA; 2001.
- 38 39. Seed HB, Idriss IM. Soil moduli and damping factors for dynamic response analyses. Berkeley, California:  
39 College of Engineering, University of California; 1970.
- 40 40. European Committee for Standardization (CEN). EN 1998-1: Design of structures for earthquake resistance.  
41 Part 1: General Rules, Seismic Actions and Rules for Buildings, European Committee for Standardization,  
42 Brussels, Belgium; 2004.
- 43 41. Darendeli M. Development of a new family of normalized modulus reduction and material damping curves.  
44 Ph.D. Dissertation, University of Texas, Austin; 2001.
- 45 42. O'Rourke MJ, Hmadi K. Analysis of continuous buried pipelines for seismic wave effects. *Earthq Eng Struct*  
46 *Dyn* 1988;16:917-929.
- 47 43. ABAQUS. ABAQUS: theory and analysis user's manual version 6.12. Providence, RI, USA: Dassault  
48 Systemes Simulia; 2012.
- 49 44. Yun H, Kyriakides S. On the beam and shell modes of buckling of buried pipelines. *Soil Dyn Earthq Eng*  
50 1990;9:179-193.

- 1 45. Paquette JA, Kyriakides S. Plastic buckling of tubes under axial compression and internal pressure. *Intern J*  
2 *Mech Sci* 2006;48:855-867.
- 3 46. Kyriakides S, Corona E. Plastic buckling and collapse under axial compression. *Mechanical Offshore*  
4 *Pipelines Buckling Collapse, Vol. I*, Elsevier Science, New York; 2007, p.280-318.
- 5 47. Tsinidis G, Di Sarno L, Sextos A, Psyrras N, Furtner P. On the numerical simulation of the response of gas  
6 pipelines under compression. In proc: 9<sup>th</sup> International Conference on Advances in Steel Structures,  
7 ICASS'2018, 5-7 Dec 2018, Hong Kong, China; 2018.
- 8 48. Tsinidis G, Di Sarno L, Sextos A, Furtner P. A critical review on the vulnerability assessment of natural gas  
9 pipelines subjected to seismic wave propagation. Part 2: Pipe analysis aspects. *Tunnel Undergr Space Tech*  
10 2019a;92:103056.
- 11 49. Timoshenko SP, Gere JM. *Theory of elastic stability*. McGraw-Hill; 1961.
- 12 50. ArcelorMittal. High yield SAW welded Pipe API 5L grade X65 PSL 2;65:5-6; 2018.
- 13 51. Hashash YMA, Musgrove MI, Harmon JA, Groholski DR, Phillips CA, Park D. DEEPSOIL 6.1, User  
14 Manual. USA; 2016.
- 15 52. Hashash YMA, Park D. Viscous damping formulation and high frequency motion propagation in non-linear  
16 site response analysis. *Soil Dyn Earthq Eng* 2002;22(7):611-624.
- 17 53. Paolucci R, Pitilakis K. Seismic risk assessment of underground structures under transient ground  
18 deformations. Pitilakis K (ed) *Earthquake Geotechnical Engineering*. Geotech, Geol Earthq Eng,  
19 Springer;2007, p. 433-459.
- 20 54. Giardini et al. Seismic Hazard Harmonization in Europe (SHARE): Online Data Resource, doi:  
21 10.12686/SED-00000001-SHARE; 2013.
- 22 55. Katsanos EI, Sextos A. Structure-specific selection of earthquake ground motions for the reliable design and  
23 assessment of structures. *Bull Earthq Eng* 2018;16(2):583-611.
- 24 56. Katsanos EI, Sextos A, Manolis G. Selection of earthquake ground motion records: A state-of-the-art review  
25 from a structural engineering perspective: *Soil Dyn Earthq Eng* 2010;30(4):157-169.
- 26 57. Moschen L, Medina RA, Adam C. A ground motion record selection approach based on multiobjective  
27 optimization: *J Earthq Eng* 2019;23(4):669-687.
- 28 58. Mergos P, Sextos A Selection of earthquake ground motions for multiple objectives using genetic algorithms:  
29 *Eng Struct* 2019;187:414-427.
- 30 59. Hashash YMA, Hook JJ, Schmidt B, Yao JI-C. Seismic design and analysis of underground structures. *Tun*  
31 *Undergr Space Tech* 2001;16 (2):247-293.
- 32 60. Pitilakis K, Tsinidis G. Performance and seismic design of underground structures, in: Maugeri, M.,  
33 Soccodato, C. (Eds.), *Earthquake geotechnical engineering design, Geotechnical Geological and Earthquake*  
34 *Engineering* 2014; 28. Springer international publishing, Switzerland, pp. 279-340.
- 35 61. Tsinidis G, Di Sarno L, Sextos A, Furtner P. A critical review on the vulnerability assessment of natural gas  
36 pipelines subjected to seismic wave propagation. Part 1: Fragility relations and implemented seismic intensity  
37 measures. *Tunnel Undergr Space Tech* 2019b;86:279-296.
- 38 62. Gehl P, Desramaut N, Reveillere A, Modaressi H. Fragility functions of gas and oil networks. In: Pitilakis K,  
39 Crowley H, Kaynia A (eds) *SYNER-G: Typology definition and fragility functions for physical elements at*  
40 *seismic risk, Geotech Geolog Earthq Eng* 27, Springer; 2014, p.187-220.
- 41 63. Eguchi RT. Seismic vulnerability models for underground pipes. *Proceedings of Earthquake Behavior and*  
42 *Safety of Oil and Gas Storage Facilities, Buried Pipelines and Equipment, PVP-77, ASME, New York, 368-*  
43 *373; 1983.*
- 44 64. Ballantyne DB, Berg E, Kennedy J, Reneau R, Wu D. Earthquake loss estimation modeling for the Seattle  
45 water systems: Report to US Geological Survey under Grant 14-08-0001-G1526. Technical Report,  
46 Kennedy/Jenks/Chilton, Federal Way, Washington, USA; 1990.
- 47 65. Eguchi RT. Seismic hazard input for lifeline systems. *Struct Saf* 1991;10:193-198.
- 48 66. O'Rourke TD, Steward HE, Gowdy TE, Pease JW. Lifeline and geotechnical aspects of the 1989 Loma Prieta  
49 earthquake. *Proceedings of the Second International Conference on Recent Advances in Geotechnical*  
50 *Earthquake Engineering and Soil Dynamics, St. Louis, MO, 1601-1612;1991.*



- 1 67. O'Rourke TD, Toprak S, Sano Y. Factors affecting water supply damage caused by the Northridge  
2 earthquake. In: proc 6<sup>th</sup> US national Conference on Earthquake Engineering. EERI;1998.
- 3 68. Katayama T, Kubo K, Sato N. Earthquake damage to water and gas distribution systems. Proceedings of the  
4 U.S. In: proc of the National Conference of Earthquake Engineering, Oakland, CA: EERI;1979 p. 396-405.
- 5 69. Isoyama R, Katayama T. Reliability evaluation of water supply system during earthquakes. Report of the  
6 Institute of Industrial science, University of Tokyo, 30 (1); 1982.
- 7 70. Chen W, Shih BJ, Chen YC, Hung JH, Hwang H. Seismic response of natural gas and water pipelines in the  
8 Ji-Ji earthquake. *Soil Dyn Earthq Eng* 2002;22:1209-1214.
- 9 71. Barenberg ME. Correlation of pipeline damage with ground motions. *J Geotech Eng ASCE*,  
10 1988;114(6):706-711.
- 11 72. O'Rourke MJ, Ayala G. Pipeline damage due to wave propagation. *J Geotech Eng* 1993;119(9):1490-1498.
- 12 73. Eidinger J, Maison B, Lee D, Lau B. East Bay municipal district water distribution damage in 1989 Loma  
13 Prieta earthquake. In: proc 4<sup>th</sup> US Conference on Lifeline Earthquake Engineering, ASCE, TCLEE,  
14 Monograph 6, 240-24; 1995.
- 15 74. Eidinger J. Water distribution system. In: Anshel J Schiff (ed.) The Loma Prieta, California, Earthquake of  
16 October 17, 1989 – Lifelines. USGS Professional Paper 1552-A, US Government Printing Office,  
17 Washington, A 63-A78; 1998.
- 18 75. Jeon SS, O'Rourke TD. Northridge earthquake effects on pipelines and residential buildings. *Bull Seismol*  
19 *Soc Amer* 2005;95:294-318.
- 20 76. Isoyama R, Ishida E, Yune K, Shirozu T. Seismic damage estimation procedure for water supply pipelines.  
21 In: proc of the 12<sup>th</sup> World Conference on Earthquake Engineering, paper No. 1762; 2000.
- 22 77. O'Rourke MJ, Deyoe E. Seismic damage to segment buried pipe. *Earthq Spectra* 2004;20(4):1167-1183.
- 23 78. Pineda-Porras O, Ordaz M. Seismic vulnerability function for high diameter buried pipelines: Mexico City's  
24 primary water system case. Proceedings of the International Conference on Pipeline Engineering  
25 Constructions, 2:1145-1154; 2003.
- 26 79. O'Rourke M, Filipov E, Uçkan E. Towards robust fragility relations for buried segmented pipe in ground  
27 strain areas. *Earthq Spectra* 2015;31(3):1839-1858.
- 28 80. Pineda-Porras O, Ordaz M. A new seismic intensity parameter to estimate damage in buried pipelines due to  
29 seismic wave propagation. *J Earthq Eng* 2007;11(5):773-786.
- 30 81. Hwang H, Chiu Y-H, Chen WY, Shih BJ. Analysis of damage to steel gas pipelines caused by ground  
31 shaking effects during the Chi-Chi, Taiwan. *Earthq Spectra* 2004;20(4):1095-1110.
- 32 82. Lee DH, Kim BH, Jeong SH, Jeon JS, Lee TH. Seismic fragility analysis of a buried gas pipeline based on  
33 nonlinear time-history analysis. *Intern J Steel Struct* 2016;16(1):231-242.
- 34 83. Jahangiri V, Shakib H. Seismic risk assessment of buried steel gas pipelines under seismic wave propagation  
35 based on fragility analysis. *Bull Earthq Eng* 2018;16(3):1571-1605.
- 36 84. Giovenale P, Cornell AC, Esteva L. Comparing the adequacy of alternative ground motion intensity measures  
37 for the estimation of structural responses. *Earthq Eng Struct Dyn* 2004;33:951-979.
- 38 85. Cornell CA, Jalayer F, Hamburger RO, Foutch DA. Probabilistic basis for 2000 SAC federal emergency  
39 management agency steel moment frame guidelines. *J Struct Eng* 2002;128:526-533.
- 40 86. Bakalis, K., Kohrangi, M., Vamvatsikos, D. 2018. Seismic intensity measures for above-ground liquid storage  
41 tanks. *Earthquake Engineering & Structural Dynamics* 47(9):1844-1863
- 42 87. Kazantzi AK, Vamvatsikos D. Intensity measure selection for vulnerability studies of building classes. *Earthq*  
43 *Eng Struct Dyn*. 2015;44(15):2677-2694.