

Emerging Viruses Are a Global Health Concern Requiring Science-Based Solutions and Local Actions

Giles B. Sioen^{1,2,3*} Peter Daszak⁴ Kristie Ebi⁵ Chadia Wannous⁶ Brama Kone⁷ Kathryn Bowen⁸ Franz W. Gatzweiler⁹ Frances Harris¹⁰ Melanie Boeckmann¹¹ Andy Morse¹² Chiho Watanabe¹³ Jouni J. K. Jaakkola¹⁴ Gabriel O Dida¹⁵ Wei Ma¹⁶

1. The United Nations University Institute for the Advanced Study of Sustainability, Tokyo, Japan 2. The University of Tokyo, Institute For Future Initiatives, Tokyo, Japan 3. Future Earth, Tokyo, Japan 4. EcoHealth Alliance, New York City, The United States of America 5. University of Washington, Seattle, The United States of America 6. Towards A Safer World Network, Stockholm, Sweden 7. University Peleforo Gon Coulibaly of Korhogo & Centre Suisse de Recherche Scientifique, Côte d'Ivoire 8. Australian National University, Canberra, Australia 9. Chinese Academy of Science, Xiamen, P.R. China 10. University of Hertfordshire, Hatfield, United Kingdom 11. Bielefeld University, School of Public Health, Bielefeld, Germany 12. University of Liverpool, Liverpool, United Kingdom 13. National Institute for Environmental Studies, Tsukuba, Japan 14. Center for Environmental and Respiratory Health Research, University of Oulu, Oulu, Finland 15. The Technical University of Kenya, Nairobi, Kenya 16. Department of Epidemiology, School of Public Health, Shandong University, Jinan, P.R. China

Abstract: On 11 March 2020, COVID-19 was officially characterized as a pandemic. By this time, the SARS-CoV-2 virus had already spread across continents, causing significant morbidity and mortality, and affecting social and economic systems. The complexities of the impact of COVID-19 call for multidisciplinary to trans-disciplinary research that goes beyond epidemiology research and practice. We aim to (1) provide a narrative review of scientific knowledge of COVID-19, (2) place the developments by international organizations, governments, and individuals (including researchers at all levels) into a wider context, (3) provide practical suggestions for all actors to respond to the COVID-19 pandemic in the short term within the context of large uncertainties, and (4) describe the need for systemic transformations for sustainability using a trans-disciplinary systems approach. In summary, the literature revealed that improvements of surveillance, prevention, and control programs for the prevention of pandemics are needed to safeguard public health. Embracing a trans-disciplinary systems-based approach with experts from a wide variety of fields will be essential to prevent future outbreaks and other health risks, taking into account the complexities of natural and social systems.

Keywords: World Health Organization (WHO); COVID-19; pandemic; future earth

1 Introduction

The first official report on 31 December 2019 of the novel coronavirus (COVID-19) came

Received: 21-02-2020; **Accepted:** 28-02-2020; **Published:** 25-03-2020

Corresponding Author: Sioen, G. B., The United Nations University Institute for the Advanced Study of Sustainability, Japan gilessioen@s.k.u-tokyo.ac.jp

Article Citation: Sioen, G. B., Daszak, P., Ebi, K., *et al.* Emerging Viruses A Global Health Concern Requiring Science-Based Solutions And Local Action [J]. *Journal of Global Change Data & Discovery*, 2020, 4(1): 1-10. DOI: 10.3974/geodp.2020.01.01.

from the city of Wuhan, Hubei Province, P.R. China. In an emergency response, the Chinese government mobilized more than 32,000 medical personnel to fight the epidemic. The government also built two 1,000 bed hospitals and several mobile cabin hospitals and put in place a series of domestic travel bans. As of 20 March 2020, there were 74,280 confirmed infected people in P.R. China and rapid spreads according across other countries. The disease hotspot changed to Europe and to the United States.

Activities led by WHO include a strategic response and preparedness plan (WHO, 2020a). WHO also activated the R&D Blueprint for action to prevent epidemics (WHO, 2016), and produced a Research and Development Blueprint research agenda (WHO, 2020). The agenda was intended to drive innovation in all aspects of outbreak control, from clinical case management to vaccine development. Further, a master plan was developed for coordinating clinical trials that could lead to potential therapies for patients affected with COVID-19 (WHO, 2020c).

The causative agent of COVID-19 is a coronavirus (single strand RNA virus with envelope). This is a commonly found virus type. SARS is another coronavirus. SARS in China took 6 months to affect 5,000 people; COVID-19 reached that number in one month. Symptoms reported include mild to severe respiratory illness with fever, cough, and difficulty breathing, although COVID-19 may be asymptomatic in some people who can still transmit the virus. Direct exposure through droplets causes person-to-person transmission, with the potential to seed further outbreaks. Preliminary data in China showed a national average case fatality rate of 2.3% (WHO, 2020c), with a higher rate in Wuhan and lower in other provinces (Wu & McGoogan, 2020) and increased to 3.8% in China and 3.4% worldwide. A higher average rate of 5.7% is being reported in Europe (10.6% in Italy) that may be because of community infections in areas with a large elderly population. Based on observations made at the end February 2020, researchers recommend using a wide range (0.25%–3.0%) of COVID-19 case fatality rates because of the uncertainties in data and case reporting (Wilson et al., 2020). This is less than the 7–10% cited for SARS and could decline as data become available on the numbers of less severe cases, as was the case with the H5N1 avian influenza (Li et al., 2008).

An increasing number of patients are recovering in P.R. China, where the virus was first detected, but simultaneously, the number of cases in other parts of the world has been increasing. Fear of further spread of COVID-19 led to international travel bans, despite WHO advising against the application of any inappropriate travel or trade restrictions. The scientific community is providing the knowledge for a more coordinated response and prevention across borders.

The COVID-19 outbreak is causing a great deal of worldwide worry, panic, and concern. In a global population of almost 8 billion people, the number infected by COVID-19 who are in critical condition is extremely small and is dwarfed by other more common diseases such as influenza, malaria, and diarrheal disease that kill thousands or even millions of people each year (the number one cause of death in the year 2017 was cardiovascular disease, which claimed the lives of 17.79 million people (Institute for Health Metrics and Evaluation, 2018)). For people who live in countries and regions with high numbers of COVID-19 cases (Italy, USA, Spain, Germany or other countries and urban centers), and for front-line responders and others who expect to come into contact with infected people (e.g. airport workers), good science-based information on how to avoid infection is crucial.

2 Responses outside of the hotspot zone

Since the Public Health Emergency declaration for COVID-19 on January 30th, 2020, many countries have introduced travel restrictions and other measures to reduce disease spread. Several organizations and countries repatriated their citizens to avoid exposure and placed them under quarantine. In some instances, ethical considerations were raised. For example, the Australian government announced that citizens repatriated from Hubei province would be placed in quarantine on Christmas Island, within an immigration detention centre intended for asylum seekers (BBC, 2020). Wearing masks in public has limited benefits but can be helpful for infectious patients to prevent disease spread in crowded, poorly ventilated spaces. In many countries, fear of exposure is resulting in shortages and massive price-hikes of surgical masks (Mahase, 2020), despite WHO recommending these only for people with respiratory symptoms or healthcare workers dealing with patients. Clear guidance from governments, scientists, and other stakeholders is vital to ensure that individuals understand the appropriate measures to reduce exposure risks.

3 What scientists have found

Coronaviruses (CoV) are zoonotic (Cui *et al.*, 2019), which means they were originally transmitted from animals to humans. There are many coronaviruses circulating in animals that have not yet infected humans; the degree of their infectiousness is unknown. SARS-CoV and MERS-CoV were transmitted from civet cats to humans and dromedary camels to humans, respectively (Cui *et al.*, 2019). SARS-CoV like viruses can spread to humans from bat populations (Menachery *et al.*, 2015).

Dr. Peter Daszak from the Ecohealth Alliance and the one HEALTH Global Research Project has been studying zoonotic diseases for over two decades (EcoHealth Alliance, 2020; Machalaba & Daszak, 2020). Examples of zoonotic diseases that have caused turmoil around the world include SARS-CoV, Ebola, MERS-CoV, avian flu (HPAI Asian H5N1), Nipah (NiV) (Peter Daszak, 2012), and now SARS-CoV-2. Dr. Peter Daszak and his team found that close human-wildlife interactions are key to novel viral emergence (Daszak *et al.*, 2001), driven by demographic and anthropogenic change primarily of environmental nature (e.g. rapid urbanization, agricultural intensification, logging and mining activities destroying biodiversity and disrupting ecosystems, population growth) and increased mobility from previously remote regions - these increase the risk of viruses spilling over and spreading within our globalized population (Daszak *et al.*, 2001; Loh *et al.*, 2015). Over the past 10 years, Dr. Peter Daszak and his team identified >500 novel coronaviruses with the purpose of focusing surveillance, prevention, and control programs before they emerge (Allen *et al.*, 2017). Bats are a reservoir of a number of important zoonotic viruses and although confirmation is needed, a species of *Rhinolophus* bat is most likely the natural reservoir of the SARS-CoV-2 virus that causes COVID-19 (Hu *et al.*, 2017). Such scientific information, when appropriately adopted into international policies, can help prevent future pandemics. One of the challenges lies in the availability of infrastructure and capacity to prepare for and manage outbreaks of novel viruses in the areas where humans and biodiversity interact so closely that spillovers can occur (Carroll *et al.*, 2018).

Fortunately, the severity of COVID-19 is lower compared to other emerging pathogens; however, the virus is spreading at very high speed, affecting entire societies. Over 80% of the cases are mild, with the severe cases primarily among older adults or people with serious chronic prior illnesses such as heart or lung disease, or diabetes. Patients that develop acute

respiratory distress syndrome are at the highest risk, requiring ICU admission and oxygen therapy (Huang et al., 2020). Symptomatic treatment of respiratory failure places a severe strain on health care systems world-wide, especially to provide intensive care beds and ventilators. It is difficult to diagnose COVID-19 based on symptoms because of its similarities with other common diseases. Polymerase chain reaction (PCR) tests are needed in a laboratory setting to test for genetic material (RNA); doing so, takes time and resources. Therefore, identification of cases, making it challenging to react quickly while world experts and funders set priorities to identify the best approaches for infection prevention, control, and response (Harris & Jasarevic, 2020).

4 Suggestions for responses to the COVID-19 outbreak: A global problem requiring global solutions that are implemented locally

Effectively addressing the COVID-19 outbreak will require global solutions that are implemented locally, based on scientific evidence that takes into consideration uncertainties and assumptions. Closing down the city of Wuhan in an emergency response may have reduced the spread but may also have had unintended consequences, an approach that was later implemented in many other cities around the world to flatten the curve of the number of patients (Anderson et al., 2020). Some places where community infections have occurred experienced an overflow of patients in hospitals, with challenges around provisioning (e.g. surgical masks and other medical equipment). These cities and countries also experienced an unprecedented social and economic impact. Before gradually reopening the city, and to avoid stigmatization, communication with the public is needed (Ren et al., 2020). For this purpose, and in the context of uncertainty, we suggest scientifically-driven actions to reduce the spread, lessen the impact, and avoid further outbreaks for governments, organizations, and individuals. Accumulated benefits of adapting these suggestions across sectors early on may reduce the impact of COVID-19.

4.1 Governments

- Adopt a whole-of-government and whole-of-society approach to responding to the COVID-19 pandemic, including involvement of the private sector and civil society organizations.
- Work collaboratively and transparently with other countries to support efforts to deal with the COVID-19 outbreak across countries including regarding quarantine procedures and international transportation, to ensure that cross-border medical and other essential goods supply chains are able to function effectively and efficiently and streamline importation of critical goods and experimental products.
- Ensure free and open reporting of outbreak data and sharing of virus samples, genetic information, and research results to facilitate vaccine and treatment development and ensure equitable and transparent allocation processes for diagnostics, therapeutics and vaccines.
- Develop and implement national research plans and facilitate health care workers and institutions engagement in priority research at regional and global levels.
- Health is central for people's wellbeing and livelihoods; therefore, governments and other decision makers need to support the health sector in designing and implementing preventative control measures. Policies based on scientific evidence are needed to enable the transition to a safe and healthy way of living on this planet, if we are to be prepared for the next virus and to prevent yet another global outbreak.

- There is a need for increased investment in capacity building for public health in low- and middle-income countries and building resilient health systems that can detect, prevent, respond, and quickly recover from outbreaks and other health emergencies.
- National governments should shift their operational stage from regulating points of entry to reflect the situation where more infection is spreading widely within the community. This calls for social distancing as a preventive strategy and an urgent scale-up of aggressive measures to combat COVID-19.
- For prevention and response measures within countries:

4.2 Organizations

- We call on scientific, governmental and non-governmental organizations in the field of conservation, ecology, epidemiology, public health, mathematics and computer science, governance, planning, geography, the science of cities, sustainability science, and others to work collaboratively to prevent future outbreaks and other health risks and disasters to people and the planet, by applying a systems-based approach (Eco-Health, One Health, Planetary Health, and Urban Health communities).
- Research organizations can improve understanding of the causes, risks, infectiousness, severity and threats of a pandemic in communities. Health organizations can emphasize the importance of human behavior in disease emergence, and what can be done to avert the emergence and spread of these diseases. Conservation organizations can communicate openly about the fact that wildlife commonly carry pathogens that can be lethal to people and to increase awareness that the risks of pathogens affecting human health often results from unsustainable transformations of our natural environments and ecosystems that provide life-supporting services for our health.
- Reassure the public, including that ownership of pets, livestock, and presence of wildlife in a community is not necessarily a public health risk, and that the key issue in an outbreak or a pandemic is transmission from person to person through contact with infected people. Emphasize infection prevention and control measures, especially when caring for the sick.
- Within an organization, actions to protect your employees and your business include:

4.3 Individuals

- Individuals can protect themselves from infection and also support government and organizational efforts to deal with the pandemic.
- Individuals should wash their hands frequently, avoid touching their mouth, eyes, and nose too often, avoid dense concentrations of people, maintain social distances of at least 1 meter (3 feet) from others who are coughing or sneezing or have other respiratory symptoms, have suspected COVID-19 infection with mild symptoms, or are caring for someone with suspected COVID-19 infection, and avoid staying in poorly ventilated areas with those persons.
- Follow good respiratory hygiene practices by covering your mouth and nose with your bent elbow or tissue when you cough or sneeze. Then dispose of the used tissue immediately.
- Wearing a mask is unnecessary unless you are in contact with infected people, or if you have symptoms of a respiratory infection – this will help reduce shortages and free up masks for people who critically need them.
- Stay home if you feel unwell and seek medical care promptly if you experience fever,

cough, and difficulty in breathing as this may be due to a respiratory infection or other serious condition; use a telephone or other means of remote access (e.g. apps) when available.

- As a general precaution, practice good hygiene when visiting live animal markets, wet markets, or animal product markets and avoid consumption of raw or undercooked animal products.
- Follow reputable sources of information to stay up to date on the developments and suggestions through your national and local public health authorities (see Table 1 for examples).
- Continue your daily operations—with the additional points above unless requested otherwise by your local government, organization, or if you are based in a high-risk zone with known cases. Follow advice given by your healthcare provider.
- Take corrective action on any discriminatory posts and wrong information occurring in social media to prevent delays in responding to the outbreak.

5 Transformation needed

We call on scientific, government and NGO in the field of conservation, ecology, epidemiology, public health, clinical medicine, governance, planning, geography, the science of cities, sustainability science, and many others to work collaboratively to prevent future outbreaks and other health risks and disasters to people and the planet, by applying a systems-based approach for preventing future outbreaks and other health risks and disasters.

Research organizations can improve our understanding of the causes, risks, infectiousness, and threats of a pandemic. Health organizations can emphasize the importance of human behavior in disease emergence, and what can be done to avert the emergence and spread of these diseases. Conservation organizations can communicate openly about the fact that wildlife commonly carry pathogens that can be lethal to people and to increase awareness that the risks of pathogens affecting human health often results from unsustainable transformations of our natural environments and ecosystems that provide life-supporting services for our health. Social scientists can provide understanding about the ways to introduce policies that would enable improved identification, prevention, and control of emerging infectious agents with a potential to cause pandemics.

Further transformations towards a healthier world, may require changes in our social, cultural, and governance systems across scales. A scientific understanding of human and animal behavior and the dynamic relationship between them and the environment is needed to avoid spillovers. The transmission of emerging scientific research to decision makers and the general public is a complex process, in which uncertainties need to be communicated clearly to provide a basis for decision making. International organizations and multiple sectors of government and society need to coordinate to resolve urgent issues and jointly identify the most appropriate responses. Governments and other decisionmakers to need to support the health sector in designing and implementing preventative control measures. Policies based on scientific evidence are needed to support the transition to a safe and healthy way of living on this planet, if we are to be prepared for the next virus and to prevent it before it becomes yet another global outbreak. For more information, please see the Our Future on Earth report (Future Earth, 2020). To prepare and learn more about other global risks that researchers and experts perceive to be important, please refer to The Future Earth Risks Perceptions Report 2020 (Future Earth, 2020a).

6 Importance of well-functioning and resilient healthcare systems

WHO expressed concern about the impact the virus may have if it spreads to a country with a weak healthcare system or insufficient resources to prevent a pandemic. It is likely that there are undiscovered person-to-person transmissions ongoing in countries located in Asia, Latin America, and sub-Saharan Africa; these are regions where the funds for monitoring are constrained. Thus, an outbreak reinforces the global commons problem – pathogens that emerge in resource-constrained countries can spread even more rapidly and have a more significant impact on the most vulnerable. This presents an obvious need for increased investment to build well-functioning and resilient health systems in low- and middle-income countries that can detect, prevent, respond, and quickly recover from outbreaks and other health emergencies. While the current priority for health systems is to control and contain this outbreak, there are important messages from the scientific community about how we could have done a better job at preventing COVID-19 from emerging in the first place.

The scientific evidence on emerging viruses demonstrates critical links between biodiversity loss and anthropogenic environmental changes, including deforestation, urbanization, agricultural intensification, and the wildlife trade and the impact of these changes on health, including infectious diseases (Jones *et al.*, 2008). These systemic linkages need to be better understood and knowledge needs to be shared with all stakeholders to improve collective intelligence and action. Both elements are integral to a systems approach. To implement this approach to prevent future pandemics, further investments are needed in research, knowledge communication, coordination, teaching, and training. Investments are cost-effective considering the direct and indirect costs of emergency response measures.

Re-evaluating the hidden costs of pandemics (Marco *et al.*, 2020) and identifying more sustainable development pathways will mobilize resources to build knowledge and action. Furthermore, increasing donor support for sustainability and building resilient health systems in low- and middle-income countries with emerging infectious disease hotspots can lower the number of severe cases and casualties when an epidemic threatens. Estimates suggest that around 1 million viruses that are able to infect people likely exist in wildlife around the world and that investments to prevent this from happening would provide rapid health benefits (Carroll *et al.*, 2018; Daszak *et al.*, 2016).

Actions for implementing a systems-based approach for the prevention of pandemics include: 1) build capacity for better surveillance for known and novel pathogens in countries within emerging disease hotspots; 2) identify the hidden costs of pandemic emergence from activities that drive them—agricultural intensification, mining, deforestation, and global travel and trade -- and work with those industries to reduce our global footprint; 3) request governments to strategically invest in a research program to discover the viruses related to those known to cause emerging diseases, to devise better tests, drugs, and vaccines; 4) work with the most vulnerable communities in these hotspot regions to reduce the risks associated with activities such as wildlife hunting and consumption, to promote acceptable and sustainable alternatives; and 5) facilitate coordination and communication between different branches of health-related science programs, including all sectors of society, to increase the sustainability of individual consumption behavior, public awareness and engagement, business practices and trade, government interventions, and other activities. These and other measures will improve our collective intelligence for identification and prediction of emerging disease hotspots, and for building capacity for the prevention of pandemics (Carroll *et al.*, 2018).

Globalization has changed the way we are connected. The increasing interconnectedness of complex urban systems (Gatzweiler & Thomas, 2020) requires a systems approach and

preparedness for the prevention and effective management of population health emergencies. The need for such a systems approach is widely discussed, for example under the Urban Health and Wellbeing programme of the International Science Council (2020). To do so, a learning cycle that combines knowledge, decision-making, and action in society is needed. The Anthropocene requires planetary health approaches (Whitmee et al., 2015) with hygienic standards, infection prevention and control standards, and rules to facilitate a healthy life (Elmqvist et al., 2018). The standards and rules need to be based on scientific evidence and behavior that can be implemented while taking into account different needs across regions and cultures and desirable futures.

At present, the global interconnected system is experiencing a social and economic shock. The impact of that requires interventions by governments, institutions, and individuals. There is hope that interventions will lead to changes in the way we operate and consume but the changes underway may not necessarily lead to resilience and sustainability (Elmqvist et al., 2019) without intentional actions to do so.

There are challenges that need consideration in decision making (Dankel et al., 2017) and forecasting in a high-stakes, fast-moving situation. Challenges include rapidly changing information, uncertainties, a range of values and concerns, and a need for the decisions to be made urgently. A transdisciplinary approach can support decisionmaking that takes into account insights into the development of the virus; medical information about contagion, treatment, and avoiding infection; and the possible economic impacts of the outbreak. It takes a truly transdisciplinary team of people from a range of disciplines and sectors, end-users, policy makers, and practitioners to effectively manage a complex situation. These science-based activities linking global environmental change to health have been conducted under the Future Earth Health Knowledge-Action Network (Haines et al., 2017).

Acknowledgement

The authors would like to acknowledge the Future Earth Health Knowledge-Action Network under which this manuscript was initiated, framed, and developed. Furthermore, the authors acknowledge the Health Knowledge-Action Network Advisory Group for the valuable inputs; they provided that improved this manuscript. The authors also acknowledge the National Committee of Future Earth China for translating the English manuscript into Chinese. Furthermore, G.B.S. would like to acknowledge the International Research Fellow program of Japan Society for the Promotion of Science.

Conflict of interest

None.

References

- [1] Wuhan Municipal Health Commission. Wuhan Municipal Health Commission on the current situation of COVID-19 in the city [Z]. http://wjw.wuhan.gov.cn/xwzx_28/gsgg/202004/t20200430_1199576.html.
- [2] Resolutely win the epidemic prevention and control battle, China accelerates! http://news.cnr.native/gd/20200219/t20200219_524981302.shtml.
- [3] https://www.mct.gov.cn/whzx/ggtz/202001/t20200123_850561.htm.
- [4] Allen, Toph, Kris A. Murray, Carlos Zambrana-Torrel, Stephen S. Morse, Carlo Rondinini, Moreno Di Marco, Nathan Breit, Kevin J. Olival, and Peter Daszak. 2017. "Global Hotspots and Correlates of

- Emerging Zoonotic Diseases.” *Nature Communications* 8 (1): 1–10. <https://doi.org/10.1038/s41467-017-00923-8>.
- [5] Anderson, Roy M., Hans Heesterbeek, Don Klinkenberg, and T. Déirdre Hollingsworth. 2020. “How Will Country-Based Mitigation Measures Influence the Course of the COVID-19 Epidemic?” *The Lancet* 2019 (20): 931–34. [https://doi.org/10.1016/S0140-6736\(20\)30567-5](https://doi.org/10.1016/S0140-6736(20)30567-5).
- [6] BBC. 2020. “Australia Coronavirus: Hundreds Evacuated to Christmas Island.” British Broadcasting Corporation. 2020. <https://www.bbc.com/news/world-australia-51352145>.
- [7] Carroll, Dennis, Peter Daszak, Nathan D. Wolfe, George F. Gao, Carlos M. Morel, Subhash Morzaria, Ariel Pablos-Méndez, Oyewale Tomori, and Jonna A.K. Mazet. 2018. “The Global Virome Project.” *Science* 359 (6378): 872–74. <https://doi.org/10.1126/science.aap7463>.
- [8] Carroll, Dennis, Brooke Watson, Eri Togami, Peter Daszak, Jonna A.K. Mazet, Cara J. Chrisman, Edward M. Rubin, et al. 2018. “Building a Global Atlas of Zoonotic Viruses.” *Bulletin of the World Health Organization*. Geneva: Bulletin of the World Health Organization. <https://doi.org/10.2471/BLT.17.205005>.
- [9] Cui, Jie, Fang Li, and Zheng Li Shi. 2019. “Origin and Evolution of Pathogenic Coronaviruses.” *Nature Reviews Microbiology* 17 (3): 181–92. <https://doi.org/10.1038/s41579-018-0118-9>.
- [10] Dankel, Dorothy J., Nora S. Vaage, and Jeroen P. van der Sluijs. 2017. “Post-Normal Science in Practice.” *Futures* 91 (May): 1–4. <https://doi.org/10.1016/j.futures.2017.05.009>.
- [11] Daszak, Peter, D. Carroll, N. Wolfe, and J. Mazet. 2016. “The Global Virome Project.” *International Journal of Infectious Diseases* 53: 36. <https://doi.org/10.1016/j.ijid.2016.11.097>.
- [12] Daszak, Peter, A A Cunningham, and A D Hyatt. 2001. “Anthropogenic Environmental Change and the Emergence of Infectious Diseases in Wildlife.” *Acta Tropica* 78: 1–14. [papers2://publication/uuid/EF1C6DBA-D205-4EF5-866F-7887DC985904](https://doi.org/10.1016/S0169-5273(01)02500-1).
- [13] Daszak, Peter. 2012. “Anatomy of a Pandemic.” *The Lancet* 380 (9857): 1883–84. [https://doi.org/10.1016/S0140-6736\(12\)61887-X](https://doi.org/10.1016/S0140-6736(12)61887-X).
- [14] Dong, Ensheng, Hongru Du, and Lauren Gardner. 2020. “An Interactive Web-Based Dashboard to Track COVID-19 in Real Time.” *The Lancet Infectious Diseases* 3099 (20): 19–20. [https://doi.org/10.1016/S1473-3099\(20\)30120-1](https://doi.org/10.1016/S1473-3099(20)30120-1).
- [15] EcoHealth Alliance. 2020. “EcoHealth Alliance.” 2020. <https://www.ecohealthalliance.org/about>.
- [16] Elmqvist, Thomas, Erik Andersson, Niki Frantzeskaki, Timon McPhearson, Per Olsson, Owen Gaffney, Kazuhiko Takeuchi, and Carl Folke. 2019. “Sustainability and Resilience for Transformation in the Urban Century.” *Nature Sustainability* 2 (4): 267–73. <https://doi.org/10.1038/s41893-019-0250-1>.
- [17] Future Earth. 2020a. “Future Earth Risks Perceptions Report 2020 1st Edition.” Future Earth. <https://futureearth.org/initiatives/other-initiatives/grp/the-report/>.
- [18] Future Earth. 2020b. “Our Future on Earth: Science Insights into Our Planet and Society.” Future Earth. <https://futureearth.org/publications/our-future-on-earth/>.
- [19] Gatzweiler, Franz W., and Yonette F. Thomas. 2020. “A Planetary Outlook for Urban Health.” *International Science Council*. 2020. https://council.science/current/blog/a-planetary-outlook-for-urban-health/?fbclid=IwAR2EDQhs18TrxYS3TsKc_9oJtlO13JIHMWnrays7ohpZfIPa3cA7cRPMphk.
- [20] Haines, Andy, Francesca Harris, Fumiko Kasuga, and Catherine Machalaba. 2017. “Future Earth - Linking Research on Health and Environmental Sustainability.” *BMJ (Online)* 357: 10–13. <https://doi.org/10.1136/bmj.j2358>.
- [21] Harris, Margaret, and Tarik Jasarevic. 2020. “World Experts and Funders Set Priorities for COVID-19 Research.” *World Health Organization*. 2020. <https://www.who.int/news-room/detail/12-02-2020-world-experts-and-funders-set-priorities-for-covid-19-research>.
- [22] Hu, Ben, Lei Ping Zeng, Xing Lou Yang, Xing Yi Ge, Wei Zhang, Bei Li, Jia Zheng Xie, et al. 2017. “Discovery of a Rich Gene Pool of Bat SARS-Related Coronaviruses Provides New Insights into the Origin of SARS Coronavirus.” *PLoS Pathogens* 13 (11): 1–27. <https://doi.org/10.1371/journal.ppat.1006698>.
- [23] Huang, Chaolin, Yeming Wang, Xingwang Li, Lili Ren, Jianping Zhao, Yi Hu, Li Zhang, et al. 2020. “Clinical Features of Patients Infected with 2019 Novel Coronavirus in Wuhan, China.” *The Lancet* 395 (10223): 497–506. [https://doi.org/10.1016/S0140-6736\(20\)30183-5](https://doi.org/10.1016/S0140-6736(20)30183-5).
- [24] Institute for Health Metrics and Evaluation. 2018. “Global Burden of Disease Collaborative Network. Global Burden of Disease Study 2017.” Seattle: Institute for Health Metrics and Evaluation. <http://ghdx.healthdata.org/gbd-results-tool>.

- [25] Jones, Kate E., Nikkita G. Patel, Marc A. Levy, Adam Storeygard, Deborah Balk, John L. Gittleman, and Peter Daszak. 2008. "Global Trends in Emerging Infectious Diseases." *Nature* 451 (7181): 990–93. <https://doi.org/10.1038/nature06536>.
- [26] Li, F. C.K., B. C.K. Choi, T. Sly, and A. W.P. Pak. 2008. "Finding the Real Case-Fatality Rate of H5N1 Avian Influenza." *Journal of Epidemiology and Community Health* 62 (6): 555–59. <https://doi.org/10.1136/jech.2007.064030>.
- [27] Loh, Elizabeth H., Carlos Zambrana-Torrel, Kevin J. Olival, Tiffany L. Bogich, Christine K. Johnson, Jonna A. K. Mazet, William Karesh, and Peter Daszak. 2015. "Targeting Transmission Pathways for Emerging Zoonotic Disease Surveillance and Control." *Vector-Borne and Zoonotic Diseases* 15 (7): 432–37. <https://doi.org/http://doi.org/10.1089/vbz.2013.1563>.
- [28] Machalaba, Catherine, and Peter Daszak. 2020. "OneHEALTH (Formerly EcoHEALTH)." *Future Earth*. 2020. <https://futureearth.org/networks/global-research-projects/onehealth/>.
- [29] Mahase, Elisabeth. 2020. "Covid-19: Hoarding and Misuse of Protective Gear Is Jeopardising the Response, WHO Warns." *BMJ (Clinical Research Ed.)*. *BMJ*. <https://doi.org/10.1136/bmj.m869>.
- [30] Marco, Moreno Di, Michelle L. Baker, Peter Daszak, Paul de Barro, Evan A. Eskew, Cecile M. Godde, Tom D. Harwood, et al. 2020. "Sustainable Development Must Account for Pandemic Risk." *Proceedings of the National Academy of Sciences of the United States of America* 117 (8): 3888–92. <https://doi.org/10.1073/pnas.2001655117>.
- [31] Menachery, Vineet D., Boyd L. Yount, Kari Debbink, Sudhakar Agnihotram, Lisa E. Gralinski, Jessica A. Plante, Rachel L. Graham, et al. 2015. "A SARS-like Cluster of Circulating Bat Coronaviruses Shows Potential for Human Emergence." *Nature Medicine* 21 (12): 1508–13. <https://doi.org/10.1038/nm.3985>.
- [32] Ren, Shi Yan, Rong Ding Gao, and Ye Lin Chen. 2020. "Fear Can Be More Harmful than the Severe Acute Respiratory Syndrome Coronavirus 2 in Controlling the Corona Virus Disease 2019 Epidemic." *World Journal of Clinical Cases* 8 (4): 652–57. <https://doi.org/10.12998/wjcc.v8.i4.652>.
- [33] Whitmee, Sarah, Andy Haines, Chris Beyrer, Frederick Boltz, Anthony G. Capon, Braulio Ferreira De Souza Dias, Alex Ezech, et al. 2015. "Safeguarding Human Health in the Anthropocene Epoch: Report of the Rockefeller Foundation-Lancet Commission on Planetary Health." *The Lancet* 386 (10007): 1973–2028. [https://doi.org/10.1016/S0140-6736\(15\)60901-1](https://doi.org/10.1016/S0140-6736(15)60901-1).
- [34] Wilson, Nick, Amanda Kvalsvig, Lucy Telfar Barnard, and Michael G Baker. 2020. "Case-Fatality Risk Estimates for COVID-19 Calculated by Using a Lag Time for Fatality." *Emerging Infectious Disease Journal* 26 (6). <https://doi.org/10.3201/eid2606.200320>.
- [35] World Health Organization. 2016. "A Research and Development Blueprint for Action to Prevent Epidemics -Plan Of Action May 2016." Geneva. https://www.who.int/blueprint/about/r_d_blueprint_plan_of_action.pdf.
- [36] World Health Organization. 2020a. "2019 Novel Coronavirus (2019-nCoV): Strategic Preparedness and Response Plan - Draft as of 3 February 2020." Geneva. <https://www.who.int/docs/default-source/coronaviruse/srp-04022020.pdf>.
- [37] World Health Organization. 2020b. "2019 Novel Coronavirus Global Research and Innovation Forum: Towards a Research Roadmap." Geneva: World Health Organization. <https://www.who.int/docs/default-source/coronaviruse/global-research-forum-draft-agenda-feb-6.pdf>.
- [38] World Health Organization. 2020c. "Coronavirus Disease 2019 (COVID-19) Situation Report – 30." Geneva: World Health Organization. <https://www.who.int/docs/default-source/coronaviruse/situation-reports/20200219-sitrep-30-covid-19.pdf>.
- [39] World Health Organization. 2020d. "Naming the Coronavirus Disease (COVID-19) and the Virus That Causes It." World Health Organization. 2020. [https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance/naming-the-coronavirus-disease-\(covid-2019\)-and-the-virus-that-causes-it](https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance/naming-the-coronavirus-disease-(covid-2019)-and-the-virus-that-causes-it).
- [40] World Health Organization. 2020e. "Novel Coronavirus (COVID-19) Situation." World Health Organization. 2020. <https://who.maps.arcgis.com/apps/opsdashboard/index.html#/c88e37cfc43b4ed3-baf977d77e4a0667>.
- [41] Wu, Zunyou, and Jennifer M McGoogan. 2020. "Characteristics of and Important Lessons From the Coronavirus Disease 2019 (COVID-19) Outbreak in China: Summary of a Report of 72 314 Cases From the Chinese Center for Disease Control and Prevention." *Jama* 2019: 3–6. <https://doi.org/10.1001/jama.2020.2648>.