An α -No-Regret Algorithm For Graphical Bilinear Bandits

Geovani Rizk

PSL - Université Paris Dauphine, CNRS, LAMSADE, Paris, France geovani.rizk@dauphine.psl.eu

Albert Thomas

Huawei Noah's Ark Lab, Paris, France albert.thomas@huawei.com

Igor Colin

Huawei Noah's Ark Lab, Paris, France igor.colin@huawei.com

Rida Laraki

PSL - Université Paris Dauphine, CNRS, LAMSADE, Paris, France rida.laraki@lamsade.dauphine.fr

Yann Chevalevre

PSL - Université Paris Dauphine, CNRS, LAMSADE, Paris, France yann.chevaleyre@lamsade.dauphine.fr

Abstract

We propose the first regret-based approach to the *Graphical Bilinear Bandits* problem, where n agents in a graph play a stochastic bilinear bandit game with each of their neighbors. This setting reveals a combinatorial NP-hard problem that prevents the use of any existing regret-based algorithm in the (bi-)linear bandit literature. In this paper, we fill this gap and present the first regret-based algorithm for graphical bilinear bandits using the principle of optimism in the face of uncertainty. Theoretical analysis of this new method yields an upper bound of $\tilde{O}(\sqrt{T})$ on the α -regret and evidences the impact of the graph structure on the rate of convergence. Finally, we show through various experiments the validity of our approach.

1 Introduction

In this paper, we are interested in solving centralized multi-agent problems that involve interactions between agents. For instance, consider the problem of the configuration of antennas in a wireless cellular network [Siomina et al., 2006] or the adjustment of turbine blades in a wind farm [van Dijk et al., 2016, Bargiacchi et al., 2018]. Choosing a parameter for an antenna (respectively adjusting a turbine blade) has an impact on its signal quality (respectively its energy collection efficiency) but also on the one of its neighboring antennas due to signal interference (respectively its neighboring turbine blade due to wind turbulence). By considering each antenna or turbine blade as an agent, these problems can be modeled as a multi-agent multi-armed bandit problem [Bargiacchi et al., 2018] with the knowledge of a coordination graph [Guestrin et al., 2002] where each node represents an agent and each edge represents an interaction between two agents. As a natural extension of the well-studied linear bandit to this multi-agent setting we focus on the *graphical bilinear bandit* setting introduced in Rizk et al. [2021]: at each round, a central entity chooses an action for each agent and observes a bilinear reward for each couple of neighbors in the graph that is function of the actions chosen by the two neighboring agents.

The objective of the learner can either be to maximize the cumulative reward, which requires a trade-off between *exploration* and *exploitation*, or to identify the best action without being concerned about suboptimal rewards obtained during the learning process, known as the *pure exploration* setting [Bubeck et al., 2009, Audibert and Bubeck, 2010]. For graphical bilinear bandits, while the latter has already been addressed in Rizk et al. [2021], maximizing the cumulative reward (and thus minimizing the associated regret) remains an open question that we address in this paper.

Contribution. Given the NP-Hardness property of the problem and the impossibility of designing an algorithm that has sublinear regret with respect to the horizon T, we propose the first regret-based algorithm for the graphical bilinear bandit problem that gives a guarantee on the α -regret of $\tilde{O}(\sqrt{T})$ where α (greater than 1/2) is a problem-dependent parameter and \tilde{O} hides the logarithmic factors. The problem as well as the notion of α -regret are introduced in Section 2. We provide a first algorithm and establish theoretical guarantees in Section 3. In Section 4, we identify the problem-dependent parameters that one could use to improve both theoretical guarantees and empirical performances of the algorithm. Accordingly, we state a refined bound that significantly improves α . Finally, Section 5 gives an experimental overview of the various theoretical bounds established for the regret.

Related work. Centralized multi-agent bandit problems where the learner has to choose the actions of all the agents at each round implies to deal with parallelizing the learning process on the agents. In the context of linear rewards where all the agents share the same reward function, Chan et al. [2021] give a detailed analysis of the problem and show that a sublinear regret in T can be reached but with an additional cost specific to the parallelization. The main difference with their work is that they consider independent agents, whereas we assume interactions between the agents.

Choosing an action for each node of a graph to then observe a global reward over the graph is a combinatorial bandit problem [Cesa-Bianchi and Lugosi, 2012], the number of joint arms scaling exponentially with the number of nodes. This has been studied in the regret-based context [Chen et al., 2013, Perrault et al., 2020] where the notion of α -regret is introduced to cope with the NP-Hardness of the problem. Most papers assume the availability of an oracle to solve the inner combinatorial optimization problem at each round. In this paper, we do not make this assumption and we present an algorithm that takes into account the graph structure, which has not been considered in the combinatorial framework.

Bandit problems in graphs have been studied from several angles. For instance, on the one hand, in Valko et al. [2014], Mannor and Shamir [2011], each node of the graph is an arm of the bandit problem, which, if pulled, gives information on its neighboring arms. On the other hand, in Cesa-Bianchi et al. [2013] each node is an instance of a linear bandit and the neighboring nodes are assumed to have similar unknown regression coefficients. In this setting, the reward observed for each agent only depends on its chosen action which does not take into consideration agent interactions.

The graphical bilinear bandit setting has been first established in Rizk et al. [2021] where they tackle the problem of identifying the 1/2-best joint arm (which has an associated global reward equal to at least 1/2 of the optimal one). They study the pure exploration setting while we tackle the regret-based one. To the best of our knowledge, our paper is the first one to provide regret-based algorithms for the graphical bilinear bandits setting.

2 Problem setting

Let $\mathcal{G}=(V,E)$ be the directed graph defined by V the finite set of nodes representing the agents and E the set of edges representing the agent interactions. We assume that if $(i,j) \in E$ then $(j,i) \in E$. The Graphical Bilinear Bandit with a graph \mathcal{G} consists in the following sequential problem [Rizk et al., 2021]: at each round t, each agent $i \in V$ chooses an arm $x_t^{(i)}$ in a finite arm set \mathcal{X} and receives for each of its neighbors j a bilinear reward

$$y_t^{(i,j)} = x_t^{(i)\top} \mathbf{M}_{\star} x_t^{(j)} + \eta_t^{(i,j)} ,$$
 (1)

¹One could define an undirected graph instead. However, we consider that interactions between two neighbors are not necessarily symmetrical, with respect to the obtained rewards, so we choose to keep the directed graph to emphasize this asymmetry.

where $\mathbf{M}_{\star} \in \mathbb{R}^{d \times d}$ is an unknown matrix, and $\eta_t^{(i,j)}$ a zero-mean σ -sub-Gaussian random variable.² For all agent $i \in V$, we denote \mathcal{N}_i the set of its neighboring agents. Let $n = \operatorname{Card}(V)$ denote the number of nodes, $m = \operatorname{Card}(E)$ the number of edges and $K = \operatorname{Card}(\mathcal{X})$ the number of arms. We assume that for all $x \in \mathcal{X}$, $\|x\|_2 \leq L$. Let $\|\mathbf{M}_{\star}\|_F$ be the Frobenius norm of \mathbf{M}_{\star} with $\|\mathbf{M}_{\star}\|_F \leq S$. We assume that the expected reward of each edge is positive which gives for all $(x, x') \in \mathcal{X}^2$, $0 \leq x^{\top} \mathbf{M}_{\star} x' \leq LS$.

For each round t, we define the global reward $y_t = \sum_{(i,j) \in E} y_t^{(i,j)}$ as the sum of the local rewards obtained over the graph at round t, and $\left(x_\star^{(1)}, \ldots, x_\star^{(n)}\right) = \arg\max_{\left(x^{(1)}, \ldots, x^{(n)}\right)} \sum_{(i,j) \in E} x^{(i)\top} \mathbf{M}_\star x^{(j)}$ as the optimal joint arm that maximizes the expected global reward. The corresponding global pseudo-regret over T rounds is then defined as follows:

$$R(T) = \sum_{t=1}^{T} \left[\sum_{(i,j) \in E} x_{\star}^{(i)\top} \mathbf{M}_{\star} x_{\star}^{(j)} - \sum_{(i,j) \in E} x_{t}^{(i)\top} \mathbf{M}_{\star} x_{t}^{(j)} \right] .$$

We know from Rizk et al. [2021] that finding $\left(x_{\star}^{(1)},\ldots,x_{\star}^{(n)}\right)$ is NP-Hard with respect to the number of agents n.

Proposition 2.1 (Rizk et al. [2021] Theorem 4.1). Consider a given matrix $\mathbf{M}_{\star} \in \mathbb{R}^{d \times d}$ and a finite arm set $\mathcal{X} \subset \mathbb{R}^d$. Unless P = NP, there is no polynomial time algorithm guaranteed to find the optimal solution of

$$\max_{\left(x^{(1)},\dots,x^{(n)}\right)\in\mathcal{X}^n} \sum_{(i,j)\in E} x^{(i)\top} \mathbf{M}_{\star} \ x^{(j)} \ .$$

Hence, the objective of designing an algorithm with a sublinear regret in T is not feasible in polynomial time with respect to n. However, some NP-hard problems are α -approximable (for some $\alpha \in (0,1]$), which means that there exists a polynomial-time algorithm guaranteed to produce solutions whose values are at least α times the value of the optimal solution. For these problems, it makes sense to consider the α -pseudo-regret as in [Chen et al., 2013] which is defined for all $\alpha \in (0,1]$ as follows

$$R_{\alpha}(T) \triangleq \sum_{t=1}^{T} \left[\sum_{(i,j) \in E} \alpha x_{\star}^{(i)\top} \mathbf{M}_{\star} x_{\star}^{(j)} - \sum_{(i,j) \in E} x_{t}^{(i)\top} \mathbf{M}_{\star} x_{t}^{(j)} \right] ,$$

and set the objective of designing an algorithm with a sublinear α -regret.

The linear form. The reward can either be viewed as a bilinear reward as shown in (1) or as a linear reward in higher dimension [Jun et al., 2019] with $y_t^{(i,j)} = \left\langle \operatorname{vec}\left(x_t^{(i)} x_t^{(j)\top}\right), \operatorname{vec}\left(\mathbf{M}_{\star}\right) \right\rangle + \eta_t^{(i,j)}$ where for any matrix $\mathbf{A} \in \mathbb{R}^{d \times d}$, $\operatorname{vec}\left(\mathbf{A}\right)$ denotes the vector in \mathbb{R}^{d^2} which is the concatenation of all the columns of \mathbf{A} , and $\langle \cdot, \cdot \rangle$ refers to the dot product between two vectors.

To simplify the notation, let us refer to any $x \in \mathcal{X}$ as a *node-arm* and define the arm set $\mathcal{Z} = \{ \operatorname{vec}(xx'^{\top}) | (x,x') \in \mathcal{X} \}$ where any $z \in \mathcal{Z}$ will be referred as an *edge-arm*. If the arm $x_t^{(i)} \in \mathcal{X}$ represents the node-arm allocated to the node $i \in V$ at time t, for each edge $(i,j) \in \mathcal{E}$ we will denote the associated edge-arm by $z_t^{(i,j)} := \operatorname{vec}\left(x_t^{(i)} x_t^{(j)\top}\right) \in \mathcal{Z}$ and define $\theta_{\star} = \operatorname{vec}\left(\mathbf{M}_{\star}\right)$ the vectorized

 $^{^2}$ One may wish that the agent's reward i also takes into account the quality of its chosen arm alone (i.e., not compared to the one chosen by its neighbors). We discuss this case in the appendix and show that if we add a linear term as a function of $x_t^{(i)}$ to the bilinear reward, the new reward can still be reduced to a simple bilinear reward with an unknown matrix $\mathbf{M}_{\star} \in \mathbb{R}^{(d+1) \times (d+1)}$.

version of the unknown matrix \mathbf{M}_{\star} with $\|\theta_{\star}\|_{2} \leq S$. With those notations, the (now) linear reward can be rewritten as follows:

$$y_t^{(i,j)} = \left\langle z_t^{(i,j)}, \ \theta_\star \right\rangle + \eta_t^{(i,j)} \ . \tag{2}$$

When needed, for any node-arms $(x, x') \in \mathcal{X}^2$ we use the abbreviation $z_{xx'} \triangleq \text{vec}(xx'^\top)$. Finally for any vector $x \in \mathbb{R}^d$ and a symmetric positive-definite matrix $\mathbf{A} \in \mathbb{R}^{d \times d}$, we define $\|x\|_{\mathbf{A}} \triangleq \sqrt{x^\top \mathbf{A} x}$.

3 Optimism in the face of uncertainty for Graphical Bilinear Bandit

Let us first notice that given the linear reward (2) that can be observed for each of the m edges $(i,j) \in E$, the central entity is trying to solve m parallel and dependent linear bandit problems. The parallel aspect comes from the fact that at each round t the learner has to allocate all the m edge-arms of the graph (one for each edge (i,j) in E) before receiving the corresponding m linear rewards. The dependent aspect comes from the fact that the choice of most of the edge-arms are depending on other edge-arms. Indeed, two adjacency edges (i,j) and (j,k) share the node j, hence their allocated edge-arms must share the node-arm $x_t^{(j)}$.

In this paper, we choose to design an algorithm based on the principle of optimism in the face of uncertainty Auer et al. [2002], and in the case of a linear reward Li et al. [2010], Abbasi-Yadkori et al. [2011], we need to maintain an estimator of the true parameter θ_{\star} . To do so, let us define for all rounds $t \in \{1, \ldots, T\}$ the OLS estimator of θ_{\star} as follows:

$$\hat{\theta}_t = \mathbf{A}_t^{-1} b_t \quad , \tag{3}$$

where,

$$\mathbf{A}_t = \lambda \mathbf{I}_{d^2} + \sum_{s=1}^t \sum_{(i,j) \in E} z_s^{(i,j)} z_s^{(i,j) \top} ,$$

with $\lambda > 0$ a regularization parameter and

$$b_t = \sum_{s=1}^t \sum_{(i,j) \in E} z_s^{(i,j)} y_s^{(i,j)} .$$

We define also the confidence set

$$C_t(\delta) = \left\{ \theta : \|\theta - \hat{\theta}_t\|_{A_t^{-1}} \le \sigma \sqrt{d^2 \log \left(\frac{1 + tmL^2/\lambda}{\delta}\right)} + \sqrt{\lambda}S \right\} ,$$

where with probability $1 - \delta$, we have that $\theta_{\star} \in C_t(\delta)$ for all $t \in \{1, \ldots, T\}$, and $\delta \in (0, 1]$.

Since the graphical bilinear bandit can be seen as a linear bandit in dimension d^2 and with K^n possible arms,³ the idea of our method is to overcome the NP-Hard optimization problem that one would have to solve at each round when directly applying the OFUL algorithm as defined in Abbasi-Yadkori et al. [2011]. Indeed, at each round, instead of looking for the best optimistic joint arm

$$(x_t^{(1)}, \dots, x_t^{(n)}) = \underset{(x^{(1)}, \dots, x^{(n)}) \in \mathcal{X}^n}{\arg \max} \max_{\theta \in C_{t-1}(\delta)} \left\langle \sum_{(i,j) \in E} z_{x^{(i)}x^{(j)}}, \theta \right\rangle ,$$

³It can be seen as a linear bandit problem because the goal of the central entity is to maximize at each round t the expected global reward $\sum_{(i,j)\in E} x_t^{(i)\top} \mathbf{M}_{\star} x_t^{(j)} = \sum_{(i,j)\in E} z_t^{(i,j)\top} \theta_{\star} = \left\langle \sum_{(i,j)\in E} z_t^{(i,j)}, \; \theta_{\star} \right\rangle$

Algorithm 1: Adaptation of OFUL algorithm for Graphical Bilinear Bandit

Algorithm 2: Approx-MAX-CUT

```
 \begin{array}{l} \textbf{Input} \quad : \mathcal{G} = (V, E) \\ \textbf{Set} \ V_1 = \emptyset, \ V_2 = \emptyset \\ \textbf{for} \ i \ in \ V \ \textbf{do} \\ & \mid \ n_1 = \operatorname{Card} \left( \{ (i, j) \in E \mid j \in V_1 \} \right); \\ & \mid \ n_2 = \operatorname{Card} \left( \{ (i, j) \in E \mid j \in V_2 \} \right); \\ & \mid \ \textbf{if} \ n_1 > n_2 \ \textbf{then} \ V_2 \leftarrow V_2 \cup \{i\} \ \textbf{else} \ V_1 \leftarrow V_1 \cup \{i\}; \\ \textbf{end} \\ & \text{return} \ (V_1, V_2) \\ \end{array}
```

we consider the couple of node-arms $(x_{\star}, x'_{\star}) = \arg\max_{(x, x') \in \mathcal{X}^2} \langle z_{xx'} + z_{x'x}, \theta_{\star} \rangle$ maximizing the reward along one edge.⁴ Given the optimal joint arm $(x_{\star}^{(1)}, \dots, x_{\star}^{(n)})$ and the associated optimal edge-arms $z_{\star}^{(i,j)} = \text{vec}(x_{\star}^{(i)} x_{\star}^{(j)})$ for all $(i,j) \in E$, we have

$$\langle z_{\star}^{(i,j)} + z_{\star}^{(j,i)}, \theta_{\star} \rangle \le \langle z_{x_{\star}x_{\star}'} + z_{x_{\star}'x_{\star}}, \theta_{\star} \rangle . \tag{4}$$

Hence, an alternative objective is to construct as many edge-arms $z_{x_{\star}x'_{\star}}$ and $z_{x'_{\star}x_{\star}}$ as possible in the graph. Naturally, we do not have access to θ_{\star} , so we use the principle of optimism in the face of uncertainty, which is to find the couple (x_t, x'_t) such that

$$(x_t, x_t') = \underset{(x,x') \in \mathcal{X}^2}{\arg \max} \underset{\theta \in C_{t-1}(\delta)}{\max} \langle z_{xx'} + z_{x'x}, \theta \rangle ,$$

and then allocate the node-arms to maximize the number of locally-optimal edge-arms $z_{x_t x_t'}$ and $z_{x_t' x_t}$. The motivation of this alternative goal can be understood thanks to (4) where we know that the associated expected reward is better than the one obtained with the edge-arms created with the optimal joint arms. Of course, one can also easily understand that for a general type of graph it is not possible to allocate those edge-arms everywhere (i.e., to all the edges). For example take a complete graph of three nodes, allocating the edge-arms $z_{x_t x_t'}$ and $z_{x_t' x_t}$ is equivalent to allocate x_t and x_t' to the nodes. By doing so, two nodes will pull x_t and the third one will pull x_t' , which makes it inevitable to allocate sub-optimal and unwanted edge-arms of the form $z_{x_t x_t}$.

The main concern with this method is to control how many unwanted edge-arms are drawn in each round (relative to the total number m of edges) in order to minimize their impact on the resulting regret. Assigning x_t to a subset of nodes and x_t' to the complementary is equivalent to cutting the graph into two pieces and creating two distinct sets of nodes V_1 and V_2 such that $V = V_1 \cup V_2$ and $V_1 \cap V_2 = \emptyset$. Pulling the maximum amount of optimal edge-arms thus boils down to finding a cut passing through the maximum number of edges.

 $^{^{4}}$ The reward of an edge here denotes the sum of the rewards of the two corresponding directed edges in E.

This problem is known as the Max-Cut problem, which is also NP-Hard. However, the extensive attention this problem has received allows us to use one of the many approximation algorithms (see, *e.g.*, Algorithm 2) which are guaranteed to yield a cut passing through at least a given fraction of the edges in the graph.⁵

Proposition 3.1. Given a graph G = (V, E), Algorithm 2 returns a couple (V_1, V_2) such that

Card
$$(\{(i,j) \in E \mid (i \in V_1 \land j \in V_2) \lor (i \in V_2 \land j \in V_1)\}) \ge \frac{m}{2}$$
.

Using Algorithm 2 we can thus divide the set of nodes V into two subsets V_1 and V_2 with the guarantee that at least m/2 edges connect the two subsets. Combining this algorithm with the principle of optimism in the face of uncertainty for linear bandits Abbasi-Yadkori et al. [2011] we obtain Algorithm 1 for which we can state the following guarantees on the α -regret.

Theorem 3.2. Given the Graphical Bilinear Bandit problem defined in Section 2, let $0 \le \gamma \le 1$ be a problem-dependent parameter defined by

$$\gamma = \min_{x \in \mathcal{X}} \frac{\langle z_{xx}, \theta_{\star} \rangle}{\frac{1}{m} \sum_{(i,j) \in E} \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle} \ge 0 ,$$

and set $\alpha = \frac{1+\gamma}{2}$, then the α -regret of Algorithm 1 satisfies

$$R_{\alpha}(T) \leq \tilde{O}\left(\left(\sigma d^2 + S\sqrt{\lambda}\right)\sqrt{Tm\max\left(2,(LS)^2\right)}\right) + LSm\left[d^2\log_2\left(\frac{TmL^2/\lambda}{\delta}\right)\right] ,$$

where \tilde{O} hides the logarithmic factors.

One can notice that the first term of the regret-bound matches the one of a standard linear bandit that pulls sequentially Tm edge-arms. The second term captures the cost of parallelizing m draws of edge-arms per round. Indeed, the intuition behind this term is that the couple (x_t, x_t') chosen at round t (and thus after having already pulled tm edge-arms and received tm rewards) is relevant to pull the (tm+1)-th edge-arm but not necessarily the (m-1) edge-arms that follows (from the (tm+2)-th to the (tm+m)-th one) since the reward associated to the (tm+1)-th edge-arms could have led to change the central entity choice if it had been done sequentially. In Chan et al. [2021], they characterize this phenomenon and show that this potential change in choice occurs less and less often as we pull arms and get rewards, hence the dependence in $O(\log(Tm))$).

What is γ and what value can we expect? This parameter measures what minimum gain with respect to the optimal reward one could get by constructing the edge-arms of the form z_{xx} . For example, if there exists $x_0 \in \mathcal{X}$ such that $\langle z_{x_0x_0}, \theta_{\star} \rangle = 0$, then $\gamma = 0$ as well and we are in the worst case scenario where we can only have a guarantee on an α -regret with $\alpha = 1/2$. In practice, having $\gamma = 0$ is reached when given the couple $(x_{\star}, x_{\star}') = \arg\max_{(x,x') \in \mathcal{X}^2} \langle z_{xx'} + z_{x'x}, \theta_{\star} \rangle$, this x_0 is either x_{\star} or x_{\star}' . In other words, if the unwanted edge-arms associated to the couple (x_{\star}, x_{\star}') gives low rewards, then the guarantee on the regret will be badly impacted. Hence we can wonder how we can prevent this phenomenon. We answer this question in the next section by taking into account both the proportion of undesirable edge arms allocated and their potential rewards at the selection of the pair (x_t, x_t') in order to improve in practice but also theoretically the performance of the algorithm.

4 Improved Algorithm for Graphical Bilinear Bandits

In this section, we want to capitalize on Algorithm 1 and its $\frac{1+\gamma}{2}$ -no-regret property to optimize the allocation of the arms x_t and x_t' such that the unwanted and suboptimal arms $z_{x_t x_t}$ and $z_{x_t' x_t'}$ penalize as less as possible the reward.

⁵Most of the guarantees for the approximation of the Max-Cut problem are stated with respect to the optimal Max-Cut solution, which is not exactly the guarantee we are looking for: we need a guarantee as a proportion of the total number of edges. We thus have to be careful on the algorithm we choose.

Indeed, in Algorithm 1, the choice of the couple (x_t, x_t') is driven by the optimistic reward of the edge-arms $z_{x_t x_t'}$ and $z_{x_t x_t'}$ but not on the one of the unwanted arms $z_{x_t x_t}$ and $z_{x_t' x_t'}$. Here, the first improvement that we can provide is to include them in the selection of the couple (x_t, x_t') as follows

$$(x_t, x_t') = \underset{(x,x') \in \mathcal{X}^2}{\arg \max} \max_{\theta \in C_{t-1}(\delta)} \langle z_{xx'} + z_{x'x} + z_{xx} + z_{x'x'}, \theta \rangle$$
.

However, this selection suggests that the number of unwanted edge-arms $z_{x_tx_t}$ and $z_{x_t'x_t'}$ will be equal to the number of optimal edge-arm $z_{x_tx_t'}$ and $z_{x_t'x_t}$ (in the sense of optimism), which is in general not true.⁶ Hence, one has to take into consideration the proportion of edges that will be allocated by suboptimal and unwanted edge-arms or by optimistically optimal edge-arms.

To do so, let us define m_1 (respectively m_2) the number of edges that goes from nodes in V_1 (respectively V_2) to nodes in V_1 as well (respectively V_2) and $m_{1\to 2}$ (respectively $m_{2\to 1}$) the number of edges that goes from nodes in V_1 (respectively V_2) to nodes in V_2 (respectively V_1). One can notice that by definition of the edge set E, we have $m_{1\to 2}=m_{2\to 1}$ and that the total number of edges $m=m_{1\to 2}+m_{2\to 1}+m_1+m_2$. By choosing the couple (x_t,x_t') as follows

$$(x_t, x_t') = \underset{(x, x') \in \mathcal{X}^2}{\arg \max} \max_{\theta \in C_{t-1}(\delta)} \langle m_{1 \to 2} \cdot z_{xx'} + m_{2 \to 1} \cdot z_{x'x} + m_1 \cdot z_{xx} + m_2 \cdot z_{x'x'}, \theta \rangle ,$$

we are optimizing the total optimistic reward that one would obtain when allocating only two arms $(x, x') \in \mathcal{X}^2$ in the graph. This strategy is described in Algorithm 3.

Algorithm 3: Improved OFUL for Graphical Bilinear Bandits

```
\begin{array}{l} \textbf{Input} : & \text{graph } \mathcal{G} = (V, E), \, \text{node-arm set } \mathcal{X} \\ (V_1, V_2) = & \text{Approx-MAX-CUT}(\mathcal{G}); \\ m_{1 \rightarrow 2} = m_{2 \rightarrow 1} = & \text{Card } (\{(i, j) \in E | i \in V_1 \land j \in V_2\}); \\ m_1 = & \text{Card } (\{(i, j) \in E | i \in V_1 \land j \in V_1\}); \quad m_2 = & \text{Card } (\{(i, j) \in E | i \in V_2 \land j \in V_2\}); \\ \textbf{for } t = 1 \ to \ T \ \textbf{do} \\ & \left(x_t, x_t', \tilde{\theta}_{t-1}\right) = \\ & \text{arg } \max_{(x, x', \theta) \in \mathcal{X}^2 \times C_{t-1}} \langle m_{1 \rightarrow 2} \cdot z_{xx'} + m_{2 \rightarrow 1} \cdot z_{x'x} + m_1 \cdot z_{xx} + m_2 \cdot z_{x'x'}, \theta \rangle; \\ & x_t^{(i)} = x_t \text{ for all } i \text{ in } V_1; \quad x_t^{(i)} = x_t' \text{ for all } i \text{ in } V_2; \\ & \text{Obtain for all } (i, j) \text{ in } E \text{ the rewards } y_t^{(i, j)}; \\ & \text{Compute } \hat{\theta}_t \text{ as in } (3) \\ & \textbf{end} \\ & \text{return } \hat{\theta}_t \end{array}
```

Before stating the guarantees on the α -regret of this improved algorithm, let us recall that we defined $(x_{\star}, x'_{\star}) = \arg\max_{(x, x') \in \mathcal{X}} \langle z_{xx'} + z_{x'x}, \theta_{\star} \rangle$ and let us define the couple $(\tilde{x}_{\star}, \tilde{x}'_{\star})$ such that

$$(\tilde{x}_{\star}, \tilde{x}'_{\star}) = \underset{(x,x') \in \mathcal{X}}{\arg\max} \langle m_{1 \to 2} \cdot z_{xx'} + m_{2 \to 1} \cdot z_{x'x} + m_{1} \cdot z_{xx} + m_{2} \cdot z_{x'x'}, \theta_{\star} \rangle .$$

We define $\Delta \geq 0$ to be the expected reward difference of allocating $(\tilde{x}_{\star}, \tilde{x}'_{\star})$ instead of (x_{\star}, x'_{\star}) ,

$$\Delta = \langle m_{1\to 2} \left(z_{\tilde{x}_{\star}\tilde{x}'_{\star}} - z_{x_{\star}x'_{\star}} \right) + m_{2\to 1} \left(z_{\tilde{x}'_{\star}\tilde{x}_{\star}} - z_{x'_{\star}x_{\star}} \right) + m_{1} \left(z_{\tilde{x}_{\star}\tilde{x}_{\star}} - z_{x_{\star}x_{\star}} \right) + m_{2} \left(z_{\tilde{x}'_{\star}\tilde{x}'_{\star}} - z_{x'_{\star}x'_{\star}} \right), \theta_{\star} \rangle .$$

The new guarantees that we get on the α -regret of Algorithm 3 are stated in the following theorem.

 $^{^{6}}$ It is for instance true in complete graphs with an even number of nodes n but it is already false when the number of nodes become odd.

Table 1: Value of several parameters with respect to the type of graph. Experiments were performed on graphs of n = 100 nodes, and results for the random graph are averaged over 100 draws.

	Graph types				
	Complete	Random	Circle	Star	Matching
$\frac{m1+m2}{m}$	0.495	0.453	0.01	0	0
α_1	$0.5+0.5\gamma$				
α_2	$0.505 + 0.495\gamma + \epsilon$	$0.547 + 0.453\gamma + \epsilon$	$0.99 + 0.01\gamma + \epsilon$	1	1

Theorem 4.1. Given the Graphical Bilinear Bandit problem defined as in Section 2, let γ be defined as in Theorem 3.2, let $0 \le \epsilon \le \frac{1}{2}$ be a problem dependent parameter that measures the gain of optimizing on the suboptimal and unwanted arms defined as:

$$\epsilon = \frac{\Delta}{\sum_{(i,j)\in E} \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle} ,$$

and set $\alpha=1-\left[\frac{m1+m2}{m}\left(1-\gamma\right)-\epsilon\right]$ where $\alpha\geq 1/2$ by construction, then the α -regret of Algorithm 3 satisfies

$$R_{\alpha}(T) \leq \tilde{O}\left(\left(\sigma d^2 + S\sqrt{\lambda}\right)\sqrt{Tm\max\left(2,(LS)^2\right)}\right) + LSm\left[d^2\log_2\left(\frac{TmL^2/\lambda}{\delta}\right)\right] \ ,$$


where \tilde{O} hides the logarithmic factors.

Here one can see that the improvement happens in the α of the α -regret. Let us analyze more precisely this term. First of all, notice that in a complete graph (which is the worst case scenario in terms of graph type and guarantees of the cut), we get $\alpha \geq \frac{1+\gamma}{2} + \epsilon$ which shows that optimizing over the suboptimal arms already improves our bound by ϵ . On the contrary, in the most favorable graphs, which are bipartite graphs (i.e., graphs where all the m edges goes from nodes in V_1 to nodes in V_2 or vice versa), we have $m_2 + m_1 = 0$ and $\epsilon = 0$ which gives $\alpha = 1$ and makes the Algorithm 3 a no-regret algorithm. What may also be of interest is to understand how α varies with respect to γ , ϵ and the quantity m_1 and m_2 for graphs that are between a complete graph and a bipartite graph. We investigate experimentally this dependency in Section 5.

5 Experiments - Influence of the problem parameters on the regret

In this section, we give some insights on the problem-dependent parameters γ and ϵ and the corresponding α . Let α_1 and α_2 be the α stated respectively in Theorem 3.2 and Theorem 4.1. In the first experiment, we show the dependence of α_1 and α_2 on the graph type and the chosen approximation algorithm for the max-cut problem with respect to γ and ϵ . We also highlight the differences between the two parameters α_1 and α_2 and the significant improvement in guarantees that one can obtain using Algorithm 3 depending on the type of the graph. The results are presented in Table 1.

One can notice that the complete graph seems to be the one that gives the worst guarantee on the α -regret with respect to ϵ and γ . Thus, we conducted a second experiment where we consider the worst case scenario in terms of the graph type -e.g., the complete graph— and where there is n=10 agents. The second experiment studies the variation of ϵ and γ with respect to the unknown parameter matrix \mathbf{M}_{\star} . To design such experiments, we consider the arm-set \mathcal{X} as the vectors (e_1,\ldots,e_d) of canonical base in \mathbb{R}^d , which implies by construction that the arm-set \mathcal{Z} contains the vectors (e_1,\ldots,e_{d^2}) of the canonical base in \mathbb{R}^{d^2} . We generate the matrix \mathbf{M}_{\star} randomly in the following way: first, all elements of the matrix are drawn i.i.d. from a standard normal distribution, and then we take the absolute value of each of these elements to ensure that the matrix only contains positive numbers. The choice of the vectors of the canonical base as the arm-set allows us to modify the matrix \mathbf{M}_{\star} and to illustrate in a simple way the dependence on γ and ϵ . Consider the best couple $(i^{\star}, j^{\star}) = \arg\max_{(i,j) \in \{1,\ldots,d\}^2} \langle z_{e_ie_j} + z_{e_je_i}, \theta_{\star} \rangle$, we want to see how the reward of the suboptimal






Figure 1: Variation of ϵ , γ , α_1 and α_2 with respect to the parameter ζ . The closer ζ is to 0 the lower the reward of the unwanted arms $z_{e_i\star\,e_i\star}$ and $z_{e_i\star\,e_i\star}$, the closer ζ is to 1 the higher the reward of the unwanted arms. The dimension d of the arm-set is 10 (which gives linear reward with unknown parameter θ_\star of dimension 100). The plotted curve represents the average value of the parameters over 100 different matrices M_\star initiated randomly with positive values.

Figure 2: Fraction of the global reward obtained at each round by applying the Algorithm 1, Algorithm 3 and the Explore-Then-commit algorithm (here named GBB-BAI) using the exploration strategy in Rizk et al. [2021]. We use a complete graph of 5 nodes, we run the experiment on 5 different matrices as in Figure 1 with $\zeta=0$ and run it 10 different times to plot the average fraction of the global reward

edge-arms $z_{e_i\star e_i\star}$ and $z_{e_j\star e_j\star}$ impact the value of γ , ϵ and thus α . Notice that the reward associated to the edge-arm $z_{e_i\star e_i\star}$ (respectively $z_{e_j\star e_j\star}$) is $\mathbf{M}_{\star i^\star i^\star}$ (respectively $\mathbf{M}_{\star j^\star j^\star}$). Hence we define $0 \leq \zeta < 1$ and set $\mathbf{M}_{\star i^\star i^\star} = \mathbf{M}_{\star j^\star j^\star} = \zeta \times \frac{1}{2}(\mathbf{M}_{\star i^\star j^\star} + \mathbf{M}_{\star j^\star i^\star})$. We study the variation of γ , ϵ , α_1 and α_2 with respect to ζ . The results are presented in Figure 1. One can see that when the associated rewards of $z_{e_i\star e_{i^\star}}$ and $z_{e_j\star e_{j^\star}}$ are low (thus γ is low and ϵ high), Algorithm 3 gives a much better guarantees than Algorithm 1 since it will focus on other node-arms than e_{i^\star} and e_{j^\star} that will give a higher global reward. Moreover, even when the unwanted edge-arm gives a high reward, the guarantees on the regret of Algorithm 3 are still stronger because it takes into consideration the quantities m_1 and m_2 of the constructed suboptimal edge-arms.

Finally, we design a last experiment that compares in practice the performance of Algorithm 1 and Algorithm 3 with the Explore-Then-Commit algorithm by using the exploration strategy designed in Rizk et al. [2021] during the exploration phase, and by allocating the nodes in V_1 and V_2 with the best estimated couple $(x, x') = \arg\max_{(x, x')} \langle z_{xx'} + z_{x'x}, \hat{\theta}_t \rangle$ during the commit phase.

6 Conclusion & discussions

In this paper, we presented the first regret-based algorithm for the stochastic graphical bilinear bandit problem with guarantees on the α -regret. We showed that by exploiting the graph structure and the typology of the problem, one can both improve the performance in practice and have a better theoretical guarantee on its α -regret. Also, we showed experimentally that our algorithm achieves a better performance than Explore-Then-Exploit on our synthetic datasets. The method presented in this article can be extended in many ways. First, one can consider cutting the graph into 3 or more pieces, which is equivalent to approximating the problem of a Max-k-Cut [Frieze and Jerrum, 1997] with $k \geq 3$. With the knowledge of such a partition of nodes V_1, \ldots, V_k , one may want to look for a k-tuple of node-arms maximizing the optimistic allocated reward rather than a pair, therefore introducing an elegant tradeoff between the optimality of the solution and the computational complexity of the arms allocation. One could also study this problem in the adversarial setting, in particular adapting adversarial linear bandit algorithms to our case. Finally, our setting could be extended to the case where each agent has its own reward matrix.

References

- Y. Abbasi-Yadkori, D. Pál, and C. Szepesvári. Improved algorithms for linear stochastic bandits. In Advances in Neural Information Processing Systems, pages 2312–2320, 2011.
- J.-Y. Audibert and S. Bubeck. Best arm identification in multi-armed bandits. In *Proceedings of the 23th Annual Conference on Learning Theory*, pages 41–53, 2010.
- P. Auer, N. Cesa-Bianchi, and P. Fischer. Finite-time analysis of the multiarmed bandit problem. *Machine learning*, 47(2-3):235–256, 2002.
- E. Bargiacchi, T. Verstraeten, D. Roijers, A. Nowé, and H. Hasselt. Learning to coordinate with coordination graphs in repeated single-stage multi-agent decision problems. In *International conference on machine learning*, pages 482–490, 2018.
- S. Bubeck, R. Munos, and G. Stoltz. Pure exploration in multi-armed bandits problems. In *International conference on Algorithmic learning theory*, pages 23–37. Springer, 2009.
- N. Cesa-Bianchi and G. Lugosi. Combinatorial bandits. *Journal of Computer and System Sciences*, 78(5):1404 1422, 2012.
- N. Cesa-Bianchi, C. Gentile, and G. Zappella. A gang of bandits. In Advances in Neural Information Processing Systems, pages 737–745, 2013.
- J. Chan, A. Pacchiano, N. Tripuraneni, Y. S. Song, P. Bartlett, and M. I. Jordan. Parallelizing contextual linear bandits. *arXiv preprint arXiv:2105.10590*, 2021.
- W. Chen, Y. Wang, and Y. Yuan. Combinatorial multi-armed bandit: General framework and applications. In *International Conference on Machine Learning*, pages 151–159, 2013.
- A. Frieze and M. Jerrum. Improved approximation algorithms for max k-cut and max bisection. *Algorithmica*, 18(1):67–81, 1997.
- C. Guestrin, M. G. Lagoudakis, and R. Parr. Coordinated reinforcement learning. In *Proceedings of the Nineteenth International Conference on Machine Learning*, page 227–234, 2002.
- K.-S. Jun, R. Willett, S. Wright, and R. Nowak. Bilinear bandits with low-rank structure. In *International Conference on Machine Learning*, pages 3163–3172, 2019.
- T. Lattimore and C. Szepesvári. Bandit Algorithms. Cambridge University Press, 2018.
- L. Li, W. Chu, J. Langford, and R. E. Schapire. A contextual-bandit approach to personalized news article recommendation. In *Proceedings of the 19th international conference on World wide web*, pages 661–670, 2010.
- S. Mannor and O. Shamir. From bandits to experts: On the value of side-observations. In *Advances in Neural Information Processing Systems*, pages 684–692, 2011.
- P. Perrault, E. Boursier, M. Valko, and V. Perchet. Statistical efficiency of thompson sampling for combinatorial semi-bandits. In *Advances in Neural Information Processing Systems*, 2020.
- G. Rizk, A. Thomas, I. Colin, R. Laraki, and Y. Chevaleyre. Best arm identification in graphical bilinear bandits. In *International Conference on Machine Learning*, pages 9010–9019. PMLR, 2021.
- I. Siomina, P. Varbrand, and D. Yuan. Automated optimization of service coverage and base station antenna configuration in UMTS networks. *IEEE Wireless Communications*, 13(6):16–25, 2006.
- M. Valko, R. Munos, B. Kveton, and T. Kocák. Spectral bandits for smooth graph functions. In E. P. Xing and T. Jebara, editors, *International conference on machine learning*, volume 32 of *Proceedings of Machine Learning Research*, pages 46–54, 2014.
- M. T. van Dijk, J.-W. van Wingerden, T. Ashuri, Y. Li, and M. A. Rotea. Yaw-misalignment and its impact on wind turbine loads and wind farm power output. In *Journal of Physics: Conference Series*, volume 753, page 062013. IOP Publishing, 2016.

- 1. For all authors...
 - (a) Do the main claims made in the abstract and introduction accurately reflect the paper's contributions and scope? [Yes]
 - (b) Did you describe the limitations of your work? [Yes]
 - (c) Did you discuss any potential negative societal impacts of your work? [No]
 - (d) Have you read the ethics review guidelines and ensured that your paper conforms to them? [Yes]
- 2. If you are including theoretical results...
 - (a) Did you state the full set of assumptions of all theoretical results? [Yes]
 - (b) Did you include complete proofs of all theoretical results? [Yes] In the appendix section
- 3. If you ran experiments...
 - (a) Did you include the code, data, and instructions needed to reproduce the main experimental results (either in the supplemental material or as a URL)? [No] The code will be released if the paper is accepted to the conference
 - (b) Did you specify all the training details (e.g., data splits, hyperparameters, how they were chosen)? [Yes]
 - (c) Did you report error bars (e.g., with respect to the random seed after running experiments multiple times)? [Yes] All the details are explained again in the supplementary material
 - (d) Did you include the total amount of compute and the type of resources used (e.g., type of GPUs, internal cluster, or cloud provider)? [Yes] Also in the appendix
- 4. If you are using existing assets (e.g., code, data, models) or curating/releasing new assets...
 - (a) If your work uses existing assets, did you cite the creators? [No]
 - (b) Did you mention the license of the assets? [No]
 - (c) Did you include any new assets either in the supplemental material or as a URL? [No]
 - (d) Did you discuss whether and how consent was obtained from people whose data you're using/curating? [No]
 - (e) Did you discuss whether the data you are using/curating contains personally identifiable information or offensive content? [No]
- 5. If you used crowdsourcing or conducted research with human subjects...
 - (a) Did you include the full text of instructions given to participants and screenshots, if applicable? [No]
 - (b) Did you describe any potential participant risks, with links to Institutional Review Board (IRB) approvals, if applicable? [No]
 - (c) Did you include the estimated hourly wage paid to participants and the total amount spent on participant compensation? [No]

Proof of Proposition 3.1

Proof. Let consider the subgraph $\mathcal{G}^{(i)}$ containing all the nodes that have been assigned to V_1 or V_2 at the end of iteration i of Algorithm 2. Let us denote $m^{(i)}$ the number of edges in the graph $\mathcal{G}^{(i)}$.

At the first iteration, the algorithm chooses the node 1, computes $n_1 = 0$ and $n_2 = 0$, and then assigns node 1 to V_1 . With only one node in $\mathcal{G}^{(1)}$, we have $m^{(1)} = 0$. By denoting $c^{(i)}$ the number of additional cut edges induces by the assignment of node i at iteration i, we have

$$\sum_{i=1}^{1} c^{(i)} = c^{(1)} = 0 \ge \frac{m^{(1)}}{2} \tag{5}$$

Indeed, at the end of iteration 1, there is only one node assigned, hence the number of cut edges induced by this assignment is $c^{(1)} = 0$.

Suppose that $\sum_{i=1}^p c^{(i)} \geq \frac{m^{(p)}}{2}$ for a certain $p \in \{1, \dots, n-1\}$, let us prove that $\sum_{i=1}^{p+1} c^{(i)} \geq 1$

Indeed, at the iteration p+1, the algorithm chooses the node (p+1) and computes n_1 and n_2 . Since n_1 represents the number of neighbors of the node (p+1) in V_1 , if the node p+1 is added to V_2 , then $2 \times n_1$ edges would be cut (the factor 2 comes from the fact that between two nodes i and j, there are the edges (i, j) and (j, i)). Similarly, since n_2 represents the number of neighbors of the node (p+1) in V_2 , if the node (p+1) is added to V_1 , then $2 \times n_2$ edges would be cut. Notice also that there is a total of $2 \times n_1 + 2 \times n_2$ edges between the node (p+1) and the nodes in $\mathcal{G}^{(p)}$. In the algorithm, the node (p+1) is added to V_1 or V_2 such that we cut the most edges, indeed one has

$$c^{(p+1)} = \max(2n_1, 2n_2) \ge \frac{2n_1 + 2n_2}{2} = n_1 + n_2$$
.

Hence.

$$\sum_{i=1}^{p+1} c^{(i)} = \sum_{i=1}^{p} c^{(i)} + c^{(p+1)} \ge \frac{m^{(p)}}{2} + c^{(p+1)} \ge \frac{m^{(p)}}{2} + n_1 + n_2 \tag{6}$$

The number of edges that is added to the subgraph $\mathcal{G}^{(p)}$ when adding the node (p+1) is equal to $2n_1 + 2n_2 = m^{(p+1)} - m^{(p)}$, hence,

$$\frac{m^{(p)}}{2} + n_1 + n_2 = \frac{m^{(p)}}{2} + \frac{m^{(p+1)} - m^{(p)}}{2} = \frac{m^{(p+1)}}{2}$$
 (7)

We have shown that $\sum_{i=1}^1 c^{(i)} \geq \frac{m^{(1)}}{2}$ and that if $\sum_{i=1}^p c^{(i)} \geq \frac{m^{(p)}}{2}$ for a certain $p \in \{1,\dots,n-1\}$, then $\sum_{i=1}^{p+1} c^{(i)} \geq \frac{m^{(p+1)}}{2}$. Thus, $\sum_{i=1}^p c^{(i)} \geq \frac{m^{(p)}}{2}$ for any $p \in \{1,\dots,n\}$, especially for p=n where $\mathcal{G}^{(n)} = \mathcal{G}$. By definition $\sum_{i=1}^n c^{(i)}$ is the total number of edges that are cut which also means

$$\sum_{i=1}^{n} c^{(i)} = \operatorname{Card} \{ (i, j) \in E \mid (i \in V_1 \land j \in V_2) \lor (i \in V_2 \land j \in V_1) \}) .$$

Proof of Theorem 3.2 and Theorem 4.1

To properly derive the regret bounds, we will have to make connections between our setting and a standard linear bandit that chooses sequentially Tm arms. For that matter, let us consider an arbitrary

order on the set of edges E and denote E[i] the i-th edge according to this order with $i \in \{1, \dots, m\}$. We define for all $t \in \{1, \dots, T\}$ and $p \in \{1, \dots, m\}$ the OLS estimator

$$\hat{\theta}_{t,p} = \mathbf{A}_{t,p}^{-1} b_{t,p} ,$$

where

$$\mathbf{A}_{t,p} = \lambda \mathbf{I}_{d^2} + \sum_{s=1}^{t-1} \sum_{b=1}^{m} z_s^{E[b]} z_s^{E[b]\top} + \sum_{k=1}^{p} z_t^{E[k]} z_t^{E[k]\top} ,$$

with λ a regularization parameter and

$$b_{t,p} = \sum_{s=1}^{t-1} \sum_{b=1}^{m} z_s^{E[b]} y_s^{E[b]} + \sum_{k=1}^{p} z_t^{E[k]} y_t^{E[k]} . \tag{8}$$

We define also the confidence set

$$C_{t,p}(\delta) = \left\{ \theta : \|\theta - \hat{\theta}_{t,p}\|_{A_{t,p}^{-1}} \le \sigma \sqrt{d^2 \log \left(\frac{1 + tmL^2/\lambda}{\delta}\right)} + \sqrt{\lambda}S \right\} , \qquad (9)$$

where with probability $1 - \delta$, we have that $\theta_{\star} \in C_{t,p}(\delta)$ for all $t \in \{1, \dots, T\}$, $p \in \{1, \dots, m\}$ and $\delta \in (0, 1]$.

Notice that the confidence set $C_t(\delta)$ defined in Section 3 is exactly the confidence set $C_{t,m}(\delta)$ defined here. The definitions of the matrix $A_{t,m}$ and the vector $b_{t,m}$ follow the same reasoning.

B.1 Proof of Theorem 3.2

Proof. Recall that $(x_\star^{(1)},\ldots,x_\star^{(n)}) = \arg\max_{\left(x^{(1)},\ldots,x^{(n)}\right)} \sum_{(i,j)\in E} x^{(i)\top} \mathbf{M}_\star x^{(j)}$ is the optimal joint arm, and we define for each edge $(i,j)\in E$ the optimal edge arm $z_\star^{(i,j)} = \mathrm{vec}\,(x_\star^{(i)}x_\star^{(j)\top})$. We recall that the α -pseudo-regret is

$$R_{\alpha}(T) \triangleq \sum_{t=1}^{T} \sum_{(i,j)\in E} \alpha \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle - \langle z_{t}^{(i,j)}, \theta_{\star} \rangle$$
 (10)

$$= R(T) - \sum_{t=1}^{T} \sum_{(i,j) \in E} (1 - \alpha) \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle , \qquad (11)$$

where the pseudo-regret R(T) is defined by

$$R(T) = \sum_{t=1}^{T} \sum_{(i,j)\in E} \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle - \langle z_{t}^{(i,j)}, \theta_{\star} \rangle .$$

Let us borrow the notion of *Critical Covariance Inequality* introduced in [Chan et al., 2021], that is for a given round $t \in \{1, \dots, T\}$ and $p \in \{1, \dots, m\}$, the expected covariance matrix $\mathbf{A}_{t,p}$ satisfies the critical covariance inequality if

$$\mathbf{A}_{t-1,m} \preccurlyeq \mathbf{A}_{t,p} \preccurlyeq 2\mathbf{A}_{t-1,m} . \tag{12}$$

Let us now define the event D_t as the event where at a given round t, for all $p \in \{1, ..., m\}$, $A_{t,p}$ satisfies the critical covariance inequality (CCI).

We can write the pseudo-regret as follows:

$$R(T) = \sum_{t=1}^{T} \mathbb{1}[D_t] \sum_{(i,j)\in E} \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle - \left\langle z_t^{(i,j)}, \theta_{\star} \right\rangle + \mathbb{1}[D_t^c] \sum_{(i,j)\in E} \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle - \left\langle z_t^{(i,j)}, \theta_{\star} \right\rangle$$

$$\leq \underbrace{\sum_{t=1}^{T} \mathbb{1}[D_t] \sum_{(i,j)\in E} \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle - \left\langle z_t^{(i,j)}, \theta_{\star} \right\rangle}_{(a)} + \underbrace{LSm \sum_{t=1}^{T} \mathbb{1}[D_t^c]}_{(b)} .$$

We know that the approximation Max-CUT algorithm returns two subsets of nodes V_1 and V_2 such that there are at least m/2 edges between V_1 and V_2 , and to be more precise: at least m/4 edges from V_1 to V_2 and at least m/4 edges from V_2 to V_1 . Hence at each time t, if all the nodes of V_1 pull the node-arm v_2 and all the nodes of v_2 pull the node-arm v_2 , we can derive the term v_2 0 as follows:

$$(a) = \sum_{t=1}^{T} \mathbb{1}[D_t] \sum_{(i,j)\in E} \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle - \langle z_t^{(i,j)}, \theta_{\star} \rangle$$

$$= \sum_{t=1}^{T} \mathbb{1}[D_t] \sum_{(i,j)\in E} \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle - \mathbb{1}[i \in V_1 \land j \in V_2] \langle z_t^{(i,j)}, \theta_{\star} \rangle$$

$$- \mathbb{1}[i \in V_2 \land j \in V_1] \langle z_t^{(i,j)}, \theta_{\star} \rangle$$

$$- \mathbb{1}[i \in V_1 \land j \in V_1] \langle z_t^{(i,j)}, \theta_{\star} \rangle$$

$$- \mathbb{1}[i \in V_2 \land j \in V_2] \langle z_t^{(i,j)}, \theta_{\star} \rangle$$

$$- \mathbb{1}[i \in V_2 \land j \in V_2] \langle z_t^{(i,j)}, \theta_{\star} \rangle$$

Notice that $\sum_{(i,j)\in E} z_\star^{(i,j)} = \sum_{(i,j)\in E} \frac{1}{m} \sum_{(k,l)\in E} z_\star^{(k,l)}$, so one has

$$(a) = \underbrace{\sum_{t=1}^{T} \mathbb{1}[D_t] \sum_{(i,j) \in E} \mathbb{1}\left[i \in V_1 \land j \in V_2\right] \left(\left\langle \frac{1}{m} \sum_{(k,l) \in E} z_{\star}^{(k,l)}, \theta_{\star} \right\rangle - \left\langle z_t^{(i,j)}, \theta_{\star} \right\rangle\right)}_{(a_1)} + \underbrace{\sum_{t=1}^{T} \mathbb{1}[D_t] \sum_{(i,j) \in E} \mathbb{1}\left[i \in V_2 \land j \in V_1\right] \left(\left\langle \frac{1}{m} \sum_{(k,l) \in E} z_{\star}^{(k,l)}, \theta_{\star} \right\rangle - \left\langle z_t^{(i,j)}, \theta_{\star} \right\rangle\right)}_{(a_2)} + \underbrace{\sum_{t=1}^{T} \mathbb{1}[D_t] \sum_{(i,j) \in E} \mathbb{1}\left[i \in V_1 \land j \in V_1\right] \left(\left\langle \frac{1}{m} \sum_{(k,l) \in E} z_{\star}^{(k,l)}, \theta_{\star} \right\rangle - \left\langle z_t^{(i,j)}, \theta_{\star} \right\rangle\right)}_{(a_3)} + \underbrace{\sum_{t=1}^{T} \mathbb{1}[D_t] \sum_{(i,j) \in E} \mathbb{1}\left[i \in V_2 \land j \in V_2\right] \left(\left\langle \frac{1}{m} \sum_{(k,l) \in E} z_{\star}^{(k,l)}, \theta_{\star} \right\rangle - \left\langle z_t^{(i,j)}, \theta_{\star} \right\rangle\right)}_{(a_4)}.$$

Let us analyse the first term:

$$(a_1) = \sum_{t=1}^{T} \mathbb{1}[D_t] \sum_{i=1}^{n} \sum_{\substack{j \in N_i \\ j > i}} \mathbb{1}[i \in V_1 \land j \in V_2] \left\langle \frac{2}{m} \sum_{(k,l) \in E} z_{\star}^{(k,l)} - \left(z_t^{(i,j)} + z_t^{(j,i)}\right), \theta_{\star} \right\rangle . (13)$$

By defining $(x_{\star}, x'_{\star}) = \arg \max_{(x,x') \in \mathcal{X}^2} \langle z_{xx'} + z_{x'x}, \theta_{\star} \rangle$, and noticing that in the case where a node i is in V_1 and a neighbouring node j in is V_2 , then $z_t^{(i,j)} = z_{x_t x'_t}$, we have,

$$\frac{2}{m} \sum_{(k,l) \in E} \left\langle z_{\star}^{(k,l)}, \theta_{\star} \right\rangle = \frac{2}{m} \sum_{k=1}^{n} \sum_{\substack{j \in \mathcal{N}_{k} \\ j > k}} \left\langle z_{\star}^{(k,l)} + z_{\star}^{(l,k)}, \theta_{\star} \right\rangle$$

$$\leq \frac{2}{m} \sum_{k=1}^{n} \sum_{\substack{j \in \mathcal{N}_{k} \\ j > k}} \left\langle z_{x_{\star}x'_{\star}} + z_{x'_{\star}x_{\star}}, \theta_{\star} \right\rangle$$

$$= \left\langle z_{x_{\star}x'_{\star}} + z_{x'_{\star}x_{\star}}, \theta_{\star} \right\rangle$$

$$\leq \left\langle z_{x_{t}x'_{t}} + z_{x'_{t}x_{t}}, \tilde{\theta}_{t-1,m} \right\rangle \quad \text{w.p. } 1 - \delta$$

$$= \left\langle z_{t}^{(i,j)} + z_{t}^{(j,i)}, \tilde{\theta}_{t-1,m} \right\rangle.$$

Plugging this last inequality in (13) yields, with probability $1 - \delta$,

$$(a_1) \leq \sum_{t=1}^{T} \mathbb{1}[D_t] \sum_{i=1}^{n} \sum_{\substack{j \in N_i \\ j > i}} \mathbb{1}[i \in V_1 \land j \in V_2] \left\langle z_t^{(i,j)} + z_t^{(j,i)}, \tilde{\theta}_{t-1,m} - \theta_{\star} \right\rangle$$
$$= \sum_{t=1}^{T} \mathbb{1}[D_t] \sum_{(i,j) \in E} \mathbb{1}[i \in V_1 \land j \in V_2] \left\langle z_t^{(i,j)}, \tilde{\theta}_{t-1,m} - \theta_{\star} \right\rangle.$$

We define, as in Algorithm 1, $\mathbb{1}\left[z_t^{(i,j)}=z_{x_tx_t'}\right] \triangleq \mathbb{1}\left[i \in V_1 \land j \in V_2\right]$. Then, one has, with probability $1-\delta$,

$$(a_{1}) \leq \sum_{t=1}^{T} \mathbb{1}[D_{t}] \sum_{(i,j) \in E} \mathbb{1} \left[z_{t}^{(i,j)} = z_{x_{t}x_{t}'} \right] \left\langle z_{t}^{(i,j)}, \tilde{\theta}_{t-1,m} - \theta_{\star} \right\rangle$$

$$= \sum_{t=1}^{T} \mathbb{1}[D_{t}] \sum_{k=1}^{m} \mathbb{1} \left[z_{t}^{E[k]} = z_{x_{t}x_{t}'} \right] \left\langle z_{t}^{E[k]}, \tilde{\theta}_{t-1,m} - \theta_{\star} \right\rangle$$

$$= \sum_{t=1}^{T} \mathbb{1}[D_{t}] \sum_{k=1}^{m} \mathbb{1} \left[z_{t}^{E[k]} = z_{x_{t}x_{t}'} \right] \left\langle z_{t}^{E[k]}, \tilde{\theta}_{t-1,m} - \hat{\theta}_{t-1,m} \right\rangle + \left\langle z_{t}^{E[k]}, \hat{\theta}_{t-1,m} - \theta_{\star} \right\rangle$$

$$\leq \sum_{t=1}^{T} \mathbb{1}[D_{t}] \sum_{k=1}^{m} \mathbb{1} \left[z_{t}^{E[k]} = z_{x_{t}x_{t}'} \right] \|z_{t}^{E[k]}\|_{\mathbf{A}_{t,k-1}^{-1}} \|\hat{\theta}_{t-1,m} - \hat{\theta}_{t-1,m}\|_{\mathbf{A}_{t,k-1}}$$

$$+ \mathbb{1} \left[z_{t}^{E[k]} = z_{x_{t}x_{t}'} \right] \|z_{t}^{E[k]}\|_{\mathbf{A}_{t,k-1}^{-1}} \sqrt{2} \|\hat{\theta}_{t-1,m} - \hat{\theta}_{t-1,m}\|_{\mathbf{A}_{t-1,m}}$$

$$\leq \sum_{t=1}^{T} \mathbb{1}[D_{t}] \sum_{k=1}^{m} \mathbb{1} \left[z_{t}^{E[k]} = z_{x_{t}x_{t}'} \right] \|z_{t}^{E[k]}\|_{\mathbf{A}_{t,k-1}^{-1}} \sqrt{2} \|\hat{\theta}_{t-1,m} - \hat{\theta}_{\star}\|_{\mathbf{A}_{t-1,m}}$$

$$\leq \sum_{t=1}^{T} \sum_{k=1}^{m} \mathbb{1} \left[z_{t}^{E[k]} = z_{x_{t}x_{t}'} \right] 2\sqrt{2\beta_{t}(\delta)} \|z_{t}^{E[k]}\|_{\mathbf{A}_{t,k-1}^{-1}}$$

$$\leq \sum_{t=1}^{T} \sum_{k=1}^{m} 2\sqrt{2\beta_{t}(\delta)} \|z_{t}^{E[k]}\|_{\mathbf{A}_{t,k-1}^{-1}} ,$$

$$(15)$$

with $\sqrt{\beta_t(\delta)} \leq \sigma \sqrt{d^2 \log \left(\frac{1+tmL^2/\lambda}{\delta}\right)} + \sqrt{\lambda} S$ and where (14) uses the critical covariance inequality (12), (15) comes from the definition of the confidence set $C_{t-1,m}(\delta)$ (9) and (16) upper bounds the indicator functions by 1.

Using a similar reasoning, we obtain the same bound for (a_2) :

$$(a_2) \le \sum_{t=1}^{T} \sum_{k=1}^{m} 2\sqrt{2\beta_t(\delta)} \|z_t^{E[k]}\|_{\mathbf{A}_{t,k-1}^{-1}} . \tag{17}$$

Let us bound the terms (a_3) and (a_4) .

$$(a_3) = \sum_{t=1}^{T} \mathbb{1}[D_t] \sum_{(i,j)\in E} \mathbb{1}\left[z_t^{(i,j)} = z_{x_t x_t}\right] \left(\left\langle \frac{1}{m} \sum_{(k,l)\in E} z_{\star}^{(k,l)}, \theta_{\star} \right\rangle - \left\langle z_t^{(i,j)}, \theta_{\star} \right\rangle\right)$$
(18)

For all $x \in \mathcal{X}$, let γ_x be the following ratio

$$\gamma_x = \frac{\langle z_{xx}, \theta_{\star} \rangle}{\left\langle \frac{1}{m} \sum_{(k,l) \in E} z_{\star}^{(k,l)}, \theta_{\star} \right\rangle} , \qquad (19)$$

and let γ be the worst ratio

$$\gamma = \min_{x \in \mathcal{X}} \frac{\langle z_{xx}, \theta_{\star} \rangle}{\left\langle \frac{1}{m} \sum_{(k,l) \in E} z_{\star}^{(k,l)}, \theta_{\star} \right\rangle} . \tag{20}$$

We have

$$(a_{3}) = \sum_{t=1}^{T} \mathbb{1}[D_{t}] \sum_{(i,j)\in E} \mathbb{1}\left[z_{t}^{(i,j)} = z_{x_{t}x_{t}}\right] \left(\left\langle \frac{1}{m} \sum_{(k,l)\in E} z_{\star}^{(k,l)}, \theta_{\star} \right\rangle - \gamma_{x_{t}} \left\langle \frac{1}{m} \sum_{(k,l)\in E} z_{\star}^{(k,l)}, \theta_{\star} \right\rangle\right)$$

$$\leq \sum_{t=1}^{T} \mathbb{1}[D_{t}] \sum_{(i,j)\in E} \mathbb{1}\left[z_{t}^{(i,j)} = z_{x_{t}x_{t}}\right] \left(\left\langle \frac{1}{m} \sum_{(k,l)\in E} z_{\star}^{(k,l)}, \theta_{\star} \right\rangle - \gamma \left\langle \frac{1}{m} \sum_{(k,l)\in E} z_{\star}^{(k,l)}, \theta_{\star} \right\rangle\right)$$

$$= \sum_{t=1}^{T} \mathbb{1}[D_{t}] \sum_{(i,j)\in E} \mathbb{1}\left[z_{t}^{(i,j)} = z_{x_{t}x_{t}}\right] (1-\gamma) \left\langle \frac{1}{m} \sum_{(k,l)\in E} z_{\star}^{(k,l)}, \theta_{\star} \right\rangle$$

$$\leq T \frac{m}{4} (1-\gamma) \left\langle \frac{1}{m} \sum_{(k,l)\in E} z_{\star}^{(k,l)}, \theta_{\star} \right\rangle$$

$$= \sum_{t=1}^{T} \sum_{(i,j)\in E} \frac{1}{4} (1-\gamma) \left\langle z_{\star}^{(i,j)}, \theta_{\star} \right\rangle ,$$

$$(21)$$

where (21) comes from the fact that there is at most m/4 edges that goes from node in V_1 to other nodes in V_1 and that $\mathbb{1}[D_t] \leq 1$ for all t.

The derivation of this bound for (a_3) gives the same one for (a_4)

$$(a_4) \le \sum_{t=1}^{T} \sum_{(i,j)\in E} \frac{1}{4} (1-\gamma) \left\langle z_{\star}^{(i,j)}, \theta_{\star} \right\rangle . \tag{22}$$

By rewriting (a), we have :

$$(a) \leq \sum_{t=1}^{T} \sum_{k=1}^{m} 4\sqrt{2\beta_t(\delta)} \|z_t^{E[k]}\|_{\mathbf{A}_{t,k-1}^{-1}} + \frac{1}{2} (1-\gamma) \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle .$$

In [Chan et al., 2021], they bounded the term (b) as follows

$$LSm \sum_{t=1}^{T} \mathbb{1}[D_t^c] \le LSm \left[d^2 \log_2 \left(\frac{TmL^2/\lambda}{\delta} \right) \right] . \tag{23}$$

We thus have the regret bounded by

$$R(T) \leq \sum_{t=1}^{T} \sum_{k=1}^{m} 4\sqrt{2\beta_{t}(\delta)} \|z_{t}^{E[k]}\|_{\mathbf{A}_{t,k-1}^{-1}} + \frac{1}{2} (1-\gamma) \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle + LSm \left[d^{2} \log_{2} \left(\frac{TmL^{2}/\lambda}{\delta} \right) \right] ,$$

which gives us

$$R_{\frac{1+\gamma}{2}}(T) \le \sum_{t=1}^{T} \sum_{k=1}^{m} 4\sqrt{2\beta_t(\delta)} \|z_t^{E[k]}\|_{\mathbf{A}_{t,k-1}^{-1}} + LSm \left[d^2 \log_2 \left(\frac{TmL^2/\lambda}{\delta} \right) \right] .$$

Let us bound the first term with the double sum as it is done in [Abbasi-Yadkori et al., 2011, Chan et al., 2021]:

$$\begin{split} &\sum_{t=1}^{T} \sum_{k=1}^{m} 4\sqrt{2\beta_{t}(\delta)} \|z_{t}^{E[k]}\|_{\mathbf{A}_{t,k-1}^{-1}} \\ &\leq \sum_{t=1}^{T} \sum_{k=1}^{m} \min\left(2LS, 4\sqrt{2\beta_{t}(\delta)} \|z_{t}^{E[k]}\|_{\mathbf{A}_{t,k-1}^{-1}}\right) \\ &\leq \sum_{t=1}^{T} \sum_{k=1}^{m} 4\sqrt{2\beta_{t}(\delta)} \min\left(LS, \|z_{t}^{E[k]}\|_{\mathbf{A}_{t,k-1}^{-1}}\right) \\ &\leq \sqrt{Tm \times 32\beta_{T}(\delta)} \sum_{t=1}^{T} \sum_{k=1}^{m} \min\left((LS)^{2}, \|z_{t}^{E[k]}\|_{\mathbf{A}_{t,k-1}^{-1}}^{2}\right) \\ &\leq \sqrt{32Tm\beta_{T}(\delta)} \sum_{t=1}^{T} \sum_{k=1}^{m} \max\left(2, (LS)^{2}\right) \log\left(1 + \|z_{t}^{E[k]}\|_{\mathbf{A}_{t,k-1}^{-1}}^{2}\right) \\ &= \sqrt{32Tm\beta_{T}(\delta) \max\left(2, (LS)^{2}\right)} \sum_{t=1}^{T} \sum_{k=1}^{m} \log\left(1 + \|z_{t}^{E[k]}\|_{\mathbf{A}_{t,k-1}^{-1}}^{2}\right) \\ &\leq \sqrt{32Tm\beta_{T}(\delta) \max\left(2, (LS)^{2}\right) d^{2} \log\left(1 + \frac{TmL^{2}/\lambda}{d^{2}}\right)} \left(\sigma\sqrt{d^{2} \log\left(\frac{1 + TmL^{2}/\lambda}{\delta}\right)} + \sqrt{\lambda}S\right) \end{split}$$

where (24) uses the fact that for all $a,x\geq 0$, $\min(a,x)\leq \max(2,a)\log(1+x)$, (25) uses the fact that $\sum_{t=1}^T\sum_{k=1}^m\log\left(1+\|z_t^{E[k]}\|_{\mathbf{A}_{t,k-1}}^2\right)\leq d^2\log\left(1+\frac{TmL^2/\lambda}{d^2}\right)$ from Lemma 19.4 in Lattimore and Szepesvári [2018].

The final bound for the $\frac{1+\gamma}{2}$ -regret is

$$\begin{split} R_{\frac{1+\gamma}{2}}(T) \leq & \sqrt{32Tmd^2 \max{(2,(LS)^2)} \log{\left(1 + \frac{TmL^2/\lambda}{d^2}\right)}} \left(\sigma \sqrt{d^2 \log{\left(\frac{1 + TmL^2/\lambda}{\delta}\right)}} + \sqrt{\lambda}S\right) \\ & + LSm \left\lceil d^2 \log_2{\left(\frac{TmL^2/\lambda}{\delta}\right)} \right\rceil \end{split}$$

B.2 Proof of Theorem 4.1

Proof. For the sake of completeness in the proof we recall that we defined the couples (x_{\star}, x'_{\star}) and $(\tilde{x}_{\star}, \tilde{x}'_{\star})$ and the quantity Δ as follows:

$$\begin{split} (x_\star, x_\star') &= \underset{(x,x') \in \mathcal{X}^2}{\arg\max} \langle z_{xx'} + z_{x'x}, \theta_\star \rangle \\ (\tilde{x}_\star, \tilde{x}_\star') &= \underset{(x,x') \in \mathcal{X}}{\arg\max} \langle m_{1 \to 2} \cdot z_{xx'} + m_{2 \to 1} \cdot z_{x'x} + m_1 \cdot z_{xx} + m_2 \cdot z_{x'x'}, \theta_\star \rangle \enspace. \end{split}$$

and

$$\Delta = \langle m_{1\to 2} \left(z_{\tilde{x}_{\star}\tilde{x}'_{\star}} - z_{x_{\star}x'_{\star}} \right) + m_{2\to 1} \left(z_{\tilde{x}'_{\star}\tilde{x}_{\star}} - z_{x'_{\star}x_{\star}} \right) + m_{1} \left(z_{\tilde{x}_{\star}\tilde{x}_{\star}} - z_{x_{\star}x_{\star}} \right) + m_{2} \left(z_{\tilde{x}'_{\star}\tilde{x}'_{\star}} - z_{x'_{\star}x'_{\star}} \right), \theta_{\star} \rangle .$$

And we recall that in Algorithm 3, the tuple $(x_t, x_t', \tilde{\theta}_{t-1,m})$ is obtained as follows:

$$\left(x_t, x_t', \tilde{\theta}_{t-1, m}\right) = \underset{(x, x', \theta) \in \mathcal{X}^2 \times C_{t-1}}{\arg\max} \left\langle m_{1 \to 2} \cdot z_{xx'} + m_{2 \to 1} \cdot z_{x'x} + m_1 \cdot z_{xx} + m_2 \cdot z_{x'x'}, \theta \right\rangle$$

We can write the regret R(T) as in the proof of Theorem 3.2:

$$R(T) = \sum_{t=1}^{T} \mathbb{1}[D_t] \sum_{(i,j) \in E} \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle - \left\langle z_t^{(i,j)}, \theta_{\star} \right\rangle + \mathbb{1}[D_t^c] \sum_{(i,j) \in E} \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle - \left\langle z_t^{(i,j)}, \theta_{\star} \right\rangle$$

$$\leq \underbrace{\sum_{t=1}^{T} \mathbb{1}[D_t] \sum_{(i,j) \in E} \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle - \left\langle z_t^{(i,j)}, \theta_{\star} \right\rangle}_{(a)} + \underbrace{LSm \sum_{t=1}^{T} \mathbb{1}[D_t^c]}_{(b)}$$

Here, (b) doesn't change, we thus only focus on deriving (a).

$$(a) = \sum_{t=1}^{T} \mathbb{1}[D_t] \sum_{(i,j) \in E} \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle - \langle z_t^{(i,j)}, \theta_{\star} \rangle$$

$$\leq \sum_{t=1}^{T} \sum_{(i,j) \in E} \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle - \langle z_t^{(i,j)}, \theta_{\star} \rangle \qquad \text{(where } \mathbb{1}[D_t] \leq 1)$$

$$= \underbrace{\sum_{t=1}^{T} \sum_{(i,j) \in E} \frac{m_{1 \to 2} + m_{2 \to 1}}{m} \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle}_{(a_1)} + \sum_{t=1}^{T} \sum_{(i,j) \in E} \frac{m_1 + m_2}{m} \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle - \sum_{t=1}^{T} \sum_{(i,j) \in E} \langle z_t^{(i,j)}, \theta_{\star} \rangle$$

We have

$$\begin{split} &(a_1) = \sum_{t=1}^{T} \sum_{(i,j) \in E} \frac{2m_{1 \to 2}}{m} \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle \\ &= \sum_{t=1}^{T} \sum_{i=1}^{n} \sum_{j \in \mathcal{N}_{i}} \frac{2m_{1 \to 2}}{m} \langle z_{\star}^{(i,j)} + z_{\star}^{(j,i)}, \theta_{\star} \rangle \\ &\leq \sum_{t=1}^{T} \sum_{i=1}^{n} \sum_{j \in \mathcal{N}_{i}} \frac{2m_{1 \to 2}}{m} \langle z_{\star} x_{\star}^{i} + z_{\star}^{i} x_{\star}, \theta_{\star} \rangle \\ &= \sum_{t=1}^{T} \sum_{i=1}^{n} \sum_{j \in \mathcal{N}_{i}} \frac{2}{m} \langle m_{1 \to 2} \cdot z_{\star} x_{\star}^{i} + m_{2 \to 1} \cdot z_{\star}^{i} x_{\star}, \theta_{\star} \rangle \\ &= \sum_{t=1}^{T} \sum_{i=1}^{n} \sum_{j \in \mathcal{N}_{i}} \frac{2}{m} \langle m_{1 \to 2} \cdot z_{\star} x_{\star}^{i} + m_{2 \to 1} \cdot z_{\star}^{i} x_{\star} + m_{1} \cdot z_{\star} x_{\star} + m_{2} \cdot z_{\star}^{i} x_{\star}^{i}, \theta_{\star} \rangle \\ &= \sum_{t=1}^{T} \sum_{i=1}^{n} \sum_{j \in \mathcal{N}_{i}} \frac{2}{m} \langle m_{1 \to 2} \cdot z_{\star} x_{\star}^{i} + m_{2 \to 1} \cdot z_{\star}^{i} x_{\star} + m_{1} \cdot z_{\star} x_{\star}^{i} + m_{2} \cdot z_{\star}^{i} x_{\star}^{i}, \theta_{\star} \rangle \\ &= \sum_{t=1}^{T} \sum_{i=1}^{n} \sum_{j \in \mathcal{N}_{i}} \frac{2}{m} \langle m_{1 \to 2} \cdot z_{\star} x_{\star}^{i} + m_{2 \to 1} \cdot z_{\star}^{i} x_{\star}^{i} + m_{1} \cdot z_{\star} x_{\star}^{i} + m_{2} \cdot z_{\star}^{i} x_{\star}^{i}, \theta_{\star} \rangle - \frac{2}{m} \Delta \\ &- \sum_{t=1}^{T} \sum_{i=1}^{n} \sum_{j \in \mathcal{N}_{i}} \frac{2}{m} \langle m_{1 \to 2} \cdot z_{\star} x_{\star}^{i} + m_{2 \to 1} \cdot z_{\star}^{i} x_{\star}^{i} + m_{1} \cdot z_{\star}^{i} x_{\star}^{i} + m_{2} \cdot z_{\star}^{i} x_{\star}^{i}, \theta_{\star} \rangle - \Delta \\ &- \sum_{t=1}^{T} \langle m_{1 \to 2} \cdot z_{\star} x_{\star}^{i} + m_{2 \to 1} \cdot z_{\star}^{i} x_{\star}^{i} + m_{1} \cdot z_{\star} x_{\star}^{i} + m_{2} \cdot z_{\star}^{i} x_{\star}^{i}, \theta_{\star} \rangle - \Delta \\ &- \sum_{t=1}^{T} \langle m_{1 \to 2} \cdot z_{\star} x_{\star}^{i} + m_{2 \to 1} \cdot z_{\star}^{i} x_{\star}^{i} + m_{1} \cdot z_{\star} x_{\star}^{i} + m_{2} \cdot z_{\star}^{i} x_{\star}^{i}, \theta_{\star} \rangle - \Delta \\ &\leq \sum_{t=1}^{T} \langle m_{1 \to 2} \cdot z_{\star} x_{\star}^{i} + m_{2 \to 1} \cdot z_{\star}^{i} x_{\star}^{i} + m_{1} \cdot z_{\star} x_{\star}^{i} + m_{2} \cdot z_{\star}^{i} x_{\star}^{i}, \theta_{\star} \rangle - \Delta \\ &- \sum_{t=1}^{T} \langle m_{1 \to 2} \cdot z_{\star} x_{\star}^{i} + m_{2 \to 1} \cdot z_{\star}^{i} x_{\star}^{i}, \theta_{\star} \rangle \\ &\leq \sum_{t=1}^{T} \langle m_{1 \to 2} \cdot z_{\star} x_{\star}^{i} + m_{2 \to 1} \cdot z_{\star}^{i} x_{\star}^{i}, \theta_{\star} \rangle \\ &= \sum_{t=1}^{T} \sum_{t=1}^{T} \langle z_{\star}^{i} \cdot y_{\star}^{i}, \theta_{\star}^{i} - y_{\star}^{i} \rangle - \sum_{t=1}^{T} \langle m_{1} \cdot z_{\star} x_{\star}^{i} + m_{2} \cdot z_{\star}^{i} x_{\star}^{i}, \theta_{\star} \rangle \\ &= \sum_{t=1}^{T} \sum_{t=1}^{T} \langle z_{\star}^{i} \cdot y_{\star}^{i}, \theta_{\star}^{i} - y_{\star}^{i} \rangle + \sum_{t=1}^{T} \langle z_{\star}^{i}$$

By plugging the last upper bound in (a) and with probability $1 - \delta$, we have,

$$\begin{split} &(a) \leq \sum_{t=1}^{T} \sum_{(i,j) \in E} \langle z_{t}^{(i,j)}, \tilde{\theta}_{t-1,m} \rangle - \sum_{t=1}^{T} \Delta - \sum_{t=1}^{T} \langle m_{1} \cdot z_{x_{*}x_{*}} + m_{2} \cdot z_{x_{*}'x_{*}'}, \theta_{*} \rangle \\ &+ \sum_{t=1}^{T} \sum_{(i,j) \in E} \frac{m_{1} + m_{2}}{m} \langle z_{*}^{(i,j)}, \theta_{*} \rangle - \sum_{t=1}^{T} \sum_{(i,j) \in E} \langle z_{t}^{(i,j)}, \theta_{*} \rangle \\ &= \sum_{t=1}^{T} \sum_{(i,j) \in E} \langle z_{t}^{(i,j)}, \tilde{\theta}_{t-1,m} - \theta_{*} \rangle - \sum_{t=1}^{T} \Delta - \sum_{t=1}^{T} \langle m_{1} \cdot z_{x_{*}x_{*}} + m_{2} \cdot z_{x_{*}'x_{*}'}, \theta_{*} \rangle \\ &+ \sum_{t=1}^{T} \sum_{(i,j) \in E} \frac{m_{1} + m_{2}}{m} \langle z_{*}^{(i,j)}, \theta_{*} \rangle \\ &= \sum_{t=1}^{T} \sum_{(i,j) \in E} \langle z_{t}^{(i,j)}, \tilde{\theta}_{t-1,m} - \theta_{*} \rangle - \sum_{t=1}^{T} \Delta - \sum_{t=1}^{T} \sum_{(i,j) \in E} \frac{m_{1}}{m} \gamma_{x_{*}} \langle z_{*}^{(i,j)}, \theta_{*} \rangle + \frac{m_{2}}{m} \gamma_{x_{*}'} \langle z_{*}^{(i,j)}, \theta_{*} \rangle \\ &+ \sum_{t=1}^{T} \sum_{(i,j) \in E} \frac{m_{1} + m_{2}}{m} \langle z_{*}^{(i,j)}, \theta_{*} \rangle \\ &\leq \sum_{t=1}^{T} \sum_{(i,j) \in E} \langle z_{t}^{(i,j)}, \tilde{\theta}_{t-1,m} - \theta_{*} \rangle - \sum_{t=1}^{T} \Delta - \sum_{t=1}^{T} \sum_{(i,j) \in E} \frac{m_{1} + m_{2}}{m} \gamma_{*} \langle z_{*}^{(i,j)}, \theta_{*} \rangle + \sum_{t=1}^{T} \sum_{(i,j) \in E} \frac{m_{1} + m_{2}}{m} \langle z_{*}^{(i,j)}, \theta_{*} \rangle \\ &= \sum_{t=1}^{T} \sum_{(i,j) \in E} \langle z_{t}^{(i,j)}, \tilde{\theta}_{t-1,m} - \theta_{*} \rangle - \sum_{t=1}^{T} \sum_{(i,j) \in E} \frac{m_{1} + m_{2}}{m} (1 - \gamma) \langle z_{*}^{(i,j)}, \theta_{*} \rangle \\ &= \sum_{t=1}^{T} \sum_{(i,j) \in E} \langle z_{t}^{(i,j)}, \tilde{\theta}_{t-1,m} - \theta_{*} \rangle - \sum_{t=1}^{T} \sum_{(i,j) \in E} \frac{m_{1} + m_{2}}{m} (1 - \gamma) - \epsilon \right] \langle z_{*}^{(i,j)}, \theta_{*} \rangle \end{split}$$

By plugging (a) in the regret and with probability $1 - \delta$, we have,

$$R(T) \leq \sum_{t=1}^{T} \sum_{(i,j) \in E} \langle z_{t}^{(i,j)}, \tilde{\theta}_{t-1,m} - \theta_{\star} \rangle + \sum_{t=1}^{T} \sum_{(i,j) \in E} \left[\frac{m_{1} + m_{2}}{m} (1 - \gamma) - \epsilon \right] \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle + LSm \sum_{t=1}^{T} \mathbb{1}[D_{t}^{c}]$$

which gives,

$$\begin{split} R(T) - \sum_{t=1}^{T} \sum_{(i,j) \in E} \left[\frac{m_1 + m_2}{m} (1 - \gamma) - \epsilon \right] \langle z_{\star}^{(i,j)}, \theta_{\star} \rangle &\leq \sum_{t=1}^{T} \sum_{(i,j) \in E} \langle z_{t}^{(i,j)}, \tilde{\theta}_{t-1,m} - \theta_{\star} \rangle + LSm \sum_{t=1}^{T} \mathbb{1}[D_{t}^{c}] \\ R_{1 - \left[\frac{m_1 + m_2}{m} (1 - \gamma) - \epsilon\right]}(T) &\leq \sum_{t=1}^{T} \sum_{(i,j) \in E} \langle z_{t}^{(i,j)}, \tilde{\theta}_{t-1,m} - \theta_{\star} \rangle + LSm \sum_{t=1}^{T} \mathbb{1}[D_{t}^{c}] \end{split}$$

The upper bound of the right hand term follows exactly what we have already done for Theorem 3.2 by applying the upper bounds (16) and (23)

C Additional information on the experiments

C.1 Table 1

The number of nodes in each graph is equal to 100. The random graph corresponds to a graph where for two nodes i and j in V, the probability that (i,j) and (j,i) is in E is equal to 0.6. The results for the random graph are averaged over 100 draws. The matching graph represents the graph where each node $i \in V$ has only one neighbour: $\operatorname{Card}(\mathcal{N}_i) = 1$.

C.2 Figure 1

The graph used in this experiment is a complete graph of 10 nodes. The arm set $\mathcal{X} = \{e_1, \dots, e_d\}$ which gives $\mathcal{Z} = \{e_1, \dots, e_{d^2}\}$. The matrix \mathbf{M}_{\star} is randomly initialized such that all elements of the matrix are drawn i.i.d. from a standard normal distribution, and then we take the absolute value of each of these elements to ensure that the matrix only contains positive numbers. We plotted the results by varying ζ from 0 to 1 with a step of 0.01. We conducted the experiment on 100 different matrices \mathbf{M}_{\star} randomly initialized as explained above and plotted the average value of the obtained γ , ϵ , α_1 and α_2 .

C.3 Figure 2

For the last experiment, we used a complete graph of 5 nodes. The arm set $\mathcal{X} = \{e_1, \dots, e_d\}$ which gives $\mathcal{Z} = \{e_1, \dots, e_{d^2}\}$. The matrix \mathbf{M}_{\star} is randomly initialized as explained in the previous experiment. We fixed $\zeta = 0$ and the horizon T = 20000. We ran the experiment 10 times and plotted the average values (shaded curve) and the moving average curve with a window of 100 steps for more clarity.

The Explore-Then-Commit algorithm has an exploration phase of T/3 rounds and then exploits by pulling the couple $(x_t, x_t') = \arg\max_{(x, x')} \langle z_{xx'} + z_{x'x}, \hat{\theta}_t \rangle$. Note that we set the exploration phase to T/3 because most of the time, it was sufficient for the learner to have the estimated optimal pair (x_t, x_t') equal to the real optimal pair (x_\star, x_\star') .

Machine used for all the experiments: Macbook Pro, Apple M1 chip, 8-core CPU **The code is available** here.