Regular Article - Experimental Physics

Open charm production and asymmetry in pNe collisions at $\sqrt{s_{\mathrm{NN}}} = 68.5$ GeV

LHCb Collaboration[⋆]

CERN, 1211 Geneva 23, Switzerland

Abstract A measurement of D^0 meson production by the LHCb experiment in its fixed-target configuration is presented. The production of D^0 mesons is studied with a beam of 2.5 TeV protons colliding on a gaseous neon target at rest, corresponding to a nucleon–nucleon centre-of-mass energy of $\sqrt{s_{\mathrm{NN}}} = 68.5$ GeV. The sum of the D^0 and $\overline{D}^0$ production cross-section in pNe collisions in the centre-of-mass rapidity range $y^\star \in [-2.29, 0]$ is found to be $\sigma_{D^0}^{y^\star \in [-2.29, 0]} = 48.2 \pm 0.3 \pm 4.5\,\mu\mathrm{b}$/nucleon where the first uncertainty is statistical and the second is systematic. The $D^0 - \overline{D}^0$ production asymmetry is also evaluated and suggests a trend towards negative values at large negative $y^\star$. The considered models do not account precisely for all the features observed in the LHCb data, but theoretical predictions including 1% intrinsic charm and 10% recombination contributions better describe the data than the other models considered.

The production of D^0 charm mesons is sensitive to non-perturbative aspects of Quantum Chromodynamics (QCD). As it reflects a large fraction of the overall charm quark production, D^0 meson production can serve as a reference for the study of the modification of hidden charm ($c\overline{c}$ bound states) production in proton-nucleus and nucleus-nucleus collisions, due to the so-called cold nuclear matter (CNM) and hot and dense matter (HDM) effects [1]. Additionally, the study of D^0 and $\overline{D}^0$ mesons, $c\overline{u}$ and $\overline{c}u$ bound states, may bring new insight on the intrinsic charm content of the nucleon [2], as already performed with the proton-helium (pHe) data collected with LHCb at $\sqrt{s_{\mathrm{NN}}} = 86.6$ GeV [3], complementing the results obtained in proton–proton (pp) collisions at $\sqrt{s_{\mathrm{NN}}} = 13$ TeV via the measurement of $Z + c$ jets [4,5]. Moreover, in collisions involving a high Bjorken-x parton the charm quarks may recombine with valence quarks from the initial hadrons and lead to an asymmetry between the D^0 and $\overline{D}^0$ production cross-sections [6–8].

In this paper, a measurement of D^0 production in fixed-target proton-neon (pNe) collisions at the LHC is presented.

The sum of the D^0 and $\overline{D}^0$ production, and the $D^0 - \overline{D}^0$ production asymmetry, are studied in collisions of protons with energy of 2.5 TeV incident on neon nuclei at rest, corresponding to a nucleon–nucleon centre-of-mass energy of $\sqrt{s_{\mathrm{NN}}} = 68.5$ GeV. These measurements are performed in the negative rapidity hemisphere in the centre-of-mass frame where the proton beam and neon target have positive and negative rapidity $y^\star$, respectively.

The LHCb detector [9,10] is a single-arm forward spectrometer designed for the study of particles containing c or b quarks, covering the pseudorapidity range $2 < \eta < 5$ in the laboratory frame. The detector elements that are particularly relevant to this analysis are: the silicon-strip vertex locator (VELO) surrounding the interaction region that allows c and b hadrons to be identified from their characteristic flight distance; a tracking system that provides a measurement of the momentum of charged particles; two ring-imaging Cherenkov detectors that are able to discriminate between different species of charged hadrons; a calorimeter system consisting of scintillating-pad and preshower detectors, electromagnetic and hadronic calorimeters; and a muon detector composed of alternating layers of iron and multi-wire proportional chambers. The system for measuring the overlap with gas (SMOG) [11] enables the injection of gases with a pressure of $O(10^{-7})$ mbar in the beam pipe section inside the VELO, allowing LHCb to operate as a fixed-target experiment. SMOG allows the injection of noble gases and therefore gives the unique opportunity to study nucleus-nucleus and proton-nucleus collisions for various gaseous targets. Due to the boost induced by the high-energy proton beam, which travels along the positive-z direction, the LHCb acceptance covers the negative rapidity hemisphere in the centre-of-mass system of the reaction $y^\star \in [-2.29, 0]$.

The data samples correspond to a collider configuration in which proton bunches moving towards the detector do not cross any bunch moving in the opposite direction at the nominal pp interaction point. Standard pp collision events were also collected concurrently with the pNe collision data.

⋆ e-mail: emilie.maurice@llr.in2p3.fr

Events are selected by the two-stage trigger system [12]. The first level is implemented in hardware, while the second is a software trigger. The hardware trigger requires a minimum deposited energy of 7.8 GeV in the calorimeter for the $D^0 \rightarrow K^-\pi^+$ selection.[1] The software trigger requires a well-reconstructed D^0 decay vertex formed by clearly identified kaon and pion tracks, both of which are required to have a transverse momentum greater than 250 MeV/c and a combined invariant mass in the range [1784, 1944] MeV/c^2.

Special care is taken to suppress residual pp collisions induced by debunched protons. The PV must lie in the fiducial region $z_{PV} \in [-200, -100] \cup [100, 150]$ mm, where high reconstruction efficiencies are achieved and calibration samples are available. Here z_{PV} is the reconstructed position along the beam axis. The region $-100 < z_{PV} < 100$ mm, where most of the residual pp collisions occur, is excluded. A veto is imposed on events with activity in the backward region, with respect to the proton beam direction, based on the number of hits in the VELO stations upstream of the interaction point.

The offline selection of D^0 candidates is similar to that used in Ref. [13]. Events must contain a primary vertex with at least four tracks reconstructed in the VELO detector. The kaon and pion originating from the D^0 decay are required to be of good quality and to come from a common displaced vertex relatively to the associated PV position to which the D^0 candidate has the smallest impact parameter. Tight requirements are set on the kaon and pion particle identification information. The D^0 candidates are required to have a proper decay time greater than 0.5 ps. The measurements are performed in the range of D^0 transverse momentum $p_T < 8$ GeV/c and $2.0 < y < 4.29$, where y is the rapidity in the laboratory frame.

The detection efficiencies are determined using samples of simulated pNe collisions. In the simulation, D^0 mesons are generated in simulated proton–proton collisions using PYTHIA 8 [14], which has implemented the Lund string fragmentation model [15], with a specific LHCb configuration [16] and with colliding-proton beam momenta equal to the momenta per nucleon of the beam and target in the centre-of-mass frame. The decays are generated by EVTGEN [17], in which final-state radiation is handled by PHOTOS [18]. The four-momenta of the D^0 decay products are embedded into pNe minimum bias events that are produced with the EPOS event generator [19] using beam parameters obtained from the data. The event obtained after embedding is then boosted to the laboratory frame to get the fixed-target configuration. Decays of hadronic particles generated with EPOS are also implemented with EVTGEN. The interaction of the generated particles with the detector and its response, are

handled with the GEANT4 toolkit [20,21] as described in Ref. [22]. After reconstruction, the simulated events are assigned weights to ensure that the VELO cluster multiplicity distribution matches the distribution in the data.

The D^0 signal yields are obtained from extended unbinned maximum likelihood fits to their mass distributions. The signals are described by Gaussian functions while the background contributions are described by exponential functions. Figure 1 shows the $K^-\pi^+$ and $K^+\pi^-$ invariant mass distributions obtained after all selection criteria are applied to the entire pNe data set, with the fit functions superimposed. Additionally, the signal yields are determined in intervals of p_T with edges (0, 0.5, 1, 1.5, 2, 3, 8 GeV/c) and $y^\star$ with edges $(-2.29, -1.5, -1.0, -0.5, 0)$. These yields are corrected for the total efficiencies, which account for the geometrical acceptance of the detector, and the efficiencies of the trigger, event selection including the D^0 selection, PV and track reconstruction, and particle identification. Particle identification [23] and tracking [24] efficiencies are obtained from control samples of pp collision data. All other efficiencies are determined using samples of simulated data.

Several sources of systematic uncertainties are considered, affecting either the determination of the signal yields or the total efficiencies. They are summarised in Table 1 separately for contributions that are correlated and uncorrelated between the kinematic intervals. Systematic uncertainties on the signal determination include the contribution from b-hadron decays and the maximum contamination from residual pp collisions. More precisely, the fraction of signal from b-hadrons, included in the extracted yield and determined through the study of the impact parameter distribution of the D^0 candidates with respect to the primary vertex, is 1.1%. Contributions from residual pp collisions are estimated using samples of pure pNe collisions and pure pp collisions, both samples being collected using dedicated LHC beam configurations. These contributions result in a total 2.3% uncertainty assigned to the signal determination. Since the tracking and particle identification efficiencies are determined using pp control samples, the differences between the track multiplicity in pNe and pp collisions are considered as systematic uncertainties. Overall, systematic uncertainties of 3.0% and 3.6% are assigned due to tracking and particle identification efficiencies, respectively. The PV reconstruction systematic uncertainty is determined by considering the variation of the efficiency over the whole z_{PV} range and the difference between the simulation and a data-driven approach to evaluate the PV efficiency. Possible contamination from collisions between the beam and atoms different from neon is quantified using data samples recorded with no neon injection, resulting in an upper limit of 1.2%, identified as the neon purity uncertainty. Two uncorrelated systematic uncertainties are also considered. First, the uncertainty related to the mass fit is evaluated using alternative models for signal and back-

---

[1] Inclusion of charge-conjugate processes is implied throughout, unless otherwise said.

Fig. 1 Invariant mass distributions of (left) $K^-\pi^+$ and (right) $K^+\pi^-$ candidates. The data are overlaid with the result of the fit

ground shapes that reproduce the mass shapes equally well. Another source of uncertainty is associated with the accuracy of the simulation used to compute the acceptances and efficiencies. This uncertainty accounts for the finite size of the simulation sample and observed discrepancies between the data and the simulation, in the rapidity and p_T distributions.

The integrated luminosity is determined to be $\mathcal{L}_{p\mathrm{Ne}} = 21.7 \pm 1.4$ nb^{-1} from the yield of electrons elastically scattering off the target atoms as presented in Ref. [25]. The measured D^0 and $\overline{D}^0$ cross-section per target nucleon within $y^\star \in [-2.29, 0]$, after taking into account the known branching fraction of $D^0 \to K^-\pi^+$ [26], is

$$\sigma_{D^0}^{y^\star \in [-2.29,0]} = \frac{Y_{D^0 \to K^-\pi^+}}{\mathcal{B}_{D^0 \to K^-\pi^+} \times \varepsilon_{D^0} \times \mathcal{L}_{p\mathrm{Ne}}}$$
$$= 48.2 \pm 0.3 \,(\mathrm{stat.}) \pm 4.5 \,(\mathrm{syst.})\,\mu\mathrm{b/nucleon},$$

where $Y_{D^0 \to K^-\pi^+}$, $\mathcal{B}_{D^0 \to K^-\pi^+}$ and ε_{D^0} are D^0 yield, branching fraction and total efficiency respectively. No correction is applied to account for the small fraction (1.1%) of signal from b-hadron decay. The cross-section per target nucleon, extrapolated to the full phase-space using PYTHIA 8 with a specific LHCb tuning and with the CT09MCS parton distribution functions [27], assuming forward-backward symmetry in the rapidity distribution, thus neglecting a possible small asymmetry induced by nuclear Parton Distribution Functions, is

$$\sigma_{D^0}^{4\pi} = 97.6 \pm 0.7 \,(\mathrm{stat.}) \pm 9.1 \,(\mathrm{syst.})\,\mu\mathrm{b/nucleon}.$$

The D^0 differential cross-sections per target nucleon, as functions of $y^\star$ and p_T, are shown in Fig. 2. These results are compared with the fixed-order plus next-to-leading-logarithms resummation model calculations (FONLL) [28, 29], and a parton-hadron-string dynamics (PHSD) transport calculation [30]. Both predictions fail to reproduce either the low (PHSD) or high (FONLL) p_T region, while the rapidity shapes are in better agreement with the data. Most features of the LHCb measurements are well described by alternative predictions with (Vogt 1% IC) or without (Vogt no IC) intrinsic charm contributions, both taking into account the shadowing effect [31], and by predictions (MS) including 1% intrinsic charm and 10% recombination contributions

Table 1 Systematic and statistical uncertainties on the signal yields. Systematic uncertainties correlated between $y^\star$ or p_T bins affect all measurements by the same relative amount. Ranges denote the minimum and the maximum values among the $y^\star$ or p_T bins

Systematic uncertainties	
Correlated between bins	
Signal determination	2.3%
Tracking efficiency	3.0%
Particle identification efficiency	3.6%
PV reconstruction efficiency	4.1%
Neon purity	1.2%
Luminosity	6.5%
Uncorrelated between bins	
Signal and background model	[0.3, 5.6]%
Simulation sample	[0.7, 8.0]%
Total correlated uncertainty	9.3%
Total uncorrelated uncertainty	[1.1, 9.2]%
Total statistical uncertainty	[2.3, 7.7]%

[6]. Note that only the FONLL predictions include the factorization scale and parton distribution function uncertainties, while the bands in Vogt's predictions represent the variation due to the shadowing, and PHSD or MS models have no uncertainty. Note also that D^0 and D^* measurements have been performed by the STAR experiment in $\sqrt{s} = 200$ GeV pp collisions at midrapidity [32], showing a better agreement with FONLL predictions at moderate and large p_T.

Finally, the $D^0 - \overline{D}^0$ production asymmetry is presented. It is quantified as

$$\mathcal{A}_{\mathrm{prod}} = \frac{Y_{\mathrm{corr}}(D^0) - Y_{\mathrm{corr}}(\overline{D}^0)}{Y_{\mathrm{corr}}(D^0) + Y_{\mathrm{corr}}(\overline{D}^0)}, \tag{1}$$

where $Y_{\mathrm{corr}}(D^0)$ and $Y_{\mathrm{corr}}(\overline{D}^0)$ correspond to the $D^0 \to K^-\pi^+$ and $\overline{D}^0 \to K^+\pi^-$ efficiency corrected yields respectively. The uncertainties associated with the luminosity determination, neon purity and particle identification efficiency cancel in the asymmetry. Furthermore, uncertainties related to the tracking efficiency and simulation samples partially cancel. A conservative systematic uncertainty of 2.8% is

Fig. 2 Measured D^0 cross-section in $\sqrt{s_{NN}} = 68.5$ GeV pNe collisions as function of (left) $y^\star$ and (right) p_T. The quadratic sums of statistical and uncorrelated systematic uncertainties are given by the bars, while the grey boxes represent the correlated systematic uncertainties. The data are overlaid with theoretical predictions as described in the text

Fig. 3 The $D^0 - \overline{D}^0$ production asymmetry in $\sqrt{s_{NN}} = 68.5$ GeV pNe collisions as function of (left) centre-of-mass rapidity $y^\star$, and as function of (right) transverse momentum p_T. Quadratic sums of statistical and uncorrelated uncertainties are given by the error bars, while the grey boxes represent the correlated systematic uncertainties. The data are overlaid with theoretical predictions as described in the text

assigned to account for the uncertainty on the simulated material budget of the detector.

The results are presented in Fig. 3 and indicate a negative asymmetry from ~ 0 down to $\sim -15\%$ from $y^\star = 0$ to $y^\star = -2.29$. The largest asymmetry is obtained at $y^\star = -2.29$, where the valence quark contribution of the neon target is more significant than at $y^\star \sim 0$. The data are compared with PYTHIA 8 predictions which show a $D^0 - \overline{D}^0$ asymmetry of about -6%. This asymmetry, which may be caused by the fragmentation models included in PYTHIA [33,34], is compatible with the data, but mostly independent of $y^\star$ and p_T. While the Vogt predictions from Ref. [31], which represent an upper limit, do not perfectly reproduce the asymmetry scale, they indicate trends compatible with the data for both the rapidity and transverse momentum ratios. The MS predictions including 1% IC and 10% recombination contributions [6] are also generally consistent with the data.

In summary, a study of D^0 meson production in $\sqrt{s_{NN}} = 68.5$ GeV pNe collisions with the LHCb experiment is presented. The sum of the D^0 and $\overline{D}^0$ production cross-section per target nucleon, measured in the centre-of-mass rapidity range $y^\star \in [-2.29, 0]$, is found to be $\sigma_{D^0}^{y^\star \in [-2.29,0]} = 48.2 \pm 0.3 \,(\text{stat.}) \pm 4.5 \,(\text{syst.})\,\mu\text{b/nucleon}$. The $D^0 - \overline{D}^0$ production asymmetry tends towards a negative value of roughly -15% in the $y^\star \sim -2$ region, where the valence quark contribution of the neon target is more significant than at $y^\star \sim 0$.

Data Availability Statement This manuscript has no associated data or the data will not be deposited. [Authors' comment: Data associated to the plots in this publication are made available on the CERN document server at https://cds.cern.ch/record/2841850.]

References

1. H. Satz, K. Sridhar, Charmonium production versus open charm in nuclear collisions. Phys. Rev. D **50**, 3557 (1994). https://doi.org/10.1103/PhysRevD.50.3557

2. R. Maciula, A. Szczurek, Impact of the LHCb $p+^4$He fixed-target $D^0/\bar{D}^0$ data on the intrinsic $c\bar{c}$ component in the nucleon. Phys. Rev. D **105**, 014001 (2022). https://doi.org/10.1103/PhysRevD.105.014001

3. LHCb Collaboration, R. Aaij et al., First measurement of charm production in fixed-target configuration at the LHC. Phys. Rev. Lett. **102**, 132002 (2019). https://doi.org/10.1103/PhysRevLett.122.132002

4. LHCb Collaboration, R. Aaij et al., Study of Z bosons produced in association with charm in the forward region. Phys. Rev. Lett. **128**, 082001 (2022). https://doi.org/10.1103/PhysRevLett.128.082001

5. The NNPDF Collaboration, R.D. Ball et al., Evidence for intrinsic charm quarks in the proton. Nature **608**, 483–487 (2022). https://doi.org/10.1038/s41586-022-04998-2

6. R. Maciula, A. Szczurek, Recombination mechanism for D^0-meson production and $D - \overline{D}^0$ production asymmetry in the LHCb $p+^{20}$Ne fixed-target experiment. Phys. Lett. B **835**, 137530 (2022). https://doi.org/10.1016/j.physletb.2022.137530. arXiv:2206.02750

7. Fermilab E791 Collaboration, E.M. Aitala et al., Asymmetries between the production of D^+ and D^- mesons from 500 GeV/c π^--nucleus interactions as a function of x_F and p_t^2. Phys. Lett. B **371**, 157–162 (1996). https://doi.org/10.1016/0370-2693(96)00093-7

8. E. Braaten, Y. Jia, T. Mehen, Charm–anticharm asymmetries in photoproduction from heavy-quark recombination. Phys. Rev. D **66**, 014003 (2002). https://doi.org/10.1103/PhysRevD.66.014003

9. LHCb Collaboration, A.A. Alves Jr. et al., The LHCb detector at the LHC. JINST **3**, S08005 (2008). https://doi.org/10.1088/1748-0221/3/08/S08005

10. LHCb Collaboration, R. Aaij et al., LHCb detector performance. Int. J. Mod. Phys. A **30**, 1530022 (2015). https://doi.org/10.1142/S0217751X15300227. arXiv:1412.6352

11. LHCb Collaboration, R. Aaij et al., Precision luminosity measurements at LHCb. JINST **9**, P12005 (2014). https://doi.org/10.1088/1748-0221/9/12/P12005. arXiv:1410.0149

12. LHCb Collaboration, R. Aaij et al., The LHCb trigger and its performance in 2011. JINST **8**, P04022 (2013). https://doi.org/10.1088/1748-0221/8/04/P04022. arXiv:1211.3055

13. LHCb Collaboration, R. Aaij et al., First measurement of charm production in fixed-target configuration at the LHC. Phys. Rev. Lett. **122**, 132002 (2019). https://doi.org/10.1103/PhysRevLett.122.132002. arXiv:1810.07907

14. T. Sjöstrand, S. Mrenna, P. Skands, A brief introduction to Pythia 8.1. Comput. Phys. Commun. **178**, 852 (2008). https://doi.org/10.1016/j.cpc.2008.01.036. arXiv:0710.3820

15. B. Andersson, G. Gutafson, G. Ingelman, T. Sjöstrand, Parton fragmentation and string dynamics. Phys. Rep. **97**, 31–45 (1983). https://doi.org/10.1016/0370-1573(83)90080-7

16. LHCb Collaboration, I. Belyaev et al., Handling of the generation of primary events in Gauss, the LHCb simulation framework. J. Phys. Conf. Ser. **331**, 032047 (2011). https://doi.org/10.1088/1742-6596/331/3/032047

17. D.J. Lange, The EvtGen particle decay simulation package. Nucl. Instrum. Methods **A462**, 152 (2001). https://doi.org/10.1016/S0168-9002(01)00089-4

18. P. Golonka, Z. Was, PHOTOS Monte Carlo: a precision tool for QED corrections in Z and W decays. Eur. Phys. J. C **45**, 97 (2006). https://doi.org/10.1140/epjc/s2005-02396-4

19. T. Pierog et al., EPOS LHC: test of collective hadronization with data measured at the CERN Large Hadron Collider. Phys. Rev. C **C92**, 034906 (2015). https://doi.org/10.1103/PhysRevC.92.034906. arXiv:1306.0121

20. Geant4 Collaboration, J. Allison et al., Geant4 developments and applications. IEEE Trans. Nucl. Sci. **53**, 270 (2006). https://doi.org/10.1109/TNS.2006.869826

21. GEANT4 Collaboration, S. Agostinelli et al., Geant4: a simulation toolkit. Nucl. Instrum. Methods **506**, 250 (2003). https://doi.org/10.1016/S0168-9002(03)01368-8

22. M. Clemencic et al., The LHCb simulation application, Gauss: design, evolution and experience. J. Phys. Conf. Ser. **331**, 032023 (2011). https://doi.org/10.1088/1742-6596/331/3/032023

23. L. Anderlini et al., The PIDCalib package. LHCb-PUB-2016-021. http://cdsweb.cern.ch/search?p=LHCb-PUB-2016-021&f=reportnumber&action_search=Search&c=LHCb+Notes

24. LHCb Collaboration, R. Aaij et al., Measurement of the track reconstruction efficiency at LHCb. JINST **10**, P02007 (2015). https://doi.org/10.1088/1748-0221/10/02/P02007

25. LHCb Collaboration, R. Aaij et al., Measurement of antiproton production in pHe collisions at $\sqrt{s_{NN}} = 110$ GeV. Phys. Rev. Lett. **121**, 222001 (2018). https://doi.org/10.1103/PhysRevLett.121.222001

26. Particle Data Group, R.L. Workman et al., Review of particle physics. Prog. Theor. Exp. Phys. **2022**(8), 083C01 (2022). https://doi.org/10.1093/ptep/ptac097 http://pdg.lbl.gov/

27. H.-L. Lai et al., Parton distributions for event generators. JHEP **04**, 035 (2010). https://doi.org/10.1007/JHEP04(2010)035

28. M. Cacciari, P. Nason, R. Vogt, QCD predictions for charm and bottom quark production at RHIC. Phys. Rev. Lett. **95**, 122001 (2005). https://doi.org/10.1103/PhysRevLett.95.122001

29. M. Cacciari, M. Greco, P. Nason, The p_T spectrum in heavy-flavour hadroproduction. JHEP **05**, 007 (1998). https://doi.org/10.1088/1126-6708/1998/05/007

30. T. Song et al., Single electrons from heavy-flavor mesons in relativistic heavy-ion collisions. Phys. Rev. C **C96**, 014905 (2017). https://doi.org/10.1103/PhysRevC.96.014905

31. R. Vogt, Limits on intrinsic charm production from the SeaQuest experiment. Phys. Rev. C **103**, 035204 (2021). https://doi.org/10.1103/PhysRevC.103.035204

32. STAR Collaboration, L. Adamczyk et al., Measurements of D^0 and D^* production in $p + p$ collisions at $\sqrt{s} = 200$ GeV. Phys. Rev. D **86**, 072013 (2012). https://doi.org/10.1103/PhysRevD.86.072013

33. E. Norrbin, T. Sjöstrand, Production mechanisms of charm hadrons in the string model. Phys. Lett. B **442**, 407–416 (1998). https://doi.org/10.1016/S0370-2693(98)01244-1

34. E. Norrbin, T. Sjöstrand, Production and hadronization of heavy quarks. Eur. Phys. J C **C17**, 137–161 (2000). https://doi.org/10.1007/s100520000460

LHCb Collaboration[★]

R. Aaij[32], A. S. W. Abdelmotteleb[50], C. Abellan Beteta[44], F. Abudinén[50], T. Ackernley[54], B. Adeva[40], M. Adinolfi[48], P. Adlarson[77], H. Afsharnia[9], C. Agapopoulou[13], C. A. Aidala[78], Z. Ajaltouni[9], S. Akar[59], K. Akiba[32], J. Albrecht[15], F. Alessio[42], M. Alexander[53], A. Alfonso Albero[39], Z. Aliouche[56], P. Alvarez Cartelle[49], R. Amalric[13], S. Amato[2], J. L. Amey[48], Y. Amhis[11,42], L. An[42], L. Anderlini[22], M. Andersson[44], A. Andreianov[38], M. Andreotti[21], D. Andreou[62], D. Ao[6], F. Archilli[17], A. Artamonov[38], M. Artuso[62], E. Aslanides[10], M. Atzeni[44], B. Audurier[12], S. Bachmann[17], M. Bachmayer[43], J. J. Back[50], A. Bailly-reyre[13], P. Baladron Rodriguez[40], V. Balagura[12], W. Baldini[21], J. Baptista de Souza Leite[1], M. Barbetti[22,j], R. J. Barlow[56], S. Barsuk[11], W. Barter[55], M. Bartolini[49], F. Baryshnikov[38], J. M. Basels[14], G. Bassi[29,p], B. Batsukh[4], A. Battig[15], A. Bay[43], A. Beck[50], M. Becker[15], F. Bedeschi[29], I. B. Bediaga[1], A. Beiter[62], V. Belavin[38], S. Belin[40], V. Bellee[44], K. Belous[38], I. Belov[38], I. Belyaev[38], G. Benane[10], G. Bencivenni[23], E. Ben-Haim[13], A. Berezhnoy[38], R. Bernet[44], S. Bernet Andres[76], D. Berninghoff[17], H. C. Bernstein[62], C. Bertella[56], A. Bertolin[28], C. Betancourt[44], F. Betti[42], Ia. Bezshyiko[44], S. Bhasin[48], J. Bhom[35], L. Bian[68], M. S. Bieker[15], N. V. Biesuz[21], S. Bifani[47], P. Billoir[13], A. Biolchini[32], M. Birch[55], F. C. R. Bishop[49], A. Bitadze[56], A. Bizzeti, M. P. Blago[49], T. Blake[50], F. Blanc[43], J. E. Blank[15], S. Blusk[62], D. Bobulska[53], J. A. Boelhauve[15], O. Boente Garcia[12], T. Boettcher[59], A. Boldyrev[38], C. S. Bolognani[74], R. Bolzonella[21,i], N. Bondar[38,42], F. Borgato[28], S. Borghi[56], M. Borsato[17], J. T. Borsuk[35], S. A. Bouchiba[43], T. J. V. Bowcock[54], A. Boyer[42], C. Bozzi[21], M. J. Bradley[55], S. Braun[60], A. Brea Rodriguez[40], J. Brodzicka[35], A. Brossa Gonzalo[40], J. Brown[54], D. Brundu[27], A. Buonaura[44], L. Buonincontri[28], A. T. Burke[56], C. Burr[42], A. Bursche[66], A. Butkevich[38], J. S. Butter[32], J. Buytaert[42], W. Byczynski[42], S. Cadeddu[27], H. Cai[68], R. Calabrese[21,i], L. Calefice[15], S. Cali[23], R. Calladine[47], M. Calvi[26,m], M. Calvo Gomez[76], P. Campana[23], D. H. Campora Perez[74], A. F. Campoverde Quezada[6], S. Capelli[26,m], L. Capriotti[20], A. Carbone[20,g], G. Carboni[31], R. Cardinale[24,k], A. Cardini[27], P. Carniti[26,m], L. Carus[14], A. Casais Vidal[40], R. Caspary[17], G. Casse[54], M. Cattaneo[42], G. Cavallero[42], V. Cavallini[21,i], S. Celani[43], J. Cerasoli[10], D. Cervenkov[57], A. J. Chadwick[54], M. G. Chapman[48], M. Charles[13], Ph. Charpentier[42], C. A. Chavez Barajas[54], M. Chefdeville[8], C. Chen[3], S. Chen[4], A. Chernov[35], S. Chernyshenko[46], V. Chobanova[40], S. Cholak[43], M. Chrzaszcz[35], A. Chubykin[38], V. Chulikov[38], P. Ciambrone[23], M. F. Cicala[50], X. Cid Vidal[40], G. Ciezarek[42], G. Ciullo[21,i], P. E. L. Clarke[52], M. Clemencic[42], H. V. Cliff[49], J. Closier[42], J. L. Cobbledick[56], V. Coco[42], J. A. B. Coelho[11], J. Cogan[10], E. Cogneras[9], L. Cojocariu[37], P. Collins[42], T. Colombo[42], L. Congedo[19], A. Contu[27], N. Cooke[47], I. Corredoira[40], G. Corti[42], B. Couturier[42], D. C. Craik[44], M. Cruz Torres[1,e], R. Currie[52], C. L. Da Silva[61], S. Dadabaev[38], L. Dai[65], X. Dai[5], E. Dall'Occo[15], J. Dalseno[40], C. D'Ambrosio[42], J. Daniel[9], A. Danilina[38], P. d'Argent[15], J. E. Davies[56], A. Davis[56], O. De Aguiar Francisco[56], J. de Boer[42], K. De Bruyn[73], S. De Capua[56], M. De Cian[43], U. De Freitas Carneiro Da Graca[1], E. De Lucia[23], J. M. De Miranda[1], L. De Paula[2], M. De Serio[19,f], D. De Simone[44], P. De Simone[23], F. De Vellis[15], J. A. de Vries[74], C. T. Dean[61], F. Debernardis[19,f], D. Decamp[8], V. Dedu[10], L. Del Buono[13], B. Delaney[58], H.-P. Dembinski[15], V. Denysenko[44], O. Deschamps[9], F. Dettori[27,h], B. Dey[71], P. Di Nezza[23], I. Diachkov[38], S. Didenko[38], L. Dieste Maronas[40], S. Ding[62], V. Dobishuk[46], A. Dolmatov[38], C. Dong[3], A. M. Donohoe[18], F. Dordei[27], A. C. dos Reis[1], L. Douglas[53], A. G. Downes[8], P. Duda[75], M. W. Dudek[35], L. Dufour[42], V. Duk[72], P. Durante[42], M. M. Duras[75], J. M. Durham[61], D. Dutta[56], A. Dziurda[35], A. Dzyuba[38], S. Easo[51], U. Egede[63], V. Egorychev[38], S. Eidelman[38,*], C. Eirea Orro[40], S. Eisenhardt[52], E. Ejopu[56], S. Ek-In[43], L. Eklund[77], S. Ely[62], A. Ene[37], E. Epple[59], S. Escher[14], J. Eschle[44], S. Esen[44], T. Evans[56],

F. Fabiano[27,h], L. N. Falcao[1], Y. Fan[6], B. Fang[11,68], L. Fantini[72,o], M. Faria[43], S. Farry[54], D. Fazzini[26,m], L. F. Felkowski[75], M. Feo[42], M. Fernandez Gomez[40], A. D. Fernez[60], F. Ferrari[20], L. Ferreira Lopes[43], F. Ferreira Rodrigues[2], S. Ferreres Sole[32], M. Ferrillo[44], M. Ferro-Luzzi[42], S. Filippov[38], R. A. Fini[19], M. Fiorini[21,i], M. Firlej[34], K. M. Fischer[57], D. S. Fitzgerald[78], C. Fitzpatrick[56], T. Fiutowski[34], F. Fleuret[12], M. Fontana[13], F. Fontanelli[24,k], R. Forty[42], D. Foulds-Holt[49], V. Franco Lima[54], M. Franco Sevilla[60], M. Frank[42], E. Franzoso[21,i], G. Frau[17], C. Frei[42], D. A. Friday[53], J. Fu[6], Q. Fuehring[15], T. Fulghesu[13], E. Gabriel[32], G. Galati[19,f], M. D. Galati[32], A. Gallas Torreira[40], D. Galli[20,g], S. Gambetta[42,52], Y. Gan[3], M. Gandelman[2], P. Gandini[25], Y. Gao[7], Y. Gao[5], M. Garau[27,h], L. M. Garcia Martin[50], P. Garcia Moreno[39], J. García Pardiñas[26,m], B. Garcia Plana[40], F. A. Garcia Rosales[12], L. Garrido[39], C. Gaspar[42], R. E. Geertsema[32], D. Gerick[17], L. L. Gerken[15], E. Gersabeck[56], M. Gersabeck[56], T. Gershon[50], L. Giambastiani[28], V. Gibson[49], H. K. Giemza[36], A. L. Gilman[57], M. Giovannetti[23,s], A. Gioventù[40], P. Gironella Gironell[39], C. Giugliano[21,i], M. A. Giza[35], K. Gizdov[52], E. L. Gkougkousis[42], V. V. Gligorov[13,42], C. Göbel[64], E. Golobardes[76], D. Golubkov[38], A. Golutvin[38,55], A. Gomes[1,a], S. Gomez Fernandez[39], F. Goncalves Abrantes[57], M. Goncerz[35], G. Gong[3], I. V. Gorelov[38], C. Gotti[26], J. P. Grabowski[70], T. Grammatico[13], L. A. Granado Cardoso[42], E. Graugés[39], E. Graverini[43], G. Graziani, A. T. Grecu[37], L. M. Greeven[32], N. A. Grieser[4], L. Grillo[53], S. Gromov[38], B. R. Gruberg Cazon[57], C. Gu[3], M. Guarise[21,i], M. Guittiere[11], P. A. Günther[17], E. Gushchin[38], A. Guth[14], Y. Guz[38], T. Gys[42], T. Hadavizadeh[63], C. Hadjivasiliou[60], G. Haefeli[43], C. Haen[42], J. Haimberger[42], S. C. Haines[49], T. Halewood-leagas[54], M. M. Halvorsen[42], P. M. Hamilton[60], J. Hammerich[54], Q. Han[7], X. Han[17], E. B. Hansen[56], S. Hansmann-Menzemer[17], L. Hao[6], N. Harnew[57], T. Harrison[54], C. Hasse[42], M. Hatch[42], J. He[6,c], K. Heijhoff[32], C. Henderson[59], R. D. L. Henderson[50,63], A. M. Hennequin[58], K. Hennessy[54], L. Henry[42], J. Herd[55], J. Heuel[14], A. Hicheur[2], D. Hill[43], M. Hilton[56], S. E. Hollitt[15], J. Horswill[56], R. Hou[7], Y. Hou[8], J. Hu[17], J. Hu[66], W. Hu[5], X. Hu[3], W. Huang[6], X. Huang[68], W. Hulsbergen[32], R. J. Hunter[50], M. Hushchyn[38], D. Hutchcroft[54], P. Ibis[15], M. Idzik[34], D. Ilin[38], P. Ilten[59], A. Inglessi[38], A. Iniukhin[38], A. Ishteev[38], K. Ivshin[38], R. Jacobsson[42], H. Jage[14], S. J. Jaimes Elles[41], S. Jakobsen[42], E. Jans[32], B. K. Jashal[41], A. Jawahery[60], V. Jevtic[15], E. Jiang[60], X. Jiang[4,6], Y. Jiang[6], M. John[57], D. Johnson[58], C. R. Jones[49], T. P. Jones[50], B. Jost[42], N. Jurik[42], I. Juszczak[35], S. Kandybei[45], Y. Kang[3], M. Karacson[42], D. Karpenkov[38], M. Karpov[38], J. W. Kautz[59], F. Keizer[42], D. M. Keller[62], M. Kenzie[50], T. Ketel[32], B. Khanji[15], A. Kharisova[38], S. Kholodenko[38], G. Khreich[11], T. Kirn[14], V. S. Kirsebom[43], O. Kitouni[58], S. Klaver[33], N. Kleijne[29,p], K. Klimaszewski[36], M. R. Kmiec[36], S. Koliiev[46], A. Kondybayeva[38], A. Konoplyannikov[38], P. Kopciewicz[34], R. Kopecna[17], P. Koppenburg[32], M. Korolev[38], I. Kostiuk[32,46], O. Kot[46], S. Kotriakhova, A. Kozachuk[38], P. Kravchenko[38], L. Kravchuk[38], R. D. Krawczyk[42], M. Kreps[50], S. Kretzschmar[14], P. Krokovny[38], W. Krupa[34], W. Krzemien[36], J. Kubat[17], S. Kubis[75], W. Kucewicz[34,35], M. Kucharczyk[35], V. Kudryavtsev[38], A. Kupsc[77], D. Lacarrere[42], G. Lafferty[56], A. Lai[27], A. Lampis[27,h], D. Lancierini[44], C. Landesa Gomez[40], J. J. Lane[56], R. Lane[48], G. Lanfranchi[23], C. Langenbruch[14], J. Langer[15], O. Lantwin[38], T. Latham[50], F. Lazzari[29,t], M. Lazzaroni[25], R. Le Gac[10], S. H. Lee[78], R. Lefèvre[9], A. Leflat[38], S. Legotin[38], P. Lenisa[21,i], O. Leroy[10], T. Lesiak[35], B. Leverington[17], A. Li[3], H. Li[66], K. Li[7], P. Li[17], P.-R. Li[67], S. Li[7], T. Li[4], T. Li[66], Y. Li[4], Z. Li[62], X. Liang[62], C. Lin[6], T. Lin[51], R. Lindner[42], V. Lisovskyi[15], R. Litvinov[27,h], G. Liu[66], H. Liu[6], Q. Liu[6], S. Liu[4,6], A. Lobo Salvia[39], A. Loi[27], R. Lollini[72], J. Lomba Castro[40], I. Longstaff[53], J. H. Lopes[2], A. Lopez Huertas[39], S. L.ópez Soliño[40], G. H. Lovell[49], Y. Lu[4,b], C. Lucarelli[22,j], D. Lucchesi[28,n], S. Luchuk[38], M. Lucio Martinez[74], V. Lukashenko[32,46], Y. Luo[3], A. Lupato[56], E. Luppi[21,i], A. Lusiani[29,p], K. Lynch[18], X.-R. Lyu[6], L. Ma[4], R. Ma[6], S. Maccolini[20], F. Machefert[11], F. Maciuc[37], I. Mackay[57], V. Macko[43], P. Mackowiak[15], L. R. Madhan Mohan[48], A. Maevskiy[38], D. Maisuzenko[38], M. W. Majewski[34], J. J. Malczewski[35], S. Malde[57], B. Malecki[35,42], A. Malinin[38], T. Maltsev[38], G. Manca[27,h], G. Mancinelli[10], C. Mancuso[11,25,l], D. Manuzzi[20], C. A. Manzari[44], D. Marangotto[25,l], J. M. Maratas[9,v], J. F. Marchand[8], U. Marconi[20], S. Mariani[22,j], C. Marin Benito[39], J. Marks[17], A. M. Marshall[48], P. J. Marshall[54], G. Martelli[72,o], G. Martellotti[30], L. Martinazzoli[42,m], M. Martinelli[26,m], D. Martinez Santos[40], F. Martinez Vidal[41], A. Massafferri[1], M. Materok[14], R. Matev[42], A. Mathad[44], V. Matiunin[38], C. Matteuzzi[26], K. R. Mattioli[12], A. Mauri[32], E. Maurice[12], J. Mauricio[39], M. Mazurek[42], M. McCann[55], L. Mcconnell[18], T. H. McGrath[56], N. T. McHugh[53], A. McNab[56], R. McNulty[18], J. V. Mead[54], B. Meadows[59], G. Meier[15], D. Melnychuk[36], S. Meloni[26,m], M. Merk[32,74], A. Merli[25,l], L. Meyer Garcia[2], D. Miao[4,6], M. Mikhasenko[70,d], D. A. Milanes[69], E. Millard[50],

M. Milovanovic[42], M.-N. Minard[8,*], A. Minotti[26,m], T. Miralles[9], S. E. Mitchell[52], B. Mitreska[56], D. S. Mitzel[15], A. Mödden[15], R. A. Mohammed[57], R. D. Moise[14], S. Mokhnenko[38], T. Mombächer[40], M. Monk[50,63], I. A. Monroy[69], S. Monteil[9], M. Morandin[28], G. Morello[23], M. J. Morello[29,p], J. Moron[34], A. B. Morris[70], A. G. Morris[50], R. Mountain[62], H. Mu[3], E. Muhammad[50], F. Muheim[52], M. Mulder[73], K. Müller[44], C. H. Murphy[57], D. Murray[56], R. Murta[55], P. Muzzetto[27,h], P. Naik[48], T. Nakada[43], R. Nandakumar[51], T. Nanut[42], I. Nasteva[2], M. Needham[52], N. Neri[25,l], S. Neubert[70], N. Neufeld[42], P. Neustroev[38], R. Newcombe[55], J. Nicolini[11,15], E. M. Niel[43], S. Nieswand[14], N. Nikitin[38], N. S. Nolte[58], C. Normand[8,27,h], J. Novoa Fernandez[40], C. Nunez[78], A. Oblakowska-Mucha[34], V. Obraztsov[38], T. Oeser[14], D. P. O'Hanlon[48], S. Okamura[21,i], R. Oldeman[27,h], F. Oliva[52], C. J. G. Onderwater[73], R. H. O'Neil[52], J. M. Otalora Goicochea[2], T. Ovsiannikova[38], P. Owen[44], A. Oyanguren[41], O. Ozcelik[52], K. O. Padeken[70], B. Pagare[50], P. R. Pais[42], T. Pajero[57], A. Palano[19], M. Palutan[23], Y. Pan[56], G. Panshin[38], L. Paolucci[50], A. Papanestis[51], M. Pappagallo[19,f], L. L. Pappalardo[21,i], C. Pappenheimer[59], W. Parker[60], C. Parkes[56], B. Passalacqua[21,i], G. Passaleva[22], A. Pastore[19], M. Patel[55], C. Patrignani[20,g], C. J. Pawley[74], A. Pearce[42], A. Pellegrino[32], M. Pepe Altarelli[42], S. Perazzini[20], D. Pereima[38], A. Pereiro Castro[40], P. Perret[9], M. Petric[53], K. Petridis[48], A. Petrolini[24,k], A. Petrov[38], S. Petrucci[52], M. Petruzzo[25], H. Pham[62], A. Philippov[38], R. Piandani[6], L. Pica[29,p], M. Piccini[72], B. Pietrzyk[8], G. Pietrzyk[11], M. Pili[57], D. Pinci[30], F. Pisani[42], M. Pizzichemi[26,42,m], V. Placinta[37], J. Plews[47], M. Plo Casasus[40], F. Polci[13,42], M. Poli Lener[23], M. Poliakova[62], A. Poluektov[10], N. Polukhina[38], I. Polyakov[42], E. Polycarpo[2], S. Ponce[42], D. Popov[6,42], S. Popov[38], S. Poslavskii[38], K. Prasanth[35], L. Promberger[17], C. Prouve[40], V. Pugatch[46], V. Puill[11], G. Punzi[29,q], H. R. Qi[3], W. Qian[6], N. Qin[3], S. Qu[3], R. Quagliani[43], N. V. Raab[18], R. I. Rabadan Trejo[6], B. Rachwal[34], J. H. Rademacker[48], R. Rajagopalan[62], M. Rama[29], M. Ramos Pernas[50], M. S. Rangel[2], F. Ratnikov[38], G. Raven[33,42], M. Rebollo De Miguel[41], F. Redi[42], J. Reich[48], F. Reiss[56], C. Remon Alepuz[41], Z. Ren[3], P. K. Resmi[10], R. Ribatti[29,p], A. M. Ricci[27], S. Ricciardi[51], K. Richardson[58], M. Richardson-Slipper[52], K. Rinnert[54], P. Robbe[11], G. Robertson[52], A. B. Rodrigues[43], E. Rodrigues[54], E. Rodriguez Fernandez[40], J. A. Rodriguez Lopez[69], E. Rodriguez Rodriguez[40], D. L. Rolf[42], A. Rollings[57], P. Roloff[42], V. Romanovskiy[38], M. Romero Lamas[40], A. Romero Vidal[40], J. D. Roth[78,*], M. Rotondo[23], M. S. Rudolph[62], T. Ruf[42], R. A. Ruiz Fernandez[40], J. Ruiz Vidal[41], A. Ryzhikov[38], J. Ryzka[34], J. J. Saborido Silva[40], N. Sagidova[38], N. Sahoo[47], B. Saitta[27,h], M. Salomoni[42], C. Sanchez Gras[32], I. Sanderswood[41], R. Santacesaria[30], C. Santamarina Rios[40], M. Santimaria[23], E. Santovetti[31,s], D. Saranin[38], G. Sarpis[14], M. Sarpis[70], A. Sarti[30], C. Satriano[30,r], A. Satta[31], M. Saur[15], D. Savrina[38], H. Sazak[9], L. G. Scantlebury Smead[57], A. Scarabotto[13], S. Schael[14], S. Scherl[54], M. Schiller[53], H. Schindler[42], M. Schmelling[16], B. Schmidt[42], S. Schmitt[14], O. Schneider[43], A. Schopper[42], M. Schubiger[32], S. Schulte[43], M. H. Schune[11], R. Schwemmer[42], B. Sciascia[23,42], A. Sciuccati[42], S. Sellam[40], A. Semennikov[38], M. Senghi Soares[33], A. Sergi[24,k], N. Serra[44], L. Sestini[28], A. Seuthe[15], Y. Shang[5], D. M. Shangase[78], M. Shapkin[38], I. Shchemerov[38], L. Shchutska[43], T. Shears[54], L. Shekhtman[38], Z. Shen[5], S. Sheng[4,6], V. Shevchenko[38], B. Shi[6], E. B. Shields[26,m], Y. Shimizu[11], E. Shmanin[38], R. Shorkin[38], J. D. Shupperd[62], B. G. Siddi[21,i], R. Silva Coutinho[62], G. Simi[28], S. Simone[19,f], M. Singla[63], N. Skidmore[56], R. Skuza[17], T. Skwarnicki[62], M. W. Slater[47], J. C. Smallwood[57], J. G. Smeaton[49], E. Smith[44], K. Smith[61], M. Smith[55], A. Snoch[32], L. Soares Lavra[9], M. D. Sokoloff[59], F. J. P. Soler[53], A. Solomin[38,48], A. Solovev[38], I. Solovyev[38], R. Song[63], F. L. Souza De Almeida[2], B. Souza De Paula[2], B. Spaan[15,*], E. Spadaro Norella[25,l], E. Spedicato[20], E. Spiridenkov[38], P. Spradlin[53], V. Sriskaran[42], F. Stagni[42], M. Stahl[42], S. Stahl[42], S. Stanislaus[57], E. N. Stein[42], O. Steinkamp[44], O. Stenyakin[38], H. Stevens[15], S. Stone[62,*], D. Strekalina[38], Y. S. Su[6], F. Suljik[57], J. Sun[27], L. Sun[68], Y. Sun[60], P. Svihra[56], P. N. Swallow[47], K. Swientek[34], A. Szabelski[36], T. Szumlak[34], M. Szymanski[42], Y. Tan[3], S. Taneja[56], M. D. Tat[57], A. Terentev[38], F. Teubert[42], E. Thomas[42], D. J. D. Thompson[47], K. A. Thomson[54], H. Tilquin[55], V. Tisserand[9], S. T'Jampens[8], M. Tobin[4], L. Tomassetti[21,i], G. Tonani[25,l], X. Tong[5], D. Torres Machado[1], D. Y. Tou[3], S. M. Trilov[48], C. Trippl[43], G. Tuci[6], A. Tully[43], N. Tuning[32], A. Ukleja[36], D. J. Unverzagt[17], A. Usachov[32], A. Ustyuzhanin[38], U. Uwer[17], A. Vagner[38], V. Vagnoni[20], A. Valassi[42], G. Valenti[20], N. Valls Canudas[76], M. van Beuzekom[32], M. Van Dijk[43], H. Van Hecke[61], E. van Herwijnen[55], C. B. Van Hulse[40,w], M. van Veghel[73], R. Vazquez Gomez[39], P. Vazquez Regueiro[40], C. Vázquez Sierra[42], S. Vecchi[21], J. J. Velthuis[48], M. Veltri[22,u], A. Venkateswaran[43], M. Veronesi[32], M. Vesterinen[50], D. Vieira[59], M. Vieites Diaz[43], X. Vilasis-Cardona[76], E. Vilella Figueras[54], A. Villa[20], P. Vincent[13], F. C. Volle[11], D. vom Bruch[10], A. Vorobyev[38], V. Vorobyev[38], N. Voropaev[38], K. Vos[74],

C. Vrahas[52], R. Waldi[17], J. Walsh[29], G. Wan[5], C. Wang[17], G. Wang[7], J. Wang[5], J. Wang[4], J. Wang[3], J. Wang[68], M. Wang[5], R. Wang[48], X. Wang[66], Y. Wang[7], Z. Wang[44], Z. Wang[3], Z. Wang[6], J. A. Ward[50,63], N. K. Watson[47], D. Websdale[55], Y. Wei[5], C. Weisser[58], B. D. C. Westhenry[48], D. J. White[56], M. Whitehead[53], A. R. Wiederhold[50], D. Wiedner[15], G. Wilkinson[57], M. K. Wilkinson[59], I. Williams[49], M. Williams[58], M. R. J. Williams[52], R. Williams[49], F. F. Wilson[51], W. Wislicki[36], M. Witek[35], L. Witola[17], C. P. Wong[61], G. Wormser[11], S. A. Wotton[49], H. Wu[62], J. Wu[7], K. Wyllie[42], Z. Xiang[6], D. Xiao[7], Y. Xie[7], A. Xu[5], J. Xu[6], L. Xu[3], L. Xu[3], M. Xu[50], Q. Xu[6], Z. Xu[9], Z. Xu[6], D. Yang[3], S. Yang[6], X. Yang[5], Y. Yang[6], Z. Yang[5], Z. Yang[60], L. E. Yeomans[54], V. Yeroshenko[11], H. Yeung[56], H. Yin[7], J. Yu[65], X. Yuan[62], E. Zaffaroni[43], M. Zavertyaev[16], M. Zdybal[35], O. Zenaiev[42], M. Zeng[3], C. Zhang[5], D. Zhang[7], L. Zhang[3], S. Zhang[65], S. Zhang[5], Y. Zhang[5], Y. Zhang[57], A. Zharkova[38], A. Zhelezov[17], Y. Zheng[6], T. Zhou[5], X. Zhou[6], Y. Zhou[6], V. Zhovkovska[11], X. Zhu[3], X. Zhu[7], Z. Zhu[6], V. Zhukov[14,38], Q. Zou[4,6], S. Zucchelli[20,g], D. Zuliani[28], G. Zunica[56]

[1] Centro Brasileiro de Pesquisas Físicas (CBPF), Rio de Janeiro, Brazil

[2] Universidade Federal do Rio de Janeiro (UFRJ), Rio de Janeiro, Brazil

[3] Center for High Energy Physics, Tsinghua University, Beijing, China

[4] Institute of High Energy Physics (IHEP), Beijing, China

[5] School of Physics State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China

[6] University of Chinese Academy of Sciences, Beijing, China

[7] Institute of Particle Physics, Central China Normal University, Wuhan, Hubei, China

[8] Université Savoie Mont Blanc, CNRS, IN2P3-LAPP, Annecy, France

[9] Université Clermont Auvergne, CNRS/IN2P3, LPC, Clermont-Ferrand, France

[10] Aix Marseille Univ, CNRS/IN2P3, CPPM, Marseille, France

[11] Université Paris-Saclay, CNRS/IN2P3, IJCLab, Orsay, France

[12] Laboratoire Leprince-Ringuet, CNRS/IN2P3, Ecole Polytechnique, Institut Polytechnique de Paris, Palaiseau, France

[13] LPNHE, Sorbonne Université, Paris Diderot Sorbonne Paris Cité, CNRS/IN2P3, Paris, France

[14] I. Physikalisches Institut, RWTH Aachen University, Aachen, Germany

[15] Fakultät Physik, Technische Universität Dortmund, Dortmund, Germany

[16] Max-Planck-Institut für Kernphysik (MPIK), Heidelberg, Germany

[17] Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

[18] School of Physics, University College Dublin, Dublin, Ireland

[19] INFN Sezione di Bari, Bari, Italy

[20] INFN Sezione di Bologna, Bologna, Italy

[21] INFN Sezione di Ferrara, Ferrara, Italy

[22] INFN Sezione di Firenze, Florence, Italy

[23] INFN Laboratori Nazionali di Frascati, Frascati, Italy

[24] INFN Sezione di Genova, Genoa, Italy

[25] INFN Sezione di Milano, Milan, Italy

[26] INFN Sezione di Milano-Bicocca, Milan, Italy

[27] INFN Sezione di Cagliari, Monserrato, Italy

[28] Università degli Studi di Padova, Università e INFN, Padova, Padua, Italy

[29] INFN Sezione di Pisa, Pisa, Italy

[30] INFN Sezione di Roma La Sapienza, Rome, Italy

[31] INFN Sezione di Roma Tor Vergata, Rome, Italy

[32] Nikhef National Institute for Subatomic Physics, Amsterdam, The Netherlands

[33] Nikhef National Institute for Subatomic Physics and VU University Amsterdam, Amsterdam, The Netherlands

[34] Faculty of Physics and Applied Computer Science, AGH-University of Science and Technology, Kraków, Poland

[35] Henryk Niewodniczanski Institute of Nuclear Physics Polish Academy of Sciences, Kraków, Poland

[36] National Center for Nuclear Research (NCBJ), Warsaw, Poland

[37] Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest-Magurele, Romania

[38] Affiliated with an Institute Covered by a Cooperation Agreement with CERN, ICCUB, Universitat de Barcelona, Barcelona, Spain

[39] Instituto Galego de Física de Altas Enerxías (IGFAE), Universidade de Santiago de Compostela, Santiago de Compostela, Spain

[40] Instituto de Fisica Corpuscular, Centro Mixto Universidad de Valencia-CSIC, Valencia, Spain

[41] European Organization for Nuclear Research (CERN), Geneva, Switzerland

[42] Institute of Physics, Ecole Polytechnique Fédérale de Lausanne (EPFL), Lausanne, Switzerland

[43] Physik-Institut, Universität Zürich, Zurich, Switzerland

[44] NSC Kharkiv Institute of Physics and Technology (NSC KIPT), Kharkiv, Ukraine

[45] Institute for Nuclear Research of the National Academy of Sciences (KINR), Kyiv, Ukraine

[46] University of Birmingham, Birmingham, UK

[47] H.H. Wills Physics Laboratory, University of Bristol, Bristol, UK

[48] Cavendish Laboratory, University of Cambridge, Cambridge, UK

[49] Department of Physics, University of Warwick, Coventry, UK

[50] STFC Rutherford Appleton Laboratory, Didcot, UK

[51] School of Physics and Astronomy, University of Edinburgh, Edinburgh, UK

[52] School of Physics and Astronomy, University of Glasgow, Glasgow, UK

[53] Oliver Lodge Laboratory, University of Liverpool, Liverpool, UK

[54] Imperial College London, London, UK

[55] Department of Physics and Astronomy, University of Manchester, Manchester, UK

[56] Department of Physics, University of Oxford, Oxford, UK

[57] Massachusetts Institute of Technology, Cambridge, MA, USA

[58] University of Cincinnati, Cincinnati, OH, USA

[59] University of Maryland, College Park, MD, USA

[60] Los Alamos National Laboratory (LANL), Los Alamos, NM, USA

[61] Syracuse University, Syracuse, NY, USA

[62] School of Physics and Astronomy, Monash University, Melbourne, Australia, associated to[50]

[63] Pontifícia Universidade Católica do Rio de Janeiro (PUC-Rio), Rio de Janeiro, Brazil, associated to[2]

[64] Physics and Micro Electronic College, Hunan University, Changsha City, China, associated to[7]

[65] Guangdong Provincial Key Laboratory of Nuclear Science, Guangdong-Hong Kong Joint Laboratory of Quantum Matter, Institute of Quantum Matter, South China Normal University, Guangzhou, China, associated to[3]

[66] Lanzhou University, Lanzhou, China, associated to[4]

[67] School of Physics and Technology, Wuhan University, Wuhan, China, associated to[3]

[68] Departamento de Fisica, Universidad Nacional de Colombia, Bogotá, Colombia, associated to[13]

[69] Universität Bonn-Helmholtz-Institut für Strahlen und Kernphysik, Bonn, Germany, associated to[17]

[70] Eotvos Lorand University, Budapest, Hungary, associated to[42]

[71] INFN Sezione di Perugia, Perugia, Italy, associated to[21]

[72] Van Swinderen Institute, University of Groningen, Groningen, The Netherlands, associated to[32]

[73] Universiteit Maastricht, Maastricht, The Netherlands, associated to[32]

[74] Faculty of Material Engineering and Physics, Cracow, Poland, associated to[35]

[75] DS4DS, La Salle, Universitat Ramon Llull, Barcelona, Spain, associated to[39]

[76] Department of Physics and Astronomy, Uppsala University, Uppsala, Sweden, associated to[53]

[77] University of Michigan, Ann Arbor, MI, USA, associated to[62]

[a] Also at Universidade de Brasília, Brasília, Brazil

[b] Also at Central South U., Changsha, China

[c] Also at Hangzhou Institute for Advanced Study, UCAS, Hangzhou, China

[d] Also at Excellence Cluster ORIGINS, Munich, Germany

[e] Also at Universidad Nacional Autónoma de Honduras, Tegucigalpa, Honduras

[f] Also at Università di Bari, Bari, Italy

[g] Also at Università di Bologna, Bologna, Italy

[h] Also at Università di Cagliari, Cagliari, Italy

[i] Also at Università di Ferrara, Ferrara, Italy

[j] Also at Università di Firenze, Florence, Italy

[k] Also at Università di Genova, Genoa, Italy

[l] Also at Università degli Studi di Milano, Milan, Italy

[m] Also at Università di Milano Bicocca, Milan, Italy

[n] Also at Università di Padova, Padua, Italy

[o] Also at Università di Perugia, Perugia, Italy

[p] Also at Scuola Normale Superiore, Pisa, Italy

[q] Also at Università di Pisa, Pisa, Italy

[r] Also at Università della Basilicata, Potenza, Italy

[s] Also at Università di Roma Tor Vergata, Rome, Italy

[t] Also at Università di Siena, Siena, Italy

[u] Also at Università di Urbino, Urbino, Italy

[v] Also at MSU-Iligan Institute of Technology (MSU-IIT), Iligan, Philippines

[w] Also at Universidad de Alcalá, Alcalá de Henares, Spain

*Deceased