

Appendix IV: Fossil Hominid Specimens

Specimen	Sex	Provenance	Reference	Taxa	L/R	C1	H1	H2	H3	H4	H8	R1	R2	R5	R9	R10
KP271	?	Cast	1,2,3	<i>Australopithecus anamensis</i>	L					57.72						
AL-333-187	?	Cast	4,5,7	<i>Australopithecus afarensis</i>	R				40.64							
AL-137-48a	?	Cast	4,5,7	<i>Australopithecus afarensis</i>	R					48.6						
AL-288-1	F	Cast	4,5,8	<i>Australopithecus afarensis</i>	C				30.09	41.02				15.23		21.13
Stw 431	M	Original	12,11	<i>Australopithecus africanus</i>	C					58.9				22.12		
MLD 16	?	Original	9	<i>Australopithecus africanus</i>	R									19.51		
Sts 7	?	Original	A	<i>Australopithecus africanus</i>	L					40.94						
Sts 68	?	Original	A	<i>Australopithecus africanus</i>	R									21.46		
Stw 328	?	Original	A	<i>Australopithecus africanus</i>	R				31.33							
KR1570	?	Original	9	<i>Australopithecus robustus</i>	R					51.7						
SK 860	?	Original	13,14,15	<i>Australopithecus robustus</i>	R					56.91						
TM 1517	?	Original	7	<i>Australopithecus robustus</i>	R					53.84						
SKX 3062	?	Original	13,14,15	<i>Australopithecus robustus</i>	R									19.66		
SK 24600	?	Original	13,14,15	<i>Australopithecus robustus</i>	L					44.09				17.15		
SKX 10924	?	Original	13,14,15	<i>Australopithecus robustus</i>	L					43.03						
SKX 2045	?	Original	13,14,15	<i>Australopithecus robustus</i>	L									21.18		
KNM-ER 1504	?	Cast	10,16,17	<i>Australopithecus sp.</i>	R					59.14						
KNM-ER 1500	?	Cast	10,16,17	<i>Australopithecus sp.</i>	L									19.3		
KNM-ER 739	?	Cast	10,16,17	<i>Australopithecus sp.</i>	R					70.47	96					
Omo L119.2710		Cast	10,16,17	<i>H. gen. sp. indet.</i>	L					44.25						
KNM-ER 3735		Cast	21,22	<i>H. gen. sp. indet.</i>	L					54.95				17.3		
Gombore 1b	?	Cast	2	<i>Homo erectus</i>	L					69.08						
KNM-WT 15000	M	Cast	23,24	<i>Homo erectus</i>	C	127.99	310	309			56					

Appendix IV: Fossil Hominid Specimens (Contd.).

[illegible]

Appendix IV: Fossil Hominid Specimens (Contd.).

Specimen	Sex	Provenance	Reference	Taxa	L/R	C1	H1	H2	H3	H4	H8	R1	R2	R5	R9	R10
Krapina 192	?	Original	52	<i>Homo neanderthalensis</i>	L									19.39		
Krapina 193	?	Original	52	<i>Homo neanderthalensis</i>	L									19.96		
Krapina 194	?	Original	52	<i>Homo neanderthalensis</i>	L									21.58		
Krapina 191	?	Original	52	<i>Homo neanderthalensis</i>	L									22.35		
Krapina 196	?	Original	52	<i>Homo neanderthalensis</i>	L									22.49		
Krapina 197	?	Original	52	<i>Homo neanderthalensis</i>	L									19.73		
Krapina 142	?	Original	52	<i>Homo neanderthalensis</i>	R	149.73										
Regourdou 1	M	Original	53	<i>Homo neanderthalensis</i>	C	158	310	305	51	62.5	65	232	218.8	19.75	38	37
Spy D'Orneau 1	M	Original	55	<i>Homo neanderthalensis</i>	C									18.15		
Spy D'Orneau 2	M	Original	55	<i>Homo neanderthalensis</i>	C					63.93						
Feldhofer 1	M	Original	56	<i>Homo neanderthalensis</i>	C		322.5	319.5	49.06	64.16	72	238	235	22.17	43	34.87
La Ferrassie 1	M	Cast	57	<i>Homo neanderthalensis</i>	C	172.58	336	331.5		64.25	64		235	22.62	40	
La Quina H5	M	Cast	58	<i>Homo neanderthalensis</i>	C					61.59						
La Chapelle-aux-Saints 1	M	Cast	59	<i>Homo neanderthalensis</i>	C							225.5	219	20.87	50	34.17
Mladec (Lautsch) No24	?	Original	60	<i>Homo sapiens</i>	R						61.5					
Mladec (Lautsch) No25a	?	Original	60	<i>Homo sapiens</i>	R									25.41		
Vogelherdhole 3	M	Original	61	<i>Homo sapiens</i>	R					64.64	82					
Paviland 1	M	Original	62,63	<i>Homo sapiens</i>	C		338	332	43.7	56.84	57			24.44		
Dolni Vestonice 13	M	Original	64,65,66	<i>Homo sapiens</i>	C	164.11	333.75	330.5	44.49	59.65	66.5	256	251.25	23.13	42.5	33.67
Dolni Vestonice 16	M	Original	64,65,66	<i>Homo sapiens</i>	C		332	326			64.75	263	259	24.22	41	
Dolni Vestonice 15	M	Original	64,65,66	<i>Homo sapiens</i>	C	148.22	303	300.25	46.52	62.1	62	237	225	23.14	37.25	33.12
Dolni Vestonice 14	M	Original	64,65,66	<i>Homo sapiens</i>	C	144.09	374	370	51.46	64.55	64.75	285	271	23.45	38	
Dolni Vestonice 3	F	Original	64,65,66,67	<i>Homo sapiens</i>	C		309	305.5	50.8		54.25	237	224		33.75	

Appendix IV: Fossil Hominid Specimens (Contd.).

Specimen	Sex	Provenance	Reference	Taxa	L/R	C1	H1	H2	H3	H4	H8	R1	R2	R5	R9	R10
Pavlov 1	M	Original	66	<i>Homo sapiens</i>	C			366	52.48	71.7	79	285	278		44	37.89
Predmosti 3	M	Original	68	<i>Homo sapiens</i>	C	167	357	353.5	50	61.5	64	279.5	262.5	24	39.5	29
Predmosti 4	F	Original	68	<i>Homo sapiens</i>	C	156	321	317.5	50	61.5	63	252.5	238	21.5	40	28.5
Predmosti 9	M	Original	68	<i>Homo sapiens</i>	C	148	329	321.5	49.5	60	57	258	243	23.5	36.75	27
Predmosti 10	F	Original	68	<i>Homo sapiens</i>	C	150	311	302		55.5	62.5	245	235	19.3	37.25	25
Predmosti 14	M	Original	68	<i>Homo sapiens</i>	C	155.5	335.5	327	50	60.5	62.5	264.5	249	23.25	37	27.25
Predmosti 5	?	Original	68	<i>Homo sapiens</i>	C		312				49					25
Predmosti 7	?	Original	68	<i>Homo sapiens</i>	C		267.5				41.5				31	
Grotte des Enfants 4	M	Original	69,70	<i>Homo sapiens</i>	C	166.28	368.25	264.5	49.79	65.24	73	283.7	278.7	23.79	45.5	36.47
Grotte des Enfants 5	F	Original	69,70	<i>Homo sapiens</i>	C	140.5	290.5	289	41.89	57.15	62	233	222	21.31	46	30.69
Oberkassel 998	M	Original	72	<i>Homo sapiens</i>	C	150.15	321.75	317.5	48.52	65.36	71			22.83	48.25	
Oberkassel 999	F	Original	72	<i>Homo sapiens</i>	C		277	274		57.49	58.5					
Neuessing 2	M	Original	73	<i>Homo sapiens</i>	C		307.5	303.5	44.44	62.93	64		249	24.09	42	
San Teodoro 5	?	Original	75	<i>Homo sapiens</i>	C					57.9						
San Teodoro 4	F	Original	75	<i>Homo sapiens</i>	C					57.51		241.5	238	21.95	46	32.44
San Teodoro 3	?	Original	75	<i>Homo sapiens</i>	C					61.76						
San Teodoro 1	F	Original	75	<i>Homo sapiens</i>	C		306	303.5	46.37	60.79	77	242	237	21.69	47	32.36
Barma Grande 1	M	Original	71	<i>Homo sapiens</i>	C	161.78	376.5	321.75	55.12	69.84	77.25	287.5	282	25.28	49	38.12
Barma Grande 5	M	Original	71	<i>Homo sapiens</i>	C		350	346	52.58	63.52	69					
Arene Candide II	M	Original	76	<i>Homo sapiens</i>	C	129.87	303.75	303.5	44.44	59.93	63.5	233.75	229.5	22.41	41.25	33.66
Grotte des Enfants 3	F	Original	69	<i>Homo sapiens</i>	C		276.5	275.25	42.46	52.8	57.75					
Grotte des Enfants 6	M	Original	69	<i>Homo sapiens</i>	C		271	270	39.34	47.72	48		212	18.37	36	25
Veyrier 1	M	Original	77	<i>Homo sapiens</i>	C		310	305.5	43.67	61.73	60					

Appendix IV: Fossil Hominid Specimens (Contd.).

Specimen	Sex	Provenance	Reference	Taxa	L/R	C1	H1	H2	H3	H4	H8	R1	R2	R5	R9	R10
Ain Mallaha EH87	M	Original	78	<i>Homo sapiens</i>	C	146.1	311.5	308		60.95	62	250.75	244.5	22.67	42	33.64
Ain Mallaha EH16a	M	Original	78	<i>Homo sapiens</i>	C	145.6	318	315	47.95	63.59	70	247	241.5	22.28	45	32.54
Ain Mallaha Gr 25:10	?	Original	78	<i>Homo sapiens</i>	C					53.95						
Ain Mallaha Gr 25:29	?	Original	78	<i>Homo sapiens</i>	C					65.9						
Hayonim 29	M	Original	78	<i>Homo sapiens</i>	C		312.5	309.25	45.37	57.71	61	236	232	20.91	40	34.34
Hayonim 19	M	Original	78	<i>Homo sapiens</i>	C	137.47	324.5	321.5	45.21	59.57	63	243	240.5	22.08	40	28.92
Hayonim 4	?	Original	78	<i>Homo sapiens</i>	C	146.99	319	317.5	45.71	62.48	67	243.5	238	22.66	44	35.48
Nahal-Oren 48	F	Original	78	<i>Homo sapiens</i>	C	119.49				50.91						
Nahal-Oren 8	M	Original	78	<i>Homo sapiens</i>	C	138.74	307.5		44.74	60.94	60	233.5	230	21.14	40	31.25
Hayonim 20	F	Original	78	<i>Homo sapiens</i>	C		302		40.39	54.88	61	224	219.5	20.65	42	31.53
Hayonim 25	M	Original	78	<i>Homo sapiens</i>	C	143.92				60.67		238	232	21.77	42	32.02
Hayonim 11	?	Original	78	<i>Homo sapiens</i>	C	132.04				58.61				21.67		
Cape Flats	?	Original	79	<i>Homo sapiens</i>	C									21.27		
Gough's Cave 1	M	Original	80,81	<i>Homo sapiens</i>	C	135.4	322.75	318.5	42.06	57.86	65	247.5	243	22.13	45	28.72
Gamble's Cave 1	M	Original	79	<i>Homo sapiens</i>	C		344		40.51		64					
Makalia 1	M	Original	79	<i>Homo sapiens</i>	C	147.51	335	330	48.67	61.98	73.5	256	253.5	23.06	48.5	35.26
Lochinvar	?	Original	79	<i>Homo sapiens</i>	C					58.93				21.71		
Chencherere II	M	Original	79	<i>Homo sapiens</i>	C		322	321	41.59	57.49	56	241	233	21.14	37	29.07
Lothagam 4b	M	Original	79	<i>Homo sapiens</i>	C	156.43	348	341	45.19	57.77	61			20.94		

Appendix IV: Fossil Hominid Specimens (Contd.).

Specimen	Sex	Provenance	Reference	Taxa	L/R	U1	U2	U10	U11	P1	P2	P3	P4	P6	P8	P9	P10
AL-288-1	F	Cast	4,5,8	<i>Australopithecus afarensis</i>	C		25.26			37.2	30.92	83.45	103.84	82.42	25.5	26.08	145.96
MLD 7	?	Original	9,10,11	<i>Australopithecus africanus</i>	L							73.73	107.49				
Stw 431	M	Original	12,11	<i>Australopithecus africanus</i>	C		35.75			48.69		98.12					
Sts 14	F	Original	9	<i>Australopithecus africanus</i>	L					37.22	32.95	81.93	113.2	86.38			
Stw 398	?	Original	A	<i>Australopithecus africanus</i>	L		29.66										
SK 50	?	Original	9	<i>Australopithecus robustus</i>	R						34.22						
SK 3155b	?	Original	9	<i>Australopithecus robustus</i>	R					38.41	34.91						
SKX 8761	?	Original	13,14,15	<i>Australopithecus robustus</i>	L		28.24										
KNM-ER 1500	?	Cast	10,16,17	<i>Australopithecus sp.</i>	L		29.54										
L-40-19	?	Cast	16,17,18,	<i>Homo sp. indet.</i>	R	305	41.47	14.42	19.09								
KNM-WT 15000	M	Cast	23,24	<i>Homo erectus</i>	C	251	30.6	12.26	9.65	55.93		89.82					
OH28	F	Cast	10,25,26,28	<i>Homo erectus</i>	R					56.2							
OH36	?	Cast	10,25,26,28	<i>Homo erectus</i>	R	17.22	26.33										
Arago XLIV	M	Cast	10,29,30,31	<i>Homo sp. indet.</i>	L					62.42		104.94					
BH E-719	N/A	Original	32,33	<i>Homo rhodesiensis</i>	R					66.92							
BH E-720	N/A	Original	32,33	<i>Homo rhodesiensis</i>	L							102.97	164.05				
KNM-BK 66	M	Cast	39,18	<i>Homo sp. indet.</i>	L		29.2	11.83	12.91								
Omo 1	M	Cast	40,41,42	<i>Homo sapiens</i>	C		36.67										
Skhul IV	M	Original	43	<i>Homo sapiens</i>	C	289	33.67	15.65	13.69	57.83	56.07	98.11	160.87	90.4	28		
Qafzeh 9	F	Original	44	<i>Homo sapiens</i>	C	274.5	34.5	13.78	16.79	52.69	46.41	99.37	161.57	72.67			
Ohalo 2	M	Original	45	<i>Homo sapiens</i>	C	277	34.84	14.55	14.24	58.54	56.86	115.67		101.13	26.48	28.34	158.51
Nahal-Ein-Gev	M	Original	46,47	<i>Homo sapiens</i>	C		33.3										
Shanidar 1	M	Cast	48	<i>Homo neanderthalensis</i>	C	275	35.38	12.69	13.45								192

Appendix IV: Fossil Hominid Specimens (Contd.).

Specimen	Sex	Provenance	Reference	Taxa	L/R	U1	U2	U10	U11	P1	P2	P3	P4	P6	P8	P9	P10
Shanidar 3	M	Cast	48	<i>Homo neanderthalensis</i>	C												176
Shanidar 5	M	Cast	48	<i>Homo neanderthalensis</i>	C	246	34.16	11.43	13.77								
Shanidar 4	M	Cast	48	<i>Homo neanderthalensis</i>	C	250	36.89	13.32	14.71								
Shanidar 6	F	Cast	48	<i>Homo neanderthalensis</i>	C		31.81										
Tabun C1	F	Original	43	<i>Homo neanderthalensis</i>	C	242	32.99	13.48	10.69								
Kebara 2	M	Original	49	<i>Homo neanderthalensis</i>	C	275	35.83	15.4	14.54	58.9	53.76	106.8	157.18	117.63	26.29	31.02	190.62
Amud 1	M	Original	50	<i>Homo neanderthalensis</i>	C		35.91			57.42	49.46	108.85					
Krapina 183	?	Original	52	<i>Homo neanderthalensis</i>	R		37.32										
Krapina 207	M	Original	52	<i>Homo neanderthalensis</i>	L					54.16		93.07					
Krapina 212	F	Original	52	<i>Homo neanderthalensis</i>	R					53.73	50.58						
Krapina 208	?	Original	52	<i>Homo neanderthalensis</i>	R					52.91	52.39						
Spy D'Orneau 1	M	Original	55	<i>Homo neanderthalensis</i>	C		35.37										
Spy D'Orneau 2	M	Original	55	<i>Homo neanderthalensis</i>	C		38.9										
Feldhofer 1	M	Original	56	<i>Homo neanderthalensis</i>	C	239.5	40.56	14.34	12.96	61.91		108.78					
La Ferrassie 1	M	Cast	57	<i>Homo neanderthalensis</i>	C	269.5	39.95	15.03	13.66	59.49	55.57			109.9			183
La Chapelle-aux-Saints 1	M	Cast	59	<i>Homo neanderthalensis</i>	C	249.5	36.06	12.83	15.66	60.27							
Mladec (Lautsch) No 22	?	Original	60	<i>Homo sapiens</i>	L					60.28							
Paviland 1	M	Original	62,63	<i>Homo sapiens</i>	C		37.07			57.57	53.51	107.22	167.5	104.33			
Dolni Vestonice 13	M	Original	64,65,66	<i>Homo sapiens</i>	C	278	37.88	16.01	13.01	55.41	55.13	116.71	154.17	100.24	24.43	27.29	140.59
Dolni Vestonice 16	M	Original	64,65,66	<i>Homo sapiens</i>	C		37.16	16.39	15.27	60.29							
Dolni Vestonice 15	M	Original	64,65,66	<i>Homo sapiens</i>	C	257.5	36.6	13.2	14.01	55.33	49.15	96.55	147.27	88.36	25.52	25.35	130.1
Dolni Vestonice 14	M	Original	64,65,66	<i>Homo sapiens</i>	C		36.56	16	12.99	60.6	58.9	115.57	160.85	97.04	24.89	25.97	151
Dolni Vestonice 3	F	Original	64,65,66,67	<i>Homo sapiens</i>	C	257		11.5	10			139	153.7				

Appendix IV: Fossil Hominid Specimens (Contd.).

Specimen	Sex	Provenance	Reference	Taxa	L/R	U1	U2	U10	U11	P1	P2	P3	P4	P6	P8	P9	P10
Pavlov 1	M	Original	66	<i>Homo sapiens</i>	C		40										
Predmosti 3	M	Original	68	<i>Homo sapiens</i>	C	298		16.5	16	57.85	54.5	107	160	86			
Predmosti 4	F	Original	68	<i>Homo sapiens</i>	C	275		16	16.5	53.25	51.5	106	147	78.5			
Predmosti 9	M	Original	68	<i>Homo sapiens</i>	C	271.5		13	15	49.5		98					
Predmosti 10	F	Original	68	<i>Homo sapiens</i>	C	268		12.4	14	56	52	105		84			
Predmosti 14	M	Original	68	<i>Homo sapiens</i>	C	283		14.75	16	52.5	51	109.5	153	85			
Predmosti 5	?	Original	68	<i>Homo sapiens</i>	C	250		10	13								
Predmosti 7	?	Original	68	<i>Homo sapiens</i>	C	205		12	13								
Grotte des Enfants 4	M	Original	69,70	<i>Homo sapiens</i>	C	307.5	39.06	17.01	15.97	63.02	62.65	114.13	171.66	112.19	27.18	31.43	172.43
Grotte des Enfants 5	F	Original	69,70	<i>Homo sapiens</i>	C		32.99	12.78	11.99	50.49	45.65	95.21	155.3				
Oberkassel 998	M	Original	72	<i>Homo sapiens</i>	C	283	37.99	14.6	15.34	56.4	52.3						
Oberkassel 999	F	Original	72	<i>Homo sapiens</i>	C		30.92			51.38	48.27			82.26			
Neuessing 2	M	Original	73	<i>Homo sapiens</i>	C	272	38.71	14.24	14.33	58.07							
Parabita 1	M	Original	74	<i>Homo sapiens</i>	C					60.09	58.62	114.9	174.48	88.52	25.1	28.9	123.69
Parabita 2	F	Original	74	<i>Homo sapiens</i>	C					57.42	52.22	95.36		98.24	25.32	28.03	150.57
San Teodoro 4	F	Original	75	<i>Homo sapiens</i>	C	265	34.01	13.49	15.09	56.81	56.6	104.52	171.51		26.84	29.83	159.52
San Teodoro 3	?	Original	75	<i>Homo sapiens</i>	C												
San Teodoro 1	F	Original	75	<i>Homo sapiens</i>	C	262	35.36	14.44	15.86	56.22	55.05			95.5		27.05	162.08
Barma Grande 1	M	Original	71	<i>Homo sapiens</i>	C	300		19	14.24		60.1	114.36	187.87	111.75	22.69	27.86	156.28
Arene Candide II	M	Original	76	<i>Homo sapiens</i>	C	244	33.86	12.69	13.45	57.28	56.22	94.16	153.93	90.17	21.83	25.42	151.06
Grotte des Enfants 3	F	Original	69	<i>Homo sapiens</i>	C		29.35			48.05		94.55	154.24				
Grotte des Enfants 6	M	Original	69	<i>Homo sapiens</i>	C	226		12.32	9.19								
Veyrier 1	M	Original	77	<i>Homo sapiens</i>	C	273.5	33.9	13.67	15.47								

Appendix IV: Fossil Hominid Specimens (Contd.).

Specimen	Sex	Provenance	Reference	Taxa	L/R	U1	U2	U10	U11	P1	P2	P3	P4	P6	P8	P9	P10
Ain Mallaha EH87	M	Original	78	<i>Homo sapiens</i>	C	267	35.97	12.27	12.08	57.74	53.38	100.34					
Ain Mallaha EH16a	M	Original	78	<i>Homo sapiens</i>	C		37.48			57.95		104.32	151.36				
Ain Mallaha EM34	?	Original	78	<i>Homo sapiens</i>	C		35.4										
Ain Mallaha Gr 25:10	?	Original	78	<i>Homo sapiens</i>	C		31.26										
Ain Mallaha Gr 25:9	?	Original	78	<i>Homo sapiens</i>	C		31.65										
Ain Mallaha Gr 25:31	?	Original	78	<i>Homo sapiens</i>	C		36.67										
Ain Mallaha Gr 25:36	?	Original	78	<i>Homo sapiens</i>	C		35.54										
Hayonim 29	M	Original	78	<i>Homo sapiens</i>	C	260	32.49	13.58	12.05	56.25	54.48	95.69		96.18	26.14	27.99	156.22
Hayonim 19	M	Original	78	<i>Homo sapiens</i>	C	260	34.54	13.8	14.1	58.82	61.92	99.19	149.42	93.57			
Hayonim 4	?	Original	78	<i>Homo sapiens</i>	C	266	36.87	16.17	11.53								
Nahal-Oren 48	F	Original	78	<i>Homo sapiens</i>	C	243	31.81	11.42	11.74	54.59	49.54	96.25	140.06		25.71	26.52	
Nahal-Oren 8	M	Original	78	<i>Homo sapiens</i>	C					56.27	52.56		158.93	94.14	23.44		147.92
Hayonim 20	F	Original	78	<i>Homo sapiens</i>	C		33.57					96.58	146.66		21.06	23.95	
Hayonim 25	M	Original	78	<i>Homo sapiens</i>	C	250	33.25	14.53	11.64								
Hayonim 11	?	Original	78	<i>Homo sapiens</i>	C		33.9										
Cape Flats	?	Original	79	<i>Homo sapiens</i>	C	12.53	35.56										
Gough's Cave 1	M	Original	80,81	<i>Homo sapiens</i>	C	269	35.18	13.46	13.5	55.5	54.01	100.49	163.83	92.16	23.82	27.13	146.38
Makalia 1	M	Original	79	<i>Homo sapiens</i>	C	278.5	38.9	16.66	15.42	59.03	57.42	107.2	160.01	89.7	24.05	26.63	144.95
Lochinvar	?	Original	79	<i>Homo sapiens</i>	C		30.33										
Chencherere II	M	Original	79	<i>Homo sapiens</i>	C		35.16	13.51	12.57	53.5	51.02	88.63			20.84	23.78	
Lothagam 4b	M	Original	79	<i>Homo sapiens</i>	C	274	35.41	14.25	15.68			94.38					

Appendix IV: Fossil Hominid Specimens (Contd.).

Specimen	Sex	Provenance	Reference	Taxa	L/R	P11	Sa1	F1	F2	FMArea	FMML	FMAP	STArea	STML	STAP	F11
AL-333-3	?	Cast	4,5,6	<i>Australopithecus afarensis</i>	R											85.25
AL-333-95	?	Cast	4,5,6	<i>Australopithecus afarensis</i>	R								693.86	21.24	25.65	
AL-128	?	Cast	4,5,6	<i>Australopithecus afarensis</i>	L								422.05	15.9	20.85	
AL-211-1	?	Cast	4,5,6	<i>Australopithecus afarensis</i>	R								673.56	19.19	27.56	
AL-288-1	F	Cast	4,5,8	<i>Australopithecus afarensis</i>	C	102.09	92.36		280	372.37	17.24	16.96	414.72	15.92	20.46	63.5
Stw 431	M	Original	12,11	<i>Australopithecus africanus</i>	C		88.79									
Stw 99	?	Original	11	<i>Australopithecus africanus</i>	R					526.13	18.96	21.79	684.16	19.74	27.21	89
Sts 14	F	Original	9	<i>Australopithecus africanus</i>	L		75.94						309.16	14.37	16.89	65.47
SK 82	?	Original	9	<i>Australopithecus robustus</i>	R								595.41	19.65	23.8	80.52
SK 97	?	Original	9	<i>Australopithecus robustus</i>	R								594.23	18.2	25.63	83.36
KNM-ER 736	?	Cast	10,16,17	<i>Australopithecus boisei</i>	L								466.3	17.2	21.29	
KNM-ER 1503	?	Cast	10,16,17	<i>Australopithecus boisei</i>	R								540.12	17.73	23.93	86.53
KNM-ER 737	?	Cast	10,16,17	<i>Australopithecus sp.</i>	L					686.92	21.3	25.33	786.92	20.25	30.51	
KNM-ER 738	?	Cast	10,16,17	<i>Australopithecus sp.</i>									444.44	16.78	20.8	
KNM-ER 1481	?	Cast	10,16,17	<i>Homo sp. indet.</i>	L			395.5	393	462.84	18.54	19.6	526.29	17.91	23.08	88.63
KNM-ER 1463	?	Cast	10,16,17	<i>Homo sp. indet.</i>	R								503.21	17.41	22.7	
KNM-ER 1472	?	Cast	10,16,17	<i>Homo sp. indet.</i>	R			401	376	471.02	18.29	20.22	496.24	16.4	23.77	78.01
KNM-WT 15000	M	Cast	23,24	<i>Homo erectus</i>	C		80.6	432	424	439.44	18.99	18.16	583.22	17.39	26.34	99.11
Trinil 1	M	Cast	10,25,26,27	<i>Homo sp. indet.</i>	R			437		702.4	25.48	21.64				93.69
Trinil 2	?	Cast	10,25,26,27	<i>Homo erectus</i>	R					540.89	20.87	20.35	681.01	22.32	23.96	
Trinil 3	?	Cast	10,25,26,27	<i>Homo erectus</i>	L					535.62	19.22	21.89	665.89	20.58	25.41	
OH28	F	Cast	10,25,26,28	<i>Homo erectus</i>	R								719.18	19.56	28.87	

Appendix IV: Fossil Hominid Specimens (Contd.).

Specimen	Sex	Provenance	Reference	Taxa	L/R	P11	Sa1	F1	F2	FMArea	FMML	FMAP	STArea	STML	STAP	F11
OH20	?	Cast	10,25,26,28	<i>Homo erectus</i>	L								501.5	15.25	25.82	
OH59	?	Cast	10,25,26,28	<i>Homo erectus</i>	L								615.93	19.26	25.11	
BH E-689.	N/A	Original	32,33	<i>Homo rhodesiensis</i>	L								800.55	23.43	26.84	97.9
BH E-688	N/A	Original	32,33	<i>Homo rhodesiensis</i>	N/A		103.71									
BH E-907	N/A	Original	32,33	<i>Homo rhodesiensis</i>	R								630.35	25.09	19.73	102.29
Berg Aukas	M	Original	37,38	<i>Homo rhodesiensis</i>	R								1102.88	26.4	32.81	109.27
KNM-ER 999a	?	Cast	10,16,17,19,20	<i>Homo sp. indet.</i>	L								1117.66	28.12	31.22	
Skhul IV	M	Original	43	<i>Homo sapiens</i>	C			498	493	716.21	26.77	21.01	690.69	20.48	26.48	103.72
Qafzeh 9	F	Original	44	<i>Homo sapiens</i>	C					883.57	28.45	24.39	788.85	23.7	26.14	
Ohalo 2	M	Original	45	<i>Homo sapiens</i>	C	147.81	116.61	469	467	760.53	28.46	20.98	777.73	21.83	27.97	95.91
Nahal-Ein-Gev	M	Original	46,47	<i>Homo sapiens</i>	C								516.35	18.44	21.99	
Shanidar 1	M	Cast	48	<i>Homo neanderthalensis</i>	C		104	461	458				1070.17	30.32	27.72	
Shanidar 3	M	Cast	48	<i>Homo neanderthalensis</i>	C		117									
Shanidar 5	M	Cast	48	<i>Homo neanderthalensis</i>	C			425	422	983.28	28.67	26.94				
Shanidar 4	M	Cast	48	<i>Homo neanderthalensis</i>	C			450	447	864.33	27.88	24.35				
Shanidar 6	F	Cast	48	<i>Homo neanderthalensis</i>	C			388	384	626.75	22.38	21.99	589.28	23.95	19.32	
Tabun C1	F	Original	43	<i>Homo neanderthalensis</i>	C					513.52	18.51	21.79	570.25	19.19	23.34	
Kebara 2	M	Original	49	<i>Homo neanderthalensis</i>	C	153.53	121.18									
Amud 1	M	Original	50	<i>Homo neanderthalensis</i>	C					812.63	26.84	23.78	874.19	24.01	28.6	
Krapina 213	?	Original	52	<i>Homo neanderthalensis</i>	L								826.87	22.77	28.53	105.4
Krapina 214	?	Original	52	<i>Homo neanderthalensis</i>	L								629.3	20.33	24.32	89.74
Fond de Foret	?	Original	54	<i>Homo neanderthalensis</i>	R					822.93	26.95	23.98				

Appendix IV: Fossil Hominid Specimens (Contd.).

Specimen	Sex	Provenance	Reference	Taxa	L/R	P11	Sa1	F1	F2	FMArea	FMML	FMAP	STArea	STML	STAP	F11
Spy D'Orneau 1	M	Original	55	<i>Homo neanderthalensis</i>	C				422	682.28	22.94	23.36	790.43	22.67	27.38	108.97
Spy D'Orneau 2	M	Original	55	<i>Homo neanderthalensis</i>	C								803.43	23.07	27.35	109.38
Feldhofer 1	M	Original	56	<i>Homo neanderthalensis</i>	C			442	440	714.33	24.71	22.71	790.33	22.85	27.16	103.28
La Ferrassie 1	M	Cast	57	<i>Homo neanderthalensis</i>	C					738.97	24.57	23.62	932.16	25.88	28.29	
La Quina H5	M	Cast	58	<i>Homo neanderthalensis</i>	C								729.65	21.68	26.44	
La Chapelle-aux-Saints 1	M	Cast	59	<i>Homo neanderthalensis</i>	C				410				778.62	23.78	25.71	
Mladec (Lautsch) No 33	?	Original	60	<i>Homo sapiens</i>	L					541.99	22.56	18.86				
Paviland 1	M	Original	62,63	<i>Homo sapiens</i>	C					697.66	25.08	21.85	794.71	22.21	18.1	104.59
Dolni Vestonice 13	M	Original	64,65,66	<i>Homo sapiens</i>	C	147.86	115.83	449	442.5	631.58	23.44	21.16	756.07	21.05	28.21	99.94
Dolni Vestonice 16	M	Original	64,65,66	<i>Homo sapiens</i>	C			470.5	467.5	740.95	27.8	20.93	814.2	26.14	24.46	
Dolni Vestonice 15	M	Original	64,65,66	<i>Homo sapiens</i>	C	123.46	91.85	378	375	587.46	22.34	20.66	828.63	23.91	27.22	94.4
Dolni Vestonice 14	M	Original	64,65,66	<i>Homo sapiens</i>	C	129.72	110.77	504.75	502	621.61	24.79	19.69	854.98	21.89	30.68	105.84
Dolni Vestonice 3	F	Original	64,65,66,67	<i>Homo sapiens</i>	C			421	417.5	464.93	20.3	17.98	481.49	15.94	23.72	
Pavlov 1	M	Original	66	<i>Homo sapiens</i>	C			477.5	475	728.46	24.54	23.31	849.02	22.16	30.1	
Predmosti 3	M	Original	68	<i>Homo sapiens</i>	C		118	489	486.5	715.93	24.27	23.17	716.28	29.84	18.85	103
Predmosti 4	F	Original	68	<i>Homo sapiens</i>	C		111	419	418.7	637.74	22.78	21.99	685.26	27.41	19.63	97.5
Predmosti 9	M	Original	68	<i>Homo sapiens</i>	C		118	447	444.5	545.75	21.4	20.03	596.12	25.92	18.06	87.5
Predmosti 10	F	Original	68	<i>Homo sapiens</i>	C			418.5	414.5	536.92	19.59	21.52	629.43	27.61	17.91	95.5
Predmosti 14	M	Original	68	<i>Homo sapiens</i>	C		114	456.5	452	554.56	20.58	21.17	612.85	26.7	18.02	95.5
Predmosti 5	?	Original	68	<i>Homo sapiens</i>	C			378.5		346.16	16.88	16.1	387.99	20.42	14.92	
Predmosti 7	?	Original	68	<i>Homo sapiens</i>	C			382		334.19	18.06	14.53	402.91	21.2	14.92	

Appendix IV: Fossil Hominid Specimens (Contd.).

Specimen	Sex	Provenance	Reference	Taxa	L/R	P11	Sa1	F1	F2	FMArea	FMML	FMAP	STArea	STML	STAP	F11
Predmosti 1	?	Original	68	<i>Homo sapiens</i>	C			400.5	398	477.13	21.2	17.67	251.33	15.71	12.57	86
Grotte des Enfants 4	M	Original	69,70	<i>Homo sapiens</i>	C	132.32	135.25	526	522	769.07	25.41	23.77	959.22	24.34	30.95	103.75
Grotte des Enfants 5	F	Original	69,70	<i>Homo sapiens</i>	C			435		633.01	23.35	21.29	752.47	21.75	27.17	93.54
Oberkassel 998	M	Original	72	<i>Homo sapiens</i>	C			445.5	444	832.38	27.65	23.64	1150.92	28.08	32.19	96.63
Oberkassel 999	F	Original	72	<i>Homo sapiens</i>	C		107.54			500.93	29.75	19.92	681.74	20.33	26.34	
Neuessing 2	M	Original	73	<i>Homo sapiens</i>	C			450	447.5	671.94	23.95	22.04	793.53	21.42	29.1	98.4
Parabita 1	M	Original	74	<i>Homo sapiens</i>	C	133.33	113.99	483	481.5	938.79	29.95	24.61	1035.53	26.25	30.97	101.38
Parabita 2	F	Original	74	<i>Homo sapiens</i>	C	144.99	125.88	473.5	470.5	799.13	27.83	22.55	946.81	25.78	28.84	97.89
San Teodoro 4	F	Original	75	<i>Homo sapiens</i>	C		119.68	426	421	692.01	24.22	22.44	782.49	21.08	29.15	88.07
San Teodoro 1	F	Original	75	<i>Homo sapiens</i>	C	164.33	128.06	445	442.25	819.13	27.6	23.31	971.25	25.72	29.65	92.9
Barma Grande 1	M	Original	71	<i>Homo sapiens</i>	C			533.5	528.5	911.77	30.47	23.5	1156.87	27.21	33.39	111.45
Barma Grande 5	M	Original	71	<i>Homo sapiens</i>	C			522		1029.24	33.89	23.85	1078.32	24.73	34.24	104.01
Arene Candide II	M	Original	76	<i>Homo sapiens</i>	C		94.71	429	424.5	555.67	21.5	20.29	694.89	19.58	27.87	93.7
Grotte des Enfants 3	F	Original	69	<i>Homo sapiens</i>	C			392		465.91	20.62	17.74	492.18	16.28	23.74	87.38
Grotte des Enfants 6	M	Original	69	<i>Homo sapiens</i>	C			420	417	446.29	20.24	17.32	548.8	16.95	25.43	86.62
Veyrier 1	M	Original	77	<i>Homo sapiens</i>	C			460	459	532.39	22.5	18.58	602.12	19.69	24.02	87.53
Ain Mallaha EH16a	M	Original	78	<i>Homo sapiens</i>	C			448.5	442.25	673.46	25.42	20.8	793.47	23.06	27.02	92.71
Ain Mallaha EM34	?	Original	78	<i>Homo sapiens</i>	C								740.57	22.81	25.5	92.45
Hayonim 29	M	Original	78	<i>Homo sapiens</i>	C	141.37	111.12		442	615.83	24.33	19.88	783.25	24.95	24.65	92.43
Hayonim 19	M	Original	78	<i>Homo sapiens</i>	C					568.99	22.52	19.84				
Nahal-Oren 48	F	Original	78	<i>Homo sapiens</i>	C		118.7						558.25	18.71	23.44	
Nahal-Oren 8	M	Original	78	<i>Homo sapiens</i>	C	124.14	112.9	447	445	606.65	23.4	20.36	600.64	18.5	25.49	93.05

Appendix IV: Fossil Hominid Specimens (Contd.).

Specimen	Sex	Provenance	Reference	Taxa	L/R	P11	Sa1	F1	F2	FMArea	FMML	FMAP	STArea	STML	STAP	F11
Hayonim 20	F	Original	78	<i>Homo sapiens</i>	C		103.2									
Hayonim 11	?	Original	78	<i>Homo sapiens</i>	C					649.68	22.22	22.96	610.01	23.51	20.38	
Gough's Cave 1	M	Original	80,81	<i>Homo sapiens</i>	C	153.13	107.93	440	436.5	609.01	25.06	19.08	741.55	22.48	25.91	88.75
Gamble's Cave 1	M	Original	79	<i>Homo sapiens</i>	C								932.34	22.53	32.78	95.75
Makalia 1	M	Original	79	<i>Homo sapiens</i>	C	140.81	105.88	483	480.5	701.05	25.1	21.93	895	21.5	32.69	97.96
Lochinvar	?	Original	79	<i>Homo sapiens</i>	C								647.31	19.46	26.12	78.67
Chencherere II	M	Original	79	<i>Homo sapiens</i>	C		99.54	433.5	428.5	513.98	21.5	18.78	633.64	21.01	23.69	86.55

Appendix IV: Fossil Hominid Specimens (Contd.)

Specimen	Sex	Provenance	Reference	Taxa	L/R	F12	F15	F16	F17	T1	T2	T3	T7	T8	T13
AL-333-3	?	Cast	4,5,6	<i>Australopithecus afarensis</i>	R	69.42	38.85	41.42							
AL 333-4	?	Cast	4,5,6	<i>Australopithecus afarensis</i>	R				71.91						
AL-333-6	?	Cast	4,5,6	<i>Australopithecus afarensis</i>	L								38.67	28.06	
AL-333-7	?	Cast	4,5,6	<i>Australopithecus afarensis</i>	R								40.01	33.13	
AL-333.42	?	Cast	4,5,6	<i>Australopithecus afarensis</i>	L							66.96			
AL-129-1	?	Cast	4,5,6	<i>Australopithecus afarensis</i>	R				58.51			50.93			
AL-333-107	?	Cast	4,5,6	<i>Australopithecus afarensis</i>	L		41.69								
AL-288-1	F	Cast	4,5,8	<i>Australopithecus afarensis</i>	C	54.66	27.75	28.18				50.02	29.68	24.03	
Stw 99	?	Original	11	<i>Australopithecus africanus</i>	R	76.36		36.45							
Stw 25	?	Original	11	<i>Australopithecus africanus</i>	R		31.67	30.44							
MLD 17	?	Original	9,10	<i>Australopithecus africanus</i>	L		37.01								
Stw 311	?	Original	8	<i>Australopithecus africanus</i>	R		35.52	35.81							
Stw 479	?	Original	A	<i>Australopithecus africanus</i>	R			28.51							
Stw 392	?	Original	A	<i>Australopithecus africanus</i>	R		31.12								
Stw 501	?	Original	A	<i>Australopithecus africanus</i>	L			31.73							
Stw 361	?	Original	A	<i>Australopithecus africanus</i>			28.82								
Sts 14	F	Original	9	<i>Australopithecus africanus</i>	L	61.73									
Sts 34	?	Original	9	<i>Australopithecus africanus</i>	R				64.96						
SK 82	?	Original	9	<i>Australopithecus robustus</i>	R	65.56	32.53	34.17							
SK 97	?	Original	9	<i>Australopithecus robustus</i>	R	67.11	34.45	37.41							
SK 14024	?	Original	A	<i>Australopithecus robustus</i>	U		31.09								
TM3061	?	Original	13,14,15	<i>Australopithecus robustus</i>	L				48.02						

Appendix IV: Fossil Hominid Specimens (Contd.)

Specimen	Sex	Provenance	Reference	Taxa	L/R	F12	F15	F16	F17	T1	T2	T3	T7	T8	T13
SK 3121	?	Original	13,14,15	<i>Australopithecus robustus</i>	R			29.07	28.83						
SKW 19	?	Original	13,14,15	<i>Australopithecus robustus</i>				30.48	30.18						
KNM-ER 736	?	Cast	10,16,17	<i>Australopithecus boisei</i>	L		31.04	33.18							
KNM-ER 1503	?	Cast	10,16,17	<i>Australopithecus boisei</i>	R	74.91	33.55	33.34							
KNM-ER 1505a	?	Cast	10,16,17	<i>Australopithecus boisei</i>	L		34.01	32.39							
KNM-ER 1476b	?	Cast	10,16,17	<i>Australopithecus sp.</i>	L							57			
KNM-ER 741	?	Cast	10,16,17	<i>Australopithecus sp.</i>								c61.08			
KNM-ER 738	?	Cast	10,16,17	<i>Australopithecus sp.</i>			33.2	32.34							
KNM-ER 1500b	?	Cast	10,16,17	<i>Australopithecus sp.</i>	L							51.26			
KNM-ER 1481	?	Cast	10,16,17	<i>Homo sp. indet.</i>	L	68.15	40.9	41.57	69.51			66.46	42.68	30.06	
KNM-ER 1471	?	Cast	10,16,17	<i>Homo sp. indet.</i>	R							57.82			
KNM-ER 1472	?	Cast	10,16,17	<i>Homo sp. indet.</i>	R	66.37			66.42						
KNM-ER 1510	?	Cast	10,16,17	<i>Homo sp. indet.</i>	L							62.59			
KNM-WT 15000	M	Cast	23,24	<i>Homo erectus</i>	C	81.11	43.2	44.12		374	368		44.58	39.42	69
Trinil 1	M	Cast	10,25,26,27	<i>H.sapiens</i>	R	76.86	43.17	43.18	79.5						
Solo B (Ngandong)	?	Cast	10,28	<i>H.erectus</i>	R						364		c47.2	40.3	81
Arago LVIII	?	Cast	10,29,30	<i>Homo sp. indet.</i>	L			51.38							
BH E-689.	N/A	Original	32,33	<i>Homo rhodesiensis</i>	L	77.27		49.23	88.26						
BH E-907	N/A	Original	32,33	<i>Homo rhodesiensis</i>	R	84.44	52.33	49.43							
BH E-691	N/A	Original	32,33	<i>Homo rhodesiensis</i>	L					415.5	406	87.08	51.67		94
Berg Aukas	M	Original	37,38	<i>Homo rhodesiensis</i>	R	85.77	55.95	56.16							
Skhul IV	M	Original	43	<i>Homo sapiens</i>	C	83.43	46.12	47.52	85.96	427	413	84.21	49.52	41.24	95.5

Appendix IV: Fossil Hominid Specimens (Contd.)

Specimen	Sex	Provenance	Reference	Taxa	L/R	F12	F15	F16	F17	T1	T2	T3	T7	T8	T13
Qafzeh 9	F	Original	44	<i>Homo sapiens</i>	C	100.07		44.83	78.44						
Ohalo 2	M	Original	45	<i>Homo sapiens</i>	C	78.15	46.55	49.2	82.32	384.25	377	77.65	54.58	38.38	88.5
Nahal-Ein-Gev	M	Original	46,47	<i>Homo sapiens</i>	C								33.83	43.17	
Shanidar 1	M	Cast	48	<i>Homo neanderthalensis</i>	C					335	332		56.09	37.68	93
Shanidar 5	M	Cast	48	<i>Homo neanderthalensis</i>	C					355					
Shanidar 6	F	Cast	48	<i>Homo neanderthalensis</i>	C					300	279			29.5	80
Shanidar 2	M	Cast	48	<i>Homo neanderthalensis</i>	C					340	329	80.29	53.94	36.64	95
Tabun C1	F	Original	43	<i>Homo neanderthalensis</i>	C	70.49									
Kiik Koba	?	Cast	51	<i>Homo neanderthalensis</i>	R					348	340	86.69	61.14	42.31	92
Krapina 213	?	Original	52	<i>Homo neanderthalensis</i>	L	83.31	49.9	51.91							
Krapina 214	?	Original	52	<i>Homo neanderthalensis</i>	L	73.18	43.15								
Spy D'Orneau 1	M	Original	55	<i>Homo neanderthalensis</i>	C	93.68	52.35	53.46	91.26	332	321	76.83	56.24	45.84	90
Spy D'Orneau 2	M	Original	55	<i>Homo neanderthalensis</i>	C	86.58	52.97								
Feldhofer 1	M	Original	56	<i>Homo neanderthalensis</i>	C	83.68	51.28	51.82	87.67						
La Ferrassie 1	M	Cast	57	<i>Homo neanderthalensis</i>	C			53.31					47.14	39.14	90
La Chapelle-aux-Saints 1	M	Cast	59	<i>Homo neanderthalensis</i>	C			51.46							92
Paviland 1	M	Original	62,63	<i>Homo sapiens</i>	C	84.57	47.02	48.67	81.91			74.2	52.54	39.02	93
Dolni Vestonice 13	M	Original	64,65,66	<i>Homo sapiens</i>	C	82	46.92	47.73	80.73	382.5	374.5	73.7	51.74	38.79	85.5
Dolni Vestonice 16	M	Original	64,65,66	<i>Homo sapiens</i>	C		50.79	48.47							85
Dolni Vestonice 15	M	Original	64,65,66	<i>Homo sapiens</i>	C	76.65	45.08	46.54	77.58	342.5	335	75.52	48.35	37.99	78
Dolni Vestonice 14	M	Original	64,65,66	<i>Homo sapiens</i>	C	87.56	49.99	51.08	84.32	419	408.5	74.67	51.81	40.81	85
Dolni Vestonice 3	F	Original	64,65,66,67	<i>Homo sapiens</i>	C			40.5		359	350				69.25

Appendix IV: Fossil Hominid Specimens (Contd.)

Specimen	Sex	Provenance	Reference	Taxa	L/R	F12	F15	F16	F17	T1	T2	T3	T7	T8	T13
Predmosti 3	M	Original	68	<i>Homo sapiens</i>	C		47	48	84.5	421		78		29.5	93
Predmosti 4	F	Original	68	<i>Homo sapiens</i>	C		47.2	47.5	82.5	364.5		75.5		31	81
Predmosti 9	M	Original	68	<i>Homo sapiens</i>	C		42	42	78	373.5		70		28.25	76
Predmosti 10	F	Original	68	<i>Homo sapiens</i>	C		47.8	47.5		359		77		28	79
Predmosti 14	M	Original	68	<i>Homo sapiens</i>	C		46.25	46.5	81	395		76		31.5	83
Predmosti 1	?	Original	68	<i>Homo sapiens</i>	C		41	40.75	69					26.5	73
Grotte des Enfants 4	M	Original	69,70	<i>Homo sapiens</i>	C	79.03	51.32	52.99	90.29	453.5	446	85.14	58.31	46.43	103.5
Grotte des Enfants 5	F	Original	69,70	<i>Homo sapiens</i>	C	72.95	41.28	42.57	79.58	366	358	72.57	44.24	39.14	82
Barma Grande 2	M	Original	71	<i>Homo sapiens</i>	C					350	340	69.39	43.76	35.32	78
Oberkassel 998	M	Original	72	<i>Homo sapiens</i>	C	79.12	46.94	48.78	84.37	403.5	399	77.22	57.24	45.79	94
Neuessing 2	M	Original	73	<i>Homo sapiens</i>	C	81.75	47.37	48.26							85.5
Parabita 1	M	Original	74	<i>Homo sapiens</i>	C	80.49	48.51		88.03	409.5	400.75	83.95	53.03	41.31	105
Parabita 2	F	Original	74	<i>Homo sapiens</i>	C	80.57	46.95	48.65	86.53	390	382.25	73.43	52.99	41.07	91
San Teodoro 4	F	Original	75	<i>Homo sapiens</i>	C	65.46	46.71	45.38	82.41			74.45		39.03	87
San Teodoro 1	F	Original	75	<i>Homo sapiens</i>	C	74.86	47.28	48.34	85.59	381	377	78.77	53.39	41.65	98
Barma Grande 1	M	Original	71	<i>Homo sapiens</i>	C	87.46	51.86	50.47	92.28	434.5	425.5	89.99	58.44	47.7	109
Barma Grande 3	M	Original	71	<i>Homo sapiens</i>	C					362	358.5	69.34	52.01	37.82	79
Barma Grande 5	M	Original	71	<i>Homo sapiens</i>	C	87.22	45.98	47.38				68.23	60.19	42.67	108
Barma Grande (Unumbered)	?	Original	71	<i>Homo sapiens</i>	C					410	399	89.73	64.56	48.7	117
Arene Candide II	M	Original	76	<i>Homo sapiens</i>	C	74.74	47.83	50.73	83.85	354.5	345.5	76.97	50.03	42.04	84.25
Grotte des Enfants 3	F	Original	69	<i>Homo sapiens</i>	C	71	38.71	40.07		333	323	69.33	41.35	34.98	76
Grotte des Enfants 6	M	Original	69	<i>Homo sapiens</i>	C	67.13	41.86	39.34		354	335	63	49.26	39.69	77

Appendix IV: Fossil Hominid Specimens (Contd.)

Specimen	Sex	Provenance	Reference	Taxa	L/R	F12	F15	F16	F17	T1	T2	T3	T7	T8	T13
Veyrier 1	M	Original	77	<i>Homo sapiens</i>	C	68.39		41.74	77.12	394	386.5	70.47	48.2	39.16	77.5
Ain Mallaha EH87	M	Original	78	<i>Homo sapiens</i>	C				74.7	373	365.5	74.18	51.17	39.88	86
Ain Mallaha EH16a	M	Original	78	<i>Homo sapiens</i>	C	75.62	44.99	47.44	83.37	269	363	75.3	51.19	36.49	95
Ain Mallaha EM34	?	Original	78	<i>Homo sapiens</i>	C	73.02	43.4	43.71							
Hayonim 29	M	Original	78	<i>Homo sapiens</i>	C	74.22	43.96	48.07	78.27				46.45	37.18	
Hayonim 19	M	Original	78	<i>Homo sapiens</i>	C							79.93			
Hayonim 4	?	Original	78	<i>Homo sapiens</i>	C						361			38.38	88
Nahal-Oren 48	F	Original	78	<i>Homo sapiens</i>	C				71.16			64.3			
Nahal-Oren 8	M	Original	78	<i>Homo sapiens</i>	C	78.44	42.88	44.49		356	350	73.29	48.03	36.4	83
Hayonim 11	?	Original	78	<i>Homo sapiens</i>	C								51.08	36.56	88
Gough's Cave 1	M	Original	80,81	<i>Homo sapiens</i>	C	73.18	46.79	44.21	77.72	386	380	75.44	52.49	42.56	88.5
Gamble's Cave 1	M	Original	79	<i>Homo sapiens</i>	C	81.26	42.83	41.88	81.09	438.75	433	73.43	48.12	40.68	83.5
Makalia 1	M	Original	79	<i>Homo sapiens</i>	C	81.34	48.02	47.34	83.35	413.25	415.5	77.98	51.72	42.85	93
Lochinvar	?	Original	79	<i>Homo sapiens</i>	C	62.44	40.5	39.94							
Chencherere II	M	Original	79	<i>Homo sapiens</i>	C	71.64	42.88	42.88	71.3	380.5	374.75	68.78	49.23	34.39	82
Lothagam 4b	M	Original	79	<i>Homo sapiens</i>	C		41.49	42.85							

Appendix IV: Fossil Hominid Specimens (Contd.)

Specimen	Sex	Locality	Taxon	Acetabulum	Biacetabular	<i>W</i>	<i>Wb</i>	<i>M</i>	<i>J</i>	<i>Dw</i>	<i>Dm</i>	<i>Dw/Dm</i>
AL 288-1	F	Hadar	<i>Australopithecus afarensis</i>	35.8	143.72	252.84	210.62	390.9	643.74	84.52	54.66	154.63
AT-1	M	Atapuerca	<i>Homo heidelbergensis</i>	60	133.5	911.4	759.2	1084.66	1996.06	109.18	91.74	119.01
AT-1	M	Atapuerca	<i>Homo heidelbergensis</i>	60	133.5	934.92	778.79	1112.65	2047.57	109.18	91.74	119.01
KNM-WT 15000	M	Nariokotome	<i>Homo erectus</i>	55.93								81.11
Kabwe (Composite)	M	Southern Africa	<i>Homo rhodesiensis</i>	66.92								77.27
Berg Aukas	M	Namibia	<i>Homo rhodesiensis</i>									85.77
Skhul IV	M	Levant	<i>Homo sapiens</i>	57.83	151.36	713.44	594.3	821.96	1535.4	96.12	83.43	115.21
Qafzeh 9	F	Levant	<i>Homo sapiens</i>	52.69								100.07
Shanidar 1	M	Zagros-Tauros	<i>Homo neanderthalensis</i>		192							
Shanidar 5	M	Zagros-Tauros	<i>Homo neanderthalensis</i>									
Shanidar 4	M	Zagros-Tauros	<i>Homo neanderthalensis</i>									
Shanidar 6	F	Zagros-Tauros	<i>Homo neanderthalensis</i>									
Tabun C1	F	Levant	<i>Homo neanderthalensis</i>									70.49
Kebara 2	M	Levant	<i>Homo neanderthalensis</i>	58.9	190.62					110.78		
Amud 1	M	Levant	<i>Homo neanderthalensis</i>	57.42								
Krapina 207	M	Krapina	<i>Homo neanderthalensis</i>	54.16								
Krapina 212	F	Krapina	<i>Homo neanderthalensis</i>	53.73								
Krapina 208	?	Krapina	<i>Homo neanderthalensis</i>	52.91								
Krapina 213	?	Krapina	<i>Homo neanderthalensis</i>									83.31
Krapina 214	?	Krapina	<i>Homo neanderthalensis</i>									73.18
Spy D'Orneau 1	?	Belgium	<i>Homo neanderthalensis</i>									93.68
Spy D'Orneau 2	?	Belgium	<i>Homo neanderthalensis</i>									86.58
Feldhofer 1	M	Feldhoffer Grotto	<i>Homo neanderthalensis</i>	61.91								83.68
La Ferrassie 1	M	France	<i>Homo neanderthalensis</i>	59.49	183					107.12	90.84	117.92

Appendix IV: Fossil Hominid Specimens (Contd.)

Specimen	Sex	Locality	Geographical	Acetabulum	Biacetabular	<i>W</i>	<i>Wb</i>	<i>M</i>	<i>J</i>	<i>Dw</i>	<i>Dm</i>	<i>Dw/Dm</i>
La Ferrassie 2	F	France	<i>Homo neanderthalensis</i>									
La Chapelle-aux-Saints 1	M	France	<i>Homo neanderthalensis</i>	60.27								
Paviland 1	M	Paviland	<i>Homo sapiens</i>	57.57							84.57	
Dolni Vestonice 13	M	Czech Republic	<i>Homo sapiens</i>	55.41	140.59	550.27	458.37	569.39	1119.66	84.85	82	103.48
Dolni Vestonice 16	M	Czech Republic	<i>Homo sapiens</i>	60.29								
Dolni Vestonice 15	M	Czech Republic	<i>Homo sapiens</i>	55.33	130.1	536.26	446.7	556.76	1093.02	79.58	76.65	103.82
Dolni Vestonice 14	M	Czech Republic	<i>Homo sapiens</i>	60.6	151	612.3		639.3	1251.6	91.42	87.56	104.41
Dolni Vestonice 3	F	Czech Republic	<i>Homo sapiens</i>									
Pavlov 1	?	Czech Republic	<i>Homo sapiens</i>									
Predmosti 3	M	Czech Republic	<i>Homo sapiens</i>	57.85		704.91	587.19					
Predmosti 4	?	Czech Republic	<i>Homo sapiens</i>	53.25		568.3	473.39					
Predmosti 9	M	Czech Republic	<i>Homo sapiens</i>	49.5								
Predmosti 10	?	Czech Republic	<i>Homo sapiens</i>	56								
Predmosti 14	M	Czech Republic	<i>Homo sapiens</i>	52.5		622.69	518.7					
Predmosti 5	M	Czech Republic	<i>Homo sapiens</i>									
Predmosti 7	?	Czech Republic	<i>Homo sapiens</i>									
Predmosti 1	M	Czech Republic	<i>Homo sapiens</i>									
Grotte des Enfants 4	M	Gramat Grimaldi	<i>Homo sapiens</i>	63.02	172.43	707.27	589.16	919.73	1627	102.77	79.03	130.04
Grotte des Enfants 5	F	Gramat Grimaldi	<i>Homo sapiens</i>	50.49							72.95	
Ohalo 2	M	Levant	<i>Homo sapiens</i>	58.54	158.51	640.53	533.56	775.6	1416.3	94.63	78.15	121.09
Oberkassel 998	M	Oberkassel	<i>Homo sapiens</i>	56.4							79.12	
Oberkassel 999	F	Oberkassel	<i>Homo sapiens</i>	51.38								
Neuessing 2	M	Neuessing	<i>Homo sapiens</i>	58.07							81.75	
Parabita 1	M	Veneri Cave	<i>Homo sapiens</i>	60.09	123.69	603.88	503.03	582.42	1186.3	77.63	80.49	96.47

Appendix IV: Fossil Hominid Specimens (Contd.)

Specimen	Sex	Locality	Geographical	Acetabulum	Biacetabular	<i>W</i>	<i>Wb</i>	<i>M</i>	<i>J</i>	<i>Dw</i>	<i>Dm</i>	<i>Dw/Dm</i>
Parabita 2	F	Veneri Cave	<i>Homo sapiens</i>	57.42	150.57	599.76	499.6	672.71	1272.47	90.37	80.57	112.16
San Teodoro 5	?	San Teodoro	<i>Homo sapiens</i>									
San Teodoro 4	F	San Teodoro	<i>Homo sapiens</i>	54.18	159.52					93.99	65.46	143.58
San Teodoro 1	F	San Teodoro	<i>Homo sapiens</i>	56.22	162.08					95.81	74.86	127.98
Barma Grande 1	M	Barma Grande	<i>Homo sapiens</i>	60.1	156.28	556.25	463.36	597.33	1153.58	93.92	87.46	107.39
Barma Grande 5	M	Barma Grande	<i>Homo sapiens</i>								87.22	
Arene Candide II	M	Arene Candide	<i>Homo sapiens</i>	57.28	151.06	445.99	371.51	540.45	986.44	90.57	74.74	121.18
Grotte des Enfants 3	F	Gramat Grimaldi	<i>Homo sapiens</i>	48.05							71	
Grotte des Enfants 6	M	Gramat Grimaldi	<i>Homo sapiens</i>								67.13	
Veyrier 1	M?	Veyrier (Geneve)	<i>Homo sapiens</i>								68.39	
Ain Mallaha EH87	M	Levant	<i>Homo sapiens</i>	57.74								
Ain Mallaha EH16a	M	Levant	<i>Homo sapiens</i>	57.95							75.62	
Ain Mallaha EM34	?	Levant	<i>Homo sapiens</i>								73.02	
Hayonim 29	M	Levant	<i>Homo sapiens</i>	56.25	156.22	609.36	507.6	762.56	1371.92	92.88	74.22	125.14
Hayonim 19	M	Levant	<i>Homo sapiens</i>	58.82								
Nahal-Oren 48	F	Levant	<i>Homo sapiens</i>	54.59								
Nahal-Oren 8	M	Levant	<i>Homo sapiens</i>	56.27	147.92	517.54	431.11	585.5	1103.04	88.74	78.44	113.13
Hayonim 20	F	Levant	<i>Homo sapiens</i>									
Gough's Cave 1	M	England	<i>Homo sapiens</i>	55.5	146.38	557.23	464.17	668.32	1225.55	87.77	73.18	119.94
Gamble's Cave 1	M	Kenya	<i>Homo sapiens</i>								81.26	
Makalia 1	M	Africa	<i>Homo sapiens</i>	59.03	144.95	566.54	471.93	612.72	1179.26	87.97	81.34	108.15
Chencherere II	M	Africa	<i>Homo sapiens</i>	53.5		424.64	353.73				71.64	

Appendix IV: Fossil Hominid Specimens (Contd.)

[illegible]

Appendix IV: Fossil Hominid Specimens (Contd.)

Specimen	Sex	Locality	Geographical	Total Load	RP(FemHead)	Stature	Bi-iliac/Stature	Bicristal	FL'	FemHead	Iliac Ht.	Iliac Br.
La Ferrassie 2	F	France	<i>Homo neanderthalensis</i>							46.2		
La Chapelle-aux-Saints 1	M	France	<i>Homo neanderthalensis</i>			158.9			365.2	51.46		
Paviland 1	M	Paviland	<i>Homo sapiens</i>						433.53	48.67	107.22	167.5
Dolni Vestonice 13	M	Czech Republic	<i>Homo sapiens</i>	140375	61.62	163.72	15.62	27.29	398.38	47.73	116.71	154.17
Dolni Vestonice 16	M	Czech Republic	<i>Homo sapiens</i>			168.9			443.26	48.47		
Dolni Vestonice 15	M	Czech Republic	<i>Homo sapiens</i>	136800	63.16	149.48	17.97	25.35	333.45	46.54	96.55	147.27
Dolni Vestonice 14	M	Czech Republic	<i>Homo sapiens</i>	156200	59.86	176.3	14.81	25.97	456.92	51.08	115.57	160.85
Dolni Vestonice 3	F	Czech Republic	<i>Homo sapiens</i>			158.4			397.25	40.5	139	153.7
Pavlov 1	?	Czech Republic	<i>Homo sapiens</i>			170.06			475			
Predmosti 3	M	Czech Republic	<i>Homo sapiens</i>	179825	78.05	173	17.13		462.5	48	107	160
Predmosti 4	?	Czech Republic	<i>Homo sapiens</i>	144975	64.25	158.7	17.64		394.95	47.5	106	147
Predmosti 9	M	Czech Republic	<i>Homo sapiens</i>			164.1			423.5	42	98	
Predmosti 10	?	Czech Republic	<i>Homo sapiens</i>			157.81			390.75	47.5	105	
Predmosti 14	M	Czech Republic	<i>Homo sapiens</i>	158850	73.46	165.72	16.76		428.75	46.5	109.5	153
Predmosti 5	M	Czech Republic	<i>Homo sapiens</i>			149.46						
Predmosti 7	?	Czech Republic	<i>Homo sapiens</i>			150.2						
Predmosti 1	M	Czech Republic	<i>Homo sapiens</i>			154.33			377.62	40.75		
Grotte des Enfants 4	M	Gramat Grimaldi	<i>Homo sapiens</i>	180425	64.25	180.49	15.96	31.43	474.49	52.99	114.13	171.66
Grotte des Enfants 5	F	Gramat Grimaldi	<i>Homo sapiens</i>			161.41				42.57	95.21	155.3
Ohalo 2	M	Levant	<i>Homo sapiens</i>	163400	67.5	168.89	16.57	28.34	424.23	49.2	115.67	
Oberkassel 998	M	Oberkassel	<i>Homo sapiens</i>			164.03			400.5	48.78		
Oberkassel 999	F	Oberkassel	<i>Homo sapiens</i>									
Neuessing 2	M	Neuessing	<i>Homo sapiens</i>			164.77			404.06	48.26		
Parabita 1	M	Veneri Cave	<i>Homo sapiens</i>	154050	62.39	171.95	15.33	28.9	460.4		114.9	174.48

Appendix IV: Fossil Hominid Specimens (Contd.)

Specimen	Sex	Locality	Taxon	Total Load	RP(FemHead)	Stature	Bi-iliac/Stature	Bicristal	FL'	FemHead	Iliac Ht.	Iliac Br.
Parabita 2	F	Veneri Cave	<i>Homo sapiens</i>	153000	64.64	169.63	15.69	28.03	425.65	48.65	95.36	
San Teodoro 5	?	San Teodoro	<i>Homo sapiens</i>									
San Teodoro 4	F	San Teodoro	<i>Homo sapiens</i>			159.18	17.84	29.83	379.88	45.38	104.52	171.51
San Teodoro 1	F	San Teodoro	<i>Homo sapiens</i>			163.66		27.05	398.19	48.34		
Barma Grande 1	M	Barma Grande	<i>Homo sapiens</i>	141900	55.71	181.86	12.95	27.86	482.32	50.47	114.36	187.87
Barma Grande 5	M	Barma Grande	<i>Homo sapiens</i>			179.8				47.38		
Arene Candide II	M	Arene Candide	<i>Homo sapiens</i>	113775	44.21	159.92	14.09	25.42	380.51	50.73	94.16	153.93
Grotte des Enfants 3	F	Gramat Grimaldi	<i>Homo sapiens</i>			152.32				40.07	94.55	154.24
Grotte des Enfants 6	M	Gramat Grimaldi	<i>Homo sapiens</i>			158.34			381.18	39.34		
Veyrier 1	M?	Veyrier (Geneve)	<i>Homo sapiens</i>			167.2			419.77	41.74		
Ain Mallaha EH87	M	Levant	<i>Homo sapiens</i>								100.34	
Ain Mallaha EH16a	M	Levant	<i>Homo sapiens</i>			163.6			399.08	47.44	104.32	151.36
Ain Mallaha EM34	?	Levant	<i>Homo sapiens</i>							43.71		
Hayonim 29	M	Levant	<i>Homo sapiens</i>	155450	67.27	163.61	16.86	27.99	400.58	48.07	95.69	
Hayonim 19	M	Levant	<i>Homo sapiens</i>								99.19	149.42
Nahal-Oren 48	F	Levant	<i>Homo sapiens</i>					26.52			96.25	140.06
Nahal-Oren 8	M	Levant	<i>Homo sapiens</i>	132025	66.71	164.2			404.87	44.49		158.93
Hayonim 20	F	Levant	<i>Homo sapiens</i>				14.87	23.95			96.58	146.66
Gough's Cave 1	M	England	<i>Homo sapiens</i>	142150	72.73	171.4	14.51	27.13	396.33	44.21	100.49	163.83
Gamble's Cave 1	M	Kenya	<i>Homo sapiens</i>							41.88		
Makalia 1	M	Africa	<i>Homo sapiens</i>	144525	64.49	171.74	14.64	26.63	436.02	47.34	107.2	160.01
Chencherere II	M	Africa	<i>Homo sapiens</i>	105775	57.53	160.76	13.3	23.78	387.89	42.88	88.63	

Appendix IV: Fossil Hominid Specimens (Contd.)

Specimen	Sex	Locality	Geographical	Pubic Lth.	AP Pelvis	Sacrum	Iliac (Theta)
AL 288-1	F	Hadar	<i>Australopithecus afarensis</i>	86.89	102.09	92.36	34.22
AT-1	M	Atapuerca	<i>Homo heidelbergensis</i>	102	121	111.1	
AT-1	M	Atapuerca	<i>Homo heidelbergensis</i>				
KNM-WT 15000	M	Nariokotome	<i>Homo erectus</i>				
Kabwe (Composite)	M	Southern Africa	<i>Homo rhodesiensis</i>				
Berg Aukas	M	Namibia	<i>Homo rhodesiensis</i>				
Skhul IV	M	Levant	<i>Homo sapiens</i>	90.4			38.06
Qafzeh 9	F	Levant	<i>Homo sapiens</i>	72.67			
Shanidar 1	M	Zagros-Tauros	<i>Homo neanderthalensis</i>				
Shanidar 5	M	Zagros-Tauros	<i>Homo neanderthalensis</i>				
Shanidar 4	M	Zagros-Tauros	<i>Homo neanderthalensis</i>				
Shanidar 6	F	Zagros-Tauros	<i>Homo neanderthalensis</i>				
Tabun C1	F	Levant	<i>Homo neanderthalensis</i>				
Kebara 2	M	Levant	<i>Homo neanderthalensis</i>	117.63			29.24
Amud 1	M	Levant	<i>Homo neanderthalensis</i>				
Krapina 207	M	Krapina	<i>Homo neanderthalensis</i>				
Krapina 212	F	Krapina	<i>Homo neanderthalensis</i>				
Krapina 208	?	Krapina	<i>Homo neanderthalensis</i>				
Krapina 213	?	Krapina	<i>Homo neanderthalensis</i>				
Krapina 214	?	Krapina	<i>Homo neanderthalensis</i>				
Spy D'Orneau 1	?	Belgium	<i>Homo neanderthalensis</i>				
Spy D'Orneau 2	?	Belgium	<i>Homo neanderthalensis</i>				
Feldhofer 1	M	Feldhofer Grotto	<i>Homo neanderthalensis</i>				
La Ferrassie 1	M	France	<i>Homo neanderthalensis</i>	109.9			

Appendix IV: Fossil Hominid Specimens (Contd.)

<i>Specimen</i>	<i>Sex</i>	<i>Locality</i>	<i>Geographical</i>	<i>Pubic Lth.</i>	<i>AP Pelvis</i>	<i>Sacrum</i>	<i>Iliac (Theta)</i>
La Ferrassie 2	F	France	<i>Homo neanderthalensis</i>				
La Chapelle-aux-Saints 1	M	France	<i>Homo neanderthalensis</i>				
Paviland 1	M	Paviland	<i>Homo sapiens</i>	104.33			
Dolni Vestonice 13	M	Czech Republic	<i>Homo sapiens</i>	100.24			29.55
Dolni Vestonice 16	M	Czech Republic	<i>Homo sapiens</i>				
Dolni Vestonice 15	M	Czech Republic	<i>Homo sapiens</i>	88.36			32.58
Dolni Vestonice 14	M	Czech Republic	<i>Homo sapiens</i>	97.04			25.17
Dolni Vestonice 3	F	Czech Republic	<i>Homo sapiens</i>				
Pavlov 1	?	Czech Republic	<i>Homo sapiens</i>				
Predmosti 3	M	Czech Republic	<i>Homo sapiens</i>	86			
Predmosti 4	?	Czech Republic	<i>Homo sapiens</i>	78.5			
Predmosti 9	M	Czech Republic	<i>Homo sapiens</i>				
Predmosti 10	?	Czech Republic	<i>Homo sapiens</i>	84			
Predmosti 14	M	Czech Republic	<i>Homo sapiens</i>	85			
Predmosti 5	M	Czech Republic	<i>Homo sapiens</i>				
Predmosti 7	?	Czech Republic	<i>Homo sapiens</i>				
Predmosti 1	M	Czech Republic	<i>Homo sapiens</i>				
Grotte des Enfants 4	M	Gramat Grimaldi	<i>Homo sapiens</i>	112.19			31.84
Grotte des Enfants 5	F	Gramat Grimaldi	<i>Homo sapiens</i>				
Ohalo 2	M	Levant	<i>Homo sapiens</i>	101.13			28.36
Oberkassel 998	M	Oberkassel	<i>Homo sapiens</i>				
Oberkassel 999	F	Oberkassel	<i>Homo sapiens</i>	82.26			
Neuessing 2	M	Neuessing	<i>Homo sapiens</i>				
Parabita 1	M	Veneri Cave	<i>Homo sapiens</i>	88.52			35.72

Appendix IV: Fossil Hominid Specimens (Contd.)

Specimen	Sex	Locality	Geographical	Pubic Lth.	AP Pelvis	Sacrum	Iliac (Theta)
Parabita 2	F	Veneri Cave	<i>Homo sapiens</i>	98.24			34.21
San Teodoro 5	?	San Teodoro	<i>Homo sapiens</i>				
San Teodoro 4	F	San Teodoro	<i>Homo sapiens</i>				
San Teodoro 1	F	San Teodoro	<i>Homo sapiens</i>	95.5			
Barma Grande 1	M	Barma Grande	<i>Homo sapiens</i>	111.75			28.14
Barma Grande 5	M	Barma Grande	<i>Homo sapiens</i>				
Arene Candide II	M	Arene Candide	<i>Homo sapiens</i>	90.17			28.72
Grotte des Enfants 3	F	Gramat Grimaldi	<i>Homo sapiens</i>				
Grotte des Enfants 6	M	Gramat Grimaldi	<i>Homo sapiens</i>				
Veyrier 1	M?	Veyrier (Geneve)	<i>Homo sapiens</i>				
Ain Mallaha EH87	M	Levant	<i>Homo sapiens</i>				
Ain Mallaha EH16a	M	Levant	<i>Homo sapiens</i>				
Ain Mallaha EM34	?	Levant	<i>Homo sapiens</i>				
Hayonim 29	M	Levant	<i>Homo sapiens</i>	96.18			32.86
Hayonim 19	M	Levant	<i>Homo sapiens</i>	93.57			
Nahal-Oren 48	F	Levant	<i>Homo sapiens</i>				
Nahal-Oren 8	M	Levant	<i>Homo sapiens</i>	94.14			
Hayonim 20	F	Levant	<i>Homo sapiens</i>				
Gough's Cave 1	M	England	<i>Homo sapiens</i>	92.16			31.85
Gamble's Cave 1	M	Kenya	<i>Homo sapiens</i>				
Makalia 1	M	Africa	<i>Homo sapiens</i>	89.7			
Chencherere II	M	Africa	<i>Homo sapiens</i>				

Appendix IV: Fossil Hominid Specimens (Contd.)

Specimen	Sex	Taxon	Acetabulum	Biacetabular	<i>W</i>	<i>Wb</i>	<i>M</i>	<i>J</i>	<i>Dw</i>	<i>Dm</i>	<i>Dw/Dm</i>
AL 288-1	F	<i>Australopithecus afarensis</i>	35.8	143.72	252.84	210.62	390.9	643.74	84.52	54.66	154.63
AT-1	M	<i>Homo heidelbergensis</i>	60	133.5	911.4	759.2	1084.66	1996.06	109.18	91.74	119.01
AT-1	M	<i>Homo heidelbergensis</i>	60	133.5	934.92	778.79	1112.65	2047.57	109.18	91.74	119.01
Skhul IV	M	<i>Homo sapiens</i>	57.83	151.36	713.44	594.3	821.96	1535.4	96.12	83.43	115.21
Ohalo 2	M	<i>Homo sapiens</i>	58.54	158.51	640.53	533.56	775.6	1416.3	94.63	78.15	121.09
Neandertal	M	<i>Homo neanderthalensis</i>	57.69	187.5	680.12	566.54	869.6	1549.72	108.95	85.21	131.09
European EUP	M	<i>Homo sapiens</i>	56.49	148.53	614.57	512	671.3	1272.8	89.65	81.19	110.44
European LUP	M	<i>Homo sapiens</i>	57.55	143.68	535.37	445.97	573.4	1108.8	87.37	78.29	108.35
European LUP	F	<i>Homo sapiens</i>	53.24	157.39	599.76	499.6	672.71	1272.47	93.39	71.144	131.27

Specimen	Sex	Taxon	Total Load	RP(FemHead)	Stature	Bi-iliac/Stature	Bicristal	FL'
AL 288-1	F	<i>Australopithecus afarensis</i>	67404	84.88	108	23.86	25.74	253.41
AT-1	M	<i>Homo heidelbergensis</i>	232750	94.53	173.3	17.31	34	
AT-1	M	<i>Homo heidelbergensis</i>	238500	96.87	179.5	16.71	34	
Skhul IV	M	<i>Homo sapiens</i>	182000	80.59	174.37	17.07	30	449.32
Ohalo 2	M	<i>Homo sapiens</i>	163400	67.5	168.89	16.57	28.34	424.23
Neandertal	M	<i>Homo neanderthalensis</i>	173500	67.95	164.47	17.05	31.02	389.9
European EUP	M	<i>Homo sapiens</i>	156778.57	66.38	163.02	16.89	27.51	421.1
European LUP	M	<i>Homo sapiens</i>	136575	49.96	168.48	15.54	27.39	412
European LUP	F	<i>Homo sapiens</i>	153000	64.64	159.402	17.26	28.3	387.755

References

- 1 Patterson & Howells, 1967
- 2 Senut, 1981c
- 3 Leakey *et al.*, 1995
- 4 Johanson *et al.*, 1982a
- 5 Walter & Aronson, 1993.
- 6 Lovejoy *et al.*, 1982c
- 7 Lovejoy *et al.*, 1982b
- 8 Johanson *et al.*, 1982b
- 9 Robinson, 1972
- 10 Day, 1986
- 11 Hausler, 2001
- 12 McHenry & Berger, 1998a
- 13 Susman, 1989
- 14 Senut & Tobias, 1991
- 15 Susman *et al.*, 2001
- 16 McHenry, 1994
- 17 Fiebel *et al.*, 1989
- 18 Aiello *et al.*, 1999
- 19 Trinkaus, 1993b
- 20 Brauer *et al.*, 1997.
- 21 Grausz *et al.*, 1988
- 22 Walker *et al.*, 1989
- 23 Brown *et al.*, 1985
- 24 Walker & Leakey, 1993.
- 25 Day, 1971
- 26 Day & Molleson, 1973

27 Day, 1984
28 Walter *et al.*, 1991
29 Day, 1982
30 Sigmon, 1982
31 Lovejoy, 1982
32 Pycraft *et al.*, 1928
33 Barham *et al.*, 2002
34 Mason *et al.*, 1988
35 Tobias, 1971
36 Pearson & Grine, 1997
37 Grine *et al.*, 1995
38 Trinkaus, *et al.*, 1999
39 Solan & Day, 1992
40 Butzer, 1969,
41 Day & Stringer, 1982
42 Fleagle *et al.*, 2003
43 McCown & Keith, 1939
44 Vandermeersch, 1981
45 Hershkovitz *et al.*, 1995
46 Arensburg & Bar-Yosef, 1973
47 Arensburg, 1977
48 Trinkaus, 1983a
49 Bar-Yosef & Vandermeersch, 1991
50 Suzuki & Takai, 1970.
51 Bonch-Osmolovskij, 1954
52 Radovic *et al.*, 1988
53 Vandermeersch & Trinkaus, 1995.

- 54 Tweisselmann, 1961
- 55 Fraipont & Lohest, 1887.
- 56 Schaafhausen, 1858
- 57 Heim, 1982
- 58 Martin, 1923
- 59 Boule, 1911-1913.
- 60 Smith, 1984
- 61 Churchill & Smith, 2000a
- 62 Sollas, 1913
- 63 Aldhouse-Green *et al.*, 2001
- 64 Svoboda, 1988
- 65 Alt *et al.*, 1997
- 66 Sladek *et al.*, 2000
- 67 Trinkaus & Jelinek, 1997
- 68 Mateigka, 1938
- 69 Barral & Charles, 1963
- 70 Simone, 1987
- 71 Formicola, 1988
- 72 Gieseler, 1977
- 73 Verworn *et al.*, 1919
- 74 Mallegni *et al.*, 2000
- 75 Graziosi, 1947
- 76 Paoli *et al.*, 1980.
- 77 Pittard & Sauter, 1945
- 78 Oakley *et al.*, 1975
- 79 Oakley *et al.*, 1977
- 80 Oakley *et al.*, 1971

81 Holliday & Churchill, 2003.