



A precise determination of the strong-coupling constant from the recoil of Z bosons with the ATLAS experiment at $\sqrt{s} = 8$ TeV

The ATLAS Collaboration

The coupling constant of the strong force is determined from the transverse-momentum distribution of Z bosons produced in 8 TeV proton–proton collisions at the LHC and recorded by the ATLAS experiment. The Z -boson cross sections are measured in the full phase space of the decay leptons using 15.3 million electron and muon pairs, in a dataset collected in 2012 and corresponding to an integrated luminosity of 20.2 fb^{-1} . The analysis is based on predictions evaluated at third order in perturbative QCD, supplemented by the resummation of logarithmically enhanced contributions in the low transverse-momentum region of the lepton pairs. The determined value of the strong coupling at the reference scale corresponding to the Z -boson mass is $\alpha_s(m_Z) = 0.1183 \pm 0.0009$. This is the most precise experimental determination of $\alpha_s(m_Z)$ achieved so far.

1 Introduction

The coupling constant of the strong interaction is one of the fundamental parameters of the Standard Model, yet remains the least precisely determined of the four fundamental couplings in nature. The strong interaction is described theoretically by quantum chromodynamics (QCD), a gauge field theory with symmetry group $SU(3)$ [1, 2]. The free parameters of QCD include the six quark masses and the running coupling constant $\alpha_s(Q)$, which runs with the energy scale Q characterising the interaction. While the running of the coupling constant is fully predicted by theory, its value at a reference scale needs to be determined experimentally. The latest world-average value of experimental determinations and QCD lattice calculations of the strong-coupling constant at the scale of the Z -boson mass is calculated to be $\alpha_s(Q = m_Z) = 0.1179 \pm 0.0009$, with a relative uncertainty of 0.8% [3]. This uncertainty is orders of magnitude larger than that of the couplings of the other three fundamental interactions: the electromagnetic, weak, and gravitational forces.

Our knowledge of the strong-coupling constant has improved over the years, from the significant uncertainties in the first determinations in the mid 1980s [4], to the present uncertainty at the percent level. Further improvement in the precision of α_s is important in order to reduce the associated theoretical uncertainty which enters all cross-section calculations for processes at the LHC and affects several key observables at e^+e^- colliders. As an example, in the global fit of the electroweak sector of the Standard Model, the value of $\alpha_s(m_Z)$ is the leading source of uncertainty in the computation of the total and partial hadronic decay widths of the Z boson [5–7]. A precise determination of $\alpha_s(m_Z)$ is required to fully exploit the sensitivity to new physics expected from high-precision measurements of such observables at future e^+e^- colliders. The value of $\alpha_s(m_Z)$ and its energy evolution also have far-reaching implications for the stability of the electroweak vacuum [8] and the convergence of the couplings of the strong, weak and electromagnetic forces at an energy close to the Planck scale, which might signal the onset of a grand unification of these forces.

Various different determinations of $\alpha_s(m_Z)$ contribute to the current world average, and are categorised according to their methodological approach [9]. The most precise determinations are based on lattice QCD analysis of hadron spectroscopy, resulting in $\alpha_s(m_Z) = 0.1184 \pm 0.0008$ [10], and hadronic τ -lepton decays, resulting in $\alpha_s(m_Z) = 0.1177 \pm 0.0019$ [3, 11–16]. Arguably the cleaner determinations are those from global fits of the electroweak observables, which exploit the sensitivity of total and partial hadronic decay widths of the Z boson, as in Ref. [6], yielding $\alpha_s(m_Z) = 0.1194 \pm 0.0029$. These determinations have been performed at next-to-next-to-next-to-leading order (N^3LO) in QCD and are currently limited by experimental uncertainties. In hadron-induced collisions, the strong-coupling constant has been determined from final states with jets [17–20], from inclusive top-quark pair production [21, 22], and from inclusive W - and Z -boson production [23]. The high-momentum region of the Z -boson transverse-momentum (p_T) distribution measured at the LHC [24–26] was included in the determination of parton distribution functions (PDFs) [27], and contributed to the simultaneous determination of PDFs and the strong-coupling constant in Refs. [28–30].

Further improvement in our knowledge of $\alpha_s(m_Z)$ is limited by two important sources of theoretical uncertainty: the accuracy of the perturbative predictions and the size of non-perturbative effects. In this context, it is highly desirable to investigate alternative determinations of $\alpha_s(m_Z)$ based on the most sensitive observables and state-of-the-art theory predictions.




Figure 1: Leading-order Feynman diagram for the production of a massive electron or muon pair through the Drell–Yan process, including soft gluon radiation from the initial-state quarks.

This article presents a precise determination of $\alpha_s(m_Z)$ from a semi-inclusive observable,¹ namely the low-momentum Sudakov region² of the transverse-momentum distribution of Z bosons produced via the Drell–Yan process [34], which refers to the production of a massive lepton-pair in hadron–hadron collisions at high energies. The strong force is responsible for the radiation from the initial-state partons, and for the subsequent recoil of the Z bosons which acquire non-zero transverse momentum with respect to the incoming proton beam axis. The hardness of the transverse-momentum distribution is a measure of the strength of the recoil of the Z bosons, which in turn is proportional to the strong coupling. In contrast to most other determinations of $\alpha_s(m_Z)$ at hadron colliders, which analyse observables based on QCD final-state radiative objects, this analysis uses QCD initial-state radiative processes to determine the strong coupling. In the Drell–Yan process, the final-state particles are not subject to the strong interaction, which reduces theoretical complications and uncertainties. The energy scale at which the strong-coupling constant is perturbatively expanded is unambiguously fixed to the Z -boson mass. This methodology was tested in Ref. [35] using proton–antiproton collision data at the Tevatron, and is applied here for the first time at the LHC.

Figure 1 depicts the leading-order Feynman diagram of the Drell–Yan process, with a schematic representation of soft gluon radiation from the initial-state quarks. Figure 2 shows the Z -boson transverse-momentum distribution for three different values of $\alpha_s(m_Z)$.

Compared to other determinations of $\alpha_s(m_Z)$ at hadron colliders, based on either exclusive or inclusive observables, this determination gathers the desirable features for high precision: large observable sensitivity to $\alpha_s(m_Z)$ relative to the experimental precision, and high perturbative accuracy of the theoretical predictions [38–40], enabled by the computation of some perturbative corrections in QCD at four- or five-loop level [41–45].

¹ Semi-inclusive observables are those with more than one kinematic momentum scale in the perturbative regime, where the semi-inclusive region is close to the boundary of the phase space allowed by the kinematics. In such a limit, the associated parton radiation is strongly inhibited and large logarithmic corrections appear in the perturbative computation [31, 32].

² The low-energy region of the transverse-momentum distribution of Z bosons is characterised by very high probabilities of gluon emissions with vanishingly small momenta. Rather than calculate each of these, it is theoretically simpler to model them as a single factor quantifying the probability of no emission, known as the Sudakov form factor [33].




Figure 2: Transverse-momentum distribution of Z bosons predicted with DYTurbo [36] at different values of $\alpha_s(m_Z)$, using the MSHT20 PDF set [37]. The impact of changing $\alpha_s(m_Z)$ on the PDFs is included.

2 ATLAS detector and data sample

The ATLAS experiment [46] at the LHC is a multipurpose particle detector with a forward–backward symmetric cylindrical geometry and a near 4π coverage in solid angle.³ It consists of an inner tracking detector surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadron calorimeters, and a muon spectrometer. The inner tracking detector covers the pseudorapidity range $|\eta| < 2.5$. It consists of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-argon (LAr) sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity. A steel/scintillator-tile hadron calorimeter covers the central pseudorapidity range ($|\eta| < 1.7$). The endcap and forward regions are instrumented with LAr calorimeters for both the EM and hadronic energy measurements up to $|\eta| = 4.9$. The muon spectrometer surrounds the calorimeters and is based on three large superconducting air-core toroidal magnets with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 T m across most of the detector. The muon spectrometer includes a system of precision chambers for tracking and fast detectors for triggering. A three-level trigger system is used to select events. The first-level trigger is implemented in hardware and uses a subset of the detector information to accept events at a rate of at most 75 kHz. This is followed by two software-based trigger levels that together reduce the accepted event rate to 400 Hz on average depending on the data-taking conditions during 2012. An extensive software suite [47] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment. The data were collected by the ATLAS detector in 2012 at a centre-of-mass

³ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

energy of $\sqrt{s} = 8$ TeV, and correspond to an integrated luminosity of 20.2 fb^{-1} . The mean number of additional pp interactions per bunch crossing (pile-up events) in the dataset is approximately 20.

3 Cross-section measurement

The Z -boson transverse-momentum distribution is measured in the electron and muon decay channels, which provide a clear signature with low background rates and a high-precision measurement of the momentum, as presented in Ref. [48]. The double-differential cross sections as functions of transverse momentum (p_T) and rapidity (y) of the Z boson are measured in the pole region, defined as $80 < m_{\ell\ell} < 100$ GeV, where $m_{\ell\ell}$ is the invariant mass of the dilepton system. The combination of 6.2 million electron pairs and 7.8 million muon pairs in the central region, with pseudorapidity $|\eta| < 2.4$, is complemented by 1.3 million electron pairs with one electron in the forward region of the detector, $2.5 < |\eta| < 4.9$, and one electron in the central region.

Events with two ‘central’ electrons were collected using either a dielectron trigger, requiring two electron candidates to each have $p_T > 12$ GeV, or two high- p_T single-electron triggers, the main one having a p_T threshold of 24 GeV. Events with two central muons were collected with either a dimuon trigger requiring two muon candidates with $p_T > 18$ GeV and 8 GeV, respectively, or two high- p_T single-muon triggers, the main one having a p_T threshold of 24 GeV. Events with one central electron and one forward electron were collected using the two high- p_T single-electron triggers described above. Electron candidates in the central region are required in the offline analysis to have either $p_T > 20$ GeV when paired with another central electron candidate or $p_T > 25$ GeV when paired with a forward electron candidate. Muon candidates are required offline to have $p_T > 20$ GeV. Electron candidates in the forward region are required offline to have $p_T > 20$ GeV.

The cross-section measurement relies on the decomposition of the leptons’ $\cos\theta$ and ϕ angular distributions in the Collins–Soper frame⁴ into nine spherical harmonic polynomials, multiplied by angular coefficients [50]. The cross sections in the full lepton phase space, i.e. without kinematic requirements on the transverse momenta and pseudorapidity of the leptons, are extracted from the data by fitting templates of the spherical harmonic polynomials to the reconstructed angular distributions in $(\cos\theta, \phi)$. The decomposition into nine spherical harmonics is based on a simple and model-independent ansatz, namely the spin-one nature of the intermediate boson and spin-half nature of the decay leptons, and on the assumption of angular momentum conservation and quantisation. By measuring the cross sections in the full lepton phase space there is no longer a requirement for predictions to model the polarisation and decay of the Z boson; only its production properties are of interest for comparison with the measurements, thus enabling a determination of the strong-coupling constant not affected by theoretical uncertainties and ambiguities related to spin correlations.

The double-differential cross sections are measured in eight rapidity regions in the range $|y| < 3.6$. The region of Z -boson transverse momentum $p_T < 29$ GeV is considered for the determination of $\alpha_s(m_Z)$, corresponding to nine bins of transverse momentum. The choice of bin boundaries in p_T is the result of an optimisation with respect to the limited resolution of the measurements at low p_T . The background rates from other QCD and electroweak processes are at the level of 0.3% for central electron and muon

⁴ The Collins–Soper frame is the rest frame of the Z boson in which the z -axis bisects the angle between the momentum vector of one proton and the negative momentum vector of the other proton, the x -axis is fixed by the transverse momentum of the Z boson, and the y -axis completes a right-handed coordinate system [49].

pairs, and 1.1% for events with one central electron and one forward electron. The total uncertainties in the measurements are dominated by the statistical uncertainties of the data and, to a lesser extent, those of the simulation samples. Apart from the luminosity uncertainty of 1.8% [51], the total uncertainties are below 1% for $|y| < 2.0$, and below 10% for $2.0 < |y| < 3.6$ [48].

4 Theoretical framework and statistical analysis

The theoretical predictions are computed with the public numerical program DYTURBO [36], which implements the resummation of logarithmically enhanced contributions in the low- p_T region of the lepton pairs at approximate next-to-next-to-next-to-next-to-leading-logarithm accuracy (N^4LLa) [52], combined with the hard-collinear contributions at N^3LO in powers of the QCD coupling [38], and matched to fixed order, namely to N^3LO . The resummation is carried out in impact-parameter space b , which is the Fourier-transform variable conjugate to p_T [53–55]. The resummed cross section is given by the convolution of the leading-order (LO) cross section, the hard-collinear contributions, and the universal (process-independent) Sudakov form factor. The hard-collinear contributions are expanded in powers of α_s , whereas the Sudakov form factor contains all the terms that order-by-order in α_s are logarithmically divergent as $p_T \rightarrow 0$. A unitarity constraint is imposed in the matching to fixed order of the p_T -resummed prediction so as to exactly recover the N^3LO finite-order result when integrating the full lepton-phase-space resummed cross section over p_T . The $O(\alpha_s^3)$ coefficient of the Z+jet cross-section predictions, required for the matching to fixed order, was computed with MCFM [40, 56], using a lower cut-off of $p_T = 5$ GeV. The corresponding matching corrections were interpolated with their known quadratic dependence on the ratio of p_T/m_Z [57] and extrapolated to $p_T = 0$. The Sudakov form factor is singular in the region of transverse momenta of the order of the QCD coupling scale Λ_{QCD} . This signals that a truly non-perturbative region is approached and perturbative results are not reliable. Non-perturbative QCD effects are included with a corresponding form factor [53, 58], which depends on a set of parameters which are either left free in the fit for the determination of $\alpha_s(m_Z)$ or varied when assessing non-perturbative uncertainties.

The predicted cross sections depend on three unphysical QCD scales: the renormalisation scale μ_r , which refers to the characteristic energy scale at which the running coupling constant is evaluated, the factorisation scale μ_f , which separates long-distance and short-distance physics in a scattering process, and the resummation scale Q , which parameterises the arbitrariness in the resummation procedure. The central value of each scale is set to the quadratic sum of $m_{\ell\ell}$ and p_T of the Z boson.

The PDF set used in the predictions is the approximate N^3LO MSHT20 PDF set [59], which is the only PDF set currently available at this order. The PDFs are interpolated with LHAPDF [60] at the factorisation scale μ_f , and evolved backwards using the N^3LO solution of the evolution equation. The number of active flavours is set to five in all the coefficients entering the calculation, and in the evolution of the PDFs. The charm- and bottom-quark PDFs are asymptotically switched off in the backward evolution when approaching their corresponding thresholds.

The effect of initial-state radiation of photons on the transverse-momentum distribution’s shape is estimated at leading-logarithm accuracy with PYTHIA 8 [61] and the AZ set of tuned parton shower parameters [24], and applied as a bin-by-bin multiplicative correction factor. A computation of initial-state radiation of photons at next-to-leading-logarithm accuracy [62] is used to validate the PYTHIA 8 predictions. Higher-order effects on the cross-section normalisation from QED initial-state radiation and from electroweak virtual corrections are considered at next-to-leading order. These are directly computed using the code from Ref. [63], and are in agreement with the results from other calculations benchmarked by the LHC

EW working group. At the Z pole, the virtual effects decrease the predicted cross sections by 0.8%, while the QED initial-state effects increase them by 0.4%. These corrections are found to be independent of rapidity. Higher-order electroweak corrections are expected to be very small at the Z -boson pole, and are neglected.⁵

The statistical analysis for the determination of $\alpha_s(m_Z)$ is performed in the xFitter framework [64]. The value of $\alpha_s(m_Z)$ is determined by minimising a χ^2 function which includes both the experimental uncertainties and the theoretical uncertainties arising from PDF variations:

$$\chi^2(\beta_{\text{exp}}, \beta_{\text{th}}) = \sum_{i=1}^{N_{\text{data}}} \frac{\left(\sigma_i^{\text{exp}} + \sum_j \Gamma_{ij}^{\text{exp}} \beta_{j,\text{exp}} - \sigma_i^{\text{th}} - \sum_k \Gamma_{ik}^{\text{th}} \beta_{k,\text{th}} \right)^2}{\Delta_i^2} + \sum_j \beta_{j,\text{exp}}^2 + \sum_k \beta_{k,\text{th}}^2. \quad (1)$$

The correlated experimental and theoretical uncertainties are included by using the nuisance parameter vectors β_{exp} and β_{th} , respectively. Their influence on the data and theory predictions is described by the Γ_{ij}^{exp} and Γ_{ik}^{th} matrices. The index i runs over all $N_{\text{data}} = 72$ data points of the double-differential Z -boson p_T and y distribution, whereas the indices j and k correspond to the experimental and theoretical uncertainty nuisance parameters respectively. The measurements and the uncorrelated experimental uncertainties are given by σ_i^{exp} and Δ_i , respectively, and the theory predictions are σ_i^{th} . The matrices Γ_{ij}^{exp} encode all the information in the experimental covariance matrix of the measured double-differential cross sections as functions of the transverse momentum and rapidity of the Z boson. The matrices Γ_{ik}^{th} cover the nuisance parameters of the PDF Hessian uncertainties, and parameters of the non-perturbative form factor, which are left free in the fit by allowing unconstrained variations.

Determinations of $\alpha_s(m_Z)$ at hadron colliders are usually affected by significant correlations between $\alpha_s(m_Z)$ and the PDFs, especially the gluon PDF [65]. The dependence of the PDFs on the value of $\alpha_s(m_Z)$ is accounted for by using corresponding α_s -series of PDF sets, which are provided for seven fixed values of $\alpha_s(m_Z)$ in the range $0.114 < \alpha_s(m_Z) < 0.120$. At each value of $\alpha_s(m_Z)$, the PDF uncertainties are Hessian profiled and the χ^2 function is minimised by solving a system of linear equations, according to Eq. (1) [66], whereas the different values of χ^2 as a function of $\alpha_s(m_Z)$ are minimised through a polynomial interpolation to determine $\alpha_s(m_Z)$.

A validation of the statistical analysis, as well as an estimate of the sensitivity of the measured Z -boson cross sections to $\alpha_s(m_Z)$, is provided by a pseudo-fit. Identical theory predictions are used as central values for both data and theory in Eq. (1), including all statistical and systematic experimental uncertainties, without theoretical uncertainties, and with fixed values of the non-perturbative QCD parameters. The input value is set to $\alpha_s(m_Z) = 0.118$, and the pseudo-fit yields $\alpha_s(m_Z) = 0.11801 \pm 0.00006$. The closure of the method is thus found to be accurate to 0.01% and the relative uncertainty in $\alpha_s(m_Z)$ is estimated to be 0.05% before including the theoretical uncertainties discussed in the following.

⁵ The electroweak parameters are set according to the G_μ scheme, in which the Fermi coupling constant G_F , the W -boson mass m_W , and the Z -boson mass m_Z are set to the input values $G_F = 1.1663787 \cdot 10^{-5} \text{ GeV}^{-2}$, $m_W = 80.385 \text{ GeV}$, and $m_Z = 91.1876 \text{ GeV}$ [16], whereas the weak-mixing angle and the QED coupling are calculated at tree level.




Figure 3: Determination of $\alpha_s(m_Z)$ at various different orders in the QCD perturbative expansion, using the MSHT20 PDF set. The filled area represents missing higher-order uncertainties estimated through scale variations, and the vertical error bars include experimental and PDF uncertainties.

5 Determination of $\alpha_s(m_Z)$

The determination of $\alpha_s(m_Z)$ with central values of the QCD scales and using Eq. (1) yields $\alpha_s(m_Z) = 0.11847 \pm 0.00067$, with contributions to the fit uncertainty from the experimental sources and from the PDFs estimated as ± 0.00044 and ± 0.00051 respectively.⁶ Uncertainties arising from missing higher orders, due to truncation of the perturbative series, are estimated through independent variations of μ_r , μ_f and Q in the range $0.5 \cdot \sqrt{m_{\ell\ell}^2 + p_T^2} \leq \{\mu_r, \mu_f, Q\} \leq 2 \cdot \sqrt{m_{\ell\ell}^2 + p_T^2}$ with the constraints $0.5 \leq \{\mu_f/\mu_r, Q/\mu_r, Q/\mu_f\} \leq 2$, leading to 14 variations.

The fit is repeated for each scale variation, and the determined values of $\alpha_s(m_Z)$ range from a minimum of 0.11786 to a maximum of 0.11870. The midpoint of this range of $\alpha_s(m_Z)$ values, $\alpha_s(m_Z) = 0.11828$, is taken as the nominal result, and the range's envelope of ± 0.00042 is used as an estimate of the uncertainties due to missing higher orders, henceforth referred to as 'missing higher-order uncertainties'.

The procedure is repeated at lower orders, starting from next-to-leading-logarithm accuracy matched to next-to-leading order (NLL+NLO). The MSHT20 PDF set is used throughout, and the order of the PDFs is matched to the order required by the logarithmic terms included in the p_T -resummation, i.e. NNLO at N³LL and NLO at NNLL.⁷ The results are shown in Figure 3. At every order, the estimate of missing higher-order uncertainties obtained from the scale variations overlaps with determinations of $\alpha_s(m_Z)$ at higher orders, giving confidence in the robustness and gradual convergence of these estimates.

⁶ The non-perturbative QCD parameters are left free in the fit, and, due to their correlation with $\alpha_s(m_Z)$, the experimental uncertainties are significantly larger here than in the pseudo-fit, where they are kept fixed to assess the experimental sensitivity to $\alpha_s(m_Z)$.

⁷ At NLL the NLO PDF set is used because the LO PDF set does not have $\alpha_s(m_Z)$ variations.

Table 1: Summary of the uncertainties in the determination of $\alpha_s(m_Z)$, in units of 10^{-3} .

Experimental uncertainty	± 0.44	
PDF uncertainty	± 0.51	
Scale variation uncertainties	± 0.42	
Matching to fixed order	0	-0.08
Non-perturbative model	+0.12	-0.20
Flavour model	+0.40	-0.29
QED ISR	± 0.14	
N ⁴ LL approximation	± 0.04	
Total	+0.91	-0.88

Fits without the $\mathcal{O}(\alpha_s^3)$ matching corrections yield an $\alpha_s(m_Z)$ central value which is 0.00024 lower, and the half envelope due to the scale variations increases from ± 0.00042 to ± 0.00062 , which is consistent with the observed shift. Uncertainties in the matching to fixed order are estimated with fits in which the unitarity constraint is not applied. For these fits, the midpoint and half envelope of $\alpha_s(m_Z)$ values from the scale variations yield $\alpha_s(m_Z) = 0.11820 \pm 0.00037$. The difference between this set of fits and the nominal set of fits is taken as a one-sided matching uncertainty of -0.00008 .

Additional uncertainties in the modelling of the non-perturbative form factor are estimated with variations of corresponding parameters, leading to an estimate of ${}^{+0.00012}_{-0.00020}$, as described in Section 7. The effect of charm- and bottom-quark masses and thresholds are estimated with various alternative fits, such as by including variable-flavour number either in the evolution of the PDFs (-0.00029) or in the running of α_s [67] in the Sudakov form factor ($+0.00021$), by varying the charm threshold μ_c by a factor of 2 ($+0.00007$), by varying the bottom threshold μ_b by a factor of 0.5 (-0.00029), or by including the effect of final-state gluon-splitting into massive bottom-quark ($+0.00040$) and charm-quark ($+0.00001$) pairs. The largest excursions are taken as an estimated uncertainty of ${}^{+0.00040}_{-0.00029}$ associated with the flavour model.

The inclusion of initial-state radiation of photons at leading-logarithm accuracy shifts the value of $\alpha_s(m_Z)$ by -0.00028 . Half of this shift is assigned as an uncertainty associated with missing higher-order corrections for the initial-state radiation of photons. Initial-state radiation of photons at next-to-leading-logarithm accuracy [62] shifts the value of $\alpha_s(m_Z)$ by $+0.00007$, which is well within the assigned uncertainty. The inclusion of NLO electroweak corrections shifts the value of $\alpha_s(m_Z)$ by $+0.00006$, and uncertainties related to missing electroweak higher orders are considered negligible.

Uncertainties related to the numerical approximation or our incomplete knowledge of some of the coefficients required for N⁴LL accuracy of p_T -resummation are estimated to contribute at the level of ± 0.00004 , with the largest contribution coming from the numerical approximation of the *cusp* anomalous dimension at five loops [42], and from our incomplete knowledge of the hard-collinear contributions at four loops [45]. Uncertainties due to the numerical approximation of the four-loop splitting functions are already included in the MSHT20 PDF uncertainties.

A summary of the uncertainties in the determination of $\alpha_s(m_Z)$ is shown in Table 1.

The goodness of fit is assessed by computing the value of the χ^2 function with the theory predictions evaluated at the measured value of $\alpha_s(m_Z)$ and with the best-fit values of the non-perturbative parameters and the QCD scales. In addition to the PDF uncertainties included in Eq. (1), all theory uncertainties

considered in the analysis are added as theory nuisance parameters. The computed χ^2 value is 82 for 72 data points, corresponding to a p -value of 0.2.

The upper end of the fit range is varied to test the stability of the results with respect to missing higher-order corrections in the matching to fixed order. Lowering the upper end from 29 GeV to 22 GeV shifts the $\alpha_s(m_Z)$ value by -0.00017 and increases the estimated missing higher-order uncertainties from 0.00042 to 0.00050. Raising the upper end to 40.4 GeV shifts the $\alpha_s(m_Z)$ value by $+0.00028$ and increases the estimated missing higher-order uncertainties to 0.00088. The shifts in the central value are compatible with the increase in the missing higher-order uncertainties.

The fit range is also varied by excluding the low transverse-momentum region. The range is narrowed to $5 < p_T < 29$ GeV, with a spread in the values of $\alpha_s(m_Z)$ at the level of ${}^{+0.00017}_{-0.00010}$, compatible with the increase in the uncertainty of the fit, from 0.00067 to 0.00071. Since the low transverse-momentum region of $p_T < 5$ GeV is the most sensitive to the non-perturbative and quark-flavour effects, this test provides a strong validation of the modelling of these corrections.

The post-fit predictions are compared with the measured Z -boson transverse-momentum distribution in Figure 4. The overall change in the normalisation is accounted for by a pull of the 1.8% luminosity uncertainty by $+1.3$ standard deviations.

The determination of $\alpha_s(m_Z)$ is repeated at a lower order, $N^3\text{LL}+N^3\text{LO}$, with the MSHT20, CT18A, NNPDF4.0 and HERAPDF2.0 NNLO PDF sets. The spread of the fitted values of $\alpha_s(m_Z)$ is ± 0.00102 , driven by the difference between CT18A and NNPDF4.0. While these PDF sets are not appropriate for the present measurement given their lower theoretical accuracy, this study provides a conservative estimate of the residual PDF model dependence of the result, demonstrating that the achievable accuracy is excellent compared to that of other methods of extracting $\alpha_s(m_Z)$. At this order, in addition to the Hessian profiling approach, a simultaneous PDF-fit determination is performed through the numerical minimisation of the χ^2 in the full multidimensional parameter space of PDFs, the non-perturbative parameters, and $\alpha_s(m_Z)$. The combined neutral- and charged-current deep inelastic scattering (DIS) cross-section data from the H1 and ZEUS experiments at the HERA collider [65] are included in the fit, with a minimum squared four-momentum transfer Q^2 of 10 GeV^2 , together with the measured Z -boson transverse-momentum distribution. The value of $\alpha_s(m_Z)$ determined from this fit is 0.11866 ± 0.00064 , where the quoted uncertainty is the uncertainty from the fit, which includes experimental and PDF uncertainties. The determined value of $\alpha_s(m_Z)$ is in agreement with corresponding determinations using the Hessian profiling approach at this order, and the uncertainty is comparable to the uncertainty of the nominal fit. At $N^3\text{LL}+N^3\text{LO}$, missing higher-order uncertainties estimated with scale variations amount to ± 0.00066 . Considering all the other relevant uncertainties listed in Table 1, the result of this determination is $\alpha_s(m_Z) = 0.1187 \pm 0.0010$.




Figure 4: Ratios of the measured double-differential cross sections to the post-fit predictions, both as functions of the transverse momentum and rapidity of the Z boson. The blue inner band shows the PDF uncertainties of the predictions pulled and constrained by the fit, and the orange band shows the PDF and all other unconstrained theoretical uncertainties added in quadrature. The measured cross sections are corrected by the post-fit pull of the luminosity uncertainty. The vertical error bars show the experimental uncertainties of the measurement. The dashed lines show post-fit predictions in which $\alpha_s(m_Z)$ is varied by ± 0.002 and all other parameters are kept fixed.

6 Outlook

The coupling constant of the strong force is determined from a measurement of the transverse-momentum distribution of Z bosons produced at the LHC in 20.2 fb^{-1} of 8 TeV proton–proton collisions and recorded by the ATLAS experiment. The analysis is based on a semi-inclusive observable at hadron–hadron colliders, and employs QCD resummed theory predictions. In contrast to other hadron collider observables, the Z -boson transverse-momentum distribution in the Sudakov region is not included in PDF fits, thus largely removing the issue of correlation between this $\alpha_s(m_Z)$ determination and simultaneous determinations of PDFs and the strong-coupling constant. The measured value of $\alpha_s(m_Z) = 0.1183 \pm 0.0009$ is compatible with other determinations and with the world-average value, as illustrated in Figure 5.

Among experimental determinations, this is the most precise to date and the first based on $\text{N}^4\text{LLa}+\text{N}^3\text{LO}$ predictions in perturbative QCD. This result marks the start of a new era in precision studies of QCD with the Drell–Yan process. Using this approach, the strong-coupling constant can be investigated with higher precision and in higher energy regimes with future larger datasets.




Figure 5: Comparison of the determination of $\alpha_s(m_Z)$ from the Z-boson transverse-momentum distribution (ATLAS $Z p_T$ 8 TeV) with other determinations at hadron colliders [17–23, 35], with the PDG category averages [3], with the lattice QCD determination [10], and with the PDG world average [3].

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMFWF and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir IDEX and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [68].

7 Methods

Modelling of non-perturbative effects. Determinations of $\alpha_s(m_Z)$ are affected by non-perturbative power corrections of the type $\Lambda_{\text{QCD}}^p/Q^p$, where Λ_{QCD} is the non-perturbative scale of QCD and Q is the order of magnitude of the momentum transfer in the process. Their impact strongly depends on the value of the power p for the given process used to determine $\alpha_s(m_Z)$. Non-perturbative QCD effects [53, 58, 69–77], are expected to be quadratically suppressed for the Drell–Yan p_T distribution at large p_T , or, equivalently, in the limit of small b [78], thanks to the azimuthal symmetry of the intrinsic transverse-momentum smearing of partons [79, 80]. In the small p_T region the non-perturbative corrections are expected to become linear below a given scale [58, 81], which is estimated of the order of 1 GeV in Ref. [82].

In the case of the Z -boson p_T -resummed predictions used in this analysis, the Sudakov form factor is singular in the region of transverse momenta of the order of the QCD scale Λ_{QCD} . The singular behaviour of the perturbative form factor is removed by using the so-called b_* [53, 83] regularisation procedure, in which the dependence of the Sudakov form factor on the impact parameter b is frozen before reaching the singular point by performing the replacement $b^2 \rightarrow b_*^2 = b^2 b_{\text{lim}}^2 / (b^2 + b_{\text{lim}}^2)$. A default value of $b_{\text{lim}} = 2 \text{ GeV}^{-1}$ is used in the calculation. Non-perturbative QCD effects are included in this analysis with a non-perturbative form factor [53, 58]:

$$S_{\text{NP}}(b) = \exp \left[-g_j(b) - g_K(b) \log \frac{m_{\ell\ell}^2}{Q_0^2} \right] \quad (2)$$

with

$$g_j(b) = \frac{g b^2}{\sqrt{1 + \lambda b^2}} + \text{sign}(q) \left(1 - \exp[-|q| b^4] \right) \quad (3)$$

$$g_K(b) = g_0 \left(1 - \exp \left[-\frac{C_F \alpha_s(b_0/b_*) b^2}{\pi g_0 b_{\text{lim}}^2} \right] \right), \quad (4)$$

where $b_0 = 2e^{-\gamma_E}$, and γ_E is the Euler number. The g and q parameters represent the leading quadratic and quartic terms which are dominant in the region of moderate p_T of 4–10 GeV, where the sensitivity to $\alpha_s(m_Z)$ is maximal, and they are left free in the fit. The parameter λ controls the scale of transition from quadratic (Gaussian) to linear (exponential) behaviour of the non-perturbative primordial k_T . It is set to 1 GeV^2 and varied when assessing uncertainties of the non-perturbative model. The parameter g_0 controls the asymptotic behaviour of the non-perturbative form factor at very small p_T , in a region where the measured cross section and the determined value of $\alpha_s(m_Z)$ have very little sensitivity. It is set to 0.3 [58] and varied when assessing uncertainties of the non-perturbative model. The parameters b_{lim} and Q_0 represent respectively the scale at which the running of α_s is frozen, and the starting scale at which the non-perturbative form factor is parameterised by the function $g_j(b)$. Changes in these parameters should be completely reabsorbed by changes in the functions $g_K(b)$ and $g_j(b)$, provided they are flexible enough. Variations of b_{lim} and of Q_0 are performed to assess the uncertainty related to the choice of parameterisation in Eqs. (2)–(4).

The value of g determined in the nominal fit is $g = 0.54 \pm 0.04 \text{ GeV}^2$ and its correlation with $\alpha_s(m_Z)$ is -0.6 . The value of q determined in the fit is $q = -0.06 \pm 0.04 \text{ GeV}^4$ and its correlation with $\alpha_s(m_Z)$ is $+0.4$. The correlation between g and q is -0.7 . Uncertainties in the modelling of the non-perturbative form factor are estimated with variations of the parameters b_{lim} , Q_0 , g_0 , and λ . Variations of b_{lim} in the range




Figure 6: Ratios of the profiled (a) gluon and (b) sea-quark PDFs to their initial values, at the scale $q^2 = m_Z^2$. The error bands represent the 68% confidence level.

Table 2: Summary of N^3 LL fits with NNLO PDFs.

PDF set	$\alpha_s(m_Z)$	PDF uncertainty	g [GeV ²]	q [GeV ⁴]
MSHT20 [37]	0.11839	0.00040	0.44	-0.07
NNPDF4.0 [84]	0.11779	0.00024	0.50	-0.08
CT18A [29]	0.11982	0.00050	0.36	-0.03
HERAPDF2.0 [65]	0.11890	0.00027	0.40	-0.04

1.5–2.5 GeV⁻¹ yield $\alpha_s(m_Z)$ variations of $^{+0.00012}_{-0.00020}$. Variations of Q_0 in the range 0.5–2 GeV yield $\alpha_s(m_Z)$ variations of $^{+0.00006}_{-0.00002}$. Variations of g_0 in the range 0.1–0.5 yield $\alpha_s(m_Z)$ variations which are at the level of ± 0.00002 . Variations of λ in the range 0.5–2 GeV² yield $\alpha_s(m_Z)$ variations of $^{+0.00011}_{-0.00019}$. The envelope of these variations is $^{+0.00012}_{-0.00020}$, which is used as an estimate of the uncertainty in the non-perturbative model.

PDF profiling. Pulls and constraints on the nuisance parameters associated with the PDF uncertainties in Eq. (1) can be reinterpreted in the PDF space through a Hessian profiling procedure [66]. Such a reinterpretation provides valuable information about the sensitivity of the measured cross sections to the PDFs. The largest observed effects are on the gluon and sea-quark PDFs, which are shown in Figure 6.

Fits with NNLO PDFs. At order N^4 LLa+ N^3 LO, only one N^3 LO PDF set is currently available, namely the MSHT20a N^3 LO [59] PDF set. In order to study the dependence of the results on the choice of PDF set, fits are performed at a lower order, N^3 LL+ N^3 LO, using NNLO PDF sets. Table 2 shows results of fits with various PDF sets. At this order, the spread observed in the values of $\alpha_s(m_Z)$ extracted with different PDF sets is ± 0.00102 , which is driven by the difference between the NNPDF4.0 and CT18A PDF sets.

The determination of $\alpha_s(m_Z)$ from the transverse-momentum distribution of Z bosons is particularly sensitive to the gluon PDF. The PDF determinations at NNLO are affected by significant tension between

the low- x and high- x gluon PDFs, which is ascribed to tensions between observables sensitive to the gluon PDF, such as those for inclusive deep inelastic scattering (DIS) at the HERA collider, hadron-collider jet measurements, top-quark pair production, and Z -boson p_T measurements in the high transverse-momentum region.

In order to investigate the effect of these tensions on the determination of $\alpha_s(m_Z)$ at N³LL, fits are performed which also include the combined neutral- and charged-current DIS cross-section data from the H1 and ZEUS experiments at the HERA collider [65], with a minimum Q^2 value of 10 GeV², together with the measured Z -boson transverse-momentum cross sections. The HERA data are already included in all PDF fits, they are included again here for the purpose of lessening the impact of other datasets on the gluon PDF. After the inclusion of HERA data in the fit, all PDF sets yield values of $\alpha_s(m_Z)$ consistent with the initial results, except for CT18A, which is shifted by -0.00166 compared to a PDF uncertainty of ± 0.00050 , and the half-envelope of $\alpha_s(m_Z)$ values for the PDF sets considered is reduced to ± 0.00016 .

The approximate N³LO PDF fit of MSHT20, which is used for the nominal result, largely removes the tension in the gluon PDF, as indicated by the significant improvement in the χ^2 associated with the Z -boson p_T measurement in the high transverse-momentum region and with inclusive DIS at the HERA collider, compared to the NNLO fit [59]. These observations suggest that the spread in $\alpha_s(m_Z)$ when using different PDF sets at NNLO is not representative of the true PDF uncertainty at N³LO. However, further studies to verify the robustness of the estimate of the PDF uncertainties at N³LO in the MSHT20 analysis will be possible when other PDF determinations at this order become available.

Combined fits of $\alpha_s(m_Z)$ and PDFs. Determinations of $\alpha_s(m_Z)$ at hadron colliders are exposed to possible biases unless the PDFs are determined simultaneously along with $\alpha_s(m_Z)$ [85]. The Hessian profiling employed in this analysis provides an approximation to a PDF determination which relies on the accuracy of the quadratic approximation around the minimum [86]. In the nominal fit of $\alpha_s(m_Z)$ at N⁴LLa+N³LO, pulls and constraints on the nuisance parameters associated with the PDF uncertainties are below one standard deviation and 30%, respectively, indicating that the new minimum of the profiled PDFs is close to the original minimum, which gives confidence in the validity of the quadratic approximation.

A simultaneous determination of $\alpha_s(m_Z)$, the PDFs, and the non-perturbative parameters through the numerical minimisation of the χ^2 in the full multidimensional parameters space [87] is performed at N³LL+N³LO, with PDFs evolved at NNLO. The combined neutral- and charged-current DIS cross-section data from the H1 and ZEUS experiments at the HERA collider [65] are included, with a minimum squared four-momentum transfer Q^2 of 10 GeV², corresponding to 1016 data points, together with the measured Z -boson transverse-momentum cross sections.

The light-quark coefficient functions of the DIS cross sections are calculated in the \overline{MS} scheme [88], and with the renormalisation and factorisation scales set to the squared four-momentum transfers Q^2 . The heavy quarks c and b are generated dynamically, and the corresponding coefficient functions for the neutral-current processes with γ^* exchange are calculated in the general-mass variable-flavour-number scheme [89–91], with up to five active quark flavours. The charm-quark mass is set to $m_c = 1.43$ GeV, and the bottom-quark mass to $m_b = 4.50$ GeV [65]. For the charged-current processes, the heavy quarks are treated as massless.

The PDFs for the gluon, valence u - and d -quark, and \bar{u} - and \bar{d} -quark densities are parameterised at the input scale $Q_0^2 = 1.9$ GeV² with the parameterisation in Ref. [92]. The contribution of the s -quark density is taken to be proportional to the \bar{d} -quark density by setting $x\bar{s}(x) = r_s x\bar{d}(x)$, with $r_s = 0.67$.




Figure 7: Values of the χ^2 function for the determination of $\alpha_s(m_Z)$ from a simultaneous fit of PDFs and non-perturbative parameters at $N^3\text{LL}+N^3\text{LO}$, with PDFs evolved at NNLO. The horizontal dashed lines indicate the minimum value of the χ^2 and the minimum χ^2 plus one. The vertical dashed lines show the intersections of the line at the minimum χ^2 plus one with the χ^2 function, which correspond to the $\alpha_s(m_Z)$ uncertainties from the fit.

Fits are performed at fixed values of $\alpha_s(m_Z)$, and the fitted value of $\alpha_s(m_Z)$ is determined from a quadratic interpolation of the χ^2 as a function of $\alpha_s(m_Z)$, as shown in Figure 7. The determined value of $\alpha_s(m_Z)$ is 0.11866 ± 0.00064 , where the quoted uncertainty is the uncertainty from the fit, which includes experimental and PDF uncertainties. The value of $\alpha_s(m_Z)$ is in agreement with corresponding determinations using the Hessian profiling approach at this order, as shown in Table 2, and the uncertainty is comparable to the uncertainty of ± 0.00067 in the nominal fit. The dependence of $\alpha_s(m_Z)$ on the minimum squared four-momentum transfer Q^2 of the HERA data is studied in the range from 2.5 GeV^2 to 25 GeV^2 , as shown in Figure 8. No significant dependence is observed above 5 GeV^2 .




Figure 8: Dependence of $\alpha_s(m_Z)$ on the minimum squared four-momentum transfer Q^2 of the HERA data from a simultaneous fit of PDFs and non-perturbative parameters at $N^3\text{LL}+N^3\text{LO}$, with PDFs evolved at NNLO. The shaded area shows the uncertainty from the fit

Sudakov subleading higher-order corrections. Additional fits are performed which differ from the nominal fit for subleading higher-order corrections in the Sudakov form factor. In Ref. [93], different procedures for the computation of the Sudakov form factor are discussed, including analytic and numerical solutions. Subleading corrections in the definition of the Sudakov form factor and in the running of α_s are tested with fits where the Sudakov form factor is evaluated with a numerical integration, and $\alpha_s(Q)$ in the Sudakov form factor is obtained from the exact numerical renormalisation-group-equation invariant solution for the running of α_s . The effects of scale variations are estimated with the methodology proposed in Ref. [94]. For these fits, the midpoint and half envelope of the $\alpha_s(m_Z)$ values from the scale variations yield $\alpha_s(m_Z) = 0.11832 \pm 0.00029$. Fits where the hard-collinear coefficients are evolved according to the CSS scheme [53] yield a value of $\alpha_s(m_Z) = 0.11872$ for the central value of the scales. In all the cases considered, the inclusion of subleading higher-order corrections is covered by the estimate of missing higher-order corrections based on scale variations, so no additional uncertainty is considered.

References

- [1] D. J. Gross and F. Wilczek, *Ultraviolet Behavior of Non-Abelian Gauge Theories*, *Phys. Rev. Lett.* **30** (1973) 1343.
- [2] H. D. Politzer, *Reliable Perturbative Results for Strong Interactions?*, *Phys. Rev. Lett.* **30** (1973) 1346.
- [3] R. L. Workman et al., *Review of Particle Physics*, *PTEP* **2022** (2022) 083C01.
- [4] M. Aguilar-Benitez et al., *Review of Particle Properties*. Particle Data Group, *Phys. Lett. B* **170** (1986) 1.

- [5] S. Heinemeyer, S. Jadach and J. Reuter, *Theory requirements for SM Higgs and EW precision physics at the FCC-ee*, *Eur. Phys. J. Plus* **136** (2021) 911, arXiv: 2106.11802 [hep-ph].
- [6] GFitter Group, J. Haller et al., *Update of the global electroweak fit and constraints on two-Higgs-doublet models*, *Eur. Phys. J. C* **78** (2018) 675, arXiv: 1803.01853 [hep-ph].
- [7] D. d’Enterria and V. Jacobsen, *Improved strong coupling determinations from hadronic decays of electroweak bosons at N^3LO accuracy*, (2020), arXiv: 2005.04545 [hep-ph].
- [8] G. Degrandi et al., *Higgs mass and vacuum stability in the Standard Model at NNLO*, *JHEP* **08** (2012) 098, arXiv: 1205.6497 [hep-ph].
- [9] G. Salam, ‘The strong coupling: a theoretical perspective’, *From My Vast Repertoire ...: Guido Altarelli’s Legacy*, ed. by A. Levy, S. Forte and G. Ridolfi, 2019, chap. 7 101, arXiv: 1712.05165 [hep-ph], URL: https://www.worldscientific.com/doi/abs/10.1142/9789813238053_0007.
- [10] Y. Aoki et al., *FLAG Review 2021*, *Eur. Phys. J. C* **82** (2022) 869, arXiv: 2111.09849 [hep-lat].
- [11] P. A. Baikov, K. G. Chetyrkin and J. H. Kuhn, *Order α_s^4 QCD Corrections to Z and τ Decays*, *Phys. Rev. Lett.* **101** (2008) 012002, arXiv: 0801.1821 [hep-ph].
- [12] A. Pich and A. Rodríguez-Sánchez, *Determination of the QCD coupling from ALEPH τ decay data*, *Phys. Rev. D* **94** (2016) 034027, arXiv: 1605.06830 [hep-ph].
- [13] M. Davier, A. Höcker, B. Malaescu, C.-Z. Yuan and Z. Zhang, *Update of the ALEPH non-strange spectral functions from hadronic τ decays*, *Eur. Phys. J. C* **74** (2014) 2803, arXiv: 1312.1501 [hep-ex].
- [14] D. Boito et al., *Strong coupling from $e^+e^- \rightarrow$ hadrons below charm*, *Phys. Rev. D* **98** (2018) 074030, arXiv: 1805.08176 [hep-ph].
- [15] D. Boito et al., *Strong coupling from an improved τ vector isovector spectral function*, *Phys. Rev. D* **103** (2021) 034028, arXiv: 2012.10440 [hep-ph].
- [16] P. A. Zyla et al., *Review of Particle Physics*, *PTEP* **2020** (2020) 083C01.
- [17] CMS Collaboration, *Measurement and QCD analysis of double-differential inclusive jet cross sections in proton–proton collisions at $\sqrt{s} = 13$ TeV*, *JHEP* **02** (2021) 142, arXiv: 2111.10431 [hep-ex].
- [18] ATLAS Collaboration, *Determination of the strong coupling constant from transverse energy–energy correlations in multijet events at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *JHEP* **07** (2023) 085, arXiv: 2301.09351 [hep-ex].
- [19] V. Andreev et al., *Determination of the strong coupling constant $\alpha_s(m_Z)$ in next-to-next-to-leading order QCD using H1 jet cross section measurements*, *Eur. Phys. J. C* **77** (2017) 791, arXiv: 1709.07251 [hep-ex], Erratum: *Eur. Phys. J. C* **81** (2021) 738.
- [20] D. Britzger et al., *Calculations for deep inelastic scattering using fast interpolation grid techniques at NNLO in QCD and the extraction of α_s from HERA data*, *Eur. Phys. J. C* **79** (2019) 845, arXiv: 1906.05303 [hep-ph], Erratum: *Eur. Phys. J. C* **81** (2021) 957.
- [21] CMS Collaboration, *Measurement of the $t\bar{t}$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **79** (2019) 368, arXiv: 1812.10505 [hep-ex].

- [22] T. Klijnsma, S. Bethke, G. Dissertori and G. P. Salam, *Determination of the strong coupling constant $\alpha_s(m_Z)$ from measurements of the total cross section for top-antitop-quark production*, *Eur. Phys. J. C* **77** (2017) 778, arXiv: [1708.07495 \[hep-ph\]](#).
- [23] D. d’Enterria and A. Poldaru, *Extraction of the strong coupling $\alpha_s(m_Z)$ from a combined NNLO analysis of inclusive electroweak boson cross sections at hadron colliders*, *JHEP* **06** (2020) 016, arXiv: [1912.11733 \[hep-ph\]](#).
- [24] ATLAS Collaboration, *Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *JHEP* **09** (2014) 145, arXiv: [1406.3660 \[hep-ex\]](#).
- [25] ATLAS Collaboration, *Measurement of the transverse momentum and ϕ_{η}^* distributions of Drell-Yan lepton pairs in proton–proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector*, *Eur. Phys. J. C* **76** (2016) 291, arXiv: [1512.02192 \[hep-ex\]](#).
- [26] CMS Collaboration, *Measurement of the Z boson differential cross section in transverse momentum and rapidity in proton–proton collisions at 8 TeV*, *Phys. Lett. B* **749** (2015) 187, arXiv: [1504.03511 \[hep-ex\]](#).
- [27] R. Boughezal, A. Guffanti, F. Petriello and M. Ubiali, *The impact of the LHC Z-boson transverse momentum data on PDF determinations*, *JHEP* **07** (2017) 130, arXiv: [1705.00343 \[hep-ph\]](#).
- [28] R. D. Ball et al., *Precision determination of the strong coupling constant within a global PDF analysis*, *Eur. Phys. J. C* **78** (2018) 408, arXiv: [1802.03398 \[hep-ph\]](#).
- [29] T.-J. Hou et al., *New CTEQ global analysis of quantum chromodynamics with high-precision data from the LHC*, *Phys. Rev. D* **103** (2021) 014013, arXiv: [1912.10053 \[hep-ph\]](#).
- [30] T. Cridge, L. A. Harland-Lang, A. D. Martin and R. S. Thorne, *An investigation of the α_s and heavy quark mass dependence in the MSHT20 global PDF analysis*, *Eur. Phys. J. C* **81** (2021) 744, arXiv: [2106.10289 \[hep-ph\]](#).
- [31] S. Catani and L. Trentadue, *Resummation of the QCD Perturbative Series for Hard Processes*, *Nucl. Phys. B* **327** (1989) 323.
- [32] S. Catani, B. R. Webber and G. Marchesini, *QCD coherent branching and semi-inclusive processes at large x* , *Nucl. Phys. B* **349** (1991) 635.
- [33] V. V. Sudakov, *Vertex parts at very high-energies in quantum electrodynamics*, *Sov. Phys. JETP* **3** (1956) 65.
- [34] S. D. Drell and T.-M. Yan, *Massive Lepton-Pair Production in Hadron-Hadron Collisions at High Energies*, *Phys. Rev. Lett.* **25** (1970) 316, Erratum: *Phys. Rev. Lett.* **25** (13 1970) 902.
- [35] S. Camarda, G. Ferrera and M. Schott, *Determination of the strong-coupling constant from the Z-boson transverse-momentum distribution*, (2022), arXiv: [2203.05394 \[hep-ph\]](#).
- [36] S. Camarda et al., *DYTurbo: Fast predictions for Drell–Yan processes*, *Eur. Phys. J. C* **80** (2020) 251, arXiv: [1910.07049 \[hep-ph\]](#), Erratum: *Eur. Phys. J. C* **80** (2020) 440.

- [37] S. Bailey, T. Cridge, L. A. Harland-Lang, A. D. Martin and R. S. Thorne, *Parton distributions from LHC, HERA, Tevatron and fixed target data: MSHT20 PDFs*, *Eur. Phys. J. C* **81** (2021) 341, arXiv: 2012.04684 [hep-ph].
- [38] S. Camarda, L. Cieri and G. Ferrera, *Drell–Yan lepton-pair production: q_T resummation at N^3LL accuracy and fiducial cross sections at N^3LO* , *Phys. Rev. D* **104** (2021) L111503, arXiv: 2103.04974 [hep-ph].
- [39] X. Chen et al., *Third-Order Fiducial Predictions for Drell–Yan Production at the LHC*, *Phys. Rev. Lett.* **128** (2022) 252001, arXiv: 2203.01565 [hep-ph].
- [40] T. Neumann and J. Campbell, *Fiducial Drell–Yan production at the LHC improved by transverse-momentum resummation at $N^4LL_p + N^3LO$* , *Phys. Rev. D* **107** (2023) L011506, arXiv: 2207.07056 [hep-ph].
- [41] P. A. Baikov, K. G. Chetyrkin and J. H. Kühn, *Five-Loop Running of the QCD coupling constant*, *Phys. Rev. Lett.* **118** (2017) 082002, arXiv: 1606.08659 [hep-ph].
- [42] F. Herzog et al., *Five-loop contributions to low- N non-singlet anomalous dimensions in QCD*, *Phys. Lett. B* **790** (2019) 436, arXiv: 1812.11818 [hep-ph].
- [43] C. Duhr, B. Mistlberger and G. Vita, *Four-Loop Rapidity Anomalous Dimension and Event Shapes to Fourth Logarithmic Order*, *Phys. Rev. Lett.* **129** (2022) 162001, arXiv: 2205.02242 [hep-ph].
- [44] I. Moulst, H. X. Zhu and Y. J. Zhu, *The four loop QCD rapidity anomalous dimension*, *JHEP* **08** (2022) 280, arXiv: 2205.02249 [hep-ph].
- [45] A. Chakraborty et al., *Hbb vertex at four loops and hard matching coefficients in SCET for various currents*, *Phys. Rev. D* **106** (2022) 074009, arXiv: 2204.02422 [hep-ph].
- [46] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, *JINST* **3** (2008) S08003.
- [47] ATLAS Collaboration, *The ATLAS Collaboration Software and Firmware*, ATL-SOFT-PUB-2021-001, 2021, URL: <https://cds.cern.ch/record/2767187>.
- [48] ATLAS Collaboration, *A precise measurement of the Z-boson double-differential transverse momentum and rapidity distributions in the full phase space of the decay leptons with the ATLAS experiment at $\sqrt{s} = 8$ TeV*, (2023), arXiv: 2309.09318 [hep-ex].
- [49] J. C. Collins and D. E. Soper, *Angular Distribution of Dileptons in High-Energy Hadron Collisions*, *Phys. Rev. D* **16** (1977) 2219.
- [50] E. Mirkes, *Angular decay distribution of leptons from W-bosons at NLO in hadronic collisions*, *Nucl. Phys. B* **387** (1992) 3.
- [51] ATLAS Collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC*, *Eur. Phys. J. C* **76** (2016) 653, arXiv: 1608.03953 [hep-ex].
- [52] S. Camarda, L. Cieri and G. Ferrera, *Drell–Yan lepton-pair production: q_T resummation at N^4LL accuracy*, *Physics Letters B* **845** (2023) 138125, arXiv: 2303.12781 [hep-ph].

- [53] J. C. Collins, D. E. Soper and G. F. Sterman, *Transverse Momentum Distribution in Drell–Yan Pair and W and Z Boson Production*, *Nucl. Phys. B* **250** (1985) 199.
- [54] G. Bozzi, S. Catani, D. de Florian and M. Grazzini, *Transverse-momentum resummation and the spectrum of the Higgs boson at the LHC*, *Nucl. Phys. B* **737** (2006) 73, arXiv: [hep-ph/0508068](#).
- [55] S. Catani, D. de Florian, G. Ferrera and M. Grazzini, *Vector boson production at hadron colliders: transverse-momentum resummation and leptonic decay*, *JHEP* **12** (2015) 047, arXiv: [1507.06937 \[hep-ph\]](#).
- [56] R. Boughezal et al., *Z-boson Production in Association with a Jet at Next-to-Next-To-Leading Order in Perturbative QCD*, *Phys. Rev. Lett.* **116** (2016) 152001, arXiv: [1512.01291 \[hep-ph\]](#).
- [57] S. Camarda, L. Cieri and G. Ferrera, *Fiducial perturbative power corrections within the \mathbf{q}_T subtraction formalism*, *Eur. Phys. J. C* **82** (2022) 575, arXiv: [2111.14509 \[hep-ph\]](#).
- [58] J. Collins and T. Rogers, *Understanding the large-distance behavior of transverse-momentum-dependent parton densities and the Collins-Soper evolution kernel*, *Phys. Rev. D* **91** (2015) 074020, arXiv: [1412.3820 \[hep-ph\]](#).
- [59] J. McGowan, T. Cridge, L. A. Harland-Lang and R. S. Thorne, *Approximate N^3LO parton distribution functions with theoretical uncertainties: MSHT20a N^3LO PDFs*, *Eur. Phys. J. C* **83** (2023) 185, arXiv: [2207.04739 \[hep-ph\]](#).
- [60] A. Buckley et al., *LHAPDF6: parton density access in the LHC precision era*, *Eur. Phys. J. C* **75** (2015) 132, arXiv: [1412.7420 \[hep-ph\]](#).
- [61] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159, arXiv: [1410.3012 \[hep-ph\]](#).
- [62] L. Cieri, G. Ferrera and G. F. R. Sborlini, *Combining QED and QCD transverse-momentum resummation for Z boson production at hadron colliders*, *JHEP* **08** (2018) 165, arXiv: [1805.11948 \[hep-ph\]](#).
- [63] S. Bondarenko, Y. Dydyshka, L. Kalinovskaya, R. Sadykov and V. Yermolchuk, *Hadron-hadron collision mode in ReneSANCe-v1.3.0*, *Comput. Phys. Commun.* **285** (2023) 108646, arXiv: [2207.04332 \[hep-ph\]](#).
- [64] S. Alekhin et al., *HERAFitter*, *Eur. Phys. J. C* **75** (2015) 304, arXiv: [1410.4412 \[hep-ph\]](#).
- [65] H. Abramowicz et al., *Combination of measurements of inclusive deep inelastic $e^\pm p$ scattering cross sections and QCD analysis of HERA data*, *Eur. Phys. J. C* **75** (2015) 580, arXiv: [1506.06042 \[hep-ex\]](#).
- [66] S. Camarda et al., *QCD analysis of W- and Z-boson production at Tevatron*, *Eur. Phys. J. C* **75** (2015) 458, arXiv: [1503.05221 \[hep-ph\]](#).
- [67] F. Herren and M. Steinhauser, *Version 3 of RunDec and CRunDec*, *Comput. Phys. Commun.* **224** (2018) 333, arXiv: [1703.03751 \[hep-ph\]](#).
- [68] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2023-001, 2023, URL: <https://cds.cern.ch/record/2869272>.
- [69] C. T. H. Davies, B. R. Webber and W. J. Stirling, *Drell–Yan cross sections at small transverse momentum*, *Nucl. Phys. B* **256** (1985) 413.

- [70] G. A. Ladinsky and C. P. Yuan, *Nonperturbative regime in QCD resummation for gauge boson production at hadron colliders*, *Phys. Rev. D* **50** (1994) R4239, arXiv: [hep-ph/9311341](#).
- [71] R. K. Ellis, D. A. Ross and S. Veseli, *Vector boson production in hadronic collisions*, *Nucl. Phys. B* **503** (1997) 309, arXiv: [hep-ph/9704239](#).
- [72] F. Landry, R. Brock, G. Ladinsky and C. P. Yuan, *New fits for the non-perturbative parameters in the CSS resummation formalism*, *Phys. Rev. D* **63** (2000) 013004, arXiv: [hep-ph/9905391](#).
- [73] J. Qiu and X. Zhang, *Role of the nonperturbative input in QCD resummed Drell–Yan Q_T distributions*, *Phys. Rev. D* **63** (2001) 114011, arXiv: [hep-ph/0012348](#).
- [74] A. Kulesza, G. F. Sterman and W. Vogelsang, *Joint resummation in electroweak boson production*, *Phys. Rev. D* **66** (2002) 014011, arXiv: [hep-ph/0202251](#).
- [75] A. V. Konychev and P. M. Nadolsky, *Universality of the Collins-Soper-Sterman nonperturbative function in vector boson production*, *Phys. Lett. B* **633** (2006) 710, arXiv: [hep-ph/0506225](#).
- [76] M. Guzzi, P. M. Nadolsky and B. Wang, *Nonperturbative contributions to a resummed leptonic angular distribution in inclusive neutral vector boson production*, *Phys. Rev. D* **90** (2014) 014030, arXiv: [1309.1393 \[hep-ph\]](#).
- [77] S. Wei, *Exploring the non-perturbative Sudakov factor via Z^0 -boson production in pp collisions*, *Phys. Lett. B* **817** (2021) 136356, arXiv: [2009.06514 \[hep-ph\]](#).
- [78] S. Tafat, *Nonperturbative corrections to the Drell–Yan transverse momentum distribution*, *JHEP* **05** (2001) 004, arXiv: [hep-ph/0102237](#).
- [79] S. Ferrario Ravasio, G. Limatola and P. Nason, *Infrared renormalons in kinematic distributions for hadron collider processes*, *JHEP* **06** (2021) 018, arXiv: [2011.14114 \[hep-ph\]](#).
- [80] F. Caola, S. Ferrario Ravasio, G. Limatola, K. Melnikov and P. Nason, *On linear power corrections in certain collider observables*, *JHEP* **01** (2022) 093, arXiv: [2108.08897 \[hep-ph\]](#).
- [81] A. A. Vladimirov, *Self-Contained Definition of the Collins-Soper Kernel*, *Phys. Rev. Lett.* **125** (2020) 192002, arXiv: [2003.02288 \[hep-ph\]](#).
- [82] P. Schweitzer, M. Strikman and C. Weiss, *Intrinsic transverse momentum and parton correlations from dynamical chiral symmetry breaking*, *JHEP* **01** (2013) 163, arXiv: [1210.1267 \[hep-ph\]](#).
- [83] J. C. Collins and D. E. Soper, *Back-to-back jets: Fourier transform from b to k_T* , *Nucl. Phys. B* **197** (1982) 446.
- [84] R. D. Ball et al., *The path to proton structure at 1% accuracy*, *Eur. Phys. J. C* **82** (2022) 428, arXiv: [2109.02653 \[hep-ph\]](#).
- [85] S. Forte and Z. Kassabov, *Why α_s cannot be determined from hadronic processes without simultaneously determining the parton distributions*, *Eur. Phys. J. C* **80** (2020) 182, arXiv: [2001.04986 \[hep-ph\]](#).

- [86] H. Paukkunen and P. Zurita, *PDF reweighting in the Hessian matrix approach*, **JHEP** **12** (2014) 100, arXiv: [1402.6623](https://arxiv.org/abs/1402.6623) [[hep-ph](#)].
- [87] S. Agarwal, K. Mierle and T. C. S. Team, *Ceres Solver*, version 2.1, 2022, URL: <https://github.com/ceres-solver/ceres-solver>.
- [88] S. Weinberg, *New Approach to the Renormalization Group*, **Phys. Rev. D** **8** (1973) 3497.
- [89] R. S. Thorne and R. G. Roberts, *Ordered analysis of heavy flavor production in deep-inelastic scattering*, **Phys. Rev. D** **57** (1998) 6871, arXiv: [hep-ph/9709442](https://arxiv.org/abs/hep-ph/9709442).
- [90] R. S. Thorne, *Variable-flavor number scheme for next-to-next-to-leading order*, **Phys. Rev. D** **73** (2006) 054019, arXiv: [hep-ph/0601245](https://arxiv.org/abs/hep-ph/0601245).
- [91] R. S. Thorne, *Effect of changes of variable flavor number scheme on parton distribution functions and predicted cross sections*, **Phys. Rev. D** **86** (2012) 074017, arXiv: [1201.6180](https://arxiv.org/abs/1201.6180) [[hep-ph](#)].
- [92] M. Bonvini and F. Giuli, *A new simple PDF parametrization: Improved description of the HERA data*, **Eur. Phys. J. Plus** **134** (2019) 531, arXiv: [1902.11125](https://arxiv.org/abs/1902.11125) [[hep-ph](#)].
- [93] G. Billis, F. J. Tackmann and J. Talbert, *Higher-Order Sudakov resummation in coupled gauge theories*, **JHEP** **03** (2020) 182, arXiv: [1907.02971](https://arxiv.org/abs/1907.02971) [[hep-ph](#)].
- [94] V. Bertone, G. Bozzi and F. Hautmann, *Perturbative hysteresis and emergent resummation scales*, **Phys. Rev. D** **105** (2022) 096003, arXiv: [2202.03380](https://arxiv.org/abs/2202.03380) [[hep-ph](#)].

The ATLAS Collaboration

G. Aad ¹⁰², B. Abbott ¹²⁰, K. Abeling ⁵⁵, N.J. Abicht ⁴⁹, S.H. Abidi ²⁹, A. Aboulhorma ^{35e}, H. Abramowicz ¹⁵¹, H. Abreu ¹⁵⁰, Y. Abulaiti ¹¹⁷, A.C. Abusleme Hoffman ^{137a}, B.S. Acharya ^{69a,69b,q}, C. Adam Bourdarios ⁴, L. Adamczyk ^{86a}, L. Adamek ¹⁵⁵, S.V. Addepalli ²⁶, M.J. Addison ¹⁰¹, J. Adelman ¹¹⁵, A. Adiguzel ^{21c}, T. Adaye ¹³⁴, A.A. Affolder ¹³⁶, Y. Afik ³⁶, M.N. Agaras ¹³, J. Agarwala ^{73a,73b}, A. Aggarwal ¹⁰⁰, C. Agheorghiesei ^{27c}, A. Ahmad ³⁶, F. Ahmadov ^{38,af}, W.S. Ahmed ¹⁰⁴, S. Ahuja ⁹⁵, X. Ai ^{62a}, G. Aielli ^{76a,76b}, M. Ait Tamlihat ^{35e}, B. Aitbenkikh ^{35a}, I. Aizenberg ¹⁶⁹, M. Akbiyik ¹⁰⁰, T.P.A. Åkesson ⁹⁸, A.V. Akimov ³⁷, D. Akiyama ¹⁶⁸, N.N. Akolkar ²⁴, K. Al Houry ⁴¹, G.L. Alberghi ^{23b}, J. Albert ¹⁶⁵, P. Albicocco ⁵³, G.L. Albouy ⁶⁰, S. Alderweireldt ⁵², M. Aleksa ³⁶, I.N. Aleksandrov ³⁸, C. Alexa ^{27b}, T. Alexopoulos ¹⁰, A. Alfonsi ¹¹⁴, F. Alfonsi ^{23b}, M. Algren ⁵⁶, M. Alhroob ¹²⁰, B. Ali ¹³², H.M.J. Ali ⁹¹, S. Ali ¹⁴⁸, S.W. Alibocus ⁹², M. Aliev ³⁷, G. Alimonti ^{71a}, W. Alkakhki ⁵⁵, C. Allaire ⁶⁶, B.M.M. Allbrooke ¹⁴⁶, J.F. Allen ⁵², C.A. Allendes Flores ^{137f}, P.P. Allport ²⁰, A. Aloisio ^{72a,72b}, F. Alonso ⁹⁰, C. Alpigiani ¹³⁸, M. Alvarez Estevez ⁹⁹, A. Alvarez Fernandez ¹⁰⁰, M. Alves Cardoso ⁵⁶, M.G. Alviggi ^{72a,72b}, M. Aly ¹⁰¹, Y. Amaral Coutinho ^{83b}, A. Ambler ¹⁰⁴, C. Amelung ³⁶, M. Amerl ¹⁰¹, C.G. Ames ¹⁰⁹, D. Amidei ¹⁰⁶, S.P. Amor Dos Santos ^{130a}, K.R. Amos ¹⁶³, V. Ananiev ¹²⁵, C. Anastopoulos ¹³⁹, T. Andeen ¹¹, J.K. Anders ³⁶, S.Y. Andreev ^{47a,47b}, A. Andreatta ^{71a,71b}, S. Angelidakis ⁹, A. Angerami ^{41,ak}, A.V. Anisenkov ³⁷, A. Annovi ^{74a}, C. Antel ⁵⁶, M.T. Anthony ¹³⁹, E. Antipov ¹⁴⁵, M. Antonelli ⁵³, D.J.A. Antrim ^{17a}, F. Anulli ^{75a}, M. Aoki ⁸⁴, T. Aoki ¹⁵³, J.A. Aparisi Pozo ¹⁶³, M.A. Aparo ¹⁴⁶, L. Aperio Bella ⁴⁸, C. Appelt ¹⁸, A. Apyan ²⁶, N. Aranzabal ³⁶, C. Arcangeletti ⁵³, A.T.H. Arce ⁵¹, E. Arena ⁹², J-F. Arguin ¹⁰⁸, S. Argyropoulos ⁵⁴, J.-H. Arling ⁴⁸, O. Arnaez ⁴, H. Arnold ¹¹⁴, Z.P. Arrubarrena Tame ¹⁰⁹, G. Artoni ^{75a,75b}, H. Asada ¹¹¹, K. Asai ¹¹⁸, S. Asai ¹⁵³, N.A. Asbah ⁶¹, J. Assahsah ^{35d}, K. Assamagan ²⁹, R. Astalos ^{28a}, S. Atashi ¹⁶⁰, R.J. Atkin ^{33a}, M. Atkinson ¹⁶², N.B. Atlay ¹⁸, H. Atmani ^{62b}, P.A. Atmasiddha ¹⁰⁶, K. Augsten ¹³², S. Auricchio ^{72a,72b}, A.D. Auriol ²⁰, V.A. Austrup ¹⁰¹, G. Avolio ³⁶, K. Axiotis ⁵⁶, G. Azuelos ^{108,ap}, D. Babal ^{28b}, H. Bachacou ¹³⁵, K. Bachas ^{152,u}, A. Bachiu ³⁴, F. Backman ^{47a,47b}, A. Badea ⁶¹, P. Bagnaia ^{75a,75b}, M. Bahmani ¹⁸, A.J. Bailey ¹⁶³, V.R. Bailey ¹⁶², J.T. Baines ¹³⁴, L. Baines ⁹⁴, C. Bakalis ¹⁰, O.K. Baker ¹⁷², E. Bakos ¹⁵, D. Bakshi Gupta ⁸, R. Balasubramanian ¹¹⁴, E.M. Baldin ³⁷, P. Balek ^{86a}, E. Ballabene ^{23b,23a}, F. Balli ¹³⁵, L.M. Baltos ^{63a}, W.K. Balunas ³², J. Balz ¹⁰⁰, E. Banas ⁸⁷, M. Bandieramonte ¹²⁹, A. Bandyopadhyay ²⁴, S. Bansal ²⁴, L. Barak ¹⁵¹, M. Barakat ⁴⁸, E.L. Barberio ¹⁰⁵, D. Barberis ^{57b,57a}, M. Barbero ¹⁰², G. Barbour ⁹⁶, K.N. Barends ^{33a}, T. Barillari ¹¹⁰, M-S. Barisits ³⁶, T. Barklow ¹⁴³, P. Baron ¹²², D.A. Baron Moreno ¹⁰¹, A. Baroncelli ^{62a}, G. Barone ²⁹, A.J. Barr ¹²⁶, J.D. Barr ⁹⁶, L. Barranco Navarro ^{47a,47b}, F. Barreiro ⁹⁹, J. Barreiro Guimarães da Costa ^{14a}, U. Barron ¹⁵¹, M.G. Barros Teixeira ^{130a}, S. Barsov ³⁷, F. Bartels ^{63a}, R. Bartoldus ¹⁴³, A.E. Barton ⁹¹, P. Bartos ^{28a}, A. Basan ¹⁰⁰, M. Baselga ⁴⁹, A. Bassalat ^{66,b}, M.J. Basso ^{156a}, C.R. Basson ¹⁰¹, R.L. Bates ⁵⁹, S. Batlamous ^{35e}, J.R. Batley ³², B. Batool ¹⁴¹, M. Battaglia ¹³⁶, D. Battulga ¹⁸, M. Bause ^{75a,75b}, M. Bauer ³⁶, P. Bauer ²⁴, L.T. Bazzano Hurrell ³⁰, J.B. Beacham ⁵¹, T. Beau ¹²⁷, P.H. Beauchemin ¹⁵⁸, F. Becherer ⁵⁴, P. Bechtel ²⁴, H.P. Beck ^{19,t}, K. Becker ¹⁶⁷, A.J. Beddall ⁸², V.A. Bednyakov ³⁸, C.P. Bee ¹⁴⁵, L.J. Beemster ¹⁵, T.A. Beermann ³⁶, M. Begalli ^{83d}, M. Begel ²⁹, A. Behera ¹⁴⁵, J.K. Behr ⁴⁸, J.F. Beirer ⁵⁵, F. Beisiegel ²⁴, M. Belfkir ¹⁵⁹, G. Bella ¹⁵¹, L. Bellagamba ^{23b}, A. Bellerive ³⁴, P. Bellos ²⁰, K. Beloborodov ³⁷, N.L. Belyaev ³⁷, D. Benckekroun ^{35a},

F. Bendebba ^{35a}, Y. Benhammou ¹⁵¹, M. Benoit ²⁹, J.R. Bensingher ²⁶, S. Bentvelsen ¹¹⁴,
 L. Beresford ⁴⁸, M. Beretta ⁵³, E. Bergeaas Kuutmann ¹⁶¹, N. Berger ⁴, B. Bergmann ¹³²,
 J. Beringer ^{17a}, G. Bernardi ⁵, C. Bernius ¹⁴³, F.U. Bernlochner ²⁴, F. Bernon ^{36,102}, T. Berry ⁹⁵,
 P. Berta ¹³³, A. Berthold ⁵⁰, I.A. Bertram ⁹¹, S. Bethke ¹¹⁰, A. Betti ^{75a,75b}, A.J. Bevan ⁹⁴,
 M. Bhamjee ^{33c}, S. Bhatta ¹⁴⁵, D.S. Bhattacharya ¹⁶⁶, P. Bhattarai ²⁶, V.S. Bhopatkar ¹²¹,
 R. Bi^{29,ar}, R.M. Bianchi ¹²⁹, G. Bianco ^{23b,23a}, O. Biebel ¹⁰⁹, R. Bielski ¹²³, M. Biglietti ^{77a},
 T.R.V. Billoud ¹³², M. Bindi ⁵⁵, A. Bingul ^{21b}, C. Bini ^{75a,75b}, A. Biondini ⁹²,
 C.J. Birch-sykes ¹⁰¹, G.A. Bird ^{20,134}, M. Birman ¹⁶⁹, M. Biros ¹³³, T. Bisanz ⁴⁹,
 E. Bisceglie ^{43b,43a}, D. Biswas ¹⁴¹, A. Bitadze ¹⁰¹, K. Bjørke ¹²⁵, I. Bloch ⁴⁸, C. Blocker ²⁶,
 A. Blue ⁵⁹, U. Blumenschein ⁹⁴, J. Blumenthal ¹⁰⁰, G.J. Bobbink ¹¹⁴, V.S. Bobrovnikov ³⁷,
 M. Boehler ⁵⁴, B. Boehm ¹⁶⁶, D. Bogavac ³⁶, A.G. Bogdanchikov ³⁷, C. Bohm ^{47a},
 V. Boisvert ⁹⁵, P. Bokan ⁴⁸, T. Bold ^{86a}, M. Bomben ⁵, M. Bona ⁹⁴, M. Boonekamp ¹³⁵,
 C.D. Booth ⁹⁵, A.G. Borbély ⁵⁹, I.S. Bordulev ³⁷, H.M. Borecka-Bielska ¹⁰⁸, L.S. Borgna ⁹⁶,
 G. Borissov ⁹¹, D. Bortoletto ¹²⁶, D. Boscherini ^{23b}, M. Bosman ¹³, J.D. Bossio Sola ³⁶,
 K. Bouaouda ^{35a}, N. Bouchhar ¹⁶³, J. Boudreau ¹²⁹, E.V. Bouhova-Thacker ⁹¹, D. Boumediene ⁴⁰,
 R. Bouquet ⁵, A. Boveia ¹¹⁹, J. Boyd ³⁶, D. Boye ²⁹, I.R. Boyko ³⁸, J. Bracinik ²⁰,
 N. Brahimy ^{62d}, G. Brandt ¹⁷¹, O. Brandt ³², F. Braren ⁴⁸, B. Brau ¹⁰³, J.E. Brau ¹²³,
 R. Brenner ¹⁶⁹, L. Brenner ¹¹⁴, R. Brenner ¹⁶¹, S. Bressler ¹⁶⁹, D. Britton ⁵⁹, D. Britzger ¹¹⁰,
 I. Brock ²⁴, G. Brooijmans ⁴¹, W.K. Brooks ^{137f}, E. Brost ²⁹, L.M. Brown ^{165,n}, L.E. Bruce ⁶¹,
 T.L. Bruckler ¹²⁶, P.A. Bruckman de Renstrom ⁸⁷, B. Brüers ⁴⁸, D. Bruncko ^{28b,*}, A. Bruni ^{23b},
 G. Bruni ^{23b}, M. Bruschi ^{23b}, N. Bruscano ^{75a,75b}, T. Buanes ¹⁶, Q. Buat ¹³⁸, D. Buchin ¹¹⁰,
 A.G. Buckley ⁵⁹, M.K. Bugge ¹²⁵, O. Bulekov ³⁷, B.A. Bullard ¹⁴³, S. Burdin ⁹²,
 C.D. Burgard ⁴⁹, A.M. Burger ⁴⁰, B. Burghgrave ⁸, O. Burlayenko ⁵⁴, J.T.P. Burr ³²,
 C.D. Burton ¹¹, J.C. Burzynski ¹⁴², E.L. Busch ⁴¹, V. Büscher ¹⁰⁰, P.J. Bussey ⁵⁹,
 J.M. Butler ²⁵, C.M. Buttar ⁵⁹, J.M. Butterworth ⁹⁶, W. Buttinger ¹³⁴, C.J. Buxo Vazquez ¹⁰⁷,
 A.R. Buzykaev ³⁷, G. Cabras ^{23b}, S. Cabrera Urbán ¹⁶³, L. Cadamuro ⁶⁶, D. Caforio ⁵⁸,
 H. Cai ¹²⁹, Y. Cai ^{14a,14e}, V.M.M. Cairo ³⁶, O. Cakir ^{3a}, N. Calace ³⁶, P. Calafiura ^{17a},
 G. Calderini ¹²⁷, P. Calfayan ⁶⁸, G. Callea ⁵⁹, L.P. Caloba ^{83b}, D. Calvet ⁴⁰, S. Calvet ⁴⁰,
 T.P. Calvet ¹⁰², M. Calvetti ^{74a,74b}, R. Camacho Toro ¹²⁷, S. Camarda ³⁶, D. Camarero Munoz ²⁶,
 P. Camarri ^{76a,76b}, M.T. Camerlingo ^{72a,72b}, D. Cameron ¹²⁵, C. Camincher ¹⁶⁵, M. Campanelli ⁹⁶,
 A. Camplani ⁴², V. Canale ^{72a,72b}, A. Canesse ¹⁰⁴, M. Cano Bret ⁸⁰, J. Cantero ¹⁶³, Y. Cao ¹⁶²,
 F. Capocasa ²⁶, M. Capua ^{43b,43a}, A. Carbone ^{71a,71b}, R. Cardarelli ^{76a}, J.C.J. Cardenas ⁸,
 F. Cardillo ¹⁶³, T. Carli ³⁶, G. Carlino ^{72a}, J.I. Carlotta ¹³, B.T. Carlson ^{129,v},
 E.M. Carlson ^{165,156a}, L. Carminati ^{71a,71b}, A. Carnelli ¹³⁵, M. Carnesale ^{75a,75b}, S. Caron ¹¹³,
 E. Carquin ^{137f}, S. Carrá ^{71a,71b}, G. Carratta ^{23b,23a}, F. Carrío Argos ^{33g}, J.W.S. Carter ¹⁵⁵,
 T.M. Carter ⁵², M.P. Casado ^{13,j}, M. Caspar ⁴⁸, E.G. Castiglia ¹⁷², F.L. Castillo ⁴,
 L. Castillo Garcia ¹³, V. Castillo Gimenez ¹⁶³, N.F. Castro ^{130a,130e}, A. Catinaccio ³⁶,
 J.R. Catmore ¹²⁵, V. Cavaliere ²⁹, N. Cavalli ^{23b,23a}, V. Cavasinni ^{74a,74b}, Y.C. Cekmecelioglu ⁴⁸,
 E. Celebi ^{21a}, F. Celli ¹²⁶, M.S. Centonze ^{70a,70b}, K. Cerny ¹²², A.S. Cerqueira ^{83a}, A. Cerri ¹⁴⁶,
 L. Cerrito ^{76a,76b}, F. Cerutti ^{17a}, B. Cervato ¹⁴¹, A. Cervelli ^{23b}, G. Cesarini ⁵³, S.A. Cetin ⁸²,
 Z. Chadi ^{35a}, D. Chakraborty ¹¹⁵, M. Chala ^{130f}, J. Chan ¹⁷⁰, W.Y. Chan ¹⁵³, J.D. Chapman ³²,
 E. Chapon ¹³⁵, B. Chargeishvili ^{149b}, D.G. Charlton ²⁰, T.P. Charman ⁹⁴, M. Chatterjee ¹⁹,
 C. Chauhan ¹³³, S. Chekanov ⁶, S.V. Chekulaev ^{156a}, G.A. Chelkov ^{38,a}, A. Chen ¹⁰⁶,
 B. Chen ¹⁵¹, B. Chen ¹⁶⁵, H. Chen ^{14c}, H. Chen ²⁹, J. Chen ^{62c}, J. Chen ¹⁴², M. Chen ¹²⁶,
 S. Chen ¹⁵³, S.J. Chen ^{14c}, X. Chen ^{62c}, X. Chen ^{14b,ao}, Y. Chen ^{62a}, C.L. Cheng ¹⁷⁰,
 H.C. Cheng ^{64a}, S. Cheong ¹⁴³, A. Cheplakov ³⁸, E. Cheremushkina ⁴⁸, E. Cherepanova ¹¹⁴,
 R. Cherkaoui El Moursli ^{35e}, E. Cheu ⁷, K. Cheung ⁶⁵, L. Chevalier ¹³⁵, V. Chiarella ⁵³,

G. Chiarelli ^{74a}, N. Chiedde ¹⁰², G. Chiodini ^{70a}, A.S. Chisholm ²⁰, A. Chitan ^{27b}, M. Chitishvili ¹⁶³, M.V. Chizhov ³⁸, K. Choi ¹¹, A.R. Chomont ^{75a,75b}, Y. Chou ¹⁰³, E.Y.S. Chow ¹¹⁴, T. Chowdhury ^{33g}, K.L. Chu ¹⁶⁹, M.C. Chu ^{64a}, X. Chu ^{14a,14e}, J. Chudoba ¹³¹, J.J. Chwastowski ⁸⁷, D. Cieri ¹¹⁰, L. Cieri^{ah}, K.M. Ciesla ^{86a}, V. Cindro ⁹³, A. Ciocio ^{17a}, F. Cirotto ^{72a,72b}, Z.H. Citron ^{169,o}, M. Citterio ^{71a}, D.A. Ciubotaru ^{27b}, B.M. Ciungu ¹⁵⁵, A. Clark ⁵⁶, P.J. Clark ⁵², J.M. Clavijo Columbie ⁴⁸, S.E. Clawson ⁴⁸, C. Clement ^{47a,47b}, J. Clercx ⁴⁸, L. Clissa ^{23b,23a}, Y. Coadou ¹⁰², M. Cobal ^{69a,69c}, A. Coccaro ^{57b}, R.F. Coelho Barrue ^{130a}, R. Coelho Lopes De Sa ¹⁰³, S. Coelli ^{71a}, H. Cohen ¹⁵¹, A.E.C. Coimbra ^{71a,71b}, B. Cole ⁴¹, J. Collot ⁶⁰, P. Conde Muiño ^{130a,130g}, M.P. Connell ^{33c}, S.H. Connell ^{33c}, I.A. Connelly ⁵⁹, E.I. Conroy ¹²⁶, F. Conventi ^{72a,aq}, H.G. Cooke ²⁰, A.M. Cooper-Sarkar ¹²⁶, A. Cordeiro Oudot Choi ¹²⁷, F. Cormier ¹⁶⁴, L.D. Corpe ⁴⁰, M. Corradi ^{75a,75b}, F. Corriveau ^{104,ad}, A. Cortes-Gonzalez ¹⁸, M.J. Costa ¹⁶³, F. Costanza ⁴, D. Costanzo ¹³⁹, B.M. Cote ¹¹⁹, G. Cowan ⁹⁵, K. Cranmer ¹⁷⁰, D. Cremonini ^{23b,23a}, S. Crépe-Renaudin ⁶⁰, F. Crescioli ¹²⁷, M. Cristinziani ¹⁴¹, M. Cristoforetti ^{78a,78b}, V. Croft ¹¹⁴, J.E. Crosby ¹²¹, G. Crosetti ^{43b,43a}, A. Cueto ⁹⁹, T. Cuhadar Donszelmann ¹⁶⁰, H. Cui ^{14a,14e}, Z. Cui ⁷, W.R. Cunningham ⁵⁹, F. Curcio ^{43b,43a}, P. Czodrowski ³⁶, M.M. Czurylo ^{63b}, M.J. Da Cunha Sargedas De Sousa ^{62a}, J.V. Da Fonseca Pinto ^{83b}, C. Da Via ¹⁰¹, W. Dabrowski ^{86a}, T. Dado ⁴⁹, S. Dahbi ^{33g}, T. Dai ¹⁰⁶, C. Dallapiccola ¹⁰³, M. Dam ⁴², G. D'amen ²⁹, V. D'Amico ¹⁰⁹, J. Damp ¹⁰⁰, J.R. Dandoy ¹²⁸, M.F. Daneri ³⁰, M. Danninger ¹⁴², V. Dao ³⁶, G. Darbo ^{57b}, S. Darmora ⁶, S.J. Das ^{29,ar}, S. D'Auria ^{71a,71b}, C. David ^{156b}, T. Davidek ¹³³, B. Davis-Purcell ³⁴, I. Dawson ⁹⁴, H.A. Day-hall ¹³², K. De ⁸, R. De Asmundis ^{72a}, N. De Biase ⁴⁸, S. De Castro ^{23b,23a}, N. De Groot ¹¹³, P. de Jong ¹¹⁴, H. De la Torre ¹⁰⁷, A. De Maria ^{14c}, A. De Salvo ^{75a}, U. De Sanctis ^{76a,76b}, A. De Santo ¹⁴⁶, J.B. De Vivie De Regie ⁶⁰, D.V. Dedovich ³⁸, J. Degens ¹¹⁴, A.M. Deiana ⁴⁴, F. Del Corso ^{23b,23a}, J. Del Peso ⁹⁹, F. Del Rio ^{63a}, F. Deliot ¹³⁵, C.M. Delitzsch ⁴⁹, M. Della Pietra ^{72a,72b}, D. Della Volpe ⁵⁶, A. Dell'Acqua ³⁶, L. Dell'Asta ^{71a,71b}, M. Delmastro ⁴, P.A. Delsart ⁶⁰, S. Demers ¹⁷², M. Demichev ³⁸, S.P. Denisov ³⁷, L. D'Eramo ⁴⁰, D. Derendarz ⁸⁷, F. Derue ¹²⁷, P. Dervan ⁹², K. Desch ²⁴, C. Deutsch ²⁴, F.A. Di Bello ^{57b,57a}, A. Di Ciaccio ^{76a,76b}, L. Di Ciaccio ⁴, A. Di Domenico ^{75a,75b}, C. Di Donato ^{72a,72b}, A. Di Girolamo ³⁶, G. Di Gregorio ⁵, A. Di Luca ^{78a,78b}, B. Di Micco ^{77a,77b}, R. Di Nardo ^{77a,77b}, C. Diaconu ¹⁰², M. Diamantopoulou ³⁴, F.A. Dias ¹¹⁴, T. Dias Do Vale ¹⁴², M.A. Diaz ^{137a,137b}, F.G. Diaz Capriles ²⁴, M. Didenko ¹⁶³, E.B. Diehl ¹⁰⁶, L. Diehl ⁵⁴, S. Díez Cornell ⁴⁸, C. Diez Pardos ¹⁴¹, C. Dimitriadi ^{161,24,161}, A. Dimitrievska ^{17a}, J. Dingfelder ²⁴, I-M. Dinu ^{27b}, S.J. Dittmeier ^{63b}, F. Dittus ³⁶, F. Djama ¹⁰², T. Djobava ^{149b}, J.I. Djuvsland ¹⁶, C. Doglioni ^{101,98}, J. Dolejsi ¹³³, Z. Dolezal ¹³³, M. Donadelli ^{83c}, B. Dong ¹⁰⁷, J. Donini ⁴⁰, A. D'Onofrio ^{77a,77b}, M. D'Onofrio ⁹², J. Dopke ¹³⁴, A. Doria ^{72a}, N. Dos Santos Fernandes ^{130a}, M.T. Dova ⁹⁰, A.T. Doyle ⁵⁹, M.A. Draguet ¹²⁶, E. Dreyer ¹⁶⁹, I. Drivas-koulouris ¹⁰, A.S. Drobac ¹⁵⁸, M. Drozdova ⁵⁶, D. Du ^{62a}, T.A. du Pree ¹¹⁴, F. Dubinin ³⁷, M. Dubovsky ^{28a}, E. Duchovni ¹⁶⁹, G. Duckeck ¹⁰⁹, O.A. Ducu ^{27b}, D. Duda ⁵², A. Dudarev ³⁶, E.R. Duden ²⁶, M. D'uffizi ¹⁰¹, L. Duflot ⁶⁶, M. Dührssen ³⁶, C. Dülsen ¹⁷¹, A.E. Dumitriu ^{27b}, M. Dunford ^{63a}, S. Dungs ⁴⁹, K. Dunne ^{47a,47b}, A. Duperrin ¹⁰², H. Duran Yildiz ^{3a}, M. Düren ⁵⁸, A. Durglishvili ^{149b}, B.L. Dwyer ¹¹⁵, G.I. Dyckes ^{17a}, M. Dyndal ^{86a}, S. Dysch ¹⁰¹, B.S. Dziedzic ⁸⁷, Z.O. Earnshaw ¹⁴⁶, G.H. Eberwein ¹²⁶, B. Eckerova ^{28a}, S. Eggebrecht ⁵⁵, M.G. Eggleston ⁵¹, E. Egidio Purcino De Souza ¹²⁷, L.F. Ehrke ⁵⁶, G. Eigen ¹⁶, K. Einsweiler ^{17a}, T. Ekelof ¹⁶¹, P.A. Ekman ⁹⁸, S. El Farkh ^{35b}, Y. El Ghazali ^{35b}, H. El Jarrari ^{35e,148}, A. El Moussaouy ^{35a}, V. Ellajosyula ¹⁶¹, M. Ellert ¹⁶¹, F. Ellinghaus ¹⁷¹, A.A. Elliot ⁹⁴, N. Ellis ³⁶, J. Elmsheuser ²⁹, M. Elsing ³⁶, D. Emelianov ¹³⁴, Y. Enari ¹⁵³, I. Ene ^{17a},

S. Epari ¹³, J. Erdmann ⁴⁹, P.A. Erland ⁸⁷, M. Errenst ¹⁷¹, M. Escalier ⁶⁶, C. Escobar ¹⁶³,
 E. Etzion ¹⁵¹, G. Evans ^{130a}, H. Evans ⁶⁸, L.S. Evans ⁹⁵, M.O. Evans ¹⁴⁶, A. Ezhilov ³⁷,
 S. Ezzarqtouni ^{35a}, F. Fabbri ⁵⁹, L. Fabbri ^{23b,23a}, G. Facini ⁹⁶, V. Fadeyev ¹³⁶,
 R.M. Fakhrutdinov ³⁷, S. Falciano ^{75a}, L.F. Falda Ulhoa Coelho ³⁶, P.J. Falke ²⁴, J. Faltova ¹³³,
 C. Fan ¹⁶², Y. Fan ^{14a}, Y. Fang ^{14a,14e}, M. Fanti ^{71a,71b}, M. Faraj ^{69a,69b}, Z. Farazpay ⁹⁷,
 A. Farbin ⁸, A. Farilla ^{77a}, T. Farooque ¹⁰⁷, S.M. Farrington ⁵², F. Fassi ^{35e}, D. Fassouliotis ⁹,
 M. Faucci Giannelli ^{76a,76b}, W.J. Fawcett ³², L. Fayard ⁶⁶, P. Federic ¹³³, P. Federicova ¹³¹,
 O.L. Fedin ^{37,a}, G. Fedotov ³⁷, M. Feickert ¹⁷⁰, L. Feligioni ¹⁰², D.E. Fellers ¹²³, C. Feng ^{62b},
 M. Feng ^{14b}, Z. Feng ¹¹⁴, M.J. Fenton ¹⁶⁰, A.B. Fenyuk ³⁷, L. Ferencz ⁴⁸, R.A.M. Ferguson ⁹¹,
 S.I. Fernandez Luengo ^{137f}, M.J.V. Fernoux ¹⁰², J. Ferrando ⁴⁸, A. Ferrari ¹⁶¹, P. Ferrari ^{114,113},
 R. Ferrari ^{73a}, G. Ferrera^w, D. Ferrere ⁵⁶, C. Ferretti ¹⁰⁶, F. Fiedler ¹⁰⁰, A. Filipčič ⁹³,
 E.K. Filmer ¹, F. Filthaut ¹¹³, M.C.N. Fiolhais ^{130a,130c,d}, L. Fiorini ¹⁶³, W.C. Fisher ¹⁰⁷,
 T. Fitschen ¹⁰¹, P.M. Fitzhugh ¹³⁵, I. Fleck ¹⁴¹, P. Fleischmann ¹⁰⁶, T. Flick ¹⁷¹, L. Flores ¹²⁸,
 M. Flores ^{33d,al}, L.R. Flores Castillo ^{64a}, L. Flores Sanz De Acedo ³⁶, F.M. Follega ^{78a,78b},
 N. Fomin ¹⁶, J.H. Foo ¹⁵⁵, B.C. Forland⁶⁸, A. Formica ¹³⁵, A.C. Forti ¹⁰¹, E. Fortin ³⁶,
 A.W. Fortman ⁶¹, M.G. Foti ^{17a}, L. Fountas ^{9,k}, D. Fournier ⁶⁶, H. Fox ⁹¹, P. Francavilla ^{74a,74b},
 S. Francescato ⁶¹, S. Franchellucci ⁵⁶, M. Franchini ^{23b,23a}, S. Franchino ^{63a}, D. Francis³⁶,
 L. Franco ¹¹³, L. Franconi ⁴⁸, M. Franklin ⁶¹, G. Frattari ²⁶, A.C. Freegard ⁹⁴, W.S. Freund ^{83b},
 Y.Y. Frid ¹⁵¹, N. Fritzsche ⁵⁰, A. Froch ⁵⁴, D. Froidevaux ³⁶, J.A. Frost ¹²⁶, Y. Fu ^{62a},
 M. Fujimoto ¹¹⁸, E. Fullana Torregrosa ^{163,*}, K.Y. Fung ^{64a}, E. Furtado De Simas Filho ^{83b},
 M. Furukawa ¹⁵³, J. Fuster ¹⁶³, A. Gabrielli ^{23b,23a}, A. Gabrielli ¹⁵⁵, P. Gadow ³⁶,
 G. Gagliardi ^{57b,57a}, L.G. Gagnon ^{17a}, E.J. Gallas ¹²⁶, B.J. Gallop ¹³⁴, K.K. Gan ¹¹⁹,
 S. Ganguly ¹⁵³, J. Gao ^{62a}, Y. Gao ⁵², F.M. Garay Walls ^{137a,137b}, B. Garcia^{29,ar}, C. García ¹⁶³,
 A. Garcia Alonso ¹¹⁴, A.G. Garcia Caffaro ¹⁷², J.E. García Navarro ¹⁶³, M. Garcia-Sciveres ^{17a},
 G.L. Gardner ¹²⁸, R.W. Gardner ³⁹, N. Garelli ¹⁵⁸, D. Garg ⁸⁰, R.B. Garg ^{143,s}, J.M. Gargan⁵²,
 C.A. Garner¹⁵⁵, S.J. Gasiorowski ¹³⁸, P. Gaspar ^{83b}, G. Gaudio ^{73a}, V. Gautam¹³, P. Gauzzi ^{75a,75b},
 I.L. Gavrilenko ³⁷, A. Gavriyuk ³⁷, C. Gay ¹⁶⁴, G. Gaycken ⁴⁸, E.N. Gazis ¹⁰, A.A. Geanta ^{27b},
 C.M. Gee ¹³⁶, C. Gemme ^{57b}, M.H. Genest ⁶⁰, S. Gentile ^{75a,75b}, S. George ⁹⁵, W.F. George ²⁰,
 T. Geralis ⁴⁶, P. Gessinger-Befurt ³⁶, M.E. Geyik ¹⁷¹, M. Ghneimat ¹⁴¹, K. Ghorbanian ⁹⁴,
 A. Ghosal ¹⁴¹, A. Ghosh ¹⁶⁰, A. Ghosh ⁷, B. Giacobbe ^{23b}, S. Giagu ^{75a,75b}, P. Giannetti ^{74a},
 A. Giannini ^{62a}, S.M. Gibson ⁹⁵, M. Gignac ¹³⁶, D.T. Gil ^{86b}, A.K. Gilbert ^{86a}, B.J. Gilbert ⁴¹,
 D. Gillberg ³⁴, G. Gilles ¹¹⁴, N.E.K. Gillwald ⁴⁸, L. Ginabat ¹²⁷, D.M. Gingrich ^{2,ap},
 M.P. Giordani ^{69a,69c}, P.F. Giraud ¹³⁵, G. Giugliarelli ^{69a,69c}, D. Giugni ^{71a}, F. Giuli ³⁶,
 I. Gkialas ^{9,k}, L.K. Gladilin ³⁷, C. Glasman ⁹⁹, G.R. Gledhill ¹²³, G. Glemža ⁴⁸, M. Glisic ¹²³,
 I. Gnesi ^{43b,g}, Y. Go ^{29,ar}, M. Goblirsch-Kolb ³⁶, B. Gocke ⁴⁹, D. Godin¹⁰⁸, B. Gokturk ^{21a},
 S. Goldfarb ¹⁰⁵, T. Golling ⁵⁶, M.G.D. Gololo^{33g}, D. Golubkov ³⁷, J.P. Gombas ¹⁰⁷,
 A. Gomes ^{130a,130b}, G. Gomes Da Silva ¹⁴¹, A.J. Gomez Delegido ¹⁶³, R. Gonçalves ^{130a,130c},
 G. Gonella ¹²³, L. Gonella ²⁰, A. Gongadze ^{149c}, F. Gonnella ²⁰, J.L. Gonski ⁴¹,
 R.Y. González Andana ⁵², S. González de la Hoz ¹⁶³, S. Gonzalez Fernandez ¹³,
 R. Gonzalez Lopez ⁹², C. Gonzalez Renteria ^{17a}, R. Gonzalez Suarez ¹⁶¹, S. Gonzalez-Sevilla ⁵⁶,
 G.R. Gonzalvo Rodriguez ¹⁶³, L. Goossens ³⁶, P.A. Gorbounov ³⁷, B. Gorini ³⁶, E. Gorini ^{70a,70b},
 A. Gorišek ⁹³, T.C. Gosart ¹²⁸, A.T. Goshaw ⁵¹, M.I. Gostkin ³⁸, S. Goswami ¹²¹,
 C.A. Gottardo ³⁶, M. Goughri ^{35b}, V. Goumarre ⁴⁸, A.G. Goussiou ¹³⁸, N. Govender ^{33c},
 I. Grabowska-Bold ^{86a}, K. Graham ³⁴, E. Gramstad ¹²⁵, S. Grancagnolo ^{70a,70b}, M. Grandi ¹⁴⁶,
 P.M. Gravila ^{27f}, F.G. Gravili ^{70a,70b}, H.M. Gray ^{17a}, M. Greco ^{70a,70b}, C. Grefe ²⁴,
 I.M. Gregor ⁴⁸, P. Grenier ¹⁴³, C. Grieco ¹³, A.A. Grillo ¹³⁶, K. Grimm ³¹, S. Grinstein ^{13,z},
 J.-F. Grivaz ⁶⁶, E. Gross ¹⁶⁹, J. Grosse-Knetter ⁵⁵, C. Grud¹⁰⁶, J.C. Grundy ¹²⁶, L. Guan ¹⁰⁶,

W. Guan ²⁹, C. Gubbels ¹⁶⁴, J.G.R. Guerrero Rojas ¹⁶³, G. Guerrieri ^{69a,69c}, F. Guescini ¹¹⁰,
 R. Gugel ¹⁰⁰, J.A.M. Guhit ¹⁰⁶, A. Guida ¹⁸, T. Guillemain ⁴, E. Guilloton ^{167,134}, S. Guindon ³⁶,
 F. Guo ^{14a,14e}, J. Guo ^{62c}, L. Guo ⁴⁸, Y. Guo ¹⁰⁶, R. Gupta ⁴⁸, S. Gurbuz ²⁴, S.S. Gurdasani ⁵⁴,
 G. Gustavino ³⁶, M. Guth ⁵⁶, P. Gutierrez ¹²⁰, L.F. Gutierrez Zagazeta ¹²⁸, C. Gutschow ⁹⁶,
 C. Gwenlan ¹²⁶, C.B. Gwilliam ⁹², E.S. Haaland ¹²⁵, A. Haas ¹¹⁷, M. Habedank ⁴⁸,
 C. Haber ^{17a}, H.K. Hadavand ⁸, A. Hadeef ¹⁰⁰, S. Hadzic ¹¹⁰, J.J. Hahn ¹⁴¹, E.H. Haines ⁹⁶,
 M. Haleem ¹⁶⁶, J. Haley ¹²¹, J.J. Hall ¹³⁹, G.D. Hallowell ¹⁰², L. Halser ¹⁹, K. Hamano ¹⁶⁵,
 H. Hamdaoui ^{35e}, M. Hamer ²⁴, G.N. Hamity ⁵², E.J. Hampshire ⁹⁵, J. Han ^{62b}, K. Han ^{62a},
 L. Han ^{14c}, L. Han ^{62a}, S. Han ^{17a}, Y.F. Han ¹⁵⁵, K. Hanagaki ⁸⁴, M. Hance ¹³⁶,
 D.A. Hangal ^{41,ak}, H. Hanif ¹⁴², M.D. Hank ¹²⁸, R. Hankache ¹⁰¹, J.B. Hansen ⁴²,
 J.D. Hansen ⁴², P.H. Hansen ⁴², K. Hara ¹⁵⁷, D. Harada ⁵⁶, T. Harenberg ¹⁷¹, S. Harkusha ³⁷,
 M.L. Harris ¹⁰³, Y.T. Harris ¹²⁶, J. Harrison ¹³, N.M. Harrison ¹¹⁹, P.F. Harrison ¹⁶⁷,
 N.M. Hartman ¹¹⁰, N.M. Hartmann ¹⁰⁹, Y. Hasegawa ¹⁴⁰, A. Hasib ⁵², S. Haug ¹⁹,
 R. Hauser ¹⁰⁷, C.M. Hawkes ²⁰, R.J. Hawkings ³⁶, Y. Hayashi ¹⁵³, S. Hayashida ¹¹¹,
 D. Hayden ¹⁰⁷, C. Hayes ¹⁰⁶, R.L. Hayes ¹¹⁴, C.P. Hays ¹²⁶, J.M. Hays ⁹⁴, H.S. Hayward ⁹²,
 F. He ^{62a}, M. He ^{14a,14e}, Y. He ¹⁵⁴, Y. He ¹²⁷, N.B. Heatley ⁹⁴, V. Hedberg ⁹⁸,
 A.L. Heggelund ¹²⁵, N.D. Hehir ⁹⁴, C. Heidegger ⁵⁴, K.K. Heidegger ⁵⁴, W.D. Heidorn ⁸¹,
 J. Heilman ³⁴, S. Heim ⁴⁸, T. Heim ^{17a}, J.G. Heinlein ¹²⁸, J.J. Heinrich ¹²³, L. Heinrich ^{110,an},
 J. Hejbal ¹³¹, L. Helary ⁴⁸, A. Held ¹⁷⁰, S. Hellesund ¹⁶, C.M. Helling ¹⁶⁴, S. Hellman ^{47a,47b},
 R.C.W. Henderson ⁹¹, L. Henkelmann ³², A.M. Henriques Correia ³⁶, H. Herde ⁹⁸,
 Y. Hernández Jiménez ¹⁴⁵, L.M. Herrmann ²⁴, T. Herrmann ⁵⁰, G. Herten ⁵⁴, R. Hertenberger ¹⁰⁹,
 L. Hervas ³⁶, M.E. Hespings ¹⁰⁰, N.P. Hessey ^{156a}, H. Hibi ⁸⁵, S.J. Hillier ²⁰, J.R. Hinds ¹⁰⁷,
 F. Hinterkeuser ²⁴, M. Hirose ¹²⁴, S. Hirose ¹⁵⁷, D. Hirschbuehl ¹⁷¹, T.G. Hitchings ¹⁰¹,
 B. Hiti ⁹³, J. Hobbs ¹⁴⁵, R. Hobincu ^{27e}, N. Hod ¹⁶⁹, M.C. Hodgkinson ¹³⁹, B.H. Hodgkinson ³²,
 A. Hoecker ³⁶, J. Hofer ⁴⁸, T. Holm ²⁴, M. Holzbock ¹¹⁰, L.B.A.H. Hommels ³²,
 B.P. Honan ¹⁰¹, J. Hong ^{62c}, T.M. Hong ¹²⁹, B.H. Hooberman ¹⁶², W.H. Hopkins ⁶,
 Y. Horii ¹¹¹, S. Hou ¹⁴⁸, A.S. Howard ⁹³, J. Howarth ⁵⁹, J. Hoya ⁶, M. Hrabovsky ¹²²,
 A. Hrynevich ⁴⁸, T. Hryn'ova ⁴, P.J. Hsu ⁶⁵, S.-C. Hsu ¹³⁸, Q. Hu ⁴¹, Y.F. Hu ^{14a,14e},
 S. Huang ^{64b}, X. Huang ^{14c}, Y. Huang ^{139,m}, Y. Huang ^{14a}, Z. Huang ¹⁰¹, Z. Hubacek ¹³²,
 M. Huebner ²⁴, F. Huegging ²⁴, T.B. Huffman ¹²⁶, C.A. Hugli ⁴⁸, M. Huhtinen ³⁶,
 S.K. Huiberts ¹⁶, R. Hulsken ¹⁰⁴, N. Huseynov ^{12,a}, J. Huston ¹⁰⁷, J. Huth ⁶¹, R. Hyneman ¹⁴³,
 G. Iacobucci ⁵⁶, G. Iakovidis ²⁹, I. Ibragimov ¹⁴¹, L. Iconomidou-Fayard ⁶⁶, P. Iengo ^{72a,72b},
 R. Iguchi ¹⁵³, T. Iizawa ⁸⁴, Y. Ikegami ⁸⁴, N. Ilic ¹⁵⁵, H. Imam ^{35a}, M. Ince Lezki ⁵⁶,
 T. Ingebretsen Carlson ^{47a,47b}, G. Introzzi ^{73a,73b}, M. Iodice ^{77a}, V. Ippolito ^{75a,75b}, R.K. Irwin ⁹²,
 M. Ishino ¹⁵³, W. Islam ¹⁷⁰, C. Issever ^{18,48}, S. Istin ^{21a,at}, H. Ito ¹⁶⁸, J.M. Iturbe Ponce ^{64a},
 R. Iuppa ^{78a,78b}, A. Ivina ¹⁶⁹, J.M. Izen ⁴⁵, V. Izzo ^{72a}, P. Jacka ^{131,132}, P. Jackson ¹,
 R.M. Jacobs ⁴⁸, B.P. Jaeger ¹⁴², C.S. Jagfeld ¹⁰⁹, P. Jain ⁵⁴, G. Jäkel ¹⁷¹, K. Jakobs ⁵⁴,
 T. Jakoubek ¹⁶⁹, J. Jamieson ⁵⁹, K.W. Janas ^{86a}, A.E. Jaspán ⁹², M. Javurkova ¹⁰³,
 F. Jeanneau ¹³⁵, L. Jeanty ¹²³, J. Jejelava ^{149a,ag}, P. Jenni ^{54,h}, C.E. Jessiman ³⁴, S. Jézéquel ⁴,
 C. Jia ^{62b}, J. Jia ¹⁴⁵, X. Jia ⁶¹, X. Jia ^{14a,14e}, Z. Jia ^{14c}, Y. Jiang ^{62a}, S. Jiggins ⁴⁸,
 J. Jimenez Pena ¹³, S. Jin ^{14c}, A. Jinaru ^{27b}, O. Jinnouchi ¹⁵⁴, P. Johansson ¹³⁹, K.A. Johns ⁷,
 J.W. Johnson ¹³⁶, D.M. Jones ³², E. Jones ⁴⁸, P. Jones ³², R.W.L. Jones ⁹¹, T.J. Jones ⁹²,
 R. Joshi ¹¹⁹, J. Jovicevic ¹⁵, X. Ju ^{17a}, J.J. Junggeburth ³⁶, T. Junkermann ^{63a},
 A. Juste Rozas ^{13,z}, M.K. Juzek ⁸⁷, S. Kabana ^{137e}, A. Kaczmarska ⁸⁷, M. Kado ¹¹⁰,
 H. Kagan ¹¹⁹, M. Kagan ¹⁴³, A. Kahn ⁴¹, A. Kahn ¹²⁸, C. Kahra ¹⁰⁰, T. Kaji ¹⁶⁸,
 E. Kajomovitz ¹⁵⁰, N. Kakati ¹⁶⁹, I. Kalaitzidou ⁵⁴, C.W. Calderon ²⁹, A. Kamenshchikov ¹⁵⁵,
 S. Kanayama ¹⁵⁴, N.J. Kang ¹³⁶, D. Kar ^{33g}, K. Karava ¹²⁶, M.J. Kareem ^{156b}, E. Karentzos ⁵⁴,

I. Karknias ¹⁵², O. Karkout ¹¹⁴, S.N. Karpov ³⁸, Z.M. Karpova ³⁸, V. Kartvelishvili ⁹¹,
 A.N. Karyukhin ³⁷, E. Kasimi ¹⁵², J. Katzy ⁴⁸, S. Kaur ³⁴, K. Kawade ¹⁴⁰, M.P. Kawale ¹²⁰,
 T. Kawamoto ¹³⁵, E.F. Kay ³⁶, F.I. Kaya ¹⁵⁸, S. Kazakos ¹⁰⁷, V.F. Kazanin ³⁷, Y. Ke ¹⁴⁵,
 J.M. Keaveney ^{33a}, R. Keeler ¹⁶⁵, G.V. Kehris ⁶¹, J.S. Keller ³⁴, A.S. Kelly ⁹⁶, J.J. Kempster ¹⁴⁶,
 K.E. Kennedy ⁴¹, P.D. Kennedy ¹⁰⁰, O. Kepka ¹³¹, B.P. Kerridge ¹⁶⁷, S. Kersten ¹⁷¹,
 B.P. Kerševan ⁹³, S. Keshri ⁶⁶, L. Keszeghova ^{28a}, S. Ketabchi Haghighat ¹⁵⁵, M. Khandoga ¹²⁷,
 A. Khanov ¹²¹, A.G. Kharlamov ³⁷, T. Kharlamova ³⁷, E.E. Khoda ¹³⁸, T.J. Khoo ¹⁸,
 G. Khorauli ¹⁶⁶, J. Khubua ^{149b}, Y.A.R. Khwaira ⁶⁶, A. Kilgallon ¹²³, D.W. Kim ^{47a,47b},
 Y.K. Kim ³⁹, N. Kimura ⁹⁶, A. Kirchhoff ⁵⁵, C. Kirfel ²⁴, F. Kirfel ²⁴, J. Kirk ¹³⁴,
 A.E. Kiryunin ¹¹⁰, C. Kitsaki ¹⁰, O. Kivernyk ²⁴, M. Klassen ^{63a}, C. Klein ³⁴, L. Klein ¹⁶⁶,
 M.H. Klein ¹⁰⁶, M. Klein ⁹², S.B. Klein ⁵⁶, U. Klein ⁹², P. Klimek ³⁶, A. Klimentov ²⁹,
 T. Klioutchnikova ³⁶, P. Kluit ¹¹⁴, S. Kluth ¹¹⁰, E. Kneringer ⁷⁹, T.M. Knight ¹⁵⁵, A. Knue ⁵⁴,
 R. Kobayashi ⁸⁸, S.F. Koch ¹²⁶, M. Kocian ¹⁴³, P. Kodyš ¹³³, D.M. Koeck ¹²³, P.T. Koenig ²⁴,
 T. Koffas ³⁴, M. Kolb ¹³⁵, I. Koletsou ⁴, T. Komarek ¹²², K. Köneke ⁵⁴, A.X.Y. Kong ¹,
 T. Kono ¹¹⁸, N. Konstantinidis ⁹⁶, B. Konya ⁹⁸, R. Kopeliansky ⁶⁸, S. Koperny ^{86a}, K. Korcyl ⁸⁷,
 K. Kordas ^{152,f}, G. Koren ¹⁵¹, A. Korn ⁹⁶, S. Korn ⁵⁵, I. Korolkov ¹³, N. Korotkova ³⁷,
 B. Kortman ¹¹⁴, O. Kortner ¹¹⁰, S. Kortner ¹¹⁰, W.H. Kostecka ¹¹⁵, V.V. Kostyukhin ¹⁴¹,
 A. Kotskechagia ¹³⁵, A. Kotwal ⁵¹, A. Koulouris ³⁶, A. Kourkoumeli-Charalampidi ^{73a,73b},
 C. Kourkoumelis ⁹, E. Kourlitis ^{110,an}, O. Kovanda ¹⁴⁶, R. Kowalewski ¹⁶⁵, W. Kozanecki ¹³⁵,
 A.S. Kozhin ³⁷, V.A. Kramarenko ³⁷, G. Kramberger ⁹³, P. Kramer ¹⁰⁰, M.W. Krasny ¹²⁷,
 A. Krasznahorkay ³⁶, J.W. Kraus ¹⁷¹, J.A. Kremer ¹⁰⁰, T. Kresse ⁵⁰, J. Kretschmar ⁹²,
 K. Kreul ¹⁸, P. Krieger ¹⁵⁵, S. Krishnamurthy ¹⁰³, M. Krivos ¹³³, K. Krizka ²⁰,
 K. Kroeninger ⁴⁹, H. Kroha ¹¹⁰, J. Kroll ¹³¹, J. Kroll ¹²⁸, K.S. Krowpman ¹⁰⁷, U. Kruchonak ³⁸,
 H. Krüger ²⁴, N. Krumnack ⁸¹, M.C. Kruse ⁵¹, J.A. Krzysiak ⁸⁷, O. Kuchinskaia ³⁷, S. Kuday ^{3a},
 S. Kuehn ³⁶, R. Kuesters ⁵⁴, T. Kuhl ⁴⁸, V. Kukhtin ³⁸, Y. Kulchitsky ^{37,a}, S. Kuleshov ^{137d,137b},
 M. Kumar ^{33g}, N. Kumari ¹⁰², A. Kupco ¹³¹, T. Kupfer ⁴⁹, A. Kupich ³⁷, O. Kuprash ⁵⁴,
 H. Kurashige ⁸⁵, L.L. Kurchaninov ^{156a}, O. Kurdysh ⁶⁶, Y.A. Kurochkin ³⁷, A. Kurova ³⁷,
 M. Kuze ¹⁵⁴, A.K. Kvam ¹⁰³, J. Kvita ¹²², T. Kwan ¹⁰⁴, N.G. Kyriacou ¹⁰⁶, L.A.O. Laatu ¹⁰²,
 C. Lacasta ¹⁶³, F. Lacava ^{75a,75b}, H. Lacker ¹⁸, D. Lacour ¹²⁷, N.N. Lad ⁹⁶, E. Ladygin ³⁸,
 B. Laforge ¹²⁷, T. Lagouri ^{137e}, S. Lai ⁵⁵, I.K. Lakomic ^{86a}, N. Lalloue ⁶⁰, J.E. Lambert ^{165,n},
 S. Lammers ⁶⁸, W. Lampl ⁷, C. Lampoudis ^{152,f}, A.N. Lancaster ¹¹⁵, E. Lançon ²⁹,
 U. Landgraf ⁵⁴, M.P.J. Landon ⁹⁴, V.S. Lang ⁵⁴, R.J. Langenberg ¹⁰³, O.K.B. Langrekken ¹²⁵,
 A.J. Lankford ¹⁶⁰, F. Lanni ³⁶, K. Lantzsch ²⁴, A. Lanza ^{73a}, A. Lapertosa ^{57b,57a},
 J.F. Laporte ¹³⁵, T. Lari ^{71a}, F. Lasagni Manghi ^{23b}, M. Lassnig ³⁶, V. Latonova ¹³¹,
 A. Laudrain ¹⁰⁰, A. Laurier ¹⁵⁰, S.D. Lawlor ⁹⁵, Z. Lawrence ¹⁰¹, M. Lazzaroni ^{71a,71b}, B. Le ¹⁰¹,
 E.M. Le Boulicaut ⁵¹, B. Leban ⁹³, A. Lebedev ⁸¹, M. LeBlanc ³⁶, F. Ledroit-Guillon ⁶⁰,
 A.C.A. Lee ⁹⁶, S.C. Lee ¹⁴⁸, S. Lee ^{47a,47b}, T.F. Lee ⁹², L.L. Leeuw ^{33c}, H.P. Lefebvre ⁹⁵,
 M. Lefebvre ¹⁶⁵, C. Leggett ^{17a}, G. Lehmann Miotto ³⁶, M. Leigh ⁵⁶, W.A. Leight ¹⁰³,
 W. Leinonen ¹¹³, A. Leisos ^{152,y}, M.A.L. Leite ^{83c}, C.E. Leitgeb ⁴⁸, R. Leitner ¹³³,
 K.J.C. Leney ⁴⁴, T. Lenz ²⁴, S. Leone ^{74a}, C. Leonidopoulos ⁵², A. Leopold ¹⁴⁴, C. Leroy ¹⁰⁸,
 R. Les ¹⁰⁷, C.G. Lester ³², M. Levchenko ³⁷, J. Levêque ⁴, D. Levin ¹⁰⁶, L.J. Levinson ¹⁶⁹,
 M.P. Lewicki ⁸⁷, D.J. Lewis ⁴, A. Li ⁵, B. Li ^{62b}, C. Li ^{62a}, C-Q. Li ^{62c}, H. Li ^{62a}, H. Li ^{62b},
 H. Li ^{14c}, H. Li ^{62b}, K. Li ¹³⁸, L. Li ^{62c}, M. Li ^{14a,14e}, Q.Y. Li ^{62a}, S. Li ^{14a,14e}, S. Li ^{62d,62c,e},
 T. Li ^{5,c}, X. Li ¹⁰⁴, Z. Li ¹²⁶, Z. Li ¹⁰⁴, Z. Li ⁹², Z. Li ^{14a,14e}, Z. Liang ^{14a},
 M. Liberatore ^{135,ai}, B. Liberti ^{76a}, K. Lie ^{64c}, J. Lieber Marin ^{83b}, H. Lien ⁶⁸, K. Lin ¹⁰⁷,
 R.E. Lindley ⁷, J.H. Lindon ², A. Linss ⁴⁸, E. Lipeles ¹²⁸, A. Lipniacka ¹⁶, A. Lister ¹⁶⁴,
 J.D. Little ⁴, B. Liu ^{14a}, B.X. Liu ¹⁴², D. Liu ^{62d,62c}, J.B. Liu ^{62a}, J.K.K. Liu ³², K. Liu ^{62d,62c},

M. Liu ^{62a}, M.Y. Liu ^{62a}, P. Liu ^{14a}, Q. Liu ^{62d,138,62c}, X. Liu ^{62a}, Y. Liu ^{14d,14e}, Y.L. Liu ¹⁰⁶,
Y.W. Liu ^{62a}, J. Llorente Merino ¹⁴², S.L. Lloyd ⁹⁴, E.M. Lobodzinska ⁴⁸, P. Loch ⁷,
S. Loffredo ^{76a,76b}, T. Lohse ¹⁸, K. Lohwasser ¹³⁹, E. Loiacono ⁴⁸, M. Lokajicek ^{131,*},
J.D. Lomas ²⁰, J.D. Long ¹⁶², I. Longarini ¹⁶⁰, L. Longo ^{70a,70b}, R. Longo ¹⁶², I. Lopez Paz ⁶⁷,
A. Lopez Solis ⁴⁸, J. Lorenz ¹⁰⁹, N. Lorenzo Martinez ⁴, A.M. Lory ¹⁰⁹, O. Loseva ³⁷,
X. Lou ^{47a,47b}, X. Lou ^{14a,14e}, A. Lounis ⁶⁶, J. Love ⁶, P.A. Love ⁹¹, G. Lu ^{14a,14e}, M. Lu ⁸⁰,
S. Lu ¹²⁸, Y.J. Lu ⁶⁵, H.J. Lubatti ¹³⁸, C. Luci ^{75a,75b}, F.L. Lucio Alves ^{14c}, A. Lucotte ⁶⁰,
F. Luehring ⁶⁸, I. Luise ¹⁴⁵, O. Lukianchuk ⁶⁶, O. Lundberg ¹⁴⁴, B. Lund-Jensen ¹⁴⁴,
N.A. Luongo ¹²³, M.S. Lutz ¹⁵¹, D. Lynn ²⁹, H. Lyons ⁹², R. Lysak ¹³¹, E. Lytken ⁹⁸,
V. Lyubushkin ³⁸, T. Lyubushkina ³⁸, M.M. Lyukova ¹⁴⁵, H. Ma ²⁹, K. Ma ^{62a}, L.L. Ma ^{62b},
Y. Ma ¹²¹, D.M. Mac Donell ¹⁶⁵, G. Maccarrone ⁵³, J.C. MacDonald ¹⁰⁰, R. Madar ⁴⁰,
W.F. Mader ⁵⁰, J. Maeda ⁸⁵, T. Maeno ²⁹, M. Maerker ⁵⁰, H. Maguire ¹³⁹, V. Maiboroda ¹³⁵,
A. Maio ^{130a,130b,130d}, K. Maj ^{86a}, O. Majersky ⁴⁸, S. Majewski ¹²³, N. Makovec ⁶⁶,
V. Maksimovic ¹⁵, B. Malaescu ¹²⁷, Pa. Malecki ⁸⁷, V.P. Maleev ³⁷, F. Malek ⁶⁰, M. Mali ⁹³,
D. Malito ^{95,r}, U. Mallik ⁸⁰, S. Maltezos ¹⁰, S. Malyukov ³⁸, J. Mamuzic ¹³, G. Mancini ⁵³,
G. Manco ^{73a,73b}, J.P. Mandalia ⁹⁴, I. Mandić ⁹³, L. Manhaes de Andrade Filho ^{83a},
I.M. Maniatis ¹⁶⁹, J. Manjarres Ramos ^{102,aj}, D.C. Mankad ¹⁶⁹, A. Mann ¹⁰⁹, B. Mansoulie ¹³⁵,
S. Manzoni ³⁶, A. Marantis ^{152,y}, G. Marchiori ⁵, M. Marcisovsky ¹³¹, C. Marcon ^{71a,71b},
M. Marinescu ²⁰, M. Marjanovic ¹²⁰, E.J. Marshall ⁹¹, Z. Marshall ^{17a}, S. Marti-Garcia ¹⁶³,
T.A. Martin ¹⁶⁷, V.J. Martin ⁵², B. Martin dit Latour ¹⁶, L. Martinelli ^{75a,75b}, M. Martinez ^{13,z},
P. Martinez Agullo ¹⁶³, V.I. Martinez Outschoorn ¹⁰³, P. Martinez Suarez ¹³, S. Martin-Haugh ¹³⁴,
V.S. Martoiu ^{27b}, A.C. Martyniuk ⁹⁶, A. Marzin ³⁶, D. Mascione ^{78a,78b}, L. Masetti ¹⁰⁰,
T. Mashimo ¹⁵³, J. Masik ¹⁰¹, A.L. Maslennikov ³⁷, L. Massa ^{23b}, P. Massarotti ^{72a,72b},
P. Mastrandrea ^{74a,74b}, A. Mastroberardino ^{43b,43a}, T. Masubuchi ¹⁵³, T. Mathisen ¹⁶¹,
J. Matousek ¹³³, N. Matsuzawa ¹⁵³, J. Maurer ^{27b}, B. Maček ⁹³, D.A. Maximov ³⁷, R. Mazini ¹⁴⁸,
I. Maznas ¹⁵², M. Mazza ¹⁰⁷, S.M. Mazza ¹³⁶, E. Mazzeo ^{71a,71b}, C. Mc Ginn ²⁹,
J.P. Mc Gowan ¹⁰⁴, S.P. Mc Kee ¹⁰⁶, E.F. McDonald ¹⁰⁵, A.E. McDougall ¹¹⁴, J.A. Mcfayden ¹⁴⁶,
R.P. McGovern ¹²⁸, G. Mchedlidze ^{149b}, R.P. Mckenzie ^{33g}, T.C. McLachlan ⁴⁸,
D.J. McLaughlin ⁹⁶, K.D. McLean ¹⁶⁵, S.J. McMahan ¹³⁴, P.C. McNamara ¹⁰⁵,
C.M. Mcpartland ⁹², R.A. McPherson ^{165,ad}, S. Mehlhase ¹⁰⁹, A. Mehta ⁹², D. Melini ¹⁵⁰,
B.R. Mellado Garcia ^{33g}, A.H. Melo ⁵⁵, F. Meloni ⁴⁸, A.M. Mendes Jacques Da Costa ¹⁰¹,
H.Y. Meng ¹⁵⁵, L. Meng ⁹¹, S. Menke ¹¹⁰, M. Mentink ³⁶, E. Meoni ^{43b,43a}, C. Merlassino ¹²⁶,
L. Merola ^{72a,72b}, C. Meroni ^{71a,71b}, G. Merz ¹⁰⁶, O. Meshkov ³⁷, J. Metcalfe ⁶, A.S. Mete ⁶,
C. Meyer ⁶⁸, J-P. Meyer ¹³⁵, R.P. Middleton ¹³⁴, L. Mijović ⁵², G. Mikenberg ¹⁶⁹,
M. Mikestikova ¹³¹, M. Mikuž ⁹³, H. Mildner ¹⁰⁰, A. Milic ³⁶, C.D. Milke ⁴⁴, D.W. Miller ³⁹,
L.S. Miller ³⁴, A. Milov ¹⁶⁹, D.A. Milstead ^{47a,47b}, T. Min ^{14c}, A.A. Minaenko ³⁷,
I.A. Minashvili ^{149b}, L. Mince ⁵⁹, A.I. Mincer ¹¹⁷, B. Mindur ^{86a}, M. Mineev ³⁸, Y. Mino ⁸⁸,
L.M. Mir ¹³, M. Miralles Lopez ¹⁶³, M. Mironova ^{17a}, A. Mishima ¹⁵³, M.C. Missio ¹¹³,
T. Mitani ¹⁶⁸, A. Mitra ¹⁶⁷, V.A. Mitsou ¹⁶³, O. Miu ¹⁵⁵, P.S. Miyagawa ⁹⁴, Y. Miyazaki ⁸⁹,
A. Mizukami ⁸⁴, T. Mkrtchyan ^{63a}, M. Mlinarevic ⁹⁶, T. Mlinarevic ⁹⁶, M. Mlynarikova ³⁶,
S. Mobius ¹⁹, K. Mochizuki ¹⁰⁸, P. Moder ⁴⁸, P. Mogg ¹⁰⁹, A.F. Mohammed ^{14a,14e},
S. Mohapatra ⁴¹, G. Mokgatitwane ^{33g}, L. Moleri ¹⁶⁹, B. Mondal ¹⁴¹, S. Mondal ¹³²,
G. Monig ¹⁴⁶, K. Mönig ⁴⁸, E. Monnier ¹⁰², L. Monsonis Romero ¹⁶³, J. Montejo Berlingen ^{13,84},
M. Montella ¹¹⁹, F. Montekali ^{77a,77b}, F. Monticelli ⁹⁰, S. Monzani ^{69a,69c}, N. Morange ⁶⁶,
A.L. Moreira De Carvalho ^{130a}, M. Moreno Llácer ¹⁶³, C. Moreno Martinez ⁵⁶, P. Morettini ^{57b},
S. Morgenstern ³⁶, M. Morii ⁶¹, M. Morinaga ¹⁵³, A.K. Morley ³⁶, F. Morodei ^{75a,75b},
L. Morvaj ³⁶, P. Moschovakos ³⁶, B. Moser ³⁶, M. Mosidze ^{149b}, T. Moskalets ⁵⁴,

P. Moskvitina ¹¹³, J. Moss ^{31,p}, E.J.W. Moyses ¹⁰³, O. Mtintsilana ^{33g}, S. Muanza ¹⁰²,
 J. Mueller ¹²⁹, D. Muenstermann ⁹¹, R. Müller ¹⁹, G.A. Mullier ¹⁶¹, A.J. Mullin³², J.J. Mullin¹²⁸,
 D.P. Mungo ¹⁵⁵, D. Munoz Perez ¹⁶³, F.J. Munoz Sanchez ¹⁰¹, M. Murin ¹⁰¹, W.J. Murray ^{167,134},
 A. Murrone ^{71a,71b}, J.M. Muse ¹²⁰, M. Muškinja ^{17a}, C. Mwewa ²⁹, A.G. Myagkov ^{37,a},
 A.J. Myers ⁸, A.A. Myers¹²⁹, G. Myers ⁶⁸, M. Myska ¹³², B.P. Nachman ^{17a}, O. Nackenhorst ⁴⁹,
 A. Nag ⁵⁰, K. Nagai ¹²⁶, K. Nagano ⁸⁴, J.L. Nagle ^{29,ar}, E. Nagy ¹⁰², A.M. Nairz ³⁶,
 Y. Nakahama ⁸⁴, K. Nakamura ⁸⁴, K. Nakkalil ⁵, H. Nanjo ¹²⁴, R. Narayan ⁴⁴,
 E.A. Narayanan ¹¹², I. Naryshkin ³⁷, M. Naseri ³⁴, S. Nasri ¹⁵⁹, C. Nass ²⁴, G. Navarro ^{22a},
 J. Navarro-Gonzalez ¹⁶³, R. Nayak ¹⁵¹, A. Nayaz ¹⁸, P.Y. Nechaeva ³⁷, F. Nechansky ⁴⁸,
 L. Nedic ¹²⁶, T.J. Neep ²⁰, A. Negri ^{73a,73b}, M. Negrini ^{23b}, C. Nellist ¹¹⁴, C. Nelson ¹⁰⁴,
 K. Nelson ¹⁰⁶, S. Nemecek ¹³¹, M. Nessi ^{36,i}, M.S. Neubauer ¹⁶², F. Neuhaus ¹⁰⁰,
 J. Neundorff ⁴⁸, R. Newhouse ¹⁶⁴, P.R. Newman ²⁰, C.W. Ng ¹²⁹, Y.W.Y. Ng ⁴⁸, B. Ngair ^{35e},
 H.D.N. Nguyen ¹⁰⁸, R.B. Nickerson ¹²⁶, R. Nicolaidou ¹³⁵, J. Nielsen ¹³⁶, M. Niemeyer ⁵⁵,
 J. Niermann ^{55,36}, N. Nikiforou ³⁶, V. Nikolaenko ^{37,a}, I. Nikolic-Audit ¹²⁷, K. Nikolopoulos ²⁰,
 P. Nilsson ²⁹, I. Ninca ⁴⁸, H.R. Nindhito ⁵⁶, G. Ninio ¹⁵¹, A. Nisati ^{75a}, N. Nishu ²,
 R. Nisius ¹¹⁰, J-E. Nitschke ⁵⁰, E.K. Nkadimeng ^{33g}, S.J. Noacco Rosende ⁹⁰, T. Nobe ¹⁵³,
 D.L. Noel ³², T. Nommensen ¹⁴⁷, M.B. Norfolk ¹³⁹, R.R.B. Norisam ⁹⁶, B.J. Norman ³⁴,
 J. Novak ⁹³, T. Novak ⁴⁸, L. Novotny ¹³², R. Novotny ¹¹², L. Nozka ¹²², K. Ntekas ¹⁶⁰,
 N.M.J. Nunes De Moura Junior ^{83b}, E. Nurse⁹⁶, J. Ocariz ¹²⁷, A. Ochi ⁸⁵, I. Ochoa ^{130a},
 S. Oerdek ¹⁶¹, J.T. Offermann ³⁹, A. Ogrodnik ¹³³, A. Oh ¹⁰¹, C.C. Ohm ¹⁴⁴, H. Oide ⁸⁴,
 R. Oishi ¹⁵³, M.L. Ojeda ⁴⁸, Y. Okazaki ⁸⁸, M.W. O'Keefe⁹², Y. Okumura ¹⁵³,
 L.F. Oleiro Seabra ^{130a}, S.A. Olivares Pino ^{137d}, D. Oliveira Damazio ²⁹, D. Oliveira Goncalves ^{83a},
 J.L. Oliver ¹⁶⁰, A. Olszewski ⁸⁷, Ö.O. Öncel ⁵⁴, D.C. O'Neil ¹⁴², A.P. O'Neill ¹⁹,
 A. Onofre ^{130a,130e}, P.U.E. Onyisi ¹¹, M.J. Oreglia ³⁹, G.E. Orellana ⁹⁰, D. Orestano ^{77a,77b},
 N. Orlando ¹³, R.S. Orr ¹⁵⁵, V. O'Shea ⁵⁹, L.M. Osojnak ¹²⁸, R. Ospanov ^{62a},
 G. Otero y Garzon ³⁰, H. Otono ⁸⁹, P.S. Ott ^{63a}, G.J. Ottino ^{17a}, M. Ouchrif ^{35d}, J. Ouellette ²⁹,
 F. Ould-Saada ¹²⁵, M. Owen ⁵⁹, R.E. Owen ¹³⁴, K.Y. Oyulmaz ^{21a}, V.E. Ozcan ^{21a}, N. Ozturk ⁸,
 S. Ozturk ⁸², H.A. Pacey ³², A. Pacheco Pages ¹³, C. Padilla Aranda ¹³, G. Padovano ^{75a,75b},
 S. Pagan Griso ^{17a}, G. Palacino ⁶⁸, A. Palazzo ^{70a,70b}, S. Palestini ³⁶, J. Pan ¹⁷², T. Pan ^{64a},
 D.K. Panchal ¹¹, C.E. Pandini ¹¹⁴, J.G. Panduro Vazquez ⁹⁵, H. Pang ^{14b}, P. Pani ⁴⁸,
 G. Panizzo ^{69a,69c}, L. Paolozzi ⁵⁶, C. Papadatos ¹⁰⁸, S. Parajuli ⁴⁴, A. Paramonov ⁶,
 C. Paraskevopoulos ¹⁰, D. Paredes Hernandez ^{64b}, T.H. Park ¹⁵⁵, M.A. Parker ³², F. Parodi ^{57b,57a},
 E.W. Parrish ¹¹⁵, V.A. Parrish ⁵², J.A. Parsons ⁴¹, U. Parzefall ⁵⁴, B. Pascual Dias ¹⁰⁸,
 L. Pascual Dominguez ¹⁵¹, F. Pasquali ¹¹⁴, E. Pasqualucci ^{75a}, S. Passaggio ^{57b}, F. Pastore ⁹⁵,
 P. Pasuwan ^{47a,47b}, P. Patel ⁸⁷, U.M. Patel ⁵¹, J.R. Pater ¹⁰¹, T. Pauly ³⁶, J. Pearkes ¹⁴³,
 M. Pedersen ¹²⁵, R. Pedro ^{130a}, S.V. Peleganchuk ³⁷, O. Penc ³⁶, E.A. Pender ⁵², H. Peng ^{62a},
 K.E. Penski ¹⁰⁹, M. Penzin ³⁷, B.S. Peralva ^{83d}, A.P. Pereira Peixoto ⁶⁰, L. Pereira Sanchez ^{47a,47b},
 D.V. Perepelitsa ^{29,ar}, E. Perez Codina ^{156a}, M. Perganti ¹⁰, L. Perini ^{71a,71b,*}, H. Pernegger ³⁶,
 O. Perrin ⁴⁰, K. Peters ⁴⁸, R.F.Y. Peters ¹⁰¹, B.A. Petersen ³⁶, T.C. Petersen ⁴², E. Petit ¹⁰²,
 V. Petousis ¹³², C. Petridou ^{152,f}, A. Petrukhin ¹⁴¹, M. Pettee ^{17a}, N.E. Pettersson ³⁶,
 A. Petukhov ³⁷, K. Petukhova ¹³³, A. Peyaud ¹³⁵, R. Pezoa ^{137f}, L. Pezzotti ³⁶, G. Pezzullo ¹⁷²,
 T.M. Pham ¹⁷⁰, T. Pham ¹⁰⁵, P.W. Phillips ¹³⁴, G. Piacquadio ¹⁴⁵, E. Pianori ^{17a},
 F. Piazza ^{71a,71b}, R. Piegai ³⁰, D. Pietreanu ^{27b}, A.D. Pilkington ¹⁰¹, M. Pinamonti ^{69a,69c},
 J.L. Pinfeld ², B.C. Pinheiro Pereira ^{130a}, A.E. Pinto Pinoargote ¹³⁵, K.M. Piper ¹⁴⁶,
 A. Pirttikoski ⁵⁶, C. Pitman Donaldson⁹⁶, D.A. Pizzi ³⁴, L. Pizzimento ^{64b}, A. Pizzini ¹¹⁴,
 M.-A. Pleier ²⁹, V. Plesanovs⁵⁴, V. Pleskot ¹³³, E. Plotnikova³⁸, G. Poddar ⁴, R. Poettgen ⁹⁸,
 L. Poggioli ¹²⁷, I. Pokharel ⁵⁵, S. Polacek ¹³³, G. Polesello ^{73a}, A. Poley ^{142,156a}, R. Polifka ¹³²,

A. Polini ^{23b}, C.S. Pollard ¹⁶⁷, Z.B. Pollock ¹¹⁹, V. Polychronakos ²⁹, E. Pompa Pacchi ^{75a,75b},
 D. Ponomarenko ¹¹³, L. Pontecorvo ³⁶, S. Popa ^{27a}, G.A. Popenciu ^{27d}, A. Poreba ³⁶,
 D.M. Portillo Quintero ^{156a}, S. Pospisil ¹³², M.A. Postill ¹³⁹, P. Postolache ^{27c}, K. Potamianos ¹⁶⁷,
 P.A. Potepa ^{86a}, I.N. Potrap ³⁸, C.J. Potter ³², H. Potti ¹, T. Poulsen ⁴⁸, J. Poveda ¹⁶³,
 M.E. Pozo Astigarraga ³⁶, A. Prades Ibanez ¹⁶³, J. Pretel ⁵⁴, D. Price ¹⁰¹, M. Primavera ^{70a},
 M.A. Principe Martin ⁹⁹, R. Privara ¹²², T. Procter ⁵⁹, M.L. Proffitt ¹³⁸, N. Proklova ¹²⁸,
 K. Prokofiev ^{64c}, G. Proto ¹¹⁰, S. Protopopescu ²⁹, J. Proudfoot ⁶, M. Przybycien ^{86a},
 W.W. Przygoda ^{86b}, J.E. Puddefoot ¹³⁹, D. Pudzha ³⁷, D. Pyatiizbyantseva ³⁷, J. Qian ¹⁰⁶,
 D. Qichen ¹⁰¹, Y. Qin ¹⁰¹, T. Qiu ⁵², A. Quadt ⁵⁵, M. Queitsch-Maitland ¹⁰¹, G. Quetant ⁵⁶,
 G. Rabanal Bolanos ⁶¹, D. Rafanoharana ⁵⁴, F. Ragusa ^{71a,71b}, J.L. Rainbolt ³⁹, J.A. Raine ⁵⁶,
 S. Rajagopalan ²⁹, E. Ramakoti ³⁷, K. Ran ^{48,14e}, N.P. Rapheeha ^{33g}, H. Rasheed ^{27b},
 V. Raskina ¹²⁷, D.F. Rassloff ^{63a}, S. Rave ¹⁰⁰, B. Ravina ⁵⁵, I. Ravinovich ¹⁶⁹, M. Raymond ³⁶,
 A.L. Read ¹²⁵, N.P. Readioff ¹³⁹, D.M. Rebuzzi ^{73a,73b}, G. Redlinger ²⁹, A.S. Reed ¹¹⁰,
 K. Reeves ²⁶, J.A. Reidelsturz ^{171,x}, D. Reikher ¹⁵¹, A. Rej ¹⁴¹, C. Rembser ³⁶, A. Renardi ⁴⁸,
 M. Renda ^{27b}, M.B. Rendel ¹¹⁰, F. Renner ⁴⁸, A.G. Rennie ⁵⁹, S. Resconi ^{71a},
 M. Ressegotti ^{57b,57a}, S. Rettie ³⁶, J.G. Reyes Rivera ¹⁰⁷, B. Reynolds ¹¹⁹, E. Reynolds ^{17a},
 O.L. Rezanova ³⁷, P. Reznicek ¹³³, N. Ribaric ⁹¹, E. Ricci ^{78a,78b}, R. Richter ¹¹⁰,
 S. Richter ^{47a,47b}, E. Richter-Was ^{86b}, M. Ridel ¹²⁷, S. Ridouani ^{35d}, P. Rieck ¹¹⁷, P. Riedler ³⁶,
 M. Rijssenbeek ¹⁴⁵, A. Rimoldi ^{73a,73b}, M. Rimoldi ⁴⁸, L. Rinaldi ^{23b,23a}, T.T. Rinn ²⁹,
 M.P. Rinnagel ¹⁰⁹, G. Ripellino ¹⁶¹, I. Riu ¹³, P. Rivadeneira ⁴⁸, J.C. Rivera Vergara ¹⁶⁵,
 F. Rizatdinova ¹²¹, E. Rizvi ⁹⁴, B.A. Roberts ¹⁶⁷, B.R. Roberts ^{17a}, S.H. Robertson ^{104,ad},
 M. Robin ⁴⁸, D. Robinson ³², C.M. Robles Gajardo ^{137f}, M. Robles Manzano ¹⁰⁰, A. Robson ⁵⁹,
 A. Rocchi ^{76a,76b}, C. Roda ^{74a,74b}, S. Rodriguez Bosca ^{63a}, Y. Rodriguez Garcia ^{22a},
 A. Rodriguez Rodriguez ⁵⁴, A.M. Rodríguez Vera ^{156b}, S. Roe ³⁶, J.T. Roemer ¹⁶⁰,
 A.R. Roepe-Gier ¹³⁶, J. Roggel ¹⁷¹, O. Røhne ¹²⁵, R.A. Rojas ¹⁰³, C.P.A. Roland ⁶⁸, J. Roloff ²⁹,
 A. Romaniouk ³⁷, E. Romano ^{73a,73b}, M. Romano ^{23b}, A.C. Romero Hernandez ¹⁶²,
 N. Rompotis ⁹², L. Roos ¹²⁷, S. Rosati ^{75a}, B.J. Rosser ³⁹, E. Rossi ¹²⁶, E. Rossi ^{72a,72b},
 L.P. Rossi ^{57b}, L. Rossini ⁴⁸, R. Rosten ¹¹⁹, M. Rotaru ^{27b}, B. Rottler ⁵⁴, C. Rougier ^{102,aj},
 D. Rousseau ⁶⁶, D. Rousso ³², A. Roy ¹⁶², S. Roy-Garand ¹⁵⁵, A. Rozanov ¹⁰², Y. Rozen ¹⁵⁰,
 X. Ruan ^{33g}, A. Rubio Jimenez ¹⁶³, A.J. Ruby ⁹², V.H. Ruelas Rivera ¹⁸, T.A. Ruggeri ¹,
 A. Ruggiero ¹²⁶, A. Ruiz-Martinez ¹⁶³, A. Rummler ³⁶, Z. Rurikova ⁵⁴, N.A. Rusakovich ³⁸,
 H.L. Russell ¹⁶⁵, G. Russo ^{75a,75b}, J.P. Rutherford ⁷, S. Rutherford Colmenares ³², K. Rybacki ⁹¹,
 M. Rybar ¹³³, E.B. Rye ¹²⁵, A. Ryzhov ⁴⁴, J.A. Sabater Iglesias ⁵⁶, P. Sabatini ¹⁶³,
 L. Sabetta ^{75a,75b}, H.F-W. Sadrozinski ¹³⁶, F. Safai Tehrani ^{75a}, B. Safarzadeh Samani ¹⁴⁶,
 M. Safdari ¹⁴³, S. Saha ¹⁶⁵, M. Sahinsoy ¹¹⁰, M. Saimpert ¹³⁵, M. Saito ¹⁵³, T. Saito ¹⁵³,
 D. Salamani ³⁶, A. Salnikov ¹⁴³, J. Salt ¹⁶³, A. Salvador Salas ¹³, D. Salvatore ^{43b,43a},
 F. Salvatore ¹⁴⁶, A. Salzburger ³⁶, D. Sammel ⁵⁴, D. Sampsonidis ^{152,f}, D. Sampsonidou ¹²³,
 J. Sánchez ¹⁶³, A. Sanchez Pineda ⁴, V. Sanchez Sebastian ¹⁶³, H. Sandaker ¹²⁵, C.O. Sander ⁴⁸,
 J.A. Sandesara ¹⁰³, M. Sandhoff ¹⁷¹, C. Sandoval ^{22b}, D.P.C. Sankey ¹³⁴, T. Sano ⁸⁸,
 A. Sansoni ⁵³, L. Santi ^{75a,75b}, C. Santoni ⁴⁰, H. Santos ^{130a,130b}, S.N. Santpur ^{17a}, A. Santra ¹⁶⁹,
 K.A. Saoucha ¹³⁹, J.G. Saraiva ^{130a,130d}, J. Sardain ⁷, O. Sasaki ⁸⁴, K. Sato ¹⁵⁷, C. Sauer ^{63b},
 F. Sauerburger ⁵⁴, E. Sauvan ⁴, P. Savard ^{155,ap}, R. Sawada ¹⁵³, C. Sawyer ¹³⁴, L. Sawyer ⁹⁷,
 I. Sayago Galvan ¹⁶³, C. Sbarra ^{23b}, A. Sbrizzi ^{23b,23a}, T. Scanlon ⁹⁶, J. Schaarschmidt ¹³⁸,
 P. Schacht ¹¹⁰, D. Schaefer ³⁹, U. Schäfer ¹⁰⁰, A.C. Schaffer ^{66,44}, D. Schaile ¹⁰⁹,
 R.D. Schamberger ¹⁴⁵, C. Scharf ¹⁸, M.M. Schefer ¹⁹, V.A. Schegelsky ³⁷, D. Scheirich ¹³³,
 F. Schenck ¹⁸, M. Schernau ¹⁶⁰, C. Scheulen ⁵⁵, C. Schiavi ^{57b,57a}, E.J. Schioppa ^{70a,70b},
 M. Schioppa ^{43b,43a}, B. Schlag ^{143,s}, K.E. Schleicher ⁵⁴, S. Schlenker ³⁶, J. Schmeing ¹⁷¹,

M.A. Schmidt [ID171](#), K. Schmieden [ID100](#), C. Schmitt [ID100](#), S. Schmitt [ID48](#), L. Schoeffel [ID135](#),
A. Schoening [ID63b](#), P.G. Scholer [ID54](#), E. Schopf [ID126](#), M. Schott [ID100](#), J. Schovancova [ID36](#),
S. Schramm [ID56](#), F. Schroeder [ID171](#), T. Schroer [ID56](#), H-C. Schultz-Coulon [ID63a](#), M. Schumacher [ID54](#),
B.A. Schumm [ID136](#), Ph. Schune [ID135](#), A.J. Schuy [ID138](#), H.R. Schwartz [ID136](#), A. Schwartzman [ID143](#),
T.A. Schwarz [ID106](#), Ph. Schwemling [ID135](#), R. Schwienhorst [ID107](#), A. Sciandra [ID136](#), G. Sciolla [ID26](#),
F. Scuri [ID74a](#), C.D. Sebastiani [ID92](#), K. Sedlaczek [ID115](#), P. Seema [ID18](#), S.C. Seidel [ID112](#), A. Seiden [ID136](#),
B.D. Seidlitz [ID41](#), C. Seitz [ID48](#), J.M. Seixas [ID83b](#), G. Sekhniaidze [ID72a](#), S.J. Sekula [ID44](#), L. Selem [ID60](#),
N. Semprini-Cesari [ID23b,23a](#), D. Sengupta [ID56](#), V. Senthilkumar [ID163](#), L. Serin [ID66](#), L. Serkin [ID69a,69b](#),
M. Sessa [ID76a,76b](#), H. Severini [ID120](#), F. Sforza [ID57b,57a](#), A. Sfyrly [ID56](#), E. Shabalina [ID55](#), R. Shaheen [ID144](#),
J.D. Shahinian [ID128](#), D. Shaked Renous [ID169](#), L.Y. Shan [ID14a](#), M. Shapiro [ID17a](#), A. Sharma [ID36](#),
A.S. Sharma [ID164](#), P. Sharma [ID80](#), S. Sharma [ID48](#), P.B. Shatalov [ID37](#), K. Shaw [ID146](#), S.M. Shaw [ID101](#),
A. Shcherbakova [ID37](#), Q. Shen [ID62c,5](#), P. Sherwood [ID96](#), L. Shi [ID96](#), X. Shi [ID14a](#), C.O. Shimmin [ID172](#),
Y. Shimogama [ID168](#), J.D. Shinner [ID95](#), I.P.J. Shipsey [ID126](#), S. Shirabe [ID56,i](#), M. Shiyakova [ID38,ab](#),
J. Shlomi [ID169](#), M.J. Shochet [ID39](#), J. Shojaii [ID105](#), D.R. Shope [ID125](#), B. Shrestha [ID120](#), S. Shrestha [ID119,as](#),
E.M. Shrif [ID33g](#), M.J. Shroff [ID165](#), P. Sicho [ID131](#), A.M. Sickles [ID162](#), E. Sideras Haddad [ID33g](#),
A. Sidoti [ID23b](#), F. Siegert [ID50](#), Dj. Sijacki [ID15](#), R. Sikora [ID86a](#), F. Sili [ID90](#), J.M. Silva [ID20](#),
M.V. Silva Oliveira [ID29](#), S.B. Silverstein [ID47a](#), S. Simion [ID66](#), R. Simoniello [ID36](#), E.L. Simpson [ID59](#),
H. Simpson [ID146](#), L.R. Simpson [ID106](#), N.D. Simpson [ID98](#), S. Simsek [ID82](#), S. Sindhu [ID55](#), P. Sinervo [ID155](#),
S. Singh [ID155](#), S. Sinha [ID48](#), S. Sinha [ID101](#), M. Sioli [ID23b,23a](#), I. Siral [ID36](#), E. Sitnikova [ID48](#),
S.Yu. Sivoklov [ID37,*](#), J. Sjölin [ID47a,47b](#), A. Skaf [ID55](#), E. Skorda [ID20,am](#), P. Skubic [ID120](#),
M. Slawinska [ID87](#), V. Smakhtin [ID169](#), B.H. Smart [ID134](#), J. Smiesko [ID36](#), S.Yu. Smirnov [ID37](#),
Y. Smirnov [ID37](#), L.N. Smirnova [ID37,a](#), O. Smirnova [ID98](#), A.C. Smith [ID41](#), E.A. Smith [ID39](#),
H.A. Smith [ID126](#), J.L. Smith [ID92](#), R. Smith [ID143](#), M. Smizanska [ID91](#), K. Smolek [ID132](#), A.A. Snesev [ID37](#),
S.R. Snider [ID155](#), H.L. Snoek [ID114](#), S. Snyder [ID29](#), R. Sobie [ID165,ad](#), A. Soffer [ID151](#),
C.A. Solans Sanchez [ID36](#), E.Yu. Soldatov [ID37](#), U. Soldevila [ID163](#), A.A. Solodkov [ID37](#), S. Solomon [ID26](#),
A. Soloshenko [ID38](#), K. Solovieva [ID54](#), O.V. Solovyanov [ID40](#), V. Solovyev [ID37](#), P. Sommer [ID36](#),
A. Sonay [ID13](#), W.Y. Song [ID156b](#), J.M. Sonneveld [ID114](#), A. Sopczak [ID132](#), A.L. Sopio [ID96](#),
F. Sopkova [ID28b](#), V. Sothilingam [ID63a](#), S. Sottocornola [ID68](#), R. Soualah [ID116b](#), Z. Soumami [ID35e](#),
D. South [ID48](#), S. Spagnolo [ID70a,70b](#), M. Spalla [ID110](#), D. Sperlich [ID54](#), G. Spigo [ID36](#), M. Spina [ID146](#),
S. Spinali [ID91](#), D.P. Spiteri [ID59](#), M. Spousta [ID133](#), E.J. Staats [ID34](#), A. Stabile [ID71a,71b](#), R. Stamen [ID63a](#),
M. Stamenkovic [ID114](#), A. Stampekis [ID20](#), M. Standke [ID24](#), E. Stanecka [ID87](#), M.V. Stange [ID50](#),
B. Stanislaus [ID17a](#), M.M. Stanitzki [ID48](#), B. Stapf [ID48](#), E.A. Starchenko [ID37](#), G.H. Stark [ID136](#),
J. Stark [ID102,aj](#), D.M. Starko [ID156b](#), P. Staroba [ID131](#), P. Starovoitov [ID63a](#), S. Stärz [ID104](#), R. Staszewski [ID87](#),
G. Stavropoulos [ID46](#), J. Steentoft [ID161](#), P. Steinberg [ID29](#), B. Stelzer [ID142,156a](#), H.J. Stelzer [ID129](#),
O. Stelzer-Chilton [ID156a](#), H. Stenzel [ID58](#), T.J. Stevenson [ID146](#), G.A. Stewart [ID36](#), J.R. Stewart [ID121](#),
M.C. Stockton [ID36](#), G. Stoicea [ID27b](#), M. Stolarski [ID130a](#), S. Stonjek [ID110](#), A. Straessner [ID50](#),
J. Strandberg [ID144](#), S. Strandberg [ID47a,47b](#), M. Strauss [ID120](#), T. Strebler [ID102](#), P. Strizenc [ID28b](#),
R. Ströhmer [ID166](#), D.M. Strom [ID123](#), L.R. Strom [ID48](#), R. Stroynowski [ID44](#), A. Strubig [ID47a,47b](#),
S.A. Stucci [ID29](#), B. Stugu [ID16](#), J. Stupak [ID120](#), N.A. Styles [ID48](#), D. Su [ID143](#), S. Su [ID62a](#), W. Su [ID62d](#),
X. Su [ID62a,66](#), K. Sugizaki [ID153](#), V.V. Sulim [ID37](#), M.J. Sullivan [ID92](#), D.M.S. Sultan [ID78a,78b](#),
L. Sultaniyeva [ID37](#), S. Sultansoy [ID3b](#), T. Sumida [ID88](#), S. Sun [ID106](#), S. Sun [ID170](#),
O. Sunneborn Gudnadottir [ID161](#), N. Sur [ID102](#), M.R. Sutton [ID146](#), H. Suzuki [ID157](#), M. Svatos [ID131](#),
M. Swiatlowski [ID156a](#), T. Swirski [ID166](#), I. Sykora [ID28a](#), M. Sykora [ID133](#), T. Sykora [ID133](#), D. Ta [ID100](#),
K. Tackmann [ID48,aa](#), A. Taffard [ID160](#), R. Tafirout [ID156a](#), J.S. Tafoya Vargas [ID66](#), E.P. Takeva [ID52](#),
Y. Takubo [ID84](#), M. Talby [ID102](#), A.A. Talyshev [ID37](#), K.C. Tam [ID64b](#), N.M. Tamir [ID151](#), A. Tanaka [ID153](#),
J. Tanaka [ID153](#), R. Tanaka [ID66](#), M. Tanasini [ID57b,57a](#), Z. Tao [ID164](#), S. Tapia Araya [ID137f](#),
S. Tapprogge [ID100](#), A. Tarek Abouelfadl Mohamed [ID107](#), S. Tarem [ID150](#), K. Tariq [ID14a](#), G. Tarna [ID102,27b](#),

G.F. Tartarelli [ID71a](#), P. Tas [ID133](#), M. Tasevsky [ID131](#), E. Tassi [ID43b,43a](#), A.C. Tate [ID162](#), G. Tateno [ID153](#), Y. Tayalati [ID35e,ac](#), G.N. Taylor [ID105](#), W. Taylor [ID156b](#), H. Teagle⁹², A.S. Tee [ID170](#), R. Teixeira De Lima [ID143](#), P. Teixeira-Dias [ID95](#), J.J. Teoh [ID155](#), K. Terashi [ID153](#), J. Terron [ID99](#), S. Terzo [ID13](#), M. Testa [ID53](#), R.J. Teuscher [ID155,ad](#), A. Thaler [ID79](#), O. Theiner [ID56](#), N. Themistokleous [ID52](#), T. Thevenaux-Pelzer [ID102](#), O. Thielmann [ID171](#), D.W. Thomas⁹⁵, J.P. Thomas [ID20](#), E.A. Thompson [ID17a](#), P.D. Thompson [ID20](#), E. Thomson [ID128](#), Y. Tian [ID55](#), V. Tikhomirov [ID37,a](#), Yu.A. Tikhonov [ID37](#), S. Timoshenko³⁷, D. Timoshyn [ID133](#), E.X.L. Ting [ID1](#), P. Tipton [ID172](#), S.H. Tlou [ID33g](#), A. Tnourji [ID40](#), K. Todome [ID23b,23a](#), S. Todorova-Nova [ID133](#), S. Todt⁵⁰, M. Togawa [ID84](#), J. Tojo [ID89](#), S. Tokár [ID28a](#), K. Tokushuku [ID84](#), O. Toldaiev [ID68](#), R. Tombs [ID32](#), M. Tomoto [ID84,111](#), L. Tompkins [ID143,s](#), K.W. Topolnicki [ID86b](#), E. Torrence [ID123](#), H. Torres [ID102,aj](#), E. Torró Pastor [ID163](#), M. Toscani [ID30](#), C. Tosciri [ID39](#), M. Tost [ID11](#), D.R. Tovey [ID139](#), A. Traeet¹⁶, I.S. Trandafir [ID27b](#), T. Trefzger [ID166](#), A. Tricoli [ID29](#), I.M. Trigger [ID156a](#), S. Trincaz-Duvoid [ID127](#), D.A. Trischuk [ID26](#), B. Trocmé [ID60](#), C. Troncon [ID71a](#), L. Truong [ID33c](#), M. Trzebinski [ID87](#), A. Trzupke [ID87](#), F. Tsai [ID145](#), M. Tsai [ID106](#), A. Tsiamis [ID152,f](#), P.V. Tsiarehka³⁷, S. Tsigaridas [ID156a](#), A. Tsigotidis [ID152,y](#), V. Tsiskaridze [ID155](#), E.G. Tskhadadze [ID149a](#), M. Tsopoulou [ID152,f](#), Y. Tsujikawa [ID88](#), I.I. Tsukerman [ID37](#), V. Tsulaia [ID17a](#), S. Tsuno [ID84](#), O. Tsur¹⁵⁰, K. Tsurii [ID118](#), D. Tsybychev [ID145](#), Y. Tu [ID64b](#), A. Tudorache [ID27b](#), V. Tudorache [ID27b](#), A.N. Tuna [ID36](#), S. Turchikhin [ID38](#), I. Turk Cakir [ID3a](#), R. Turra [ID71a](#), T. Turtuvshin [ID38,ae](#), P.M. Tuts [ID41](#), S. Tzamaris [ID152,f](#), P. Tzanis [ID10](#), E. Tzovara [ID100](#), K. Uchida¹⁵³, F. Ukegawa [ID157](#), P.A. Ulloa Poblete [ID137c,137b](#), E.N. Umaka [ID29](#), G. Unal [ID36](#), M. Unal [ID11](#), A. Undrus [ID29](#), G. Unel [ID160](#), J. Urban [ID28b](#), P. Urquijo [ID105](#), G. Usai [ID8](#), R. Ushioda [ID154](#), M. Usman [ID108](#), Z. Uysal [ID21b](#), L. Vacavant [ID102](#), V. Vacek [ID132](#), B. Vachon [ID104](#), K.O.H. Vadla [ID125](#), T. Vafeiadis [ID36](#), A. Vaitkus [ID96](#), C. Valderanis [ID109](#), E. Valdes Santurio [ID47a,47b](#), M. Valente [ID156a](#), S. Valentinetti [ID23b,23a](#), A. Valero [ID163](#), E. Valiente Moreno [ID163](#), A. Vallier [ID102,aj](#), J.A. Valls Ferrer [ID163](#), D.R. Van Arneman [ID114](#), T.R. Van Daalen [ID138](#), A. Van Der Graaf [ID49](#), P. Van Gemmeren [ID6](#), M. Van Rijnbach [ID125,36](#), S. Van Stroud [ID96](#), I. Van Vulpen [ID114](#), M. Vanadia [ID76a,76b](#), W. Vandelli [ID36](#), M. Vandenbroucke [ID135](#), E.R. Vandewall [ID121](#), D. Vannicola [ID151](#), L. Vannoli [ID57b,57a](#), R. Vari [ID75a](#), E.W. Varnes [ID7](#), C. Varni [ID17b](#), T. Varol [ID148](#), D. Varouchas [ID66](#), L. Varriale [ID163](#), K.E. Varvell [ID147](#), M.E. Vasile [ID27b](#), L. Vaslin⁴⁰, G.A. Vasquez [ID165](#), F. Vazeille [ID40](#), T. Vazquez Schroeder [ID36](#), J. Veatch [ID31](#), V. Vecchio [ID101](#), M.J. Veen [ID103](#), I. Veliscek [ID126](#), L.M. Veloce [ID155](#), F. Veloso [ID130a,130c](#), S. Veneziano [ID75a](#), A. Ventura [ID70a,70b](#), A. Verbytskyi [ID110](#), M. Verducci [ID74a,74b](#), C. Vergis [ID24](#), M. Verissimo De Araujo [ID83b](#), W. Verkerke [ID114](#), J.C. Vermeulen [ID114](#), C. Vernieri [ID143](#), M. Vessella [ID103](#), M.C. Vetterli [ID142,ap](#), A. Vgenopoulos [ID152,f](#), N. Viaux Maira [ID137f](#), T. Vickey [ID139](#), O.E. Vickey Boeriu [ID139](#), G.H.A. Viehhauser [ID126](#), L. Vignani [ID63b](#), M. Villa [ID23b,23a](#), M. Villaplana Perez [ID163](#), E.M. Villhauer⁵², E. Vilucchi [ID53](#), M.G. Vincter [ID34](#), G.S. Virdee [ID20](#), A. Vishwakarma [ID52](#), A. Visibile¹¹⁴, C. Vittori [ID36](#), I. Vivarelli [ID146](#), V. Vladimirov¹⁶⁷, E. Voevodina [ID110](#), F. Vogel [ID109](#), P. Vokac [ID132](#), J. Von Ahnen [ID48](#), E. Von Toerne [ID24](#), B. Vormwald [ID36](#), V. Vorobel [ID133](#), K. Vorobev [ID37](#), M. Vos [ID163](#), K. Voss [ID141](#), J.H. Vossebeld [ID92](#), M. Vozak [ID114](#), L. Vozdecky [ID94](#), N. Vranjes [ID15](#), M. Vranjes Milosavljevic [ID15](#), M. Vreeswijk [ID114](#), R. Vuillermet [ID36](#), O. Vujanovic [ID100](#), I. Vukotic [ID39](#), S. Wada [ID157](#), C. Wagner¹⁰³, J.M. Wagner [ID17a](#), W. Wagner [ID171](#), S. Wahdan [ID171](#), H. Wahlberg [ID90](#), R. Wakasa [ID157](#), M. Wakida [ID111](#), J. Walder [ID134](#), R. Walker [ID109](#), W. Walkowiak [ID141](#), A. Wall [ID128](#), T. Wamorkar [ID6](#), A.Z. Wang [ID170](#), C. Wang [ID100](#), C. Wang [ID62c](#), H. Wang [ID17a](#), J. Wang [ID64a](#), R.-J. Wang [ID100](#), R. Wang [ID61](#), R. Wang [ID6](#), S.M. Wang [ID148](#), S. Wang [ID62b](#), T. Wang [ID62a](#), W.T. Wang [ID80](#), W. Wang [ID14a](#), X. Wang [ID14c](#), X. Wang [ID162](#), X. Wang [ID62c](#), Y. Wang [ID62d](#), Y. Wang [ID14c](#), Z. Wang [ID106](#), Z. Wang [ID62d,51,62c](#), Z. Wang [ID106](#), A. Warburton [ID104](#), R.J. Ward [ID20](#), N. Warrack [ID59](#), A.T. Watson [ID20](#), H. Watson [ID59](#), M.F. Watson [ID20](#), E. Watton [ID59,134](#), G. Watts [ID138](#), B.M. Waugh [ID96](#), C. Weber [ID29](#), H.A. Weber [ID18](#), M.S. Weber [ID19](#), S.M. Weber [ID63a](#), C. Wei^{62a}, Y. Wei [ID126](#), A.R. Weidberg [ID126](#), E.J. Weik [ID117](#),

J. Weingarten ^{id}49, M. Weirich ^{id}100, C. Weiser ^{id}54, C.J. Wells ^{id}48, T. Wenaus ^{id}29, B. Wendland ^{id}49, T. Wengler ^{id}36, N.S. Wenke ^{id}110, N. Wermes ^{id}24, M. Wessels ^{id}63a, K. Whalen ^{id}123, A.M. Wharton ^{id}91, A.S. White ^{id}61, A. White ^{id}8, M.J. White ^{id}1, D. Whiteson ^{id}160, L. Wickremasinghe ^{id}124, W. Wiedenmann ^{id}170, C. Wiel ^{id}50, M. Wielers ^{id}134, C. Wiglesworth ^{id}42, D.J. Wilbern ^{id}120, H.G. Wilkens ^{id}36, D.M. Williams ^{id}41, H.H. Williams ^{id}128, S. Williams ^{id}32, S. Willocq ^{id}103, B.J. Wilson ^{id}101, P.J. Windischhofer ^{id}39, F.I. Winkel ^{id}30, F. Winklmeier ^{id}123, B.T. Winter ^{id}54, J.K. Winter ^{id}101, M. Wittgen ^{id}143, M. Wobisch ^{id}97, Z. Wolffs ^{id}114, R. Wölker ^{id}126, J. Wollrath ^{id}160, M.W. Wolter ^{id}87, H. Wolters ^{id}130a,130c, A.F. Wongel ^{id}48, S.D. Worm ^{id}48, B.K. Wosiek ^{id}87, K.W. Woźniak ^{id}87, S. Wozniowski ^{id}55, K. Wraight ^{id}59, C. Wu ^{id}20, J. Wu ^{id}14a,14e, M. Wu ^{id}64a, M. Wu ^{id}113, S.L. Wu ^{id}170, X. Wu ^{id}56, Y. Wu ^{id}62a, Z. Wu ^{id}135, J. Wuerzinger ^{id}110,an, T.R. Wyatt ^{id}101, B.M. Wynne ^{id}52, S. Xella ^{id}42, L. Xia ^{id}14c, M. Xia ^{id}14b, J. Xiang ^{id}64c, X. Xiao ^{id}106, M. Xie ^{id}62a, X. Xie ^{id}62a, S. Xin ^{id}14a,14e, J. Xiong ^{id}17a, D. Xu ^{id}14a, H. Xu ^{id}62a, L. Xu ^{id}62a, R. Xu ^{id}128, T. Xu ^{id}106, Y. Xu ^{id}14b, Z. Xu ^{id}52, Z. Xu ^{id}14a, B. Yabsley ^{id}147, S. Yacoub ^{id}33a, N. Yamaguchi ^{id}89, Y. Yamaguchi ^{id}154, E. Yamashita ^{id}153, H. Yamauchi ^{id}157, T. Yamazaki ^{id}17a, Y. Yamazaki ^{id}85, J. Yan ^{id}62c, S. Yan ^{id}126, Z. Yan ^{id}25, H.J. Yang ^{id}62c,62d, H.T. Yang ^{id}62a, S. Yang ^{id}62a, T. Yang ^{id}64c, X. Yang ^{id}62a, X. Yang ^{id}14a, Y. Yang ^{id}44, Y. Yang ^{id}62a, Z. Yang ^{id}62a, W-M. Yao ^{id}17a, Y.C. Yap ^{id}48, H. Ye ^{id}14c, H. Ye ^{id}55, J. Ye ^{id}44, S. Ye ^{id}29, X. Ye ^{id}62a, Y. Yeh ^{id}96, I. Yeletsikh ^{id}38, B.K. Yeo ^{id}17b, M.R. Yexley ^{id}96, P. Yin ^{id}41, K. Yorita ^{id}168, S. Younas ^{id}27b, C.J.S. Young ^{id}36, C. Young ^{id}143, Y. Yu ^{id}62a, M. Yuan ^{id}106, R. Yuan ^{id}62b,1, L. Yue ^{id}96, M. Zaazoua ^{id}62a, B. Zabinski ^{id}87, E. Zaid ^{id}52, T. Zakareishvili ^{id}149b, N. Zakharchuk ^{id}34, S. Zambito ^{id}56, J.A. Zamora Saa ^{id}137d,137b, J. Zang ^{id}153, D. Zanzi ^{id}54, O. Zaplatilek ^{id}132, C. Zeitnitz ^{id}171, H. Zeng ^{id}14a, J.C. Zeng ^{id}162, D.T. Zenger Jr ^{id}26, O. Zenin ^{id}37, T. Ženiš ^{id}28a, S. Zenz ^{id}94, S. Zerradi ^{id}35a, D. Zerwas ^{id}66, M. Zhai ^{id}14a,14e, B. Zhang ^{id}14c, D.F. Zhang ^{id}139, J. Zhang ^{id}62b, J. Zhang ^{id}6, K. Zhang ^{id}14a,14e, L. Zhang ^{id}14c, P. Zhang ^{id}14a,14e, R. Zhang ^{id}170, S. Zhang ^{id}106, T. Zhang ^{id}153, X. Zhang ^{id}62c, X. Zhang ^{id}62b, Y. Zhang ^{id}62c,5, Y. Zhang ^{id}96, Z. Zhang ^{id}17a, Z. Zhang ^{id}66, H. Zhao ^{id}138, P. Zhao ^{id}51, T. Zhao ^{id}62b, Y. Zhao ^{id}136, Z. Zhao ^{id}62a, A. Zhemchugov ^{id}38, K. Zheng ^{id}162, X. Zheng ^{id}62a, Z. Zheng ^{id}143, D. Zhong ^{id}162, B. Zhou ^{id}106, H. Zhou ^{id}7, N. Zhou ^{id}62c, Y. Zhou ^{id}7, C.G. Zhu ^{id}62b, J. Zhu ^{id}106, Y. Zhu ^{id}62c, Y. Zhu ^{id}62a, X. Zhuang ^{id}14a, K. Zhukov ^{id}37, V. Zhulanov ^{id}37, N.I. Zimine ^{id}38, J. Zinsser ^{id}63b, M. Ziolkowski ^{id}141, L. Živković ^{id}15, A. Zoccoli ^{id}23b,23a, K. Zoch ^{id}56, T.G. Zorbas ^{id}139, O. Zormpa ^{id}46, W. Zou ^{id}41, L. Zwalinski ^{id}36.

¹Department of Physics, University of Adelaide, Adelaide; Australia.

²Department of Physics, University of Alberta, Edmonton AB; Canada.

³(^a)Department of Physics, Ankara University, Ankara; (^b)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

⁴LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

⁵APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

⁶High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

⁷Department of Physics, University of Arizona, Tucson AZ; United States of America.

⁸Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

⁹Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

¹⁰Physics Department, National Technical University of Athens, Zografou; Greece.

¹¹Department of Physics, University of Texas at Austin, Austin TX; United States of America.

¹²Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

¹³Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

¹⁴(^a)Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (^b)Physics Department,

Tsinghua University, Beijing;^(c)Department of Physics, Nanjing University, Nanjing;^(d)School of Science, Shenzhen Campus of Sun Yat-sen University;^(e)University of Chinese Academy of Science (UCAS), Beijing; China.

¹⁵Institute of Physics, University of Belgrade, Belgrade; Serbia.

¹⁶Department for Physics and Technology, University of Bergen, Bergen; Norway.

¹⁷(^a)Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA;^(b)University of California, Berkeley CA; United States of America.

¹⁸Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.

¹⁹Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.

²⁰School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.

²¹(^a)Department of Physics, Bogazici University, Istanbul;^(b)Department of Physics Engineering, Gaziantep University, Gaziantep;^(c)Department of Physics, Istanbul University, Istanbul; Türkiye.

²²(^a)Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá;^(b)Departamento de Física, Universidad Nacional de Colombia, Bogotá;^(c)Pontificia Universidad Javeriana, Bogota; Colombia.

²³(^a)Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna;^(b)INFN Sezione di Bologna; Italy.

²⁴Physikalisches Institut, Universität Bonn, Bonn; Germany.

²⁵Department of Physics, Boston University, Boston MA; United States of America.

²⁶Department of Physics, Brandeis University, Waltham MA; United States of America.

²⁷(^a)Transilvania University of Brasov, Brasov;^(b)Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest;^(c)Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi;^(d)National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca;^(e)University Politehnica Bucharest, Bucharest;^(f)West University in Timisoara, Timisoara;^(g)Faculty of Physics, University of Bucharest, Bucharest; Romania.

²⁸(^a)Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava;^(b)Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.

²⁹Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.

³⁰Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.

³¹California State University, CA; United States of America.

³²Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.

³³(^a)Department of Physics, University of Cape Town, Cape Town;^(b)iThemba Labs, Western Cape;^(c)Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;

^(d)National Institute of Physics, University of the Philippines Diliman (Philippines);^(e)University of South Africa, Department of Physics, Pretoria;^(f)University of Zululand, KwaDlangezwa;^(g)School of Physics, University of the Witwatersrand, Johannesburg; South Africa.

³⁴Department of Physics, Carleton University, Ottawa ON; Canada.

³⁵(^a)Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca;^(b)Faculté des Sciences, Université Ibn-Tofail, Kénitra;^(c)Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech;^(d)LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda;^(e)Faculté des sciences, Université Mohammed V, Rabat;^(f)Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.

³⁶CERN, Geneva; Switzerland.

³⁷Affiliated with an institute covered by a cooperation agreement with CERN.

- ³⁸Affiliated with an international laboratory covered by a cooperation agreement with CERN.
- ³⁹Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.
- ⁴⁰LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- ⁴¹Nevis Laboratory, Columbia University, Irvington NY; United States of America.
- ⁴²Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- ⁴³(^a)Dipartimento di Fisica, Università della Calabria, Rende; (^b)INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy.
- ⁴⁴Physics Department, Southern Methodist University, Dallas TX; United States of America.
- ⁴⁵Physics Department, University of Texas at Dallas, Richardson TX; United States of America.
- ⁴⁶National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.
- ⁴⁷(^a)Department of Physics, Stockholm University; (^b)Oskar Klein Centre, Stockholm; Sweden.
- ⁴⁸Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- ⁴⁹Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany.
- ⁵⁰Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.
- ⁵¹Department of Physics, Duke University, Durham NC; United States of America.
- ⁵²SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.
- ⁵³INFN e Laboratori Nazionali di Frascati, Frascati; Italy.
- ⁵⁴Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- ⁵⁵II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- ⁵⁶Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁵⁷(^a)Dipartimento di Fisica, Università di Genova, Genova; (^b)INFN Sezione di Genova; Italy.
- ⁵⁸II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.
- ⁵⁹SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- ⁶⁰LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.
- ⁶¹Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.
- ⁶²(^a)Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; (^b)Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; (^c)School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; (^d)Tsung-Dao Lee Institute, Shanghai; China.
- ⁶³(^a)Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (^b)Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.
- ⁶⁴(^a)Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (^b)Department of Physics, University of Hong Kong, Hong Kong; (^c)Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.
- ⁶⁵Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.
- ⁶⁶IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.
- ⁶⁷Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain.
- ⁶⁸Department of Physics, Indiana University, Bloomington IN; United States of America.
- ⁶⁹(^a)INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (^b)ICTP, Trieste; (^c)Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.
- ⁷⁰(^a)INFN Sezione di Lecce; (^b)Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.
- ⁷¹(^a)INFN Sezione di Milano; (^b)Dipartimento di Fisica, Università di Milano, Milano; Italy.
- ⁷²(^a)INFN Sezione di Napoli; (^b)Dipartimento di Fisica, Università di Napoli, Napoli; Italy.
- ⁷³(^a)INFN Sezione di Pavia; (^b)Dipartimento di Fisica, Università di Pavia, Pavia; Italy.
- ⁷⁴(^a)INFN Sezione di Pisa; (^b)Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.

- ^{75(a)}INFN Sezione di Roma;^(b)Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.
- ^{76(a)}INFN Sezione di Roma Tor Vergata;^(b)Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.
- ^{77(a)}INFN Sezione di Roma Tre;^(b)Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.
- ^{78(a)}INFN-TIFPA;^(b)Università degli Studi di Trento, Trento; Italy.
- ⁷⁹Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- ⁸⁰University of Iowa, Iowa City IA; United States of America.
- ⁸¹Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- ⁸²Istinye University, Sariyer, Istanbul; Türkiye.
- ^{83(a)}Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora;^(b)Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro;^(c)Instituto de Física, Universidade de São Paulo, São Paulo;^(d)Rio de Janeiro State University, Rio de Janeiro; Brazil.
- ⁸⁴KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.
- ⁸⁵Graduate School of Science, Kobe University, Kobe; Japan.
- ^{86(a)}AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow;^(b)Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.
- ⁸⁷Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.
- ⁸⁸Faculty of Science, Kyoto University, Kyoto; Japan.
- ⁸⁹Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan.
- ⁹⁰Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.
- ⁹¹Physics Department, Lancaster University, Lancaster; United Kingdom.
- ⁹²Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.
- ⁹³Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.
- ⁹⁴School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.
- ⁹⁵Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- ⁹⁶Department of Physics and Astronomy, University College London, London; United Kingdom.
- ⁹⁷Louisiana Tech University, Ruston LA; United States of America.
- ⁹⁸Fysiska institutionen, Lunds universitet, Lund; Sweden.
- ⁹⁹Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.
- ¹⁰⁰Institut für Physik, Universität Mainz, Mainz; Germany.
- ¹⁰¹School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.
- ¹⁰²CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- ¹⁰³Department of Physics, University of Massachusetts, Amherst MA; United States of America.
- ¹⁰⁴Department of Physics, McGill University, Montreal QC; Canada.
- ¹⁰⁵School of Physics, University of Melbourne, Victoria; Australia.
- ¹⁰⁶Department of Physics, University of Michigan, Ann Arbor MI; United States of America.
- ¹⁰⁷Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ¹⁰⁸Group of Particle Physics, University of Montreal, Montreal QC; Canada.
- ¹⁰⁹Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.
- ¹¹⁰Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.
- ¹¹¹Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.
- ¹¹²Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.

- ¹¹³Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.
- ¹¹⁴Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.
- ¹¹⁵Department of Physics, Northern Illinois University, DeKalb IL; United States of America.
- ¹¹⁶^(a)New York University Abu Dhabi, Abu Dhabi;^(b)University of Sharjah, Sharjah; United Arab Emirates.
- ¹¹⁷Department of Physics, New York University, New York NY; United States of America.
- ¹¹⁸Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.
- ¹¹⁹Ohio State University, Columbus OH; United States of America.
- ¹²⁰Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.
- ¹²¹Department of Physics, Oklahoma State University, Stillwater OK; United States of America.
- ¹²²Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.
- ¹²³Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.
- ¹²⁴Graduate School of Science, Osaka University, Osaka; Japan.
- ¹²⁵Department of Physics, University of Oslo, Oslo; Norway.
- ¹²⁶Department of Physics, Oxford University, Oxford; United Kingdom.
- ¹²⁷LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.
- ¹²⁸Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.
- ¹²⁹Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.
- ¹³⁰^(a)Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa;^(b)Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa;^(c)Departamento de Física, Universidade de Coimbra, Coimbra;^(d)Centro de Física Nuclear da Universidade de Lisboa, Lisboa;^(e)Departamento de Física, Universidade do Minho, Braga;^(f)Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain);^(g)Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.
- ¹³¹Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.
- ¹³²Czech Technical University in Prague, Prague; Czech Republic.
- ¹³³Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.
- ¹³⁴Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.
- ¹³⁵IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.
- ¹³⁶Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.
- ¹³⁷^(a)Departamento de Física, Pontificia Universidad Católica de Chile, Santiago;^(b)Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago;^(c)Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena;^(d)Universidad Andres Bello, Department of Physics, Santiago;^(e)Instituto de Alta Investigación, Universidad de Tarapacá, Arica;^(f)Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.
- ¹³⁸Department of Physics, University of Washington, Seattle WA; United States of America.
- ¹³⁹Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.
- ¹⁴⁰Department of Physics, Shinshu University, Nagano; Japan.
- ¹⁴¹Department Physik, Universität Siegen, Siegen; Germany.
- ¹⁴²Department of Physics, Simon Fraser University, Burnaby BC; Canada.
- ¹⁴³SLAC National Accelerator Laboratory, Stanford CA; United States of America.

- ¹⁴⁴Department of Physics, Royal Institute of Technology, Stockholm; Sweden.
- ¹⁴⁵Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.
- ¹⁴⁶Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.
- ¹⁴⁷School of Physics, University of Sydney, Sydney; Australia.
- ¹⁴⁸Institute of Physics, Academia Sinica, Taipei; Taiwan.
- ¹⁴⁹^(a)E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi;^(b)High Energy Physics Institute, Tbilisi State University, Tbilisi;^(c)University of Georgia, Tbilisi; Georgia.
- ¹⁵⁰Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.
- ¹⁵¹Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.
- ¹⁵²Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.
- ¹⁵³International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.
- ¹⁵⁴Department of Physics, Tokyo Institute of Technology, Tokyo; Japan.
- ¹⁵⁵Department of Physics, University of Toronto, Toronto ON; Canada.
- ¹⁵⁶^(a)TRIUMF, Vancouver BC;^(b)Department of Physics and Astronomy, York University, Toronto ON; Canada.
- ¹⁵⁷Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.
- ¹⁵⁸Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.
- ¹⁵⁹United Arab Emirates University, Al Ain; United Arab Emirates.
- ¹⁶⁰Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.
- ¹⁶¹Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.
- ¹⁶²Department of Physics, University of Illinois, Urbana IL; United States of America.
- ¹⁶³Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.
- ¹⁶⁴Department of Physics, University of British Columbia, Vancouver BC; Canada.
- ¹⁶⁵Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- ¹⁶⁶Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.
- ¹⁶⁷Department of Physics, University of Warwick, Coventry; United Kingdom.
- ¹⁶⁸Waseda University, Tokyo; Japan.
- ¹⁶⁹Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.
- ¹⁷⁰Department of Physics, University of Wisconsin, Madison WI; United States of America.
- ¹⁷¹Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- ¹⁷²Department of Physics, Yale University, New Haven CT; United States of America.
- ^a Also Affiliated with an institute covered by a cooperation agreement with CERN.
- ^b Also at An-Najah National University, Nablus; Palestine.
- ^c Also at APC, Université Paris Cité, CNRS/IN2P3, Paris; France.
- ^d Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
- ^e Also at Center for High Energy Physics, Peking University; China.
- ^f Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece.
- ^g Also at Centro Studi e Ricerche Enrico Fermi; Italy.
- ^h Also at CERN, Geneva; Switzerland.
- ⁱ Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ^j Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.

- k* Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
- l* Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- m* Also at Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.
- n* Also at Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- o* Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.
- p* Also at Department of Physics, California State University, Sacramento; United States of America.
- q* Also at Department of Physics, King's College London, London; United Kingdom.
- r* Also at Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- s* Also at Department of Physics, Stanford University, Stanford CA; United States of America.
- t* Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- u* Also at Department of Physics, University of Thessaly; Greece.
- v* Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
- w* Associated at Dipartimento di Fisica, Università di Milano, Milano; Italy.
- x* Also at Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- y* Also at Hellenic Open University, Patras; Greece.
- z* Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- aa* Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- ab* Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- ac* Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ad* Also at Institute of Particle Physics (IPP); Canada.
- ae* Also at Institute of Physics and Technology, Ulaanbaatar; Mongolia.
- af* Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- ag* Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.
- ah* Associated at Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.
- ai* Also at IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.
- aj* Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.
- ak* Also at Lawrence Livermore National Laboratory, Livermore; United States of America.
- al* Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
- am* Also at School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.
- an* Also at Technical University of Munich, Munich; Germany.
- ao* Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ap* Also at TRIUMF, Vancouver BC; Canada.
- aq* Also at Università di Napoli Parthenope, Napoli; Italy.
- ar* Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
- as* Also at Washington College, Chestertown, MD; United States of America.
- at* Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
- * Deceased