

Supplementary Notes

COHORT	ACKNOWLEDGEMENTS
DANISH-UCPH	The Novo Nordisk Foundation Center for Basic Metabolic Research is an independent Research Center at the University of Copenhagen partially funded by an unrestricted donation from the Novo Nordisk Foundation (www.metabol.ku.dk). Vejle Diabetes Biobank was supported by The Danish Research Fund and the National Danish Research Fund.
EGCUT	This study was funded by EU H2020 grants ePerMed and WIDENLIFE, Estonian Research Council Grant IUT20-60, IUT24-6, and European Union through the European Regional Development Fund Project No. 2014-2020.4.01.15-0012 GENTRANSMED.
FHS	Genotyping, quality control and calling of the Illumina HumanExome BeadChip in the Framingham Heart Study was supported by funding from the National Heart, Lung and Blood Institute Division of Intramural Research (Daniel Levy and Christopher J. O’Donnell, Principle Investigators). Also supported by National Institute for Diabetes and Digestive and Kidney Diseases (NIDDK) R01 DK078616, R01 HL105756 & U01 DK078616, NIDDK K24 DK080140 and American Diabetes Association Mentor-Based Postdoctoral Fellowship Award #7-09-MN-32, all to Dr. Meigs, and NIDDK Research Career Award K23 DK65978, a Massachusetts General Hospital Physician Scientist Development Award and a Doris Duke Charitable Foundation Clinical Scientist Development Award to Dr. Florez.
FUSION	The FUSION study was supported by DK093757, DK072193, DK062370, and ZIA-HG000024.
GCKD	The GCKD study was funded by the German Ministry of Research and Education (Bundesministerium für Bildung und Forschung, BMBF) and by the Foundation KfH Stiftung Präventivmedizin. Unregistered grants to support the study were provided by Bayer, Fresenius Medical Care and Amgen. Genotyping was supported by Bayer Pharma AG.
GENOA	Support for GENOA was provided by the National Heart, Lung and Blood Institute (HL119443, HL118305, HL054464, HL054457, HL054481, HL071917 and HL087660) of the National Institutes of Health.
GERA	Data came from a grant, the Resource for Genetic Epidemiology Research in Adult Health and Aging (RC2 AG033067; Schaefer and Risch, PIs) awarded to the Kaiser Permanente Research Program on Genes, Environment, and Health (RPGEH) and the UCSF Institute for Human Genetics. The RPGEH was supported by grants from the Robert Wood Johnson Foundation, the Wayne and Gladys Valley Foundation, the Ellison Medical Foundation, Kaiser Permanente Northern California, and the Kaiser Permanente National and Northern California Community Benefit Programs.
GoDARTS	GoDARTS study was funded by The Wellcome Trust Study Cohort Wellcome Trust Functional Genomics Grant (2004-2008) (Grant No: 072960/2/03/2) and The Wellcome Trust Scottish Health Informatics Programme (SHIP) (2009-2012). (Grant No: 086113/Z/08/Z).
GoMAP and TEENAGE	<p>GOMAP: This work was funded by the Wellcome Trust (098051). We thank all participants for their important contribution. We are grateful to Georgia Markou, Laiko General Hospital Diabetes Centre, Maria Emetsidou and Panagiota Fotinopoulou, Hippokratio General Hospital Diabetes Centre, Athina Karabela, Dafni Psychiatric Hospital, Eirini Glezou and Marios Mangioros, Dromokaiteio Psychiatric Hospital, Angela Rentari, Harokopio University of Athens, and Danielle Walker, Wellcome Trust Sanger Institute.</p> <p>TEENAGE: This research has been co-financed by the European Union (European Social Fund—ESF) and Greek national funds through the Operational Program “Education and Lifelong Learning” of the National Strategic Reference Framework (NSRF)—Research Funding Program: Heracleitus II. Investing in knowledge society through the European</p>

	<p>Social Fund. This work was funded by the Wellcome Trust (098051). We thank all study participants and their families as well as all volunteers for their contribution in this study.</p> <p>We thank the Sample Management and Genotyping Facilities staff at the Wellcome Trust Sanger Institute for sample preparation, quality control and genotyping.</p>
InterAct	<p>The InterAct project (LSHM-CT-2006-037197) is a European-Community funded project under Framework Programme 6. We thank all EPIC participants and staff for their contribution to the study. We thank Nicola Kerrison (MRC Epidemiology Unit, Cambridge) for managing the data for the InterAct Project and staff from the Laboratory Team, Field Epidemiology Team, and Data Functional Group of the MRC Epidemiology Unit in Cambridge, UK, for carrying out sample preparation, DNA provision and quality control, genotyping, and data-handling work.</p>
KORA	<p>The KORA research platform (KORA, Cooperative Research in the Region of Augsburg) was initiated and financed by the Helmholtz Zentrum München – German Research Center for Environmental Health, which is funded by the German Federal Ministry of Education and Research and by the State of Bavaria. Furthermore, KORA research was supported within the Munich Center of Health Sciences (MC Health), Ludwig-Maximilians-Universität, as part of LMUinnovativ and by the German Center for Diabetes Research (DZD). The German Diabetes Center was supported by the Ministry of Culture and Science of the State of North Rhine-Westphalia and the German Federal Ministry of Health.</p>
MESA	<p>This research was supported by the Multi-Ethnic Study of Atherosclerosis (MESA and the MESA SHARe) projects and are conducted and supported by the National Heart, Lung, and Blood Institute (NHLBI) in collaboration with MESA investigators. Support for MESA is provided by contracts HHSN268201500003I, N01-HC-95159, N01-HC-95160, N01-HC-95161, N01-HC-95162, N01-HC-95163, N01-HC-95164, N01-HC-95165, N01-HC-95166, N01-HC-95167, N01-HC-95168, N01-HC-95169, UL1-TR-000040, UL1-TR-001079, UL1-TR-001420, UL1-TR-001881, and DK063491. Provision of exome chip genotyping was provided in part by support of NHLBI contract N02-HL-64278 and UCLA CTSI UL1-TR001881, and the S.Calif DRC DK063491.</p>
METSIM	<p>The METSIM study was supported by the Academy of Finland (contract 124243), the Finnish Heart Foundation, the Finnish Diabetes Foundation, Tekes (contract 1510/31/06), and the Commission of the European Community (HEALTH-F2-2007 201681), and the US National Institutes of Health grants DK093757, DK072193, DK062370, and ZIA- HG000024.</p>
MGI	<p>Our work was supported by NIH research grants HL117626 and HG007022. The Michigan Genomics Initiative was supported by internal research funds from the University of Michigan School of Public Health, the University of Michigan Medical School, and the University of Michigan President's Office. We are especially grateful to the generosity of all research participants.</p>
Mount Sinai BioMe Biobank	<p>The Mount Sinai BioMe Biobank is supported by The Andrea and Charles Bronfman Philantropies.</p>
PIVUS and ULSAM	<p>The PIVUS/ULSAM studies were supported by Wellcome Trust Grants WT098017, WT064890, WT090532, Uppsala University, Uppsala University Hospital, the Swedish Research Council and the Swedish Heart-Lung Foundation.</p>
PROSPER	<p>The PROSPER study was supported by an investigator initiated grant obtained from Bristol-Myers Squibb. Prof. Dr. J. W. Jukema is an Established Clinical Investigator of the Netherlands Heart Foundation (grant 2001 D 032). Support for genotyping was provided by the seventh framework program of the European commission (grant 223004) and by the Netherlands Genomics Initiative (Netherlands Consortium for Healthy Aging grant 050-060-810).</p>
The Rotterdam Study	<p>The authors are grateful to the Rotterdam Study participants, the staff involved with the Rotterdam Study, and the participating general practitioners and pharmacists. The</p>

	Rotterdam Study is funded by Erasmus Medical Center and Erasmus University, Rotterdam, Netherlands Organization for the Health Research and Development (ZonMw), the Research Institute for Diseases in the Elderly (RIDE), the Ministry of Education, Culture and Science, the Ministry for Health, Welfare and Sports, the European Commission (DG XII), and the Municipality of Rotterdam.
WTCCC	Analysis and genotyping of these cohorts was supported by Wellcome Trust funding 090367, 098381, 090532, 083948, 085475, 101630 and 203141; MRC (G0601261), EU (Framework 7) HEALTH-F4-2007-201413, and NIDDK DK098032 and U01-DK105535.
UK Biobank	This study has been conducted using the UK Biobank Resource.
INDIVIDUAL	ACKNOWLEDGEMENTS
Andrew T Hattersley	AH is supported by a Wellcome Trust Senior Investigator award (Grant number 098395/Z/12/Z).
Anna L Gloyn	ALG is a Wellcome Trust Senior Fellow in Basic Biomedical Science. This work was funded by the Wellcome Trust (095101/Z/10/Z and 200837/Z/16/Z), National Institute for Health Research (NIHR) Oxford Biomedical Research Centre (BRC) and European Union Horizon 2020 Programme (T2D Systems).
Anna Köttgen and Matthias Wuttke	The work of AK and MW was supported by the German Research Foundation CRC 1140, and the work of AK was additionally supported by KO 3598/3-1 and CRC 992.
Cecilia M Lindgren	Supported by the Li Ka Shing Foundation, WT-SSI/John Fell funds and by the NIHR Biomedical Research Centre, Oxford, by Widenlife and NIH (5P50HD028138-27).
Eleftheria Zeggini	Wellcome Trust (098051)
Erik Ingelsson	NIH/NIDDK 1R01DK106236-01A1
James B Meigs	R01DK078616, U01DK078616, K24DK080140
Jonathan Marchini	JM acknowledges support from the ERC (grant 617306).
Jose C Florez	JCF is a Massachusetts General Hospital Research Scholar. Parts of this work are supported by NIDDK U01 DK105554 and NIDDK K24 DK110550.
Josee Dupuis	R01DK078616, U01 DK078616
Michael Boehnke	DK062370
Maggie CY Ng	R01DK066358, U01DK105556
Mark I McCarthy	MIM is a Wellcome Trust Senior Investigator (WT098381); and a National Institute of Health Research Senior Investigator. The views expressed in this article are those of the author(s) and not necessarily those of the NHS, the NIHR, or the Department of Health.
Matthias Thurner	MT was supported by a Wellcome Trust Doctoral Studentship (099673/Z/12/Z).
Ruth J F loos	RJFL is supported by the NIH (R01DK110113, U01HG007417, R01DK101855, R01DK107786).
Tim M Frayling	TMF is supported by the European Research Council grant: 323195:GLUCOSEGENES-FP7-IDEAS-ERC.