



Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment

The ATLAS Collaboration

A measurement of J/ψ and $\psi(2S)$ production is presented. It is based on a data sample from Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV and pp collisions at $\sqrt{s} = 5.02$ TeV recorded by the ATLAS detector at the LHC in 2015, corresponding to an integrated luminosity of 0.42 nb^{-1} and 25 pb^{-1} in Pb+Pb and pp , respectively. The measurements of per-event yields, nuclear modification factors, and non-prompt fractions are performed in the dimuon decay channel for $9 < p_T^{\mu\mu} < 40$ GeV in dimuon transverse momentum, and $-2.0 < y_{\mu\mu} < 2.0$ in rapidity. Strong suppression is found in Pb+Pb collisions for both prompt and non-prompt J/ψ , as well as for prompt and non-prompt $\psi(2S)$, increasing with event centrality. The suppression of prompt $\psi(2S)$ is observed to be stronger than that of J/ψ , while the suppression of non-prompt $\psi(2S)$ is equal to that of the non-prompt J/ψ within uncertainties, consistent with the expectation that both arise from b -quarks propagating through the medium. Despite prompt and non-prompt J/ψ arising from different mechanisms, the dependence of their nuclear modification factors on centrality is found to be quite similar.

1 Introduction

Three decades ago, Matsui and Satz first suggested that charmonia, bound states of c - and \bar{c} -quarks, could be a sensitive probe to study the hot, dense system created in nucleus–nucleus ($A+A$) collisions [1]. They postulated that Debye screening of the quark colour charge in a hot plasma would lead to a dissociation of quarkonium bound state in the medium, such as J/ψ or $\psi(2S)$, when the Debye length becomes smaller than the quarkonium binding radius. Therefore, the suppression of the quarkonia production should be significantly larger for $\psi(2S)$ than for J/ψ because the smaller binding energy facilitates the dissociation in the medium. This is referred to as sequential melting [2, 3]. In this picture, the suppression of different quarkonium states could therefore provide information related to the temperature and degree of deconfinement of the medium formed in heavy-ion collisions.

There have been numerous experimental and theoretical investigations since then that have demonstrated that other effects are also present in addition to colour screening in a deconfined plasma [4–6]. First, it has been shown that over a wide range of interaction energies there is already a modification in the production of J/ψ mesons in systems where a large volume of quark–gluon plasma does not appear to form, such as in proton–nucleus collisions [7–9]. Second, it has been shown by the ALICE Collaboration that not only a suppression of quarkonia is observed in ion–ion collisions as reported by several collaborations [10–13], but an enhancement is also observed at low transverse momentum, p_T , relative to production in proton–proton (pp) collisions [14, 15]. This observation has led to the interpretation that recombination of charm quarks and anti-quarks from the medium can play a role by providing an additional mechanism of quarkonium formation [16, 17].

Finally, similarities between the suppression of J/ψ and the suppression of charged hadrons and D -mesons suggest that high- p_T J/ψ s may also be sensitive to parton energy loss in the medium [18, 19]. At LHC energies, J/ψ originates not only from the immediate formation of the composite $c\bar{c}$ bound state (prompt J/ψ), but also from the decay of b -hadrons, which result in a decay vertex separated from the collision vertex by up to a few millimetres (non-prompt J/ψ). When a secondary vertex can be identified using the precise tracking system of the ATLAS experiment [20], it offers the intriguing possibility of using J/ψ production to study the propagation of b -quarks in the hot dense medium, since hadronization is expected to take place outside the medium [21]. Suppression of the production of b -hadrons in the medium, in the most naive picture, is caused by a completely different phenomenon from the suppression of $c\bar{c}$ bound states. While $c\bar{c}$ bound state formation may be inhibited by colour screening from a hot and deconfined medium, the suppression of high- p_T b -quark production is commonly attributed to energy loss of propagating b -quarks by collisional or radiative processes or both [22], not necessarily suppressing the total cross section but more likely shifting the yield to a lower p_T . Quantum interference between the amplitudes for b -hadron formation inside and outside of the nuclear medium may also play a role [23].

The modification of prompt J/ψ production is not expected to be similar to the modification of non-prompt J/ψ production, since quite different mechanisms can contribute to those two classes of final states [6]. Simultaneous measurements of prompt and non-prompt charmonia are therefore essential for understanding the physics mechanisms of charmonium suppression in heavy-ion collisions.

This paper reports measurements of prompt and non-prompt per-event yields, non-prompt fraction and nuclear modification factors, R_{AA} , of the J/ψ and $\psi(2S)$. The measurements are performed in the dimuon decay channel in Pb + Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, with an integrated luminosity of 0.42 nb^{-1} , and in pp collisions at $\sqrt{s} = 5.02$ TeV, with an integrated luminosity of 25 pb^{-1} . The data were recorded during

the 2015 LHC Pb + Pb and pp runs. The measurements are presented for $9 < p_T^{\mu\mu} < 40$ GeV in dimuon transverse momentum, and $-2.0 < y_{\mu\mu} < 2.0$ in rapidity.

Section 2 describes the ATLAS detector, Section 3 discusses the selection procedure applied to the data, the data analysis is presented in Section 4 and systematic uncertainties in Section 5. Results and a summary of the paper are presented in Section 6 and 7.

2 ATLAS detector

The ATLAS detector [20] at the LHC covers nearly the entire solid angle around the collision point.¹ It consists of an inner tracking detector surrounded by a thin superconducting solenoid, electromagnetic and hadronic calorimeters, and a muon spectrometer incorporating three large superconducting air-core toroid magnets with eight coils each.

The inner-detector system is immersed in a 2 T axial magnetic field and provides charged-particle tracking in the pseudorapidity range $|\eta| < 2.5$. A high-granularity silicon pixel detector covers the vertex region and typically provides three measurements per track, the first hit being normally in the innermost layer. Since 2015 the detector has been augmented by the insertable B-layer [24], an additional pixel layer close to the interaction point which provides high-resolution hits at small radius to improve the tracking and vertex reconstruction performance, significantly contributing to the reconstruction of displaced vertices. It is followed by a silicon microstrip tracker which comprises eight cylindrical layers of single-sided silicon strip detectors in the barrel region, and nine disks in the endcap region. These silicon detectors are complemented by a transition radiation tracker (TRT), which enables radially extended track reconstruction up to $|\eta| = 2.0$.

The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. Within the region $|\eta| < 3.2$, electromagnetic calorimetry is provided by barrel and endcap high-granularity lead/liquid-argon (LAr) calorimeters, with an additional thin LAr presampler covering $|\eta| < 1.8$, to correct for energy loss in material upstream of the calorimeters. Hadronic calorimetry is provided by a steel/scintillator-tile calorimeter, segmented into three barrel structures within $|\eta| < 1.7$, and two copper/LAr hadronic endcap calorimeters situated at $1.5 < |\eta| < 3.2$. The solid angle coverage is completed with forward copper/LAr and tungsten/LAr calorimeter modules (FCal) situated at $3.1 < |\eta| < 4.9$, optimized for electromagnetic and hadronic measurements respectively.

The muon spectrometer comprises separate trigger and high-precision tracking chambers measuring the deflection of muons in a magnetic field generated by the superconducting air-core toroids. The precision chamber system covers the region $|\eta| < 2.7$ with three layers of monitored drift tubes, complemented by cathode strip chambers in the forward region, where the background is the highest. The muon trigger system covers the range of $|\eta| < 2.4$ with resistive plate chambers in the barrel, and thin gap chambers in the endcap regions.

In addition to the muon trigger, two triggers are used in Pb+Pb collisions to select minimum-bias events for the centrality analysis. These are based on the presence of a minimum amount of transverse energy

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

in all sections of the calorimeter system ($|\eta| < 3.2$) or, for events which do not meet this condition, on the presence of substantial energy deposits in both zero-degree calorimeters (ZDCs), which are primarily sensitive to spectator neutrons in the region $|\eta| > 8.3$. Those two triggers were found to be fully efficient in the centrality range studied in this analysis.

A two-level trigger system is used to select events of interest [25]. The first-level (L1) trigger is implemented in hardware and uses a subset of detector information to reduce the event rate to a design value of at most 100 kHz. This is followed by a software-based high-level trigger (HLT), which reduces the event rate to a maximum value of 1 kHz.

3 Event and data selection

The analysis presented in this paper uses data from Pb+Pb collisions at a nucleon–nucleon centre-of-mass energy of $\sqrt{s_{\text{NN}}} = 5.02$ TeV and pp collisions at a centre-of-mass energy of $\sqrt{s} = 5.02$ TeV recorded by the ATLAS experiment in 2015. The integrated luminosity of the analysed samples is 0.42 nb^{-1} for Pb+Pb collisions and 25 pb^{-1} for pp collisions.

Events were collected using a trigger requiring that the event contains at least two reconstructed muons. In the pp sample both muons must generate a L1 muon trigger and be confirmed by the HLT while in the Pb+Pb sample only one muon is required to be seen by the L1 muon trigger and confirmed by the HLT; the second muon is only required to pass the HLT. At both levels the muon must satisfy the requirement of $p_{\text{T}} > 4$ GeV, as reconstructed by the trigger system.

Monte Carlo (MC) simulations are used for performance studies, where the response of the ATLAS detector was simulated using Geant 4 [26, 27]. Prompt ($pp \rightarrow J/\psi \rightarrow \mu\mu$) and non-prompt ($pp \rightarrow b\bar{b} \rightarrow J/\psi \rightarrow \mu\mu$) samples of J/ψ were produced with the event generator PYTHIA 8.212 [28] and corrected for electromagnetic radiation with PHOTOS [29]. The A14 set of tuned parameters [30] is used together with the CTEQ6L1 parton distribution function set [31]. These samples are used to study the trigger and reconstruction performance of the pp collisions. In order to simulate J/ψ production in the high multiplicity environment of Pb+Pb collisions, the generated events were overlaid with a sample of multi-jet events produced with HIJING [32].

Muon candidates are required to pass the "tight" muon working point selection [33] without any TRT requirements, have $p_{\text{T}} > 4$ GeV, and $|\eta| < 2.4$ in addition to being consistent with the reconstructed muon associated with the trigger decision. To be selected, a muon pair must be consistent with originating from a common vertex, have opposite charge, and an invariant mass in the range $2.6 < m_{\mu\mu} < 4.2$ GeV. The dimuon candidate is further required to have $p_{\text{T}}^{\mu\mu} > 9$ GeV to ensure that the pair candidates are reconstructed in a fiducial region where acceptance and efficiency corrections do not vary significantly relative to the systematic uncertainties in the final results.

The centrality of Pb+Pb collisions is characterized by the sum of the transverse energy, $\sum E_{\text{T}}^{\text{FCal}}$, evaluated at the electromagnetic scale in the FCal. It describes the degree of geometric overlap of two colliding nuclei in the plane perpendicular to the beam with large overlap in central collisions and small overlap in peripheral collisions. Centrality intervals are defined in successive percentiles of the $\sum E_{\text{T}}^{\text{FCal}}$ distribution ordered from the most central (highest $\sum E_{\text{T}}^{\text{FCal}}$) to the most peripheral collisions. A Glauber model analysis of the $\sum E_{\text{T}}^{\text{FCal}}$ distribution was used to evaluate the mean nuclear thickness function, $\langle T_{\text{AA}} \rangle$, and the number of nucleons participating in the collision, $\langle N_{\text{part}} \rangle$, in each centrality interval [34–36].

Centrality [%]	$\langle T_{AA} \rangle$ [mb $^{-1}$]	$\langle N_{\text{part}} \rangle$
0–5	26.23 ± 0.22	384.4 ± 1.9
5–10	20.47 ± 0.19	333.1 ± 2.7
0–10	23.35 ± 0.20	358.8 ± 2.3
10–20	14.33 ± 0.17	264.0 ± 2.8
20–30	8.63 ± 0.17	189.1 ± 2.7
30–40	4.94 ± 0.15	131.4 ± 2.6
40–50	2.63 ± 0.11	87.0 ± 2.3
50–60	1.27 ± 0.07	53.9 ± 1.9
60–80	0.39 ± 0.03	22.9 ± 1.2
20–50	5.40 ± 0.14	135.8 ± 2.5
0–80	6.99 ± 0.10	141.3 ± 2.0

Table 1: The $\langle T_{AA} \rangle$, $\langle N_{\text{part}} \rangle$ values and uncertainties in each centrality bin. These are the results from the Glauber modelling of the summed transverse energy in the forward calorimeters, $\sum E_{\text{T}}^{\text{FCal}}$.

The centrality intervals used in this measurement are indicated in Table 1 along with their respective calculations of $\langle T_{AA} \rangle$ and $\langle N_{\text{part}} \rangle$.

The number of minimum-bias events, N_{evt} , is used to normalize the yield in respective centrality class. Minimum-bias events are selected by requiring that they pass at least one of the two minimum-bias triggers. The analysed dataset corresponds to 2.99×10^9 Pb+Pb collisions after correction for the trigger prescale factor.

4 Data analysis

The pseudo-proper decay time, τ , is used to distinguish between prompt and non-prompt charmonium production. It is defined as,

$$\tau = \frac{L_{xy} m_{\mu\mu}}{p_{\text{T}}^{\mu\mu}},$$

where L_{xy} is the distance between the position of the reconstructed dimuon vertex and the primary vertex projected onto the transverse plane. A weight, w_{total} , is defined for each selected dimuon candidate using the relation:

$$w_{\text{total}}^{-1} = A \times \epsilon_{\text{reco}} \times \epsilon_{\text{trig}},$$

where A is the acceptance, ϵ_{reco} is the reconstruction efficiency, and ϵ_{trig} is the trigger efficiency.

A two-dimensional unbinned maximum-likelihood fit to the invariant mass and pseudo-proper time distributions of weighted events is used to determine the yields of the prompt and non-prompt charmonium components as well as the contribution from background. A total of 31 572 events before applying the weights are used in the fit.

The differential cross sections for the production of prompt (p) and non-prompt (np) J/ψ and $\psi(2S)$ in pp

collisions were calculated in a previously published study [37] and are defined as:

$$\frac{d^2\sigma^{p(\text{np})}}{dp_T dy} \times B(\psi(nS) \rightarrow \mu\mu) = \frac{N_{\psi(nS)}^{p(\text{np}), \text{corr}}}{\Delta p_T \times \Delta y \times \int \mathcal{L} dt},$$

where $B(\psi(nS) \rightarrow \mu\mu)$ is the branching ratio for charmonium states decaying into two muons [38], $N_{\psi(nS)}^{p(\text{np}), \text{corr}}$ is the prompt and non-prompt charmonium yield corrected for acceptance and detector effects, and Δp_T and Δy are the widths of the p_T and y bins. Following the same approach, the per-event yield of charmonium states measured in A+A collisions is calculated as:

$$\left. \frac{d^2 N^{p(\text{np})}}{dp_T dy} \right|_{\text{cent}} \times B(\psi(nS) \rightarrow \mu\mu) = \frac{1}{\Delta p_T \times \Delta y} \times \left. \frac{N_{\psi(nS)}^{p(\text{np}), \text{corr}}}{N_{\text{evt}}} \right|_{\text{cent}}, \quad (1)$$

where N_{evt} is the number of minimum-bias events and "cent" refers to a specific centrality class.

4.1 Acceptance and efficiency corrections

The kinematic acceptance $A(p_T, y)$ for a $\psi(nS)$ with transverse momentum p_T and rapidity y decaying into $\mu\mu$ was obtained from a MC simulation and is defined as the probability that both muons fall within the fiducial volume $p_T(\mu^\pm) > 4$ GeV and $|\eta(\mu^\pm)| < 2.4$. Acceptance generally depends on the $\psi(nS)$ polarization. In this study, we assume that the $\psi(nS)$ are unpolarized following Refs. [39–41]. The effects of variations to this assumption have been considered and are discussed in Section 5. In order to apply the acceptance correction to the yields, a simple linear interpolation is used assuming the upper mass boundary for the J/ψ candidates to be 3.5 GeV and the lower mass boundary for the $\psi(2S)$ candidates to be 3.2 GeV, resulting in a full range of 0.3 GeV. Within the interpolation range of $m_{\mu\mu} = 3.2\text{--}3.5$ GeV, the following function was applied for the acceptance correction:

$$A = A(J/\psi) \times \frac{3.5 - m_{\mu\mu}}{0.3} + A(\psi(2S)) \times \frac{m_{\mu\mu} - 3.2}{0.3}. \quad (2)$$

Trigger and reconstruction efficiencies were calculated for both data and MC simulation using the tag-and-probe (T&P) method. The method is based on the selection of an almost pure muon sample from $J/\psi \rightarrow \mu\mu$ events collected with an auxiliary single-muon trigger, requiring one muon of the decay (tag) to be identified as the "tight" muon which triggered the read-out of the event and the second muon (probe) to be reconstructed as a system independent of the one being studied, allowing a measurement of the performance with minimal bias. Once the tag and probe sample is defined, the background contamination and the muon efficiency are measured with a simultaneous maximum-likelihood fit of two statistically independent distributions of the invariant mass: events in which the probe is or is not successfully matched to the selected muon [33, 42]. Both efficiencies were evaluated as a function of p_T and η using muons from simulated $J/\psi \rightarrow \mu\mu$ decays. Muon reconstruction efficiency increases from low to high p_T and decreases from central to forward rapidities. It varies between 60% and 90%, becoming almost constant for $p_T > 6$ GeV. The dimuon trigger efficiency is studied and factorized in terms of single-muon trigger efficiencies which increase from low to high p_T and from central to forward rapidities. Dimuon trigger efficiency increases from 50% to 85% between the lowest and highest dimuon p_T .

In order to account for the difference between efficiencies in simulation and experimental data, the data-to-MC ratio, $\epsilon_{\text{reco}}^{\text{data}}/\epsilon_{\text{reco}}^{\text{MC}}$, was parameterized as a function of p_T and centrality and applied as a

multiplicative scale factor to the efficiency correction separately for the barrel and endcap regions of the muon spectrometer. This scale factor varies between 1.01 to 1.05. The inverse total weight, w_{total}^{-1} , after applying the scale factor, is shown in the left panel of Figure 1, averaged in bins of the dimuon transverse momentum and rapidity. The right panel of Figure 1 shows the centrality dependence of the muon reconstruction efficiency.




Figure 1: (Left) Inverse total weight binned in the dimuon transverse momentum and rapidity for integrated centrality as estimated in MC simulation and corrected for differences between efficiencies in MC and experimental data. Decreases in efficiency at very central rapidity correspond to the $|\eta| < 0.1$ region not covered by the muon detectors. The weight is dominated by the acceptance correction. (Right) Muon reconstruction efficiency as a function of the summed transverse energy in the forward calorimeters, $\sum E_T^{\text{FCal}}$.

4.2 Fit model

The corrected prompt and non-prompt $\psi(nS)$ yields are extracted from two-dimensional weighted unbinned maximum-likelihood fits performed on invariant mass and pseudo-proper decay time distributions. A separate fit is made for the yields and the nuclear modification factor for each p_T , y , and centrality interval that is measured in this analysis. The probability distribution function (PDF) for the fit [43] is defined as a normalized sum of seven terms listed in Table 2, where each term is factorized into mass-dependent and decay-time-dependent functions; these functions are described below. The PDF can be written in a compact form as:

$$\text{PDF}(m, \tau) = \sum_{i=1}^7 \kappa_i f_i(m) \cdot h_i(\tau) \otimes g(\tau),$$

where κ_i is the normalization factor of each component, $f_i(m)$ and $h_i(\tau)$ are distribution functions for the mass m and the pseudo-proper time τ respectively; $g(\tau)$ is the resolution function described with a double Gaussian distribution; and the " \otimes " symbol denotes a convolution. The distribution functions f_i and h_i are defined by a Crystal Ball (CB) function [44], Gaussian (G), Dirac delta (δ) and exponential (E) distributions; individual components are shown in Table 2. The fit is performed using the RooFit framework [45]. In order to stabilize the fit model, and reduce the correlation between parameters, a number of component terms listed in Table 2 share common parameters, are scaled to each other by a multiplicative scaling parameter, or are fixed to the value observed in MC simulation.

i	Type	Source	$f_i(m)$	$h_i(\tau)$
1	J/ψ	p	$\omega CB_1(m) + (1 - \omega)G_1(m)$	$\delta(\tau)$
2	J/ψ	np	$\omega CB_1(m) + (1 - \omega)G_1(m)$	$E_1(\tau)$
3	$\psi(2S)$	p	$\omega CB_2(m) + (1 - \omega)G_2(m)$	$\delta(\tau)$
4	$\psi(2S)$	np	$\omega CB_2(m) + (1 - \omega)G_2(m)$	$E_2(\tau)$
5	Bkg	p	$E_3(m)$	$\delta(\tau)$
6	Bkg	np	$E_4(m)$	$E_5(\tau)$
7	Bkg	np	$E_6(m)$	$E_7(\tau)$

Table 2: Probability distribution functions for individual components in the default fit model used to extract the prompt (p) and non-prompt (np) contribution for J/ψ and $\psi(2S)$ signal and background (Bkg). Symbols denote functions as follows: "CB" – Crystal Ball, "G" – Gaussian, "E" – exponential, and " δ " – Dirac delta function.

The signal mass shapes of the J/ψ and $\psi(2S)$ are each described by the sum of a CB function, which covers the J/ψ invariant mass distribution's low-side tail due to final-state radiation, and a single Gaussian function which share a common peak position. The width term in the CB function is equal to the Gaussian standard deviation times a free scaling term that is common to the J/ψ and $\psi(2S)$. The CB low-mass tail and height parameters are fixed. Variations of these two parameters are considered a part of the fit model's systematic uncertainties. The mean of the $\psi(2S)$ mass profile is set to be the mean of the J/ψ mass profile multiplied by the ratio of their known masses, $m_{\psi(2S)}/m_{J/\psi} = 1.190$ [38]. The Gaussian width of the $\psi(2S)$ is also set to be the width of the J/ψ multiplied by the same factor. Variations of this scaling term are considered a part of the fit model systematic uncertainties. The relative fraction of the CB and Gaussian functions, ω , is free but common to the J/ψ and $\psi(2S)$.

The non-prompt signal pseudo-proper decay time PDFs are described by a single-sided exponential function (for positive τ only) convolved with a double Gaussian lifetime resolution function. The double Gaussian resolution function has a fixed mean at $\tau = 0$ and free widths with a fixed relative fraction for the two single Gaussian components. The same resolution function is used to describe the prompt contribution by convolving it with a delta function.

The pseudo-proper decay time PDFs describing the background are represented by the sum of one prompt component and two non-prompt components. The prompt background component is described by a delta function convolved with a double Gaussian function. While one of the non-prompt background contributions is described by a single-sided decay model (for positive τ only), the other is described by a double-sided decay model accounting for candidates of mis-reconstructed or non-coherent dimuon pairs resulting from other Drell–Yan muons and combinatorial background. The same Gaussian resolution functions are used for the background and the signal. For the background parameterizations in the mass distribution, the three components: prompt, single-sided non-prompt, and double-sided non-prompt were modelled with exponentials functions.

Example fit projections are shown in Figure 2. The important quantities extracted from the fit are: the number of signal J/ψ , the number of signal $\psi(2S)$, the non-prompt fraction of the J/ψ signal, and the non-prompt fraction of the $\psi(2S)$ signal. From these values and the correlation matrix of the fit, all measured values are extracted.




Figure 2: Dimuon invariant mass for events with $2.6 < m_{\mu\mu} < 4.2$ GeV (left) and dimuon pseudo-proper lifetime (right). The data, corrected for acceptance times efficiency, are shown for the range $9 < p_T < 40$ GeV, $|y| < 2.0$, and centrality 20–50% in Pb+Pb collisions. Superimposed on the data are the projections of the fit results.

4.3 Observables

The suppression of charmonium states is quantified by the nuclear modification factor, which can be defined for a given centrality class as:

$$R_{AA} = \frac{N_{AA}}{\langle T_{AA} \rangle \times \sigma_{pp}}, \quad (3)$$

where N_{AA} is the per-event yield of charmonium states measured in A+A collisions, $\langle T_{AA} \rangle$ is the mean nuclear thickness function and σ_{pp} is the cross section for the production of the corresponding charmonium states in pp collisions at the same energy [37].

In order to quantify the production of $\psi(2S)$ relative to J/ψ a ratio of nuclear modification factors, $\rho_{\text{PbPb}}^{\psi(2S)/J/\psi} = R_{AA}^{\psi(2S)} / R_{AA}^{J/\psi}$, can be used. However, in this analysis the numerator and denominator are not calculated directly from Eq. (3), rather, it is advantageous to calculate it in the equivalent form as:

$$\rho_{\text{PbPb}}^{\psi(2S)/J/\psi} = (N_{\psi(2S)} / N_{J/\psi})_{\text{Pb+Pb}} / (N_{\psi(2S)} / N_{J/\psi})_{pp}.$$

This formulation minimizes the systematic uncertainties due to a substantial cancelling-out of the trigger and reconstruction efficiencies for the two quarkonia systems because they are very similar in mass and they are measured in the identical final-state channel.

Also measured is the non-prompt fraction f_{np} , which is defined as the ratio of the number of non-prompt charmonia to the number of inclusively produced charmonia,

$$f_{\text{np}}^{\psi(nS)} = \frac{N_{\psi(nS)}^{\text{np,corr}}}{N_{\psi(nS)}^{\text{np,corr}} + N_{\psi(nS)}^{\text{p,corr}}},$$

where the non-prompt fraction can be determined for the J/ψ and $\psi(2S)$ simultaneously. This observable has the advantage that acceptances and efficiencies are similar for the numerator and denominator, and thus systematic uncertainties are reduced in the ratio.

Source	J/ψ yield		$R_{AA}^{J/\psi}$		$\rho_{\text{PbPb}}^{\psi(2S)/J/\psi}$
	Uncorr.	Corr.	Uncorr.	Corr.	Uncorr.
Trigger	2 - 4%	3%	5 - 6%	5%	< 1%
Reconstruction	4 - 5%	2%	6 - 7%	2%	< 1%
Fitting	1 - 2%	1%	1 - 2%	1%	8 - 9%
T_{AA}	–	1 - 8%	–	1 - 8%	–
Luminosity	–	–	–	5.4%	–

Table 3: Systematic uncertainties of the J/ψ yield, $R_{AA}^{J/\psi}$ and $\rho_{\text{PbPb}}^{\psi(2S)/J/\psi}$ measured in Pb+Pb collisions. "Uncorr." refers to point-to-point uncorrelated uncertainties and "Corr." refers to global uncertainties from various sources.

5 Systematic uncertainties

The main sources of systematic uncertainty in this measurement are the assumptions in the fitting procedure, the acceptance and efficiency calculations, and the pp luminosity and $\langle T_{AA} \rangle$ determination. The acceptance, and hence the corrected yields, depend on the spin-alignment state of the $\psi(nS)$. For prompt production, six alternative scenarios have been considered, corresponding to extreme cases of spin alignment, as explained in Ref. [43]. An envelope to the acceptance has been obtained from the maximum deviations from the assumption of unpolarized production. In the non-prompt case a map weighted to the CDF result [46] for $B \rightarrow J/\psi$ spin-alignment is used as a variation. Since the polarization of charmonia in pp collisions was measured to be small [39–41], its modification due to the nuclear environment is neglected and the spin-alignment uncertainty is assumed to cancel out in R_{AA} and $\rho_{\text{PbPb}}^{\psi(2S)/J/\psi}$. Changes in the yields due to bin migration effects are at the per-mil level and thus no correction is needed. Table 3 shows the systematic uncertainties affecting the three measured observables. The total systematic uncertainty is calculated by summing the different contributions in quadrature and is derived separately for pp and Pb+Pb results. The yield extraction uncertainties increase from central to forward rapidity, and from high to low p_T , where the dominant source of systematic uncertainty is the muon reconstruction. The double R_{AA} ratio, $\rho_{\text{PbPb}}^{\psi(2S)/J/\psi}$ has a substantially larger fit uncertainty than the other observables; this is because the signal-to-background ratio for the $\psi(2S)$ is much smaller than for the J/ψ . For those two observables the correlations between the uncertainty in the pp and Pb+Pb samples are taken into account.

5.1 Proton–proton luminosity and mean nuclear thickness uncertainties

The integrated luminosity determined for the 2015 pp data was calibrated using data from dedicated beam-separation scans, also known as van der Meer scans. Sources of systematic uncertainty similar to those examined in the 2012 pp luminosity calibration [47] were studied in order to assess the systematic uncertainties for the 2015 data. The combination of these systematic uncertainties results in a uncertainty in the luminosity during pp collisions at $\sqrt{s} = 5.02$ TeV of $\delta\mathcal{L}/\mathcal{L} = \pm 5.4\%$. The uncertainty in the value of the nuclear overlap function $\langle T_{AA} \rangle$ is estimated by varying the Glauber model parameters and is shown in Table 1. This uncertainty is treated as fully correlated across p_T and y bins for the same centrality and it is reported separately from other uncertainties. For the case of the R_{AA} evaluated as a function of N_{part} , the T_{AA} uncertainty is added in quadrature with other uncertainties.

5.2 Trigger and reconstruction efficiency uncertainty

Several sources of systematic uncertainty were examined to assess the uncertainties of the muon efficiency determination. The statistical uncertainty of the fitted scale factors is propagated as a systematic uncertainty. The signal and background fit models used to extract the data efficiency in the T&P method are changed to assess systematic uncertainties related to the choice of signal and background PDFs. A Chebychev polynomial is used instead of an exponential function for the background model variation, and a single Gaussian function is used instead of a weighted sum of Gaussian and CB functions for the signal mass resolution model variation.

For the reconstruction efficiency, the difference between the "true" muon efficiency given by the fraction of generator-level muons that are successfully reconstructed and the efficiency determined using the T&P method in MC simulation is also assigned as a correlated systematic uncertainty. Similarly, an extra 3% correlated uncertainty is added to cover the non-closure of the dimuon chain factorization. The centrality-dependent corrections have an uncertainty of $O(1\%)$. These uncertainties apply to the cross sections but cancel out in the ratios of $\psi(2S)$ to J/ψ yields.

5.3 Fit model uncertainty

The uncertainty associated with the particular choice of PDFs was evaluated by varying the PDF of each component, using ten alternative models. In each variation of the fit model, all measured quantities were recalculated and compared to the nominal fit. The root mean square of all variations was then assigned as the fit model's systematic uncertainty. The signal mass PDF was varied by replacing the CB plus Gaussian function with a double Gaussian function, and varying parameters of the CB model, which were originally fixed. For the signal decay time PDF, a single exponential function was changed to a double exponential function. The background mass PDFs were varied by replacing exponential functions with second-order Chebyshev polynomials in order to describe the prompt, non-prompt and double-sided background terms. Finally, the decay time resolution was varied by using a single Gaussian function in place of the double Gaussian function.

The stability of the nominal fitting procedure is quantified by comparing the yield of a randomly weighted MC simulation sample of prompt and non-prompt J/ψ with the fit output of the same sample. The comparison shows a 1% difference in the yield extractions and non-prompt fraction. This is assigned as an additional systematic uncertainty in the yields and non-prompt fraction value, which, however, cancels out in the $\psi(2S)$ to J/ψ ratio. An extra systematic uncertainty is added to the $\psi(2S)$ to J/ψ ratio to account for a 2% bias introduced by the acceptance interpolation (see Eq. (2)).

6 Results

6.1 Prompt and non-prompt J/ψ per-event yields for Pb+Pb collisions

The per-event yields are defined as the number of J/ψ produced per bin of p_T , y and centrality intervals normalized by the width of the p_T and y bin and the number of events, N_{evt} , measured in minimum-bias data for each centrality class, as defined in Eq. (1). The resulting per-event yields and non-prompt fraction for J/ψ production are shown in Figures 3 and 4 respectively, as a function of transverse momentum, for three centrality slices and rapidity range $|y| < 2$. The vertical error bars in the J/ψ per-event yields

shown in Figure 3 are the combined systematic and statistical uncertainties. The non-prompt fraction appears to be essentially centrality-independent and to have a slightly different slope from that found in pp collisions [37].




Figure 3: Pb+Pb per-event yields of prompt J/ψ (left) and non-prompt J/ψ (right) as a function of p_T for three different centrality slices in the rapidity range $|y| < 2$. The centroids of the p_T bins are the mean value of the transverse momentum distributions corrected for acceptance \times efficiency. The vertical error bars are the combined systematic and statistical uncertainties. Overlaid is a band representing the variation of the result in various spin-alignment scenarios.




Figure 4: (Left) Non-prompt fraction of J/ψ production in 5.02 TeV Pb+Pb collision data as a function of p_T for three different centrality slices in the rapidity range $|y| < 2$. (Right) Comparison with the ATLAS 5.02 TeV pp collision data [37]. The vertical error bars are the combined systematic and statistical uncertainties, dominated by the statistical uncertainty.

6.2 Nuclear modification factor, $R_{AA}^{J/\psi}$

The influence of the hot dense medium on the production of the J/ψ mesons is quantified by the nuclear modification factor, given in Eq. (3), which compares production of charmonium states in Pb+Pb collisions to the same process in pp collisions, taking geometric factors into account. The results of the measurement of this observable are presented as a function of transverse momentum in Figures 5 and 6, rapidity in

Figure 7, and centrality in Figure 8; the last is presented as a function of the mean number of participants. The error box on the right-hand side of the plots located at the R_{AA} value of 1 indicates the correlated systematic uncertainties of the measurement, while the error boxes associated with data-points represent the uncorrelated systematic uncertainties, and the error bars indicate the statistical uncertainties. The results exhibit agreement with previous measurements performed by CMS at $\sqrt{s_{NN}} = 2.76$ and 5.02 TeV in a similar kinematic region [11, 48].

Figure 5 shows the nuclear modification factor as a function of p_T for production of prompt and non-prompt J/ψ , for $|y| < 2.0$, and for four selections of centrality. In this figure, it can be seen that the production of J/ψ is strongly suppressed in central Pb+Pb collisions. In the kinematic range plotted, as a function of p_T , the nuclear modification factor for both prompt and non-prompt J/ψ production is seen to be in the range $0.2 < R_{AA} < 1$, depending on the centrality slice, having a minimum value for prompt J/ψ of $0.229 \pm 0.017(\text{stat}) \pm 0.016(\text{syst})$ and $0.290 \pm 0.034(\text{stat}) \pm 0.021(\text{syst})$ for the non-prompt J/ψ . For $p_T > 12$ GeV, a small increase in R_{AA} with increasing p_T is observed for the first time in the prompt J/ψ production, as shown in Figure 6 (left), similar in shape and size to that observed for charged particles and D -mesons [49, 50], typically attributed to parton energy-loss processes and, for the case of charmonia, also to coherent radiation from the pre-resonant $q\bar{q}$ pair [18, 19]. In Figure 6 (right), one can see the prompt J/ψ R_{AA} evaluated for the 0–20% centrality bin compared with several models, showing that the data are consistent with the colour screening and colour transparency picture [51, 52], as well as parton energy-loss [18, 19]. The R_{AA} value for non-prompt J/ψ is seen to be approximately constant as a function of p_T within the uncertainties, also consistent with a parton energy-loss mechanism [53].

In Figure 7, the nuclear modification factor is presented as a function of rapidity for production of prompt and non-prompt J/ψ for transverse momenta $9 < p_T < 40$ GeV and for four selections of centrality. It can be seen from the figure that the R_{AA} exhibits a modest dependence on rapidity, as expected from Ref. [54]. These patterns are seen to be similar for both prompt and non-prompt J/ψ production. Figure 8 presents the nuclear modification factor as a function of centrality, expressed as the number of participants, N_{part} , for production of prompt and non-prompt J/ψ for $|y| < 2.0$, and for $9 < p_T < 40$ GeV. In the kinematic range plotted, as a function of centrality, the nuclear modification factor for both prompt and non-prompt J/ψ decrease from the most peripheral bin, 60–80%, to the most central bin, 0–5%, with a minimum value of $0.217 \pm 0.010(\text{stat}) \pm 0.020(\text{syst})$ for prompt and $0.264 \pm 0.017(\text{stat}) \pm 0.023(\text{syst})$ for non-prompt. Suppression by a factor of about 4 or 5 for both the prompt and non-prompt J/ψ mesons in central collisions is a very striking sign that the hot dense medium has a strong influence on the particle production processes. While the production of prompt J/ψ mesons is found to be suppressed slightly more in the mid-centrality region, the two classes of meson production have essentially the same pattern. This is not expected because the two cases are believed to have quite different physical origins: the non-prompt production should be dominated by b -quark processes that extend far outside the deconfined medium, whereas the prompt production happens predominantly within the medium.

6.3 $\psi(2S)$ to J/ψ yield double ratio

The double ratio of $\psi(2S)$ production to J/ψ meson production, $\rho_{\text{PbPb}}^{\psi(2S)/J/\psi}$ is shown in Figure 9. These results represent a measurement complementary to an earlier measurement of $\psi(2S)$ to J/ψ yield ratios at the same centre-of-mass energy made by the CMS Collaboration [55]. This ratio, which compares the suppression of the two mesons, can be interpreted in models in which the binding energy of the two mesons is estimated, or in which the formation mechanisms differ. In the simplest interpretation, it can also offer an important cross-check. If the non-prompt J/ψ and $\psi(2S)$ originate from b -quarks losing




Figure 5: The nuclear modification factor as a function of p_T for the prompt J/ψ (left) and non-prompt J/ψ (right) for $|y| < 2$, in 0–80% centrality bin (top) and in 0–10%, 20–40%, and 40–80% centrality bins (bottom). The statistical uncertainty of each point is indicated by a narrow error bar. The error box plotted with each point represents the uncorrelated systematic uncertainty, while the shaded error box at $R_{AA}=1$ represents correlated scale uncertainties.

energy in the medium and hadronizing outside of the medium, then the ratio of their yields should be unity. This statement should be true for the ratio expressed as a function of any kinematic variable. By contrast, prompt J/ψ and $\psi(2S)$ should traverse the hot and dense medium. Considering both mesons as composite systems, with potentially different formation mechanisms and different binding energies, they may respond differently to the hot dense medium. This interpretation is supported by the results of Figure 9, which shows the ratio of $\psi(2S)$ to J/ψ production as a function of the number of collision participants, N_{part} . The ratio is consistent with unity within the experimental uncertainties for non-prompt mesons, while for prompt J/ψ the ratio is different from unity. These data support the enhanced suppression of prompt $\psi(2S)$




Figure 6: (Left) Comparison of prompt and non-prompt J/ψ R_{AA} with the R_{AA} of charged particles [49]. (Right) Comparison of the R_{AA} for prompt J/ψ production with different theoretical models. The statistical uncertainty of each point is indicated by a narrow error bar. The error box plotted with each point represents the uncorrelated systematic uncertainty, while the shaded error box at $R_{AA}=1$ represents correlated scale uncertainties.

relative to J/ψ . This observation is consistent with the interpretation that the tightest bound quarkonium system, the J/ψ , survives the temperature of the hot and dense medium with a higher probability than the more loosely bound state, the $\psi(2S)$. It is, however, also consistent with the radiative energy-loss scenario as shown in Ref. [18]. Irrespective of the underlying mechanism for the charmonium suppression, one may expect less ambiguity in the interpretation of these results since quark recombination processes, J/ψ s formed from uncorrelated $c\bar{c}$ pairs in the plasma, which are important at small $p_T^{\psi(nS)}$, should not play a significant role here [16, 17, 56]. At the same time, the possible enhancement of $\psi(2S)$ yields seen for $N_{\text{part}} > 300$ in the $\rho_{\text{PbPb}}^{\psi(2S)/J/\psi}$ distribution might be an indication of a sequential regeneration of charmonia in the most central collisions [57, 58].




Figure 7: The nuclear modification factor as a function of rapidity for the prompt J/ψ (left) and non-prompt J/ψ (right) for $9 < p_T < 40$ GeV, in 0–80% centrality bin (top) and in 0–10%, 20–40%, and 40–80% centrality bins (bottom). The statistical uncertainty of each point is indicated by a narrow error bar. The error box plotted with each point represents the uncorrelated systematic uncertainty, while the shaded error box at $R_{AA}=1$ represents correlated scale uncertainties.




Figure 8: The nuclear modification factor as a function of the number of participants, N_{part} , for the prompt J/ψ (left) and non-prompt J/ψ (right) for $9 < p_T < 40$ GeV and for rapidity $|y| < 2$. The statistical uncertainty of each point is indicated by a narrow error bar. The error box plotted with each point represents the uncorrelated systematic uncertainty, while the shaded error box at $R_{AA}=1$ represents correlated scale uncertainties.




Figure 9: $\psi(2S)$ to J/ψ double ratio, as a function of the number of participants, N_{part} , for prompt meson production (left) and non-prompt meson production (right). The narrow error bar represents the statistical uncertainties while the error box represents the total systematic uncertainty.

7 Summary

Measurements of J/ψ and $\psi(2S)$ production are performed in the dimuon decay channel in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with an integrated luminosity of 0.42 nb^{-1} , and in pp collisions at $\sqrt{s} = 5.02$ TeV, with an integrated luminosity of 25 pb^{-1} collected with the ATLAS experiment at the LHC. Results are presented for prompt and non-prompt nuclear modification factors of the J/ψ mesons, as well as the yields and non-prompt fraction in the region with transverse momentum $9 < p_T < 40$ GeV and rapidity $|\eta| < 2.0$.

Strong suppression of prompt and non-prompt J/ψ and $\psi(2S)$ mesons is observed in Pb+Pb data. The maximum suppression of prompt and non-prompt J/ψ is observed for the most central collisions. The dependence of the nuclear modification factor R_{AA} on centrality is approximately the same for prompt and non-prompt J/ψ . The prompt J/ψ R_{AA} , as a function of p_T , shows an increasing trend while the non-prompt J/ψ R_{AA} is consistent with being constant as a function of p_T within the uncertainties.

The ratio of $\psi(2S)$ to J/ψ meson production is measured for both the prompt and non-prompt mesons, and is shown as a function of centrality. Values consistent with unity are measured for the non-prompt mesons, while the values observed for the prompt mesons are below unity.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, CANARIE, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, ERDF, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; CERCA Programme Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC

(Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [59].

References

- [1] T. Matsui and H. Satz, *J/ψ Suppression by Quark-Gluon Plasma Formation*, *Phys. Lett. B* **178** (1986) 416.
- [2] S. Digal, P. Petreczky and H. Satz, *Quarkonium feed down and sequential suppression*, *Phys. Rev. D* **64** (2001) 094015, arXiv: [hep-ph/0106017](#) [[hep-ph](#)].
- [3] F. Karsch, D. Kharzeev and H. Satz, *Sequential charmonium dissociation*, *Phys. Lett. B* **637** (2006) 75, arXiv: [hep-ph/0512239](#) [[hep-ph](#)].
- [4] J. P. Lansberg et al., *Perspectives on heavy-quarkonium production at the LHC*, *AIP Conf. Proc.* **1038** (2008) 15, arXiv: [0807.3666](#) [[hep-ph](#)].
- [5] N. Brambilla et al., *Heavy quarkonium: progress, puzzles, and opportunities*, *Eur. Phys. J. C* **71** (2011) 1534, arXiv: [1010.5827](#) [[hep-ph](#)].
- [6] A. Andronic et al., *Heavy-flavour and quarkonium production in the LHC era: from proton–proton to heavy-ion collisions*, *Eur. Phys. J. C* **76** (2016) 107, arXiv: [1506.03981](#) [[nucl-ex](#)].
- [7] E. G. Ferreiro, F. Fleuret, J. P. Lansberg and A. Rakotozafindrabe, *Impact of the Nuclear Modification of the Gluon Densities on J/ψ production in pPb collisions at $\sqrt{s_{NN}} = 5$ TeV*, *Phys. Rev. C* **88** (2013) 047901, arXiv: [1305.4569](#) [[hep-ph](#)].
- [8] LHCb Collaboration, *Prompt and nonprompt J/ψ production and nuclear modification in pPb collisions at $\sqrt{s_{NN}} = 8.16$ TeV*, *Phys. Lett. B* **774** (2017) 159, arXiv: [1706.07122](#) [[hep-ex](#)].
- [9] PHENIX Collaboration, *Cold Nuclear Matter Effects on J/ψ Yields as a Function of Rapidity and Nuclear Geometry in Deuteron-Gold Collisions at $\sqrt{s_{NN}} = 200$ GeV*, *Phys. Rev. Lett.* **107** (2011) 142301, arXiv: [1010.1246](#) [[nucl-ex](#)].
- [10] ATLAS Collaboration, *Measurement of the centrality dependence of J/ψ yields and observation of Z production in lead–lead collisions with the ATLAS detector at the LHC*, *Phys. Lett. B* **697** (2011) 294, arXiv: [1012.5419](#) [[hep-ex](#)].
- [11] CMS Collaboration, *Suppression and azimuthal anisotropy of prompt and nonprompt J/ψ production in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV*, *Eur. Phys. J. C* **77** (2017) 252, arXiv: [1610.00613](#) [[nucl-ex](#)].
- [12] PHENIX Collaboration, *J/ψ Production vs Centrality, Transverse Momentum, and Rapidity in Au+Au Collisions at $\sqrt{s_{NN}} = 200$ GeV*, *Phys. Rev. Lett.* **98** (2007) 232301, arXiv: [nucl-ex/0611020](#) [[nucl-ex](#)].
- [13] STAR Collaboration, *J/ψ production at low p_T in Au+Au and Cu+Cu collisions at $\sqrt{s_{NN}} = 200$ GeV with the STAR detector*, *Phys. Rev. C* **90** (2014) 024906, arXiv: [1310.3563](#) [[nucl-ex](#)].
- [14] ALICE Collaboration, *Centrality, rapidity and transverse momentum dependence of J/ψ suppression in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV*, *Phys. Lett. B* **734** (2014) 314, arXiv: [1311.0214](#) [[nucl-ex](#)].

- [15] ALICE Collaboration, *Inclusive, prompt and non-prompt J/ψ production at mid-rapidity in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV*, *JHEP* **07** (2015) 051, arXiv: 1504.07151 [nucl-ex].
- [16] R. L. Thews, M. Schroedter and J. Rafelski, *Enhanced J/ψ production in deconfined quark matter*, *Phys. Rev. C* **63** (2001) 054905, arXiv: hep-ph/0007323 [hep-ph].
- [17] P. Braun-Munzinger and J. Stachel, *(Non)thermal aspects of charmonium production and a new look at J/ψ suppression*, *Phys. Lett. B* **490** (2000) 196, arXiv: nucl-th/0007059 [nucl-th].
- [18] M. Spousta, *On similarity of jet quenching and charmonia suppression*, *Phys. Lett. B* **767** (2017) 10, arXiv: 1606.00903 [hep-ph].
- [19] F. Arleo, *Quenching of Hadron Spectra in Heavy Ion Collisions at the LHC*, *Phys. Rev. Lett.* **119** (2017) 062302, arXiv: 1703.10852 [hep-ph].
- [20] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, *JINST* **3** (2008) S08003.
- [21] B. Z. Kopeliovich, J. Nemchik, I. K. Potashnikova and I. Schmidt, 'Novel scenario for production of heavy flavored mesons in heavy ion collisions', *Proceedings, 5th International Conference on New Frontiers in Physics: Kolymbari, Crete, Greece, July 6-14, 2016*, vol. 164, 2017 01018, arXiv: 1701.07121 [hep-ph].
- [22] S. Cao, G.-Y. Qin, S. A. Bass and B. Müller, *Collisional vs. Radiative Energy Loss of Heavy Quark in a Hot and Dense Nuclear Matter*, *Nucl. Phys. A* **904-905** (2013) 653c, arXiv: 1209.5410 [nucl-th].
- [23] B. Z. Kopeliovich et al., *Quantum-mechanical description of in-medium fragmentation*, *Phys. Rev. C* **78** (2008) 055204, arXiv: 0809.4613 [hep-ph].
- [24] ATLAS Collaboration, *ATLAS Insertable B-Layer Technical Design Report*, CERN-LHCC-2010-013. ATLAS-TDR-19, (2010), URL: <https://cds.cern.ch/record/1291633>.
- [25] ATLAS Collaboration, *Performance of the ATLAS Trigger System in 2015*, *Eur. Phys. J. C* **77** (2017) 317, arXiv: 1611.09661 [hep-ex].
- [26] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, *Eur. Phys. J. C* **70** (2010) 823, arXiv: 1005.4568 [physics.ins-det].
- [27] S. Agostinelli et al., *Geant4 a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250.
- [28] T. Sjöstrand et al., *An Introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159, arXiv: 1410.3012 [hep-ph].
- [29] E. Barberio and Z. Was, *PHOTOS - a universal Monte Carlo for QED radiative corrections: version 2.0*, *Comput. Phys. Commun.* **79** (1994) 291.
- [30] ATLAS Collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021, 2014, URL: <https://cdsweb.cern.ch/record/1966419>.
- [31] J. Pumplin et al., *New generation of parton distributions with uncertainties from global QCD analysis*, *JHEP* **07** (2002) 012, arXiv: hep-ph/0201195.

- [32] M. Gyulassy and X. Wang, *HIJING 1.0: A Monte Carlo program for parton and particle production in high-energy hadronic and nuclear collisions*, *Comput. Phys. Commun.* **83** (1994) 307, arXiv: [nucl-th/9502021 \[nucl-th\]](#).
- [33] ATLAS Collaboration, *Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **76** (2016) 292, arXiv: [1603.05598 \[hep-ex\]](#).
- [34] M. L. Miller, K. Reygers, S. J. Sanders, and P. Steinberg, *Glauber modeling in high energy nuclear collisions*, *Ann. Rev. Nucl. Part. Sci.* **57** (2007) 205, arXiv: [nucl-ex/0701025 \[nucl-ex\]](#).
- [35] B. Alver, M. Baker, C. Loizides, P. Steinberg, *The PHOBOS Glauber Monte Carlo*, (2008), arXiv: [0805.4411 \[nucl-ex\]](#).
- [36] ATLAS Collaboration, *Study of photon-jet momentum correlations in Pb+Pb and pp collisions at $\sqrt{s_{NN}} = 5.02$ TeV with ATLAS*, (2016), URL: <https://cds.cern.ch/record/2220772>.
- [37] ATLAS Collaboration, *Measurement of quarkonium production in proton–lead and proton–proton collisions at 5.02 TeV with the ATLAS detector*, *Eur. Phys. J. C* **78** (2018) 171, arXiv: [1709.03089 \[nucl-ex\]](#).
- [38] C. Patrignani et al., *Review of Particle Physics*, *Chin. Phys. C* **40** (2016) 100001.
- [39] LHCb Collaboration, *Measurement of J/ψ polarization in pp collisions at $\sqrt{s} = 7$ TeV*, *Eur. Phys. J. C* **73** (2013) 2631, arXiv: [1307.6379 \[hep-ex\]](#).
- [40] ALICE Collaboration, *J/ψ polarization in pp collisions at $\sqrt{s} = 7$ TeV*, *Phys. Rev. Lett.* **108** (2012) 082001, arXiv: [1111.1630 \[hep-ex\]](#).
- [41] CMS Collaboration, *Measurement of the prompt J/ψ and $\psi(2S)$ polarizations in pp collisions at $\sqrt{s} = 7$ TeV*, *Phys. Lett. B* **727** (2013) 381, arXiv: [1307.6070 \[hep-ex\]](#).
- [42] O. Behnke, K. Kroninger, G. Schott and T. Schorner-Sadenius, *Data Analysis in High Energy Physics*, WILEY-VCH, 2013.
- [43] ATLAS Collaboration, *Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector*, *Eur. Phys. J. C* **76** (2016) 283, arXiv: [1512.03657 \[hep-ex\]](#).
- [44] M. Oreglia, *A Study of the Reactions $\psi' \rightarrow \gamma\gamma\psi$* , Ph.D. Thesis, Stanford University, SLAC-236 (1980).
- [45] W. Verkerke and D. P. Kirkby, eConf **C0303241** (2003), [186(2003)], arXiv: [physics/0306116 \[physics\]](#).
- [46] CDF Collaboration, *Polarization of J/ψ and $\psi(2S)$ mesons produced in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV*, *Phys. Rev. Lett.* **99** (2007) 132001, arXiv: [0704.0638 \[hep-ex\]](#).
- [47] ATLAS Collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC*, *Eur. Phys. J. C* **76** (2016) 653, arXiv: [1608.03953 \[hep-ex\]](#).
- [48] CMS Collaboration, *Measurement of prompt and nonprompt charmonium suppression in PbPb collisions at 5.02 TeV*, (2017), arXiv: [1712.08959 \[nucl-ex\]](#).

- [49] ATLAS Collaboration, *Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC*, **JHEP** **09** (2015) 050, arXiv: [1504.04337 \[hep-ex\]](#).
- [50] ALICE Collaboration, *D meson nuclear modification factors in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ALICE detector*, **Nucl. Phys. A** **904-905** (2013) 635c, arXiv: [1210.7332 \[hep-ex\]](#).
- [51] B. Z. Kopeliovich, I. K. Potashnikova, I. Schmidt and M. Siddikov, *Survival of charmonia in a hot environment*, **Phys. Rev. C** **91** (2015) 024911, arXiv: [1409.5147 \[hep-ph\]](#).
- [52] S. Aronson, E. Borrás, B. Odegard, R. Sharma and I. Vitev, *Collisional and thermal dissociation of J/ψ and Υ states at the LHC*, **Phys. Lett. B** **778** (2018) 384, arXiv: [1709.02372 \[hep-ph\]](#).
- [53] J. Xu, J. Liao and M. Gyulassy, *Bridging Soft-Hard Transport Properties of Quark-Gluon Plasmas with CUJET3.0*, **JHEP** **02** (2016) 169, arXiv: [1508.00552 \[hep-ph\]](#).
- [54] B. Chen, *Detailed rapidity dependence of J/ψ production at energies available at the Large Hadron Collider*, **Phys. Rev. C** **93** (2016) 054905, arXiv: [1510.07466 \[hep-ph\]](#).
- [55] CMS Collaboration, *Relative Modification of Prompt $\psi(2S)$ and J/ψ Yields from pp to PbPb Collisions at $\sqrt{s_{NN}} = 5.02$ TeV*, **Phys. Rev. Lett.** **118** (2017) 162301, arXiv: [1611.01438 \[hep-ex\]](#).
- [56] ALICE Collaboration, *J/ψ suppression at forward rapidity in Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV*, **Phys. Lett. B** **766** (2017) 212, arXiv: [1606.08197 \[nucl-ex\]](#).
- [57] X. Du and R. Rapp, *Sequential Regeneration of Charmonia in Heavy-Ion Collisions*, **Nucl. Phys. A** **943** (2015) 147, arXiv: [1504.00670 \[hep-ph\]](#).
- [58] X. Du and R. Rapp, *$\psi(2S)$ Production at the LHC*, **J. Phys. Conf. Ser.** **779** (2017) 012042, arXiv: [1609.04868 \[hep-ph\]](#).
- [59] ATLAS Collaboration, *ATLAS Computing Acknowledgements 2016-2017*, tech. rep. ATL-GEN-PUB-2016-002, CERN, 2016, URL: <https://cds.cern.ch/record/2202407>.

The ATLAS Collaboration

M. Aaboud^{137d}, G. Aad⁸⁸, B. Abbott¹¹⁵, O. Abidinov^{12,*}, B. Abeloos¹¹⁹, S.H. Abidi¹⁶¹, O.S. AbouZeid¹³⁹, N.L. Abraham¹⁵¹, H. Abramowicz¹⁵⁵, H. Abreu¹⁵⁴, Y. Abulaiti⁶, B.S. Acharya^{167a,167b,a}, S. Adachi¹⁵⁷, L. Adamczyk^{41a}, J. Adelman¹¹⁰, M. Adersberger¹⁰², T. Adye¹³³, A.A. Affolder¹³⁹, Y. Afik¹⁵⁴, C. Agheorghiesei^{28c}, J.A. Aguilar-Saavedra^{128a,128f}, F. Ahmadov^{68,b}, G. Aielli^{135a,135b}, S. Akatsuka⁷¹, T.P.A. Åkesson⁸⁴, E. Akilli⁵², A.V. Akimov⁹⁸, G.L. Alberghi^{22a,22b}, J. Albert¹⁷², P. Albicocco⁵⁰, M.J. Alconada Verzini⁷⁴, S. Alderweireldt¹⁰⁸, M. Aleksa³², I.N. Aleksandrov⁶⁸, C. Alexa^{28b}, G. Alexander¹⁵⁵, T. Alexopoulos¹⁰, M. Alhroob¹¹⁵, B. Ali¹³⁰, M. Aliev^{76a,76b}, G. Alimonti^{94a}, J. Alison³³, S.P. Alkire¹⁴⁰, C. Allaire¹¹⁹, B.M.M. Allbrooke¹⁵¹, B.W. Allen¹¹⁸, P.P. Allport¹⁹, A. Aloisio^{106a,106b}, A. Alonso³⁹, F. Alonso⁷⁴, C. Alpigiani¹⁴⁰, A.A. Alshehri⁵⁶, M.I. Alstaty⁸⁸, B. Alvarez Gonzalez³², D. Álvarez Piqueras¹⁷⁰, M.G. Alviggi^{106a,106b}, B.T. Amadio¹⁶, Y. Amaral Coutinho^{26a}, L. Ambroz¹²², C. Amelung²⁵, D. Amidei⁹², S.P. Amor Dos Santos^{128a,128c}, S. Amoroso³², C.S. Amrouche⁵², C. Anastopoulos¹⁴¹, L.S. Ancu⁵², N. Andari¹⁹, T. Andeen¹¹, C.F. Anders^{60b}, J.K. Anders¹⁸, K.J. Anderson³³, A. Andreazza^{94a,94b}, V. Andrei^{60a}, S. Angelidakis³⁷, I. Angelozzi¹⁰⁹, A. Angerami³⁸, A.V. Anisenkov^{111,c}, A. Annovi^{126a}, C. Antel^{60a}, M.T. Anthony¹⁴¹, M. Antonelli⁵⁰, D.J.A. Antrim¹⁶⁶, F. Anulli^{134a}, M. Aoki⁶⁹, L. Aperio Bella³², G. Arabidze⁹³, Y. Arai⁶⁹, J.P. Araque^{128a}, V. Araujo Ferraz^{26a}, R. Araujo Pereira^{26a}, A.T.H. Arce⁴⁸, R.E. Ardell⁸⁰, F.A. Arduh⁷⁴, J-F. Arguin⁹⁷, S. Argyropoulos⁶⁶, A.J. Armbruster³², L.J. Armitage⁷⁹, O. Arnaez¹⁶¹, H. Arnold¹⁰⁹, M. Arratia³⁰, O. Arslan²³, A. Artamonov^{99,*}, G. Artoni¹²², S. Artz⁸⁶, S. Asai¹⁵⁷, N. Asbah⁴⁵, A. Ashkenazi¹⁵⁵, E.M. Asimakopoulou¹⁶⁸, L. Asquith¹⁵¹, K. Assamagan²⁷, R. Astalos^{146a}, R.J. Atkin^{147a}, M. Atkinson¹⁶⁹, N.B. Atlay¹⁴³, K. Augsten¹³⁰, G. Avolio³², R. Avramidou^{36a}, B. Axen¹⁶, M.K. Ayoub^{35a}, G. Azuelos^{97,d}, A.E. Baas^{60a}, M.J. Baca¹⁹, H. Bachacou¹³⁸, K. Bachas^{76a,76b}, M. Backes¹²², P. Bagnaia^{134a,134b}, M. Bahmani⁴², H. Bahrasemani¹⁴⁴, A.J. Bailey¹⁷⁰, J.T. Baines¹³³, M. Bajic³⁹, O.K. Baker¹⁷⁹, P.J. Bakker¹⁰⁹, D. Bakshi Gupta⁸², E.M. Baldin^{111,c}, P. Balek¹⁷⁵, F. Balli¹³⁸, W.K. Balunas¹²⁴, E. Banas⁴², A. Bandyopadhyay²³, Sw. Banerjee^{176,e}, A.A.E. Bannoura¹⁷⁷, L. Barak¹⁵⁵, W.M. Barbe³⁷, E.L. Barberio⁹¹, D. Barberis^{53a,53b}, M. Barbero⁸⁸, T. Barillari¹⁰³, M-S Barisits³², J.T. Barkeloo¹¹⁸, T. Barklow¹⁴⁵, N. Barlow³⁰, R. Barnea¹⁵⁴, S.L. Barnes^{36c}, B.M. Barnett¹³³, R.M. Barnett¹⁶, Z. Barnovska-Blenessy^{36a}, A. Baroncelli^{136a}, G. Barone²⁵, A.J. Barr¹²², L. Barranco Navarro¹⁷⁰, F. Barreiro⁸⁵, J. Barreiro Guimarães da Costa^{35a}, R. Bartoldus¹⁴⁵, A.E. Barton⁷⁵, P. Bartos^{146a}, A. Basalae¹²⁵, A. Bassalat¹¹⁹, R.L. Bates⁵⁶, S.J. Batista¹⁶¹, S. Batlamous^{137e}, J.R. Batley³⁰, M. Battaglia¹³⁹, M. Bauce^{134a,134b}, F. Bauer¹³⁸, K.T. Bauer¹⁶⁶, H.S. Bawa^{145,f}, J.B. Beacham¹¹³, M.D. Beattie⁷⁵, T. Beau⁸³, P.H. Beauchemin¹⁶⁵, P. Bechtel²³, H.P. Beck^{18,g}, H.C. Beck⁵⁸, K. Becker⁵¹, M. Becker⁸⁶, C. Becot¹¹², A.J. Beddall^{20e}, A. Beddall^{20b}, V.A. Bednyakov⁶⁸, M. Bedognetti¹⁰⁹, C.P. Bee¹⁵⁰, T.A. Beermann³², M. Begalli^{26a}, M. Begel²⁷, A. Behera¹⁵⁰, J.K. Behr⁴⁵, A.S. Bell⁸¹, G. Bella¹⁵⁵, L. Bellagamba^{22a}, A. Bellerive³¹, M. Bellomo¹⁵⁴, K. Belotskiy¹⁰⁰, N.L. Belyaev¹⁰⁰, O. Benary^{155,*}, D. Benchekroun^{137a}, M. Bender¹⁰², N. Benekos¹⁰, Y. Benhammou¹⁵⁵, E. Benhar Noccioli¹⁷⁹, J. Benitez⁶⁶, D.P. Benjamin⁴⁸, M. Benoit⁵², J.R. Bensinger²⁵, S. Bentvelsen¹⁰⁹, L. Beresford¹²², M. Beretta⁵⁰, D. Berge⁴⁵, E. Bergeas Kuutmann¹⁶⁸, N. Berger⁵, L.J. Bergsten²⁵, J. Beringer¹⁶, S. Berlendis⁵⁷, N.R. Bernard⁸⁹, G. Bernardi⁸³, C. Bernius¹⁴⁵, F.U. Bernlochner²³, T. Berry⁸⁰, P. Berta⁸⁶, C. Bertella^{35a}, G. Bertoli^{148a,148b}, I.A. Bertram⁷⁵, C. Bertsche⁴⁵, G.J. Besjes³⁹, O. Bessidskaia Bylund^{148a,148b}, M. Bessner⁴⁵, N. Besson¹³⁸, A. Bethani⁸⁷, S. Bethke¹⁰³, A. Betti²³, A.J. Bevan⁷⁹, J. Beyer¹⁰³, R.M. Bianchi¹²⁷, O. Biebel¹⁰², D. Biedermann¹⁷, R. Bielski⁸⁷, K. Bierwagen⁸⁶, N.V. Biesuz^{126a,126b}, M. Biglietti^{136a}, T.R.V. Billoud⁹⁷, M. Bindi⁵⁸, A. Bingul^{20b}, C. Bini^{134a,134b}, S. Biondi^{22a,22b}, T. Bisanz⁵⁸, J.P. Biswal¹⁵⁵, C. Bittrich⁴⁷, D.M. Bjergaard⁴⁸, J.E. Black¹⁴⁵, K.M. Black²⁴, R.E. Blair⁶, T. Blazek^{146a}, I. Bloch⁴⁵, C. Blocker²⁵,

A. Blue⁵⁶, U. Blumenschein⁷⁹, Dr. Blunier^{34a}, G.J. Bobbink¹⁰⁹, V.S. Bobrovnikov^{111,c}, S.S. Bocchetta⁸⁴,
 A. Bocci⁴⁸, C. Bock¹⁰², D. Boerner¹⁷⁷, D. Bogovac¹⁰², A.G. Bogdanchikov¹¹¹, C. Bohm^{148a},
 V. Boisvert⁸⁰, P. Bokan^{168,h}, T. Bold^{41a}, A.S. Boldyrev¹⁰¹, A.E. Bolz^{60b}, M. Bomben⁸³, M. Bona⁷⁹,
 J.S.B. Bonilla¹¹⁸, M. Boonekamp¹³⁸, A. Borisov¹³², G. Borissov⁷⁵, J. Bortfeldt³², D. Bortolotto¹²²,
 V. Bortolotto^{135a,135b}, D. Boscherini^{22a}, M. Bosman¹³, J.D. Bossio Sola²⁹, J. Boudreau¹²⁷,
 E.V. Bouhova-Thacker⁷⁵, D. Boumediene³⁷, C. Bourdarios¹¹⁹, S.K. Boutle⁵⁶, A. Boveia¹¹³, J. Boyd³²,
 I.R. Boyko⁶⁸, A.J. Bozson⁸⁰, J. Bracinik¹⁹, N. Brahimi⁸⁸, A. Brandt⁸, G. Brandt¹⁷⁷, O. Brandt^{60a},
 F. Braren⁴⁵, U. Bratzler¹⁵⁸, B. Brau⁸⁹, J.E. Brau¹¹⁸, W.D. Breaden Madden⁵⁶, K. Brendlinger⁴⁵,
 A.J. Brennan⁹¹, L. Brenner⁴⁵, R. Brenner¹⁶⁸, S. Bressler¹⁷⁵, B. Brickwedde⁸⁶, D.L. Briglin¹⁹,
 T.M. Bristow⁴⁹, D. Britton⁵⁶, D. Britzger^{60b}, I. Brock²³, R. Brock⁹³, G. Brooijmans³⁸, T. Brooks⁸⁰,
 W.K. Brooks^{34b}, E. Brost¹¹⁰, J.H. Broughton¹⁹, P.A. Bruckman de Renstrom⁴², D. Bruncko^{146b},
 A. Bruni^{22a}, G. Bruni^{22a}, L.S. Bruni¹⁰⁹, S. Bruno^{135a,135b}, B.H. Brunt³⁰, M. Bruschi^{22a}, N. Brusino¹²⁷,
 P. Bryant³³, L. Bryngemark⁴⁵, T. Buanes¹⁵, Q. Buat³², P. Buchholz¹⁴³, A.G. Buckley⁵⁶, I.A. Budagov⁶⁸,
 F. Buehrer⁵¹, M.K. Bugge¹²¹, O. Bulekov¹⁰⁰, D. Bullock⁸, T.J. Burch¹¹⁰, S. Burdin⁷⁷, C.D. Burgard¹⁰⁹,
 A.M. Burger⁵, B. Burghgrave¹¹⁰, K. Burka⁴², S. Burke¹³³, I. Burmeister⁴⁶, J.T.P. Burr¹²², D. Büscher⁵¹,
 V. Büscher⁸⁶, E. Buschmann⁵⁸, P. Bussey⁵⁶, J.M. Butler²⁴, C.M. Buttar⁵⁶, J.M. Butterworth⁸¹, P. Butti³²,
 W. Buttinger³², A. Buzatu¹⁵³, A.R. Buzykaev^{111,c}, G. Cabras^{22a,22b}, S. Cabrera Urbán¹⁷⁰, D. Caforio¹³⁰,
 H. Cai¹⁶⁹, V.M.M. Cairo², O. Cakir^{4a}, N. Calace⁵², P. Calafiura¹⁶, A. Calandri⁸⁸, G. Calderini⁸³,
 P. Calfayan⁶⁴, G. Callea^{40a,40b}, L.P. Caloba^{26a}, S. Calvente Lopez⁸⁵, D. Calvet³⁷, S. Calvet³⁷,
 T.P. Calvet¹⁵⁰, M. Calvetti^{126a,126b}, R. Camacho Toro³³, S. Camarda³², P. Camarri^{135a,135b},
 D. Cameron¹²¹, R. Caminal Armadans⁸⁹, C. Camincher⁵⁷, S. Campana³², M. Campanelli⁸¹,
 A. Camplani^{94a,94b}, A. Campoverde¹⁴³, V. Canale^{106a,106b}, M. Cano Bret^{36c}, J. Cantero¹¹⁶, T. Cao¹⁵⁵,
 Y. Cao¹⁶⁹, M.D.M. Capeans Garrido³², I. Caprini^{28b}, M. Caprini^{28b}, M. Capua^{40a,40b}, R.M. Carbone³⁸,
 R. Cardarelli^{135a}, F. Cardillo⁵¹, I. Carli¹³¹, T. Carli³², G. Carlino^{106a}, B.T. Carlson¹²⁷, L. Carminati^{94a,94b},
 R.M.D. Carney^{148a,148b}, S. Caron¹⁰⁸, E. Carquin^{34b}, S. Carrá^{94a,94b}, G.D. Carrillo-Montoya³²,
 D. Casadei^{147b}, M.P. Casado^{13,i}, A.F. Casha¹⁶¹, M. Casolino¹³, D.W. Casper¹⁶⁶, R. Castelijns¹⁰⁹,
 V. Castillo Gimenez¹⁷⁰, N.F. Castro^{128a,128e}, A. Catinaccio³², J.R. Catmore¹²¹, A. Cattai³², J. Caudron²³,
 V. Cavaliere²⁷, E. Cavallaro¹³, D. Cavalli^{94a}, M. Cavalli-Sforza¹³, V. Cavasinni^{126a,126b}, E. Celebi^{20d},
 F. Ceradini^{136a,136b}, L. Cerda Alberich¹⁷⁰, A.S. Cerqueira^{26b}, A. Cerri¹⁵¹, L. Cerrito^{135a,135b}, F. Cerutti¹⁶,
 A. Cervelli^{22a,22b}, S.A. Cetin^{20d}, A. Chafaq^{137a}, DC Chakraborty¹¹⁰, S.K. Chan⁵⁹, W.S. Chan¹⁰⁹,
 Y.L. Chan^{62a}, P. Chang¹⁶⁹, J.D. Chapman³⁰, D.G. Charlton¹⁹, C.C. Chau³¹, C.A. Chavez Barajas¹⁵¹,
 S. Che¹¹³, A. Chegwidan⁹³, S. Chekanov⁶, S.V. Chekulaev^{163a}, G.A. Chelkov^{68,j}, M.A. Chelstowska³²,
 C. Chen^{36a}, C. Chen⁶⁷, H. Chen²⁷, J. Chen^{36a}, J. Chen³⁸, S. Chen^{35b}, S. Chen¹²⁴, X. Chen^{35c,k},
 Y. Chen⁷⁰, Y.-H. Chen⁴⁵, H.C. Cheng⁹², H.J. Cheng^{35a,35d}, A. Cheplakov⁶⁸, E. Cheremushkina¹³²,
 R. Cherkaoui El Moursli^{137e}, E. Cheu⁷, K. Cheung⁶³, L. Chevalier¹³⁸, V. Chiarella⁵⁰, G. Chiarelli^{126a},
 G. Chiodini^{76a}, A.S. Chisholm³², A. Chitan^{28b}, I. Chiu¹⁵⁷, Y.H. Chiu¹⁷², M.V. Chizhov⁶⁸, K. Choi⁶⁴,
 A.R. Chomont¹¹⁹, S. Chouridou¹⁵⁶, Y.S. Chow¹⁰⁹, V. Christodoulou⁸¹, M.C. Chu^{62a}, J. Chudoba¹²⁹,
 A.J. Chuinard⁹⁰, J.J. Chwastowski⁴², L. Chytka¹¹⁷, D. Cinca⁴⁶, V. Cindro⁷⁸, I.A. Cioară²³, A. Ciocio¹⁶,
 F. Ciotto^{106a,106b}, Z.H. Citron¹⁷⁵, M. Citterio^{94a}, A. Clark⁵², M.R. Clark³⁸, P.J. Clark⁴⁹, R.N. Clarke¹⁶,
 C. Clement^{148a,148b}, Y. Coadou⁸⁸, M. Cobal^{167a,167c}, A. Coccaro^{53a,53b}, J. Cochran⁶⁷, A.E.C. Coimbra¹⁷⁵,
 L. Colasurdo¹⁰⁸, B. Cole³⁸, A.P. Colijn¹⁰⁹, J. Collot⁵⁷, P. Conde Muiño^{128a,128b}, E. Coniavitis⁵¹,
 S.H. Connell^{147b}, I.A. Connelly⁸⁷, S. Constantinescu^{28b}, F. Conventi^{106a,l}, A.M. Cooper-Sarkar¹²²,
 F. Cormier¹⁷¹, K.J.R. Cormier¹⁶¹, M. Corradi^{134a,134b}, E.E. Corrigan⁸⁴, F. Corriveau^{90,m},
 A. Cortes-Gonzalez³², M.J. Costa¹⁷⁰, D. Costanzo¹⁴¹, G. Cottin³⁰, G. Cowan⁸⁰, B.E. Cox⁸⁷, J. Crane⁸⁷,
 K. Cranmer¹¹², S.J. Crawley⁵⁶, R.A. Creager¹²⁴, G. Cree³¹, S. Crépe-Renaudin⁵⁷, F. Crescioli⁸³,
 M. Cristinziani²³, V. Croft¹¹², G. Crosetti^{40a,40b}, A. Cueto⁸⁵, T. Cuhadar Donszelmann¹⁴¹,
 A.R. Cukierman¹⁴⁵, M. Curatolo⁵⁰, J. Cúth⁸⁶, S. Czekierda⁴², P. Czodrowski³², G. D'amen^{22a,22b},

S. D'Auria⁵⁶, L. D'Eramo⁸³, M. D'Onofrio⁷⁷, M.J. Da Cunha Sargedas De Sousa^{36b,128}, C. Da Via⁸⁷,
 W. Dabrowski^{41a}, T. Dado^{146a,h}, S. Dahbi^{137e}, T. Dai⁹², O. Dale¹⁵, F. Dallaire⁹⁷, C. Dallapiccola⁸⁹,
 M. Dam³⁹, J.R. Dandoy¹²⁴, M.F. Daneri²⁹, N.P. Dang^{176,e}, N.D. Dann⁸⁷, M. Danninger¹⁷¹, V. Dao³²,
 G. Darbo^{53a}, S. Darmora⁸, O. Dartsis⁵, A. Dattagupta¹¹⁸, T. Daubney⁴⁵, W. Davey²³, C. David⁴⁵,
 T. Davidek¹³¹, D.R. Davis⁴⁸, E. Dawe⁹¹, I. Dawson¹⁴¹, K. De⁸, R. de Asmundis^{106a}, A. De Benedetti¹¹⁵,
 S. De Castro^{22a,22b}, S. De Cecco⁸³, N. De Groot¹⁰⁸, P. de Jong¹⁰⁹, H. De la Torre⁹³, F. De Lorenzi⁶⁷,
 A. De Maria^{58,n}, D. De Pedis^{134a}, A. De Salvo^{134a}, U. De Sanctis^{135a,135b}, A. De Santo¹⁵¹,
 K. De Vasconcelos Corga⁸⁸, J.B. De Vivie De Regie¹¹⁹, C. Debenedetti¹³⁹, D.V. Dedovich⁶⁸,
 N. Dehghanian³, M. Del Gaudio^{40a,40b}, J. Del Peso⁸⁵, D. Delgove¹¹⁹, F. Deliot¹³⁸, C.M. Delitzsch⁷,
 A. Dell'Acqua³², L. Dell'Asta²⁴, M. Della Pietra^{106a,106b}, D. della Volpe⁵², M. Delmastro⁵,
 C. Delporte¹¹⁹, P.A. Delsart⁵⁷, D.A. DeMarco¹⁶¹, S. Demers¹⁷⁹, M. Demichev⁶⁸, S.P. Denisov¹³²,
 D. Denysiuk¹⁰⁹, D. Derendarz⁴², J.E. Derkaoui^{137d}, F. Derue⁸³, P. Dervan⁷⁷, K. Desch²³, C. Deterre⁴⁵,
 K. Dette¹⁶¹, M.R. Devesa²⁹, P.O. Deviveiros³², A. Dewhurst¹³³, S. Dhaliwal²⁵, F.A. Di Bello⁵²,
 A. Di Ciaccio^{135a,135b}, L. Di Ciaccio⁵, W.K. Di Clemente¹²⁴, C. Di Donato^{106a,106b}, A. Di Girolamo³²,
 B. Di Micco^{136a,136b}, R. Di Nardo³², K.F. Di Petrillo⁵⁹, A. Di Simone⁵¹, R. Di Sipio¹⁶¹,
 D. Di Valentino³¹, C. Diaconu⁸⁸, M. Diamond¹⁶¹, F.A. Dias³⁹, T. Dias do Vale^{128a}, M.A. Diaz^{34a},
 J. Dickinson¹⁶, E.B. Diehl⁹², J. Dietrich¹⁷, S. Díez Cornell⁴⁵, A. Dimitrievska¹⁶, J. Dingfelder²³,
 F. Dittus³², F. Djama⁸⁸, T. Djobava^{54b}, J.I. Djuvsland^{60a}, M.A.B. do Vale^{26c}, M. Dobre^{28b},
 D. Dodsworth²⁵, C. Doglioni⁸⁴, J. Dolejsi¹³¹, Z. Dolezal¹³¹, M. Donadelli^{26d}, J. Donini³⁷, J. Dopke¹³³,
 A. Doria^{106a}, M.T. Dova⁷⁴, A.T. Doyle⁵⁶, E. Drechsler⁵⁸, E. Dreyer¹⁴⁴, T. Dreyer⁵⁸, M. Dris¹⁰, Y. Du^{36b},
 J. Duarte-Campderros¹⁵⁵, F. Dubinin⁹⁸, A. Dubreuil⁵², E. Duchovni¹⁷⁵, G. Duckeck¹⁰²,
 A. Ducourthial⁸³, O.A. Ducu^{97,o}, D. Duda¹⁰⁹, A. Dudarev³², A.Chr. Dudder⁸⁶, E.M. Duffield¹⁶,
 L. Dufflot¹¹⁹, M. Dührssen³², C. Dülsen¹⁷⁷, M. Dumancic¹⁷⁵, A.E. Dumitriu^{28b,p}, A.K. Duncan⁵⁶,
 M. Dunford^{160a}, A. Duperrin⁸⁸, H. Duran Yildiz^{4a}, M. Düren⁵⁵, A. Durglishvili^{54b}, D. Duschinger⁴⁷,
 B. Dutta⁴⁵, D. Duvnjak¹, M. Dyndal⁴⁵, B.S. Dziedzic⁴², C. Eckardt⁴⁵, K.M. Ecker¹⁰³, R.C. Edgar⁹²,
 T. Eifert³², G. Eigen¹⁵, K. Einsweiler¹⁶, T. Ekelof¹⁶⁸, M. El Kacimi^{137c}, R. El Kosseifi⁸⁸,
 V. Ellajosyula⁸⁸, M. Ellert¹⁶⁸, F. Ellinghaus¹⁷⁷, A.A. Elliot¹⁷², N. Ellis³², J. Elmsheuser²⁷, M. Elsing³²,
 D. Emelianov¹³³, Y. Enari¹⁵⁷, J.S. Ennis¹⁷³, M.B. Epland⁴⁸, J. Erdmann⁴⁶, A. Ereditato¹⁸, S. Errede¹⁶⁹,
 M. Escalier¹¹⁹, C. Escobar¹⁷⁰, B. Esposito⁵⁰, O. Estrada Pastor¹⁷⁰, A.I. Etienve¹³⁸, E. Etzion¹⁵⁵,
 H. Evans⁶⁴, A. Ezhilov¹²⁵, M. Ezzi^{137e}, F. Fabbri^{22a,22b}, L. Fabbri^{22a,22b}, V. Fabiani¹⁰⁸, G. Facini⁸¹,
 R.M. Faisca Rodrigues Pereira^{128a}, R.M. Fakhruddinov¹³², S. Falciano^{134a}, P.J. Falke⁵, S. Falke⁵,
 J. Faltova¹³¹, Y. Fang^{35a}, M. Fanti^{94a,94b}, A. Farbin⁸, A. Farilla^{136a}, E.M. Farina^{123a,123b}, T. Farooque⁹³,
 S. Farrell¹⁶, S.M. Farrington¹⁷³, P. Farthouat³², F. Fassi^{137e}, P. Fassnacht³², D. Fassouliotis⁹,
 M. Fauci Giannelli⁴⁹, A. Favareto^{53a,53b}, W.J. Fawcett⁵², L. Fayard¹¹⁹, O.L. Fedin^{125,q}, W. Fedorko¹⁷¹,
 M. Feickert⁴³, S. Feigl¹²¹, L. Feligioni⁸⁸, C. Feng^{36b}, E.J. Feng³², M. Feng⁴⁸, M.J. Fenton⁵⁶,
 A.B. Fenyuk¹³², L. Feremenga⁸, J. Ferrando⁴⁵, A. Ferrari¹⁶⁸, P. Ferrari¹⁰⁹, R. Ferrari^{123a},
 D.E. Ferreira de Lima^{60b}, A. Ferrer¹⁷⁰, D. Ferrere⁵², C. Ferretti⁹², F. Fiedler⁸⁶, A. Filipčić⁷⁸,
 F. Filthaut¹⁰⁸, M. Fincke-Keeler¹⁷², K.D. Finelli²⁴, M.C.N. Fiolhais^{128a,128c,r}, L. Fiorini¹⁷⁰, C. Fischer¹³,
 J. Fischer¹⁷⁷, W.C. Fisher⁹³, N. Flaschel⁴⁵, I. Fleck¹⁴³, P. Fleischmann⁹², R.R.M. Fletcher¹²⁴, T. Flick¹⁷⁷,
 B.M. Flierl¹⁰², L.M. Flores¹²⁴, L.R. Flores Castillo^{62a}, N. Fomin¹⁵, G.T. Forcolin⁸⁷, A. Formica¹³⁸,
 F.A. Förster¹³, A.C. Forti⁸⁷, A.G. Foster¹⁹, D. Fournier¹¹⁹, H. Fox⁷⁵, S. Fracchia¹⁴¹,
 P. Francavilla^{126a,126b}, M. Franchini^{22a,22b}, S. Franchino^{60a}, D. Francis³², L. Franconi¹²¹, M. Franklin⁵⁹,
 M. Frate¹⁶⁶, M. Fraternali^{123a,123b}, D. Freeborn⁸¹, S.M. Fressard-Batraneanu³², B. Freund⁹⁷,
 W.S. Freund^{26a}, D. Froidevaux³², J.A. Frost¹²², C. Fukunaga¹⁵⁸, T. Fusayasu¹⁰⁴, J. Fuster¹⁷⁰,
 O. Gabizon¹⁵⁴, A. Gabrielli^{22a,22b}, A. Gabrielli¹⁶, G.P. Gach^{41a}, S. Gadatsch⁵², S. Gadomski⁸⁰,
 P. Gadow¹⁰³, G. Gagliardi^{53a,53b}, L.G. Gagnon⁹⁷, C. Galea^{28b}, B. Galhardo^{128a,128c}, E.J. Gallas¹²²,
 B.J. Gallop¹³³, P. Gallus¹³⁰, G. Galster³⁹, R. Gamboa Goni⁷⁹, K.K. Gan¹¹³, S. Ganguly¹⁷⁵, Y. Gao⁷⁷,

Y.S. Gao^{145,f}, F.M. Garay Walls^{34a}, C. García¹⁷⁰, J.E. García Navarro¹⁷⁰, J.A. García Pascual^{35a},
 M. Garcia-Sciveres¹⁶, R.W. Gardner³³, N. Garelli¹⁴⁵, V. Garonne¹²¹, K. Gasnikova⁴⁵, A. Gaudiello^{53a,53b},
 G. Gaudio^{123a}, I.L. Gavrilenko⁹⁸, A. Gavrilyuk⁹⁹, C. Gay¹⁷¹, G. Gaycken²³, E.N. Gazis¹⁰, C.N.P. Gee¹³³,
 J. Geisen⁵⁸, M. Geisen⁸⁶, M.P. Geisler^{60a}, K. Gellerstedt^{148a,148b}, C. Gemme^{53a}, M.H. Genest⁵⁷,
 C. Geng⁹², S. Gentile^{134a,134b}, C. Gentsos¹⁵⁶, S. George⁸⁰, D. Gerbaudo¹³, G. Gessner⁴⁶, S. Ghasemi¹⁴³,
 M. Ghneimat²³, B. Giacobbe^{22a}, S. Giagu^{134a,134b}, N. Giangiacomi^{22a,22b}, P. Giannetti^{126a},
 S.M. Gibson⁸⁰, M. Gignac¹³⁹, D. Gillberg³¹, G. Gilles¹⁷⁷, D.M. Gingrich^{3,d}, M.P. Giordani^{167a,167c},
 F.M. Giorgi^{22a}, P.F. Giraud¹³⁸, P. Giromini⁵⁹, G. Giugliarelli^{167a,167c}, D. Giugni^{94a}, F. Giuli¹²²,
 M. Giulini^{60b}, S. Gkaitatzis¹⁵⁶, I. Gkialas^{9,s}, E.L. Gkoukousis¹³, P. Gkoutoumis¹⁰, L.K. Gladilin¹⁰¹,
 C. Glasman⁸⁵, J. Glatzer¹³, P.C.F. Glaysheer⁴⁵, A. Glazov⁴⁵, M. Goblirsch-Kolb²⁵, J. Godlewski⁴²,
 S. Goldfarb⁹¹, T. Golling⁵², D. Golubkov¹³², A. Gomes^{128a,128b,-1d}, R. Gonçalo^{128a},
 R. Goncalves Gama^{26b}, G. Gonella⁵¹, L. Gonella¹⁹, A. Gongadze⁶⁸, F. Gonnella¹⁹, J.L. Gonski⁵⁹,
 S. González de la Hoz¹⁷⁰, S. Gonzalez-Sevilla⁵², L. Goossens³², P.A. Gorbounov⁹⁹, H.A. Gordon²⁷,
 B. Gorini³², E. Gorini^{76a,76b}, A. Gorišek⁷⁸, A.T. Goshaw⁴⁸, C. Gössling⁴⁶, M.I. Gostkin⁶⁸,
 C.A. Gottardo²³, C.R. Goudet¹¹⁹, D. Goujdami^{137c}, A.G. Goussiou¹⁴⁰, N. Govender^{147b,t}, C. Goy⁵,
 E. Gozani¹⁵⁴, I. Grabowska-Bold^{41a}, P.O.J. Gradin¹⁶⁸, E.C. Graham⁷⁷, J. Gramling¹⁶⁶, E. Gramstad¹²¹,
 S. Grancagnolo¹⁷, V. Gratchev¹²⁵, P.M. Gravila^{28f}, C. Gray⁵⁶, H.M. Gray¹⁶, Z.D. Greenwood^{82,u},
 C. Grefe²³, K. Gregersen⁸¹, I.M. Gregor⁴⁵, P. Grenier¹⁴⁵, K. Grevtsov⁴⁵, J. Griffiths⁸, A.A. Grillo¹³⁹,
 K. Grimm¹⁴⁵, S. Grinstein^{13,v}, Ph. Gris³⁷, J.-F. Grivaz¹¹⁹, S. Groh⁸⁶, E. Gross¹⁷⁵, J. Grosse-Knetter⁵⁸,
 G.C. Grossi⁸², Z.J. Grout⁸¹, A. Grummer¹⁰⁷, L. Guan⁹², W. Guan¹⁷⁶, J. Guenther³², A. Guerguichon¹¹⁹,
 F. Guescini^{163a}, D. Guest¹⁶⁶, O. Gueta¹⁵⁵, R. Gugel⁵¹, B. Gui¹¹³, T. Guillemin⁵, S. Guindon³², U. Gul⁵⁶,
 C. Gumpert³², J. Guo^{36c}, W. Guo⁹², Y. Guo^{36a,w}, Z. Guo⁸⁸, R. Gupta⁴³, S. Gurbuz^{20a}, G. Gustavino¹¹⁵,
 B.J. Gutelman¹⁵⁴, P. Gutierrez¹¹⁵, N.G. Gutierrez Ortiz⁸¹, C. Gutsche⁸¹, C. Guyot¹³⁸, M.P. Guzik^{41a},
 C. Gwenlan¹²², C.B. Gwilliam⁷⁷, A. Hönle¹⁰³, A. Haas¹¹², C. Haber¹⁶, H.K. Hadavand⁸, N. Haddad^{137e},
 A. Hader⁸⁸, S. Hageböck²³, M. Hagihara¹⁶⁴, H. Hakobyan^{180,*}, M. Haleem¹⁷⁸, J. Haley¹¹⁶,
 G. Halladjian⁹³, G.D. Hallewell⁸⁸, K. Hamacher¹⁷⁷, P. Hamal¹¹⁷, K. Hamano¹⁷², A. Hamilton^{147a},
 G.N. Hamity¹⁴¹, K. Han^{36a,x}, L. Han^{36a}, S. Han^{35a,35d}, K. Hanagaki^{69,y}, M. Hance¹³⁹, D.M. Handl¹⁰²,
 B. Haney¹²⁴, R. Hankache⁸³, P. Hanke^{60a}, E. Hansen⁸⁴, J.B. Hansen³⁹, J.D. Hansen³⁹, M.C. Hansen²³,
 P.H. Hansen³⁹, K. Hara¹⁶⁴, A.S. Hard¹⁷⁶, T. Harenberg¹⁷⁷, S. Harkusha⁹⁵, P.F. Harrison¹⁷³,
 N.M. Hartmann¹⁰², Y. Hasegawa¹⁴², A. Hasib⁴⁹, S. Hassani¹³⁸, S. Haug¹⁸, R. Hauser⁹³, L. Hauswald⁴⁷,
 L.B. Havener³⁸, M. Havranek¹³⁰, C.M. Hawkes¹⁹, R.J. Hawkins³², D. Hayden⁹³, C. Hayes¹⁵⁰,
 C.P. Hays¹²², J.M. Hays⁷⁹, H.S. Hayward⁷⁷, S.J. Haywood¹³³, M.P. Heath⁴⁹, V. Hedberg⁸⁴, L. Heelan⁸,
 S. Heer²³, K.K. Heidegger⁵¹, J. Heilman³¹, S. Heim⁴⁵, T. Heim¹⁶, B. Heinemann^{45,z}, J.J. Heinrich¹⁰²,
 L. Heinrich¹¹², C. Heinz⁵⁵, J. Hejbal¹²⁹, L. Helary³², A. Held¹⁷¹, S. Hellesund¹²¹, S. Hellman^{148a,148b},
 C. Hensens³², R.C.W. Henderson⁷⁵, Y. Heng¹⁷⁶, S. Henkelmann¹⁷¹, A.M. Henriques Correia³²,
 G.H. Herbert¹⁷, H. Herde²⁵, V. Herget¹⁷⁸, Y. Hernández Jiménez^{147c}, H. Herr⁸⁶, G. Herten⁵¹,
 R. Hertenberger¹⁰², L. Hervas³², T.C. Herwig¹²⁴, G.G. Hesketh⁸¹, N.P. Hessey^{163a}, J.W. Hetherly⁴³,
 S. Higashino⁶⁹, E. Higón-Rodríguez¹⁷⁰, K. Hildebrand³³, E. Hill¹⁷², J.C. Hill³⁰, K.H. Hiller⁴⁵,
 S.J. Hillier¹⁹, M. Hils⁴⁷, I. Hinchliffe¹⁶, M. Hirose¹²⁰, D. Hirschbuehl¹⁷⁷, B. Hiti⁷⁸, O. Hladik¹²⁹,
 D.R. Hlaluku^{147c}, X. Hoad⁴⁹, J. Hobbs¹⁵⁰, N. Hod^{163a}, M.C. Hodgkinson¹⁴¹, A. Hoecker³²,
 M.R. Hoferkamp¹⁰⁷, F. Hoenig¹⁰², D. Hohn²³, D. Hohov¹¹⁹, T.R. Holmes³³, M. Holzbock¹⁰²,
 M. Homann⁴⁶, S. Honda¹⁶⁴, T. Honda⁶⁹, T.M. Hong¹²⁷, B.H. Hooberman¹⁶⁹, W.H. Hopkins¹¹⁸,
 Y. Horii¹⁰⁵, P. Horn⁴⁷, A.J. Horton¹⁴⁴, L.A. Horyn³³, J.-Y. Hostachy⁵⁷, A. Hostiuc¹⁴⁰, S. Hou¹⁵³,
 A. Hoummada^{137a}, J. Howarth⁸⁷, J. Hoya⁷⁴, M. Hrabovsky¹¹⁷, J. Hrdinka³², I. Hristova¹⁷, J. Hrivnac¹¹⁹,
 T. Hryn'ova⁵, A. Hrynevich⁹⁶, P.J. Hsu⁶³, S.-C. Hsu¹⁴⁰, Q. Hu²⁷, S. Hu^{36c}, Y. Huang^{35a}, Z. Hubacek¹³⁰,
 F. Hubaut⁸⁸, M. Huebner²³, F. Huegging²³, T.B. Huffman¹²², E.W. Hughes³⁸, M. Huhtinen³²,
 R.F.H. Hunter³¹, P. Huo¹⁵⁰, A.M. Hupe³¹, N. Huseynov^{68,b}, J. Huston⁹³, J. Huth⁵⁹, R. Hyneman⁹²,

G. Iacobucci⁵², G. Iakovidis²⁷, I. Ibragimov¹⁴³, L. Iconomidou-Fayard¹¹⁹, Z. Idrissi^{137e}, P. Iengo³², R. Ignazzi³⁹, O. Igonkina^{109,aa}, R. Iguchi¹⁵⁷, T. Iizawa¹⁷⁴, Y. Ikegami⁶⁹, M. Ikeno⁶⁹, D. Iliadis¹⁵⁶, N. Ilic¹⁴⁵, F. Iltzsche⁴⁷, G. Introzzi^{123a,123b}, M. Iodice^{136a}, K. Iordanidou³⁸, V. Ippolito^{134a,134b}, M.F. Isaacson¹⁶⁸, N. Ishijima¹²⁰, M. Ishino¹⁵⁷, M. Ishitsuka¹⁵⁹, C. Issever¹²², S. Istin^{20a,ab}, F. Ito¹⁶⁴, J.M. Iturbe Ponce^{62a}, R. Iuppa^{162a,162b}, A. Ivina¹⁷⁵, H. Iwasaki⁶⁹, J.M. Izen⁴⁴, V. Izzo^{106a}, S. Jabbar³, P. Jacka¹²⁹, P. Jackson¹, R.M. Jacobs²³, V. Jain², G. Jäkel¹⁷⁷, K.B. Jakobi⁸⁶, K. Jakobs⁵¹, S. Jakobsen⁶⁵, T. Jakoubek¹²⁹, D.O. Jamin¹¹⁶, D.K. Jana⁸², R. Jansky⁵², J. Janssen²³, M. Janus⁵⁸, P.A. Janus^{41a}, G. Jarlskog⁸⁴, N. Javadov^{68,b}, T. Javůrek⁵¹, M. Javurkova⁵¹, F. Jeanneau¹³⁸, L. Jeanty¹⁶, J. Jejelava^{54a,ac}, A. Jelinskas¹⁷³, P. Jenni^{51,ad}, J. Jeong⁴⁵, C. Jeske¹⁷³, S. Jézéquel⁵, H. Ji¹⁷⁶, J. Jia¹⁵⁰, H. Jiang⁶⁷, Y. Jiang^{36a}, Z. Jiang¹⁴⁵, S. Jiggins⁵¹, F.A. Jimenez Morales³⁷, J. Jimenez Pena¹⁷⁰, S. Jin^{35b}, A. Jinaru^{28b}, O. Jinnouchi¹⁵⁹, H. Jivan^{147c}, P. Johansson¹⁴¹, K.A. Johns⁷, C.A. Johnson⁶⁴, W.J. Johnson¹⁴⁰, K. Jon-And^{148a,148b}, R.W.L. Jones⁷⁵, S.D. Jones¹⁵¹, S. Jones⁷, T.J. Jones⁷⁷, J. Jongmanns^{60a}, P.M. Jorge^{128a,128b}, J. Jovicevic^{163a}, X. Ju¹⁷⁶, J.J. Junggeburth¹⁰³, A. Juste Rozas^{13,v}, A. Kaczmariska⁴², M. Kado¹¹⁹, H. Kagan¹¹³, M. Kagan¹⁴⁵, T. Kaji¹⁷⁴, E. Kajomovitz¹⁵⁴, C.W. Kalderon⁸⁴, A. Kaluza⁸⁶, S. Kama⁴³, A. Kamenshchikov¹³², L. Kanjir⁷⁸, Y. Kano¹⁵⁷, V.A. Kantserov¹⁰⁰, J. Kanzaki⁶⁹, B. Kaplan¹¹², L.S. Kaplan¹⁷⁶, D. Kar^{147c}, M.J. Kareem^{163b}, E. Karentzos¹⁰, S.N. Karpov⁶⁸, Z.M. Karpova⁶⁸, V. Kartvelishvili⁷⁵, A.N. Karyukhin¹³², K. Kasahara¹⁶⁴, L. Kashif¹⁷⁶, R.D. Kass¹¹³, A. Kastanas¹⁴⁹, Y. Kataoka¹⁵⁷, C. Kato¹⁵⁷, A. Katre⁵², J. Katzy⁴⁵, K. Kawade⁷⁰, K. Kawagoe⁷³, T. Kawamoto¹⁵⁷, G. Kawamura⁵⁸, E.F. Kay⁷⁷, V.F. Kazanin^{111,c}, R. Keeler¹⁷², R. Kehoe⁴³, J.S. Keller³¹, E. Kellermann⁸⁴, J.J. Kempster¹⁹, J. Kendrick¹⁹, O. Kepka¹²⁹, B.P. Kerševan⁷⁸, S. Kersten¹⁷⁷, R.A. Keyes⁹⁰, M. Khader¹⁶⁹, F. Khalil-zada¹², A. Khanov¹¹⁶, A.G. Kharlamov^{111,c}, T. Kharlamova¹¹¹, A. Khodinov¹⁶⁰, T.J. Khoo⁵², V. Khovanskiy^{99,*}, E. Khramov⁶⁸, J. Khubua^{54b,ae}, S. Kido⁷⁰, M. Kiehn⁵², C.R. Kilby⁸⁰, H.Y. Kim⁸, S.H. Kim¹⁶⁴, Y.K. Kim³³, N. Kimura^{167a,167c}, O.M. Kind¹⁷, B.T. King⁷⁷, D. Kirchmeier⁴⁷, J. Kirk¹³³, A.E. Kiryunin¹⁰³, T. Kishimoto¹⁵⁷, D. Kisielewska^{41a}, V. Kitali⁴⁵, O. Kivernyk⁵, E. Kladiva^{146b,*}, T. Klapdor-Kleingrothaus⁵¹, M.H. Klein⁹², M. Klein⁷⁷, U. Klein⁷⁷, K. Kleinknecht⁸⁶, P. Klimek¹¹⁰, A. Klimentov²⁷, R. Klingenberg^{46,*}, T. Klingl²³, T. Klioutchnikova³², F.F. Klitzner¹⁰², P. Kluit¹⁰⁹, S. Kluth¹⁰³, E. Kneringer⁶⁵, E.B.F.G. Knoops⁸⁸, A. Knue⁵¹, A. Kobayashi¹⁵⁷, D. Kobayashi⁷³, T. Kobayashi¹⁵⁷, M. Kobel⁴⁷, M. Kocian¹⁴⁵, P. Kodys¹³¹, T. Koffas³¹, E. Koffeman¹⁰⁹, N.M. Köhler¹⁰³, T. Koi¹⁴⁵, M. Kolb^{60b}, I. Koletsou⁵, T. Kondo⁶⁹, N. Kondrashova^{36c}, K. Köneke⁵¹, A.C. König¹⁰⁸, T. Kono^{69,af}, R. Konoplich^{112,ag}, N. Konstantinidis⁸¹, B. Konya⁸⁴, R. Kopeliansky⁶⁴, S. Koperny^{41a}, K. Korcyl⁴², K. Kordas¹⁵⁶, A. Korn⁸¹, I. Korolkov¹³, E.V. Korolkova¹⁴¹, O. Kortner¹⁰³, S. Kortner¹⁰³, T. Kosek¹³¹, V.V. Kostyukhin²³, A. Kotwal⁴⁸, A. Koulouris¹⁰, A. Kourkoumeli-Charalampidi^{123a,123b}, C. Kourkoumelis⁹, E. Kourlitis¹⁴¹, V. Kouskoura²⁷, A.B. Kowalewska⁴², R. Kowalewski¹⁷², T.Z. Kowalski^{41a}, C. Kozakai¹⁵⁷, W. Kozanecki¹³⁸, A.S. Kozhin¹³², V.A. Kramarenko¹⁰¹, G. Kramberger⁷⁸, D. Krasnopevtsev¹⁰⁰, M.W. Krasny⁸³, A. Krasznahorkay³², D. Krauss¹⁰³, J.A. Kremer^{41a}, J. Kretzschmar⁷⁷, K. Kreutzfeldt⁵⁵, P. Krieger¹⁶¹, K. Krizka¹⁶, K. Kroeninger⁴⁶, H. Kroha¹⁰³, J. Kroll¹²⁹, J. Kroll¹²⁴, J. Kroseberg²³, J. Krstic¹⁴, U. Kruchonak⁶⁸, H. Krüger²³, N. Krumnack⁶⁷, M.C. Kruse⁴⁸, T. Kubota⁹¹, S. Kuday^{4b}, J.T. Kuechler¹⁷⁷, S. Kuehn³², A. Kugel^{60a}, F. Kuger¹⁷⁸, T. Kuhl⁴⁵, V. Kukhtin⁶⁸, R. Kukla⁸⁸, Y. Kulchitsky⁹⁵, S. Kuleshov^{34b}, Y.P. Kulinich¹⁶⁹, M. Kuna⁵⁷, T. Kunigo⁷¹, A. Kupco¹²⁹, T. Kupfer⁴⁶, O. Kuprash¹⁵⁵, H. Kurashige⁷⁰, L.L. Kurchaninov^{163a}, Y.A. Kurochkin⁹⁵, M.G. Kurth^{35a,35d}, E.S. Kuwertz¹⁷², M. Kuze¹⁵⁹, J. Kvita¹¹⁷, T. Kwan¹⁷², A. La Rosa¹⁰³, J.L. La Rosa Navarro^{26d}, L. La Rotonda^{40a,40b}, F. La Ruffa^{40a,40b}, C. Lacasta¹⁷⁰, F. Lacava^{134a,134b}, J. Lacey⁴⁵, D.P.J. Lack⁸⁷, H. Lacker¹⁷, D. Lacour⁸³, E. Ladygin⁶⁸, R. Lafaye⁵, B. Laforge⁸³, S. Lai⁵⁸, S. Lammers⁶⁴, W. Lampl⁷, E. Lançon²⁷, U. Landgraf⁵¹, M.P.J. Landon⁷⁹, M.C. Lanfermann⁵², V.S. Lang⁴⁵, J.C. Lange¹³, R.J. Langenberg³², A.J. Lankford¹⁶⁶, F. Lanni²⁷, K. Lantzsck²³, A. Lanza^{123a}, A. Lapertosa^{53a,53b}, S. Laplace⁸³, J.F. Laporte¹³⁸, T. Lari^{94a}, F. Lasagni Manghi^{22a,22b}, M. Lassnig³², T.S. Lau^{62a},

A. Laudrain¹¹⁹, A.T. Law¹³⁹, P. Laycock⁷⁷, M. Lazzaroni^{94a,94b}, B. Le⁹¹, O. Le Dortz⁸³,
 E. Le Guirriec⁸⁸, E.P. Le Quilleuc¹³⁸, M. LeBlanc⁷, T. LeCompte⁶, F. Ledroit-Guillon⁵⁷, C.A. Lee²⁷,
 G.R. Lee^{34a}, S.C. Lee¹⁵³, L. Lee⁵⁹, B. Lefebvre⁹⁰, M. Lefebvre¹⁷², F. Legger¹⁰², C. Leggett¹⁶,
 G. Lehmann Miotto³², W.A. Leight⁴⁵, A. Leisos^{156,ah}, M.A.L. Leite^{26d}, R. Leitner¹³¹, D. Lellouch¹⁷⁵,
 B. Lemmer⁵⁸, K.J.C. Leney⁸¹, T. Lenz²³, B. Lenzi³², R. Leone⁷, S. Leone^{126a}, C. Leonidopoulos⁴⁹,
 G. Lerner¹⁵¹, C. Leroy⁹⁷, R. Les¹⁶¹, A.A.J. Lesage¹³⁸, C.G. Lester³⁰, M. Levchenko¹²⁵, J. Levêque⁵,
 D. Levin⁹², L.J. Levinson¹⁷⁵, D. Lewis⁷⁹, B. Li^{36a,w}, C.-Q. Li^{36a}, H. Li^{36b}, L. Li^{36c}, Q. Li^{35a,35d}, Q. Li^{36a},
 S. Li^{36c,36d}, X. Li^{36c}, Y. Li¹⁴³, Z. Liang^{35a}, B. Liberti^{135a}, A. Liblong¹⁶¹, K. Lie^{62c}, S. Liem¹⁰⁹,
 A. Limosani¹⁵², C.Y. Lin³⁰, K. Lin⁹³, S.C. Lin¹⁸², T.H. Lin⁸⁶, R.A. Linck⁶⁴, B.E. Lindquist¹⁵⁰,
 A.L. Lioni⁵², E. Lipeles¹²⁴, A. Lipniacka¹⁵, M. Lisovyi^{60b}, T.M. Liss^{169,ai}, A. Lister¹⁷¹, A.M. Litke¹³⁹,
 J.D. Little⁸, B.L. Liu⁶, B. Liu⁶⁷, H. Liu⁹², J.K.K. Liu¹²², J.B. Liu^{36a}, K. Liu⁸³, M. Liu^{36a},
 P. Liu¹⁶, Y.L. Liu^{36a}, Y. Liu^{36a}, M. Livan^{123a,123b}, A. Lleres⁵⁷, J. Llorente Merino^{35a}, S.L. Lloyd⁷⁹,
 C.Y. Lo^{62b}, F. Lo Sterzo⁴³, E.M. Lobodzinska⁴⁵, P. Loch⁷, F.K. Loebinger⁸⁷, A. Loesle⁵¹, K.M. Loew²⁵,
 T. Lohse¹⁷, K. Lohwasser¹⁴¹, M. Lokajicek¹²⁹, B.A. Long²⁴, J.D. Long¹⁶⁹, R.E. Long⁷⁵, L. Longo^{76a,76b},
 K.A. Looper¹¹³, J.A. Lopez^{34b}, I. Lopez Paz¹³, A. Lopez Solis⁸³, J. Lorenz¹⁰², N. Lorenzo Martinez⁵,
 M. Losada²¹, P.J. Lösel¹⁰², X. Lou^{35a}, X. Lou⁴⁵, A. Lounis¹¹⁹, J. Love⁶, P.A. Love⁷⁵,
 J.J. Lozano Bahilo¹⁷⁰, H. Lu^{62a}, N. Lu⁹², Y.J. Lu⁶³, H.J. Lubatti¹⁴⁰, C. Luci^{134a,134b}, A. Lucotte⁵⁷,
 C. Luedtke⁵¹, F. Luehring⁶⁴, I. Luise⁸³, W. Lukas⁶⁵, L. Luminari^{134a}, B. Lund-Jensen¹⁴⁹, M.S. Lutz⁸⁹,
 P.M. Luzzi⁸³, D. Lynn²⁷, R. Lysak¹²⁹, E. Lytken⁸⁴, F. Lyu^{35a}, V. Lyubushkin⁶⁸, H. Ma²⁷, L.L. Ma^{36b},
 Y. Ma^{36b}, G. Maccarrone⁵⁰, A. Macchiolo¹⁰³, C.M. Macdonald¹⁴¹, B. Maček⁷⁸, J. Machado Miguens¹²⁴,
 D. Madaffari¹⁷⁰, R. Madar³⁷, W.F. Mader⁴⁷, A. Madsen⁴⁵, N. Madysa⁴⁷, J. Maeda⁷⁰, S. Maeland¹⁵,
 T. Maeno²⁷, A.S. Maevskiy¹⁰¹, V. Magerl⁵¹, C. Maidantchik^{26a}, T. Maier¹⁰², A. Maio^{128a,128b,-1d},
 O. Majersky^{146a}, S. Majewski¹¹⁸, Y. Makida⁶⁹, N. Makovec¹¹⁹, B. Malaescu⁸³, Pa. Malecki⁴²,
 V.P. Maleev¹²⁵, F. Malek⁵⁷, U. Mallik⁶⁶, D. Malon⁶, C. Malone³⁰, S. Maltezos¹⁰, S. Malyukov³²,
 J. Mamuzic¹⁷⁰, G. Mancini⁵⁰, I. Mandić⁷⁸, J. Maneira^{128a,128b}, L. Manhaes de Andrade Filho^{26b},
 J. Manjarres Ramos⁴⁷, K.H. Mankinen⁸⁴, A. Mann¹⁰², A. Manousos⁶⁵, B. Mansoulie¹³⁸,
 J.D. Mansour^{35a}, R. Mantifel⁹⁰, M. Mantoani⁵⁸, S. Manzoni^{94a,94b}, G. Marceca²⁹, L. March⁵²,
 L. Marchese¹²², G. Marchiori⁸³, M. Marcisovsky¹²⁹, C.A. Marin Tobon³², M. Marjanovic³⁷,
 D.E. Marley⁹², F. Marroquim^{26a}, Z. Marshall¹⁶, M.U.F. Martensson¹⁶⁸, S. Marti-Garcia¹⁷⁰,
 C.B. Martin¹¹³, T.A. Martin¹⁷³, V.J. Martin⁴⁹, B. Martin dit Latour¹⁵, M. Martinez^{13,v},
 V.I. Martinez Outschoorn⁸⁹, S. Martin-Haugh¹³³, V.S. Martoiu^{28b}, A.C. Martyniuk⁸¹, A. Marzin³²,
 L. Masetti⁸⁶, T. Mashimo¹⁵⁷, R. Mashinistov⁹⁸, J. Masik⁸⁷, A.L. Maslennikov^{111,c}, L.H. Mason⁹¹,
 L. Massa^{135a,135b}, P. Mastrandrea⁵, A. Mastroberardino^{40a,40b}, T. Masubuchi¹⁵⁷, P. Mättig¹⁷⁷,
 J. Maurer^{28b}, S.J. Maxfield⁷⁷, D.A. Maximov^{111,c}, R. Mazini¹⁵³, I. Maznas¹⁵⁶, S.M. Mazza¹³⁹,
 N.C. Mc Fadden¹⁰⁷, G. Mc Goldrick¹⁶¹, S.P. Mc Kee⁹², A. McCarn⁹², T.G. McCarthy¹⁰³,
 L.I. McClymont⁸¹, E.F. McDonald⁹¹, J.A. Mcfayden³², G. Mchedlidze⁵⁸, M.A. McKay⁴³,
 K.D. McLean¹⁷², S.J. McMahan¹³³, P.C. McNamara⁹¹, C.J. McNicol¹⁷³, R.A. McPherson^{172,m},
 J.E. Mdhluli^{147c}, Z.A. Meadows⁸⁹, S. Meehan¹⁴⁰, T. Megy⁵¹, S. Mehlhase¹⁰², A. Mehta⁷⁷, T. Meideck⁵⁷,
 B. Meirose⁴⁴, D. Melini^{170,aj}, B.R. Mellado Garcia^{147c}, J.D. Mellenthin⁵⁸, M. Melo^{146a}, F. Meloni¹⁸,
 A. Melzer²³, S.B. Menary⁸⁷, L. Meng⁷⁷, X.T. Meng⁹², A. Mengarelli^{22a,22b}, S. Menke¹⁰³,
 E. Meoni^{40a,40b}, S. Mergelmeyer¹⁷, C. Merlassino¹⁸, P. Mermod⁵², L. Merola^{106a,106b}, C. Meroni^{94a},
 F.S. Merritt³³, A. Messina^{134a,134b}, J. Metcalfe⁶, A.S. Mete¹⁶⁶, C. Meyer¹²⁴, J-P. Meyer¹³⁸, J. Meyer¹⁵⁴,
 H. Meyer Zu Theenhausen^{60a}, F. Miano¹⁵¹, R.P. Middleton¹³³, L. Mijović⁴⁹, G. Mikenberg¹⁷⁵,
 M. Mikestikova¹²⁹, M. Mikuz⁷⁸, M. Milesi⁹¹, A. Milic¹⁶¹, D.A. Millar⁷⁹, D.W. Miller³³, A. Milov¹⁷⁵,
 D.A. Milstead^{148a,148b}, A.A. Minaenko¹³², I.A. Minashvili^{54b}, A.I. Mincer¹¹², B. Mindur^{41a},
 M. Mineev⁶⁸, Y. Minegishi¹⁵⁷, Y. Ming¹⁷⁶, L.M. Mir¹³, A. Mirto^{76a,76b}, K.P. Mistry¹²⁴, T. Mitani¹⁷⁴,
 J. Mitrevski¹⁰², V.A. Mitsou¹⁷⁰, A. Miucci¹⁸, P.S. Miyagawa¹⁴¹, A. Mizukami⁶⁹, J.U. Mjörnmark⁸⁴,

T. Mkrtchyan¹⁸⁰, M. Mlynarikova¹³¹, T. Moa^{148a,148b}, K. Mochizuki⁹⁷, P. Mogg⁵¹, S. Mohapatra³⁸,
 S. Molander^{148a,148b}, R. Moles-Valls²³, M.C. Mondragon⁹³, K. Mönig⁴⁵, J. Monk³⁹, E. Monnier⁸⁸,
 A. Montalbano¹⁴⁴, J. Montejo Berlingen³², F. Monticelli⁷⁴, S. Monzani^{94a}, R.W. Moore³, N. Morange¹¹⁹,
 D. Moreno²¹, M. Moreno Llácer³², P. Morettini^{53a}, M. Morgenstern¹⁰⁹, S. Morgenstern³², D. Mori¹⁴⁴,
 T. Mori¹⁵⁷, M. Morii⁵⁹, M. Morinaga¹⁷⁴, V. Morisbak¹²¹, A.K. Morley³², G. Mornacchi³², J.D. Morris⁷⁹,
 L. Morvaj¹⁵⁰, P. Moschovakos¹⁰, M. Mosidze^{54b}, H.J. Moss¹⁴¹, J. Moss^{145,ak}, K. Motohashi¹⁵⁹,
 R. Mount¹⁴⁵, E. Mountricha²⁷, E.J.W. Moyse⁸⁹, S. Muanza⁸⁸, F. Mueller¹⁰³, J. Mueller¹²⁷,
 R.S.P. Mueller¹⁰², D. Muenstermann⁷⁵, P. Mullen⁵⁶, G.A. Mullier¹⁸, F.J. Munoz Sanchez⁸⁷,
 P. Murin^{146b}, W.J. Murray^{173,133}, A. Murrone^{94a,94b}, M. Muškinja⁷⁸, C. Mwewa^{147a}, A.G. Myagkov^{132,al},
 J. Myers¹¹⁸, M. Myska¹³⁰, B.P. Nachman¹⁶, O. Nackenhorst⁴⁶, K. Nagai¹²², R. Nagai^{69,af}, K. Nagano⁶⁹,
 Y. Nagasaka⁶¹, K. Nagata¹⁶⁴, M. Nagel⁵¹, E. Nagy⁸⁸, A.M. Nairz³², Y. Nakahama¹⁰⁵, K. Nakamura⁶⁹,
 T. Nakamura¹⁵⁷, I. Nakano¹¹⁴, F. Napolitano^{60a}, R.F. Naranjo Garcia⁴⁵, R. Narayan¹¹,
 D.I. Narrias Villar^{60a}, I. Naryshkin¹²⁵, T. Naumann⁴⁵, G. Navarro²¹, R. Nayyar⁷, H.A. Neal⁹²,
 P.Yu. Nechaeva⁹⁸, T.J. Neep¹³⁸, A. Negri^{123a,123b}, M. Negrini^{22a}, S. Nektarijevic¹⁰⁸, C. Nellist⁵⁸,
 M.E. Nelson¹²², S. Nemecek¹²⁹, P. Nemethy¹¹², M. Nessi^{32,am}, M.S. Neubauer¹⁶⁹, M. Neumann¹⁷⁷,
 P.R. Newman¹⁹, T.Y. Ng^{62c}, Y.S. Ng¹⁷, H.D.N. Nguyen⁸⁸, T. Nguyen Manh⁹⁷, E. Nibigira³⁷,
 R.B. Nickerson¹²², R. Nicolaidou¹³⁸, J. Nielsen¹³⁹, N. Nikiforou¹¹, V. Nikolaenko^{132,al},
 I. Nikolic-Audit⁸³, K. Nikolopoulos¹⁹, P. Nilsson²⁷, Y. Ninomiya⁶⁹, A. Nisati^{134a}, N. Nishu^{36c},
 R. Nisius¹⁰³, I. Nitsche⁴⁶, T. Nitta¹⁷⁴, T. Nobe¹⁵⁷, Y. Noguchi⁷¹, M. Nomachi¹²⁰, I. Nomidis³¹,
 M.A. Nomura²⁷, T. Nooney⁷⁹, M. Nordberg³², N. Norjoharuddeen¹²², T. Novak⁷⁸, O. Novgorodova⁴⁷,
 R. Novotny¹³⁰, M. Nozaki⁶⁹, L. Nozka¹¹⁷, K. Ntekas¹⁶⁶, E. Nurse⁸¹, F. Nuti⁹¹, K. O'Connor²⁵,
 D.C. O'Neil¹⁴⁴, A.A. O'Rourke⁴⁵, V. O'Shea⁵⁶, F.G. Oakham^{31,d}, H. Oberlack¹⁰³, T. Obermann²³,
 J. Ocariz⁸³, A. Ochi⁷⁰, I. Ochoa³⁸, J.P. Ochoa-Ricoux^{34a}, S. Oda⁷³, S. Odaka⁶⁹, A. Oh⁸⁷, S.H. Oh⁴⁸,
 C.C. Ohm¹⁴⁹, H. Ohman¹⁶⁸, H. Oide^{53a,53b}, H. Okawa¹⁶⁴, Y. Okazaki⁷¹, Y. Okumura¹⁵⁷, T. Okuyama⁶⁹,
 A. Olariu^{28b}, L.F. Oleiro Seabra^{128a}, S.A. Olivares Pino^{34a}, D. Oliveira Damazio²⁷, J.L. Oliver¹,
 M.J.R. Olsson³³, A. Olszewski⁴², J. Olszowska⁴², A. Onofre^{128a,128e}, K. Onogi¹⁰⁵, P.U.E. Onyisi^{11,an},
 H. Oppen¹²¹, M.J. Oreglia³³, Y. Oren¹⁵⁵, D. Orestano^{136a,136b}, E.C. Orgill⁸⁷, N. Orlando^{62b}, R.S. Orr¹⁶¹,
 B. Osculati^{53a,53b,*}, R. Ospanov^{36a}, G. Otero y Garzon²⁹, H. Otono⁷³, M. Ouchrif^{137d}, F. Ould-Saada¹²¹,
 A. Ouraou¹³⁸, Q. Ouyang^{35a}, M. Owen⁵⁶, R.E. Owen¹⁹, V.E. Ozcan^{20a}, N. Ozturk⁸, K. Pachal¹⁴⁴,
 A. Pacheco Pages¹³, L. Pacheco Rodriguez¹³⁸, C. Padilla Aranda¹³, S. Pagan Griso¹⁶, M. Paganini¹⁷⁹,
 G. Palacino⁶⁴, S. Palazzo^{40a,40b}, S. Palestini³², M. Palka^{41b}, D. Pallin³⁷, I. Panagoulas¹⁰, C.E. Pandini⁵²,
 J.G. Panduro Vazquez⁸⁰, P. Pani³², L. Paolozzi⁵², Th.D. Papadopoulou¹⁰, K. Papageorgiou^{9,s},
 A. Paramonov⁶, D. Paredes Hernandez^{62b}, B. Parida^{36c}, A.J. Parker⁷⁵, M.A. Parker³⁰, K.A. Parker⁴⁵,
 F. Parodi^{53a,53b}, J.A. Parsons³⁸, U. Parzefall⁵¹, V.R. Pascuzzi¹⁶¹, J.M.P. Pasner¹³⁹, E. Pasqualucci^{134a},
 S. Passaggio^{53a}, Fr. Pastore⁸⁰, P. Pasuwan^{148a,148b}, S. Patariaia⁸⁶, J.R. Pater⁸⁷, A. Pathak^{176,e}, T. Pauly³²,
 B. Pearson¹⁰³, M. Pedersen¹²¹, S. Pedraza Lopez¹⁷⁰, R. Pedro^{128a,128b}, S.V. Peleganchuk^{111,c}, O. Penc¹²⁹,
 C. Peng^{35a,35d}, H. Peng^{36a}, J. Penwell⁶⁴, B.S. Peralva^{26b}, M.M. Perego¹³⁸, A.P. Pereira Peixoto^{128a},
 D.V. Perepelitsa²⁷, F. Peri¹⁷, L. Perini^{94a,94b}, H. Pernegger³², S. Perrella^{106a,106b}, V.D. Peshekhonov^{68,*},
 K. Peters⁴⁵, R.F.Y. Peters⁸⁷, B.A. Petersen³², T.C. Petersen³⁹, E. Petit⁵⁷, A. Petridis¹, C. Petridou¹⁵⁶,
 P. Petroff¹¹⁹, E. Petrolo^{134a}, M. Petrov¹²², F. Petrucci^{136a,136b}, N.E. Pettersson⁸⁹, A. Peyaud¹³⁸,
 R. Pezoa^{34b}, T. Pham⁹¹, F.H. Phillips⁹³, P.W. Phillips¹³³, G. Piacquadio¹⁵⁰, E. Pianori¹⁷³, A. Picazio⁸⁹,
 M.A. Pickering¹²², R. Piegaia²⁹, J.E. Pilcher³³, A.D. Pilkington⁸⁷, M. Pinamonti^{135a,135b}, J.L. Pinfold³,
 M. Pitt¹⁷⁵, M.-A. Pleier²⁷, V. Pleskot¹³¹, E. Plotnikova⁶⁸, D. Pluth⁶⁷, P. Podberezko¹¹¹, R. Poettgen⁸⁴,
 R. Poggi^{123a,123b}, L. Poggioli¹¹⁹, I. Pogrebnnyak⁹³, D. Pohl²³, I. Pokharel⁵⁸, G. Polesello^{123a}, A. Poley⁴⁵,
 A. Policicchio^{40a,40b}, R. Polifka³², A. Polini^{22a}, C.S. Pollard⁴⁵, V. Polychronakos²⁷, D. Ponomarenko¹⁰⁰,
 L. Pontecorvo^{134a}, G.A. Popeneciu^{28d}, D.M. Portillo Quintero⁸³, S. Pospisil¹³⁰, K. Potamianos⁴⁵,
 I.N. Potrap⁶⁸, C.J. Potter³⁰, H. Potti¹¹, T. Poulsen⁸⁴, J. Poveda³², T.D. Powell¹⁴¹,

M.E. Pozo Astigarraga³², P. Pralavorio⁸⁸, S. Prell⁶⁷, D. Price⁸⁷, M. Primavera^{76a}, S. Prince⁹⁰, N. Proklova¹⁰⁰, K. Prokofiev^{62c}, F. Prokoshin^{34b}, S. Protopopescu²⁷, J. Proudfoot⁶, M. Przybycien^{41a}, A. Puri¹⁶⁹, P. Puzo¹¹⁹, J. Qian⁹², Y. Qin⁸⁷, A. Quadt⁵⁸, M. Queitsch-Maitland⁴⁵, A. Qureshi¹, S.K. Radhakrishnan¹⁵⁰, P. Rados⁹¹, F. Ragusa^{94a,94b}, G. Rahal¹⁸¹, J.A. Raine⁸⁷, S. Rajagopalan²⁷, T. Rashid¹¹⁹, S. Raspopov⁵, M.G. Ratti^{94a,94b}, D.M. Rauch⁴⁵, F. Rauscher¹⁰², S. Rave⁸⁶, B. Ravina¹⁴¹, I. Ravinovich¹⁷⁵, J.H. Rawling⁸⁷, M. Raymond³², A.L. Read¹²¹, N.P. Readioff⁵⁷, M. Reale^{76a,76b}, D.M. Rebuzzi^{123a,123b}, A. Redelbach¹⁷⁸, G. Redlinger²⁷, R. Reece¹³⁹, R.G. Reed^{147c}, K. Reeves⁴⁴, L. Rehnisch¹⁷, J. Reichert¹²⁴, A. Reiss⁸⁶, C. Rembser³², H. Ren^{35a,35d}, M. Rescigno^{134a}, S. Resconi^{94a}, E.D. Resseguie¹²⁴, S. Rettie¹⁷¹, E. Reynolds¹⁹, O.L. Rezanova^{111,c}, P. Reznicek¹³¹, R. Richter¹⁰³, S. Richter⁸¹, E. Richter-Was^{41b}, O. Ricken²³, M. Ridel⁸³, P. Rieck¹⁰³, C.J. Riegel¹⁷⁷, O. Rifki⁴⁵, M. Rijssenbeek¹⁵⁰, A. Rimoldi^{123a,123b}, M. Rimoldi¹⁸, L. Rinaldi^{22a}, G. Ripellino¹⁴⁹, B. Ristić³², E. Ritsch³², I. Riu¹³, J.C. Rivera Vergara^{34a}, F. Rizatdinova¹¹⁶, E. Rizvi⁷⁹, C. Rizzi¹³, R.T. Roberts⁸⁷, S.H. Robertson^{90,m}, A. Robichaud-Veronneau⁹⁰, D. Robinson³⁰, J.E.M. Robinson⁴⁵, A. Robson⁵⁶, E. Rocco⁸⁶, C. Roda^{126a,126b}, Y. Rodina^{88,ao}, S. Rodriguez Bosca¹⁷⁰, A. Rodriguez Perez¹³, D. Rodriguez Rodriguez¹⁷⁰, A.M. Rodríguez Vera^{163b}, S. Roe³², C.S. Rogan⁵⁹, O. Røhne¹²¹, R. Röhrig¹⁰³, C.P.A. Roland⁶⁴, J. Roloff⁵⁹, A. Romaniouk¹⁰⁰, M. Romano^{22a,22b}, E. Romero Adam¹⁷⁰, N. Rompotis⁷⁷, M. Ronzani¹¹², L. Roos⁸³, S. Rosati^{134a}, K. Rosbach⁵¹, P. Rose¹³⁹, N.-A. Rosien⁵⁸, E. Rossi^{106a,106b}, L.P. Rossi^{53a}, L. Rossini^{94a,94b}, J.H.N. Rosten³⁰, R. Rosten¹⁴⁰, M. Rotaru^{28b}, J. Rothberg¹⁴⁰, D. Rousseau¹¹⁹, D. Roy^{147c}, A. Rozanov⁸⁸, Y. Rozen¹⁵⁴, X. Ruan^{147c}, F. Rubbo¹⁴⁵, F. Rühr⁵¹, A. Ruiz-Martinez³¹, Z. Rurikova⁵¹, N.A. Rusakovich⁶⁸, H.L. Russell⁹⁰, J.P. Rutherford⁷, N. Ruthmann³², E.M. Rüttinger⁴⁵, Y.F. Ryabov¹²⁵, M. Rybar¹⁶⁹, G. Rybkin¹¹⁹, S. Ryu⁶, A. Ryzhov¹³², G.F. Rzehorz⁵⁸, P. Sabatini⁵⁸, G. Sabato¹⁰⁹, S. Sacerdoti¹¹⁹, H.F.-W. Sadrozinski¹³⁹, R. Sadykov⁶⁸, F. Safai Tehrani^{134a}, P. Saha¹¹⁰, M. Sahinsoy^{60a}, M. Saimpert⁴⁵, M. Saito¹⁵⁷, T. Saito¹⁵⁷, H. Sakamoto¹⁵⁷, A. Sakharov¹¹², D. Salamani⁵², G. Salamanna^{136a,136b}, J.E. Salazar Loyola^{34b}, D. Salek¹⁰⁹, P.H. Sales De Bruin¹⁶⁸, D. Salihagic¹⁰³, A. Salnikov¹⁴⁵, J. Salt¹⁷⁰, D. Salvatore^{40a,40b}, F. Salvatore¹⁵¹, A. Salvucci^{62a,62b,62c}, A. Salzburger³², D. Sammel⁵¹, D. Sampsonidis¹⁵⁶, D. Sampsonidou¹⁵⁶, J. Sánchez¹⁷⁰, A. Sanchez Pineda^{167a,167c}, H. Sandaker¹²¹, C.O. Sander⁴⁵, M. Sandhoff¹⁷⁷, C. Sandoval²¹, D.P.C. Sankey¹³³, M. Sannino^{53a,53b}, Y. Sano¹⁰⁵, A. Sansoni⁵⁰, C. Santoni³⁷, H. Santos^{128a}, I. Santoyo Castillo¹⁵¹, A. Saponov⁶⁸, J.G. Saraiva^{128a,-1d}, O. Sasaki⁶⁹, K. Sato¹⁶⁴, E. Sauvan⁵, P. Savard^{161,d}, N. Savic¹⁰³, R. Sawada¹⁵⁷, C. Sawyer¹³³, L. Sawyer^{82,u}, C. Sbarra^{22a}, A. Sbrizzi^{22a,22b}, T. Scanlon⁸¹, D.A. Scannicchio¹⁶⁶, J. Schaarschmidt¹⁴⁰, P. Schacht¹⁰³, B.M. Schachtner¹⁰², D. Schaefer³³, L. Schaefer¹²⁴, J. Schaeffer⁸⁶, S. Schaepe³², U. Schäfer⁸⁶, A.C. Schaffer¹¹⁹, D. Schaile¹⁰², R.D. Schamberger¹⁵⁰, N. Scharmberg⁸⁷, V.A. Schegelsky¹²⁵, D. Scheirich¹³¹, F. Schenck¹⁷, M. Schernau¹⁶⁶, C. Schiavi^{53a,53b}, S. Schier¹³⁹, L.K. Schildgen²³, Z.M. Schillaci²⁵, E.J. Schioppa³², M. Schioppa^{40a,40b}, K.E. Schleicher⁵¹, S. Schlenker³², K.R. Schmidt-Sommerfeld¹⁰³, K. Schmieden³², C. Schmitt⁸⁶, S. Schmitt⁴⁵, S. Schmitz⁸⁶, U. Schnoor⁵¹, L. Schoeffel¹³⁸, A. Schoening^{60b}, E. Schopf²³, M. Schott⁸⁶, J.F.P. Schouwenberg¹⁰⁸, J. Schovancova³², S. Schramm⁵², N. Schuh⁸⁶, A. Schulte⁸⁶, H.-C. Schultz-Coulon^{60a}, M. Schumacher⁵¹, B.A. Schumm¹³⁹, Ph. Schune¹³⁸, A. Schwartzman¹⁴⁵, T.A. Schwarz⁹², H. Schweiger⁸⁷, Ph. Schwemling¹³⁸, R. Schwienhorst⁹³, A. Sciandra²³, G. Sciolla²⁵, M. Scornajenghi^{40a,40b}, F. Scuri^{126a}, F. Scutti⁹¹, L.M. Scyboz¹⁰³, J. Searcy⁹², C.D. Sebastiani^{134a,134b}, P. Seema²³, S.C. Seidel¹⁰⁷, A. Seiden¹³⁹, J.M. Seixas^{26a}, G. Sekhniaidze^{106a}, K. Sekhon⁹², S.J. Sekula⁴³, N. Semprini-Cesari^{22a,22b}, S. Senkin³⁷, C. Serfon¹²¹, L. Serin¹¹⁹, L. Serkin^{167a,167b}, M. Sessa^{136a,136b}, H. Severini¹¹⁵, T. Šfiligoj⁷⁸, F. Sforza¹⁶⁵, A. Sfyrla⁵², E. Shabalina⁵⁸, J.D. Shahinian¹³⁹, N.W. Shaikh^{148a,148b}, L.Y. Shan^{35a}, R. Shang¹⁶⁹, J.T. Shank²⁴, M. Shapiro¹⁶, A. Sharma¹²², A.S. Sharma¹, P.B. Shatalov⁹⁹, K. Shaw^{167a,167b}, S.M. Shaw⁸⁷, A. Shcherbakova¹²⁵, C.Y. Shehu¹⁵¹, Y. Shen¹¹⁵, N. Sherafati³¹, A.D. Sherman²⁴, P. Sherwood⁸¹, L. Shi^{153,ap}, S. Shimizu⁷⁰, C.O. Shimmin¹⁷⁹, M. Shimojima¹⁰⁴, I.P.J. Shipsey¹²²,

S. Shirabe⁷³, M. Shiyakova^{68, aq}, J. Shlomi¹⁷⁵, A. Shmeleva⁹⁸, D. Shoaleh Saadi⁹⁷, M.J. Shochet³³,
 S. Shojaii⁹¹, D.R. Shope¹¹⁵, S. Shrestha¹¹³, E. Shulga¹⁰⁰, P. Sicho¹²⁹, A.M. Sickles¹⁶⁹, P.E. Sidebo¹⁴⁹,
 E. Sideras Haddad^{147c}, O. Sidiropoulou¹⁷⁸, A. Sidoti^{22a, 22b}, F. Siegert⁴⁷, Dj. Sijacki¹⁴, J. Silva^{128a, -1d},
 M. Silva Jr.¹⁷⁶, S.B. Silverstein^{148a}, L. Simic⁶⁸, S. Simion¹¹⁹, E. Simioni⁸⁶, B. Simmons⁸¹, M. Simon⁸⁶,
 P. Sinervo¹⁶¹, N.B. Sinev¹¹⁸, M. Sioli^{22a, 22b}, G. Siragusa¹⁷⁸, I. Siral⁹², S.Yu. Sivoklokov¹⁰¹,
 J. Sjölin^{148a, 148b}, M.B. Skinner⁷⁵, P. Skubic¹¹⁵, M. Slater¹⁹, T. Slavicek¹³⁰, M. Slawinska⁴², K. Sliwa¹⁶⁵,
 R. Slovak¹³¹, V. Smakhtin¹⁷⁵, B.H. Smart⁵, J. Smiesko^{146a}, N. Smirnov¹⁰⁰, S.Yu. Smirnov¹⁰⁰,
 Y. Smirnov¹⁰⁰, L.N. Smirnova^{101, ar}, O. Smirnova⁸⁴, J.W. Smith⁵⁸, M.N.K. Smith³⁸, R.W. Smith³⁸,
 M. Smizanska⁷⁵, K. Smolek¹³⁰, A.A. Snesarev⁹⁸, I.M. Snyder¹¹⁸, S. Snyder²⁷, R. Sobie^{172, m},
 F. Socher⁴⁷, A.M. Soffa¹⁶⁶, A. Soffer¹⁵⁵, A. Søggaard⁴⁹, D.A. Soh¹⁵³, G. Sokhrannyi⁷⁸,
 C.A. Solans Sanchez³², M. Solar¹³⁰, E.Yu. Soldatov¹⁰⁰, U. Soldevila¹⁷⁰, A.A. Solodkov¹³²,
 A. Soloshenko⁶⁸, O.V. Solovyanov¹³², V. Solovyev¹²⁵, P. Sommer¹⁴¹, H. Son¹⁶⁵, W. Song¹³³,
 A. Sopczak¹³⁰, F. Sopkova^{146b}, D. Sosa^{60b}, C.L. Sotiropoulou^{126a, 126b}, S. Sottocornola^{123a, 123b},
 R. Soualah^{167a, 167c}, A.M. Soukharev^{111, c}, D. South⁴⁵, B.C. Sowden⁸⁰, S. Spagnolo^{76a, 76b}, M. Spalla¹⁰³,
 M. Spangenberg¹⁷³, F. Spanò⁸⁰, D. Sperlich¹⁷, F. Spettel¹⁰³, T.M. Spieker^{60a}, R. Spighi^{22a}, G. Spigo³²,
 L.A. Spiller⁹¹, M. Spousta¹³¹, A. Stabile^{94a, 94b}, R. Stamen^{60a}, S. Stamm¹⁷, E. Stanecka⁴², R.W. Stanek⁶,
 C. Stanescu^{136a}, M.M. Stanitzki⁴⁵, B.S. Stapf¹⁰⁹, S. Stapnes¹²¹, E.A. Starchenko¹³², G.H. Stark³³,
 J. Stark⁵⁷, S.H. Stark³⁹, P. Staroba¹²⁹, P. Starovoitov^{60a}, S. Stärz³², R. Staszewski⁴², M. Stegler⁴⁵,
 P. Steinberg²⁷, B. Stelzer¹⁴⁴, H.J. Stelzer³², O. Stelzer-Chilton^{163a}, H. Stenzel⁵⁵, T.J. Stevenson⁷⁹,
 G.A. Stewart³², M.C. Stockton¹¹⁸, G. Stoicea^{28b}, P. Stolte⁵⁸, S. Stonjek¹⁰³, A. Straessner⁴⁷,
 J. Strandberg¹⁴⁹, S. Strandberg^{148a, 148b}, M. Strauss¹¹⁵, P. Strizenc^{146b}, R. Ströhmer¹⁷⁸, D.M. Strom¹¹⁸,
 R. Stroynowski⁴³, A. Strubig⁴⁹, S.A. Stucci²⁷, B. Stugu¹⁵, J. Stupak¹¹⁵, N.A. Styles⁴⁵, D. Su¹⁴⁵, J. Su¹²⁷,
 S. Suchek^{60a}, Y. Sugaya¹²⁰, M. Suk¹³⁰, V.V. Sulin⁹⁸, D.M.S. Sultan⁵², S. Sultansoy^{4c}, T. Sumida⁷¹,
 S. Sun⁹², X. Sun³, K. Suruliz¹⁵¹, C.J.E. Suster¹⁵², M.R. Sutton¹⁵¹, S. Suzuki⁶⁹, M. Svatos¹²⁹,
 M. Swiatlowski³³, S.P. Swift², A. Sydorenko⁸⁶, I. Sykora^{146a}, T. Sykora¹³¹, D. Ta⁸⁶, K. Tackmann⁴⁵,
 J. Taenzer¹⁵⁵, A. Taffard¹⁶⁶, R. Tafirout^{163a}, E. Tahirovic⁷⁹, N. Taiblum¹⁵⁵, H. Takai²⁷, R. Takashima⁷²,
 E.H. Takasugi¹⁰³, K. Takeda⁷⁰, T. Takeshita¹⁴², Y. Takubo⁶⁹, M. Talby⁸⁸, A.A. Talyshev^{111, c},
 J. Tanaka¹⁵⁷, M. Tanaka¹⁵⁹, R. Tanaka¹¹⁹, R. Tanioka⁷⁰, B.B. Tannenwald¹¹³, S. Tapia Araya^{34b},
 S. Tapprogge⁸⁶, A. Tarek Abouelfadl Mohamed⁸³, S. Tarem¹⁵⁴, G. Tarna^{28b, p}, G.F. Tartarelli^{94a},
 P. Tas¹³¹, M. Tasevsky¹²⁹, T. Tashiro⁷¹, E. Tassi^{40a, 40b}, A. Tavares Delgado^{128a, 128b}, Y. Tayalati^{137e},
 A.C. Taylor¹⁰⁷, A.J. Taylor⁴⁹, G.N. Taylor⁹¹, P.T.E. Taylor⁹¹, W. Taylor^{163b}, A.S. Tee⁷⁵,
 P. Teixeira-Dias⁸⁰, D. Temple¹⁴⁴, H. Ten Kate³², P.K. Teng¹⁵³, J.J. Teoh¹²⁰, F. Tepel¹⁷⁷, S. Terada⁶⁹,
 K. Terashi¹⁵⁷, J. Terron⁸⁵, S. Terzo¹³, M. Testa⁵⁰, R.J. Teuscher^{161, m}, S.J. Thais¹⁷⁹,
 T. Theveneaux-Pelzer⁴⁵, F. Thiele³⁹, J.P. Thomas¹⁹, P.D. Thompson¹⁹, A.S. Thompson⁵⁶,
 L.A. Thomsen¹⁷⁹, E. Thomson¹²⁴, Y. Tian³⁸, R.E. Ticse Torres⁵⁸, V.O. Tikhomirov^{98, as},
 Yu.A. Tikhonov^{111, c}, S. Timoshenko¹⁰⁰, P. Tipton¹⁷⁹, S. Tisserant⁸⁸, K. Todome¹⁵⁹, S. Todorova-Nova⁵,
 S. Todt⁴⁷, J. Tojo⁷³, S. Tokár^{146a}, K. Tokushuku⁶⁹, E. Tolley¹¹³, M. Tomoto¹⁰⁵, L. Tompkins^{145, at},
 K. Toms¹⁰⁷, B. Tong⁵⁹, P. Tornambe⁵¹, E. Torrence¹¹⁸, H. Torres⁴⁷, E. Torró Pastor¹⁴⁰, C. Toscirri¹²²,
 J. Toth^{88, au}, F. Touchard⁸⁸, D.R. Tovey¹⁴¹, C.J. Treado¹¹², T. Trefzger¹⁷⁸, F. Tresoldi¹⁵¹, A. Tricoli²⁷,
 I.M. Trigger^{163a}, S. Trincaz-Duvold⁸³, M.F. Tripiana¹³, W. Trischuk¹⁶¹, B. Trocme⁵⁷, A. Trofymov⁴⁵,
 C. Troncon^{94a}, M. Trovatelli¹⁷², F. Trovato¹⁵¹, L. Truong^{147b}, M. Trzebinski⁴², A. Trzupek⁴², F. Tsai⁴⁵,
 K.W. Tsang^{62a}, J.C.-L. Tseng¹²², P.V. Tsiarehka⁹⁵, N. Tsirintanis⁹, S. Tsiskaridze¹³, V. Tsiskaridze¹⁵⁰,
 E.G. Tskhadadze^{54a}, I.I. Tsukerman⁹⁹, V. Tsulaia¹⁶, S. Tsuno⁶⁹, D. Tsybychev¹⁵⁰, Y. Tu^{62b},
 A. Tudorache^{28b}, V. Tudorache^{28b}, T.T. Tulbure^{28a}, A.N. Tuna⁵⁹, S. Turchikhin⁶⁸, D. Turgeman¹⁷⁵,
 I. Turk Cakir^{4b, av}, R. Turra^{94a}, P.M. Tuts³⁸, E. Tzovara⁸⁶, G. Ucchielli^{22a, 22b}, I. Ueda⁶⁹,
 M. Ughetto^{148a, 148b}, F. Ukegawa¹⁶⁴, G. Unal³², A. Undrus²⁷, G. Unel¹⁶⁶, F.C. Ungaro⁹¹, Y. Unno⁶⁹,
 K. Uno¹⁵⁷, J. Urban^{146b}, P. Urquijo⁹¹, P. Urrejola⁸⁶, G. Usai⁸, J. Usui⁶⁹, L. Vacavant⁸⁸, V. Vacek¹³⁰,

B. Vachon⁹⁰, K.O.H. Vadla¹²¹, A. Vaidya⁸¹, C. Valderanis¹⁰², E. Valdes Santurio^{148a,148b}, M. Valente⁵²,
 S. Valentinetti^{22a,22b}, A. Valero¹⁷⁰, L. Valéry⁴⁵, R.A. Vallance¹⁹, A. Vallier⁵, J.A. Valls Ferrer¹⁷⁰,
 T.R. Van Daalen¹³, W. Van Den Wollenberg¹⁰⁹, H. van der Graaf¹⁰⁹, P. van Gemmeren⁶,
 J. Van Nieuwkoop¹⁴⁴, I. van Vulpen¹⁰⁹, M.C. van Woerden¹⁰⁹, M. Vanadia^{135a,135b}, W. Vandelli³²,
 A. Vaniachine¹⁶⁰, P. Vankov¹⁰⁹, R. Vari^{134a}, E.W. Varnes⁷, C. Varni^{53a,53b}, T. Varol⁴³, D. Varouchas¹¹⁹,
 A. Vartapetian⁸, K.E. Varvell¹⁵², J.G. Vasquez¹⁷⁹, G.A. Vasquez^{34b}, F. Vazeille³⁷, D. Vazquez Furelos¹³,
 T. Vazquez Schroeder⁹⁰, J. Veatch⁵⁸, V. Vecchio^{136a,136b}, L.M. Veloce¹⁶¹, F. Veloso^{128a,128c},
 S. Veneziano^{134a}, A. Ventura^{76a,76b}, M. Venturi¹⁷², N. Venturi³², V. Vercesi^{123a}, M. Verducci^{136a,136b},
 W. Verkerke¹⁰⁹, A.T. Vermeulen¹⁰⁹, J.C. Vermeulen¹⁰⁹, M.C. Vetterli^{144,d}, N. Viaux Maira^{34b},
 O. Viazlo⁸⁴, I. Vichou^{169,*}, T. Vickey¹⁴¹, O.E. Vickey Boeriu¹⁴¹, G.H.A. Viehhauser¹²², S. Viel¹⁶,
 L. Vigani¹²², M. Villa^{22a,22b}, M. Villaplana Perez^{94a,94b}, E. Vilucchi⁵⁰, M.G. Vincter³¹,
 V.B. Vinogradov⁶⁸, A. Vishwakarma⁴⁵, C. Vittori^{22a,22b}, I. Vivarelli¹⁵¹, S. Vlachos¹⁰, M. Vogel¹⁷⁷,
 P. Vokac¹³⁰, G. Volpi¹³, S.E. von Buddenbrock^{147c}, E. von Toerne²³, V. Vorobel¹³¹, K. Vorobev¹⁰⁰,
 M. Vos¹⁷⁰, J.H. Vosseveld⁷⁷, N. Vranjes¹⁴, M. Vranjes Milosavljevic¹⁴, V. Vrba¹³⁰, M. Vreeswijk¹⁰⁹,
 R. Vuillermet³², I. Vukotic³³, P. Wagner²³, W. Wagner¹⁷⁷, J. Wagner-Kuhr¹⁰², H. Wahlberg⁷⁴,
 S. Wahrmund⁴⁷, K. Wakamiya⁷⁰, J. Walder⁷⁵, R. Walker¹⁰², W. Walkowiak¹⁴³, V. Wallangen^{148a,148b},
 A.M. Wang⁵⁹, C. Wang^{36b,p}, F. Wang¹⁷⁶, H. Wang¹⁶, H. Wang³, J. Wang^{60b}, J. Wang¹⁵², P. Wang⁴³,
 Q. Wang¹¹⁵, R.-J. Wang⁸³, R. Wang^{36a}, R. Wang⁶, S.M. Wang¹⁵³, T. Wang³⁸, W. Wang^{153,aw},
 W. Wang^{36a,ax}, Y. Wang^{36a}, Z. Wang^{36c}, C. Wanotayaroj⁴⁵, A. Warburton⁹⁰, C.P. Ward³⁰,
 D.R. Wardrope⁸¹, A. Washbrook⁴⁹, P.M. Watkins¹⁹, A.T. Watson¹⁹, M.F. Watson¹⁹, G. Watts¹⁴⁰,
 S. Watts⁸⁷, B.M. Waugh⁸¹, A.F. Webb¹¹, S. Webb⁸⁶, C. Weber¹⁷⁹, M.S. Weber¹⁸, S.M. Weber^{60a},
 S.A. Weber³¹, J.S. Webster⁶, A.R. Weidberg¹²², B. Weinert⁶⁴, J. Weingarten⁵⁸, M. Weirich⁸⁶,
 C. Weiser⁵¹, P.S. Wells³², T. Wenaus²⁷, T. Wengler³², S. Wenig³², N. Wermes²³, M.D. Werner⁶⁷,
 P. Werner³², M. Wessels^{60a}, T.D. Weston¹⁸, K. Whalen¹¹⁸, N.L. Whallon¹⁴⁰, A.M. Wharton⁷⁵,
 A.S. White⁹², A. White⁸, M.J. White¹, R. White^{34b}, D. Whiteson¹⁶⁶, B.W. Whitmore⁷⁵, F.J. Wickens¹³³,
 W. Wiedenmann¹⁷⁶, M. Wielers¹³³, C. Wiglesworth³⁹, L.A.M. Wiik-Fuchs⁵¹, A. Wildauer¹⁰³, F. Wilk⁸⁷,
 H.G. Wilkens³², H.H. Williams¹²⁴, S. Williams³⁰, C. Willis⁹³, S. Willocq⁸⁹, J.A. Wilson¹⁹,
 I. Wingerter-Seez⁵, E. Winkels¹⁵¹, F. Winklmeier¹¹⁸, O.J. Winston¹⁵¹, B.T. Winter²³, M. Wittgen¹⁴⁵,
 M. Wobisch^{82,u}, A. Wolf⁸⁶, T.M.H. Wolf¹⁰⁹, R. Wolff⁸⁸, M.W. Wolter⁴², H. Wolters^{128a,128c},
 V.W.S. Wong¹⁷¹, N.L. Woods¹³⁹, S.D. Worm¹⁹, B.K. Wosiek⁴², K.W. Woźniak⁴², K. Wraight⁵⁶,
 M. Wu³³, S.L. Wu¹⁷⁶, X. Wu⁵², Y. Wu^{36a}, T.R. Wyatt⁸⁷, B.M. Wynne⁴⁹, S. Xella³⁹, Z. Xi⁹², L. Xia^{35c},
 D. Xu^{35a}, H. Xu^{36a}, L. Xu²⁷, T. Xu¹³⁸, W. Xu⁹², B. Yabsley¹⁵², S. Yacoob^{147a}, K. Yajima¹²⁰,
 D.P. Yallup⁸¹, D. Yamaguchi¹⁵⁹, Y. Yamaguchi¹⁵⁹, A. Yamamoto⁶⁹, T. Yamanaka¹⁵⁷, F. Yamane⁷⁰,
 M. Yamatani¹⁵⁷, T. Yamazaki¹⁵⁷, Y. Yamazaki⁷⁰, Z. Yan²⁴, H. Yang^{36c,36d}, H. Yang¹⁶, S. Yang⁶⁶,
 Y. Yang¹⁵³, Y. Yang¹⁵⁷, Z. Yang¹⁵, W.-M. Yao¹⁶, Y.C. Yap⁴⁵, Y. Yasu⁶⁹, E. Yatsenko⁵, K.H. Yau Wong²³,
 J. Ye⁴³, S. Ye²⁷, I. Yeletskikh⁶⁸, E. Yigitbasi²⁴, E. Yildirim⁸⁶, K. Yorita¹⁷⁴, K. Yoshihara¹²⁴,
 C. Young¹⁴⁵, C.J.S. Young³², J. Yu⁸, J. Yu⁶⁷, X. Yue^{60a}, S.P.Y. Yuen²³, I. Yusuf^{30,ay}, B. Zabinski⁴²,
 G. Zacharis¹⁰, R. Zaidan¹³, A.M. Zaitsev^{132,al}, N. Zakharchuk⁴⁵, J. Zalieckas¹⁵, S. Zambito⁵⁹,
 D. Zanzi³², C. Zeitnitz¹⁷⁷, G. Zemaityte¹²², J.C. Zeng¹⁶⁹, Q. Zeng¹⁴⁵, O. Zenin¹³², T. Ženiš^{146a},
 D. Zerwas¹¹⁹, M. Zgubič¹²², D. Zhang^{36b}, D. Zhang⁹², F. Zhang¹⁷⁶, G. Zhang^{36a,ax}, H. Zhang^{35b},
 J. Zhang⁶, L. Zhang⁵¹, L. Zhang^{36a}, M. Zhang¹⁶⁹, P. Zhang^{35b}, R. Zhang²³, R. Zhang^{36a,p}, X. Zhang^{36b},
 Y. Zhang^{35a,35d}, Z. Zhang¹¹⁹, X. Zhao⁴³, Y. Zhao^{36b,x}, Z. Zhao^{36a}, A. Zhemchugov⁶⁸, B. Zhou⁹²,
 C. Zhou¹⁷⁶, L. Zhou⁴³, M. Zhou^{35a,35d}, M. Zhou¹⁵⁰, N. Zhou^{36c}, Y. Zhou⁷, C.G. Zhu^{36b}, H. Zhu^{36a},
 H. Zhu^{35a}, J. Zhu⁹², Y. Zhu^{36a}, X. Zhuang^{35a}, K. Zhukov⁹⁸, V. Zhulanov^{111,az}, A. Zibell¹⁷⁸,
 D. Zieminska⁶⁴, N.I. Zimine⁶⁸, S. Zimmermann⁵¹, Z. Zinonos¹⁰³, M. Zinser⁸⁶, M. Ziolkowski¹⁴³,
 L. Živković¹⁴, G. Zobernig¹⁷⁶, A. Zoccoli^{22a,22b}, K. Zoch⁵⁸, T.G. Zorbas¹⁴¹, R. Zou³³, M. zur Nedden¹⁷,
 L. Zwalinski³².

- ¹ Department of Physics, University of Adelaide, Adelaide, Australia
- ² Physics Department, SUNY Albany, Albany NY, United States of America
- ³ Department of Physics, University of Alberta, Edmonton AB, Canada
- ⁴ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Istanbul Aydin University, Istanbul; ^(c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey
- ⁵ LAPP, Université Grenoble Alpes, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy, France
- ⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States of America
- ⁷ Department of Physics, University of Arizona, Tucson AZ, United States of America
- ⁸ Department of Physics, The University of Texas at Arlington, Arlington TX, United States of America
- ⁹ Physics Department, National and Kapodistrian University of Athens, Athens, Greece
- ¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece
- ¹¹ Department of Physics, The University of Texas at Austin, Austin TX, United States of America
- ¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- ¹³ Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain
- ¹⁴ Institute of Physics, University of Belgrade, Belgrade, Serbia
- ¹⁵ Department for Physics and Technology, University of Bergen, Bergen, Norway
- ¹⁶ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States of America
- ¹⁷ Department of Physics, Humboldt University, Berlin, Germany
- ¹⁸ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland
- ¹⁹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
- ²⁰ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; ^(e) Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey
- ²¹ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
- ²² ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy
- ²³ Physikalisches Institut, University of Bonn, Bonn, Germany
- ²⁴ Department of Physics, Boston University, Boston MA, United States of America
- ²⁵ Department of Physics, Brandeis University, Waltham MA, United States of America
- ²⁶ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; ^(d) Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil
- ²⁷ Physics Department, Brookhaven National Laboratory, Upton NY, United States of America
- ²⁸ ^(a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(e) University Politehnica Bucharest, Bucharest; ^(f) West University in Timisoara, Timisoara, Romania
- ²⁹ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina
- ³⁰ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
- ³¹ Department of Physics, Carleton University, Ottawa ON, Canada
- ³² CERN, Geneva, Switzerland
- ³³ Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America

- 34 (a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
- 35 (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Department of Physics, Nanjing University, Jiangsu; (c) Physics Department, Tsinghua University, Beijing; (d) University of Chinese Academy of Science (UCAS), Beijing, China
- 36 (a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Anhui; (b) School of Physics, Shandong University, Shandong; (c) School of Physics and Astronomy, Key Laboratory for Particle Physics, Astrophysics and Cosmology, Ministry of Education; Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University; (d) Tsung-Dao Lee Institute, Shanghai, China
- 37 LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand, France
- 38 Nevis Laboratory, Columbia University, Irvington NY, United States of America
- 39 Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark
- 40 (a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; (b) Dipartimento di Fisica, Università della Calabria, Rende, Italy
- 41 (a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; (b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
- 42 Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland
- 43 Physics Department, Southern Methodist University, Dallas TX, United States of America
- 44 Physics Department, University of Texas at Dallas, Richardson TX, United States of America
- 45 DESY, Hamburg and Zeuthen, Germany
- 46 Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
- 47 Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
- 48 Department of Physics, Duke University, Durham NC, United States of America
- 49 SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
- 50 INFN e Laboratori Nazionali di Frascati, Frascati, Italy
- 51 Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
- 52 Departement de Physique Nucléaire et Corpusculaire, Université de Genève, Geneva, Switzerland
- 53 (a) INFN Sezione di Genova; (b) Dipartimento di Fisica, Università di Genova, Genova, Italy
- 54 (a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; (b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
- 55 II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- 56 SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- 57 LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble, France
- 58 II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- 59 Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America
- 60 (a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
- 61 Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- 62 (a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (b) Department of Physics, The University of Hong Kong, Hong Kong; (c) Department of Physics and Institute for Advanced Study, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
- 63 Department of Physics, National Tsing Hua University, Hsinchu, Taiwan
- 64 Department of Physics, Indiana University, Bloomington IN, United States of America
- 65 Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria

- 66 University of Iowa, Iowa City IA, United States of America
- 67 Department of Physics and Astronomy, Iowa State University, Ames IA, United States of America
- 68 Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- 69 KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- 70 Graduate School of Science, Kobe University, Kobe, Japan
- 71 Faculty of Science, Kyoto University, Kyoto, Japan
- 72 Kyoto University of Education, Kyoto, Japan
- 73 Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan
- 74 Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- 75 Physics Department, Lancaster University, Lancaster, United Kingdom
- 76 ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- 77 Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- 78 Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia
- 79 School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- 80 Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- 81 Department of Physics and Astronomy, University College London, London, United Kingdom
- 82 Louisiana Tech University, Ruston LA, United States of America
- 83 Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- 84 Fysiska institutionen, Lunds universitet, Lund, Sweden
- 85 Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid, Spain
- 86 Institut für Physik, Universität Mainz, Mainz, Germany
- 87 School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- 88 CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- 89 Department of Physics, University of Massachusetts, Amherst MA, United States of America
- 90 Department of Physics, McGill University, Montreal QC, Canada
- 91 School of Physics, University of Melbourne, Victoria, Australia
- 92 Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
- 93 Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America
- 94 ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
- 95 B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus
- 96 Research Institute for Nuclear Problems of Byelorussian State University, Minsk, Republic of Belarus
- 97 Group of Particle Physics, University of Montreal, Montreal QC, Canada
- 98 P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
- 99 Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- 100 National Research Nuclear University MEPhI, Moscow, Russia
- 101 D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
- 102 Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- 103 Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- 104 Nagasaki Institute of Applied Science, Nagasaki, Japan
- 105 Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan

- ¹⁰⁶ (a) INFN Sezione di Napoli; (b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
- ¹⁰⁷ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America
- ¹⁰⁸ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- ¹⁰⁹ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- ¹¹⁰ Department of Physics, Northern Illinois University, DeKalb IL, United States of America
- ¹¹¹ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- ¹¹² Department of Physics, New York University, New York NY, United States of America
- ¹¹³ Ohio State University, Columbus OH, United States of America
- ¹¹⁴ Faculty of Science, Okayama University, Okayama, Japan
- ¹¹⁵ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America
- ¹¹⁶ Department of Physics, Oklahoma State University, Stillwater OK, United States of America
- ¹¹⁷ Palacký University, RCPTM, Olomouc, Czech Republic
- ¹¹⁸ Center for High Energy Physics, University of Oregon, Eugene OR, United States of America
- ¹¹⁹ LAL, Université Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
- ¹²⁰ Graduate School of Science, Osaka University, Osaka, Japan
- ¹²¹ Department of Physics, University of Oslo, Oslo, Norway
- ¹²² Department of Physics, Oxford University, Oxford, United Kingdom
- ¹²³ (a) INFN Sezione di Pavia; (b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
- ¹²⁴ Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America
- ¹²⁵ Konstantinov Nuclear Physics Institute of National Research Centre "Kurchatov Institute", PNPI, St. Petersburg, Russia
- ¹²⁶ (a) INFN Sezione di Pisa; (b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
- ¹²⁷ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America
- ¹²⁸ (a) Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; (b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; (c) Department of Physics, University of Coimbra, Coimbra; (e) Departamento de Física, Universidade do Minho, Braga, Portugal; (f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain), Spain; (g) Dep Física and CEFITEC of Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
- ¹²⁹ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
- ¹³⁰ Czech Technical University in Prague, Praha, Czech Republic
- ¹³¹ Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic
- ¹³² State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
- ¹³³ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- ¹³⁴ (a) INFN Sezione di Roma; (b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
- ¹³⁵ (a) INFN Sezione di Roma Tor Vergata; (b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- ¹³⁶ (a) INFN Sezione di Roma Tre; (b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
- ¹³⁷ (a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; (b) Centre National de l'Énergie des Sciences Techniques Nucleaires, Rabat; (c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; (e) Faculté des sciences, Université

Mohammed V, Rabat, Morocco

¹³⁸ Institut de Recherches sur les Lois Fondamentales de l'Univers, DSM/IRFU, CEA Saclay, Gif-sur-Yvette, France

¹³⁹ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America

¹⁴⁰ Department of Physics, University of Washington, Seattle WA, United States of America

¹⁴¹ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom

¹⁴² Department of Physics, Shinshu University, Nagano, Japan

¹⁴³ Department Physik, Universität Siegen, Siegen, Germany

¹⁴⁴ Department of Physics, Simon Fraser University, Burnaby BC, Canada

¹⁴⁵ SLAC National Accelerator Laboratory, Stanford CA, United States of America

¹⁴⁶ (a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; (b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic

¹⁴⁷ (a) Department of Physics, University of Cape Town, Cape Town; (b) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; (c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa

¹⁴⁸ (a) Department of Physics, Stockholm University; (b) The Oskar Klein Centre, Stockholm, Sweden

¹⁴⁹ Physics Department, Royal Institute of Technology, Stockholm, Sweden

¹⁵⁰ Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY, United States of America

¹⁵¹ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom

¹⁵² School of Physics, University of Sydney, Sydney, Australia

¹⁵³ Institute of Physics, Academia Sinica, Taipei, Taiwan

¹⁵⁴ Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel

¹⁵⁵ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel

¹⁵⁶ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece

¹⁵⁷ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan

¹⁵⁸ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan

¹⁵⁹ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan

¹⁶⁰ Tomsk State University, Tomsk, Russia

¹⁶¹ Department of Physics, University of Toronto, Toronto ON, Canada

¹⁶² (a) INFN-TIFPA; (b) University of Trento, Trento, Italy

¹⁶³ (a) TRIUMF, Vancouver BC; (b) Department of Physics and Astronomy, York University, Toronto ON, Canada

¹⁶⁴ Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan

¹⁶⁵ Department of Physics and Astronomy, Tufts University, Medford MA, United States of America

¹⁶⁶ Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America

¹⁶⁷ (a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (b) ICTP, Trieste; (c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy

¹⁶⁸ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden

¹⁶⁹ Department of Physics, University of Illinois, Urbana IL, United States of America

¹⁷⁰ Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Spain

¹⁷¹ Department of Physics, University of British Columbia, Vancouver BC, Canada

- ¹⁷² Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
- ¹⁷³ Department of Physics, University of Warwick, Coventry, United Kingdom
- ¹⁷⁴ Waseda University, Tokyo, Japan
- ¹⁷⁵ Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
- ¹⁷⁶ Department of Physics, University of Wisconsin, Madison WI, United States of America
- ¹⁷⁷ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
- ¹⁷⁸ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
- ¹⁷⁹ Department of Physics, Yale University, New Haven CT, United States of America
- ¹⁸⁰ Yerevan Physics Institute, Yerevan, Armenia
- ¹⁸¹ Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
- ¹⁸² Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan
- ^a Also at Department of Physics, King's College London, London, United Kingdom
- ^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- ^c Also at Novosibirsk State University, Novosibirsk, Russia
- ^d Also at TRIUMF, Vancouver BC, Canada
- ^e Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY, United States of America
- ^f Also at Department of Physics, California State University, Fresno CA, United States of America
- ^g Also at Department of Physics, University of Fribourg, Fribourg, Switzerland
- ^h Also at II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- ⁱ Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain
- ^j Also at Tomsk State University, Tomsk, and Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia
- ^k Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China
- ^l Also at Università di Napoli Parthenope, Napoli, Italy
- ^m Also at Institute of Particle Physics (IPP), Canada
- ⁿ Also at Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
- ^o Also at Horia Hulubei National Institute of Physics and Nuclear Engineering, Romania
- ^p Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- ^q Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia
- ^r Also at Borough of Manhattan Community College, City University of New York, New York City, United States of America
- ^s Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece
- ^t Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa
- ^u Also at Louisiana Tech University, Ruston LA, United States of America
- ^v Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain
- ^w Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
- ^x Also at LAL, Université Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
- ^y Also at Graduate School of Science, Osaka University, Osaka, Japan
- ^z Also at Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
- ^{aa} Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- ^{ab} Also at Near East University, Nicosia, North Cyprus, Mersin 10, Turkey
- ^{ac} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia

- ad* Also at CERN, Geneva, Switzerland
- ae* Also at Georgian Technical University (GTU), Tbilisi, Georgia
- af* Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan
- ag* Also at Manhattan College, New York NY, United States of America
- ah* Also at Hellenic Open University, Patras, Greece
- ai* Also at The City College of New York, New York NY, United States of America
- aj* Also at Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain), Spain
- ak* Also at Department of Physics, California State University, Sacramento CA, United States of America
- al* Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia
- am* Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Geneva, Switzerland
- an* Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America
- ao* Also at Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain
- ap* Also at School of Physics, Sun Yat-sen University, Guangzhou, China
- aq* Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria
- ar* Also at Faculty of Physics, M.V.Lomonosov Moscow State University, Moscow, Russia
- as* Also at National Research Nuclear University MEPhI, Moscow, Russia
- at* Also at Department of Physics, Stanford University, Stanford CA, United States of America
- au* Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary
- av* Also at Giresun University, Faculty of Engineering, Turkey
- aw* Also at Department of Physics, Nanjing University, Jiangsu, China
- ax* Also at Institute of Physics, Academia Sinica, Taipei, Taiwan
- ay* Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia
- az* Also at Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- * Deceased